


NGL Water Solutions DJ LLC (Operator # 10373)

SWD #C3A

API: 05-123-31735

NWNW Sec 32 T4N R65W



WELL DESCRIPTION	LOCATION	WELL INFORMATION			
		Depth	Top Perf	Bottom Perf	Aquifer
Receipt=0510232, Permit=0250996-- SPAYD PAT	SWSE 29 4 N-65W	320	240	320	KLF
Receipt=9065838, Permit=0087575-- J M J ENG & CONST INC	NENE 31 4 N-65W	0	0	0	GW
Receipt=0525266, Permit=0089238--A RURAL LAND CO INC	NESE 31 4 N-65W	320	200	320	KLF
Receipt=0078552, Permit=0089238--A RURAL LND	NESE 31 4 N-65W	0	0	0	GW
Receipt=0037042, Permit=0037042-MH- KLINGER DUANE & KATHY	NENE 32 4 N-65W	0	0	0	GW
Receipt=0451665, Permit=0000000-- KLINGER DUANE	NENE 32 4 N-65W	0	0	0	GW
Receipt=0451689, Permit=0221917-- KLINGER DUANE	NENE 32 4 N-65W	280	200	280	KLF
Receipt=0470191, Permit=0228892-- BEAN TODD	NENE 32 4 N-65W	420	220	360	KLF
Receipt=0471547, Permit=0229513-- KLINGER DUANE	NENE 32 4 N-65W	360	0	0	KLF
Receipt=0470780, Permit=0231162-- WEINMASTER MARK	SWNE 32 4 N-65W	530	430	530	KLF
Receipt=0509743, Permit=0231162--A WEINMASTER MARK	SWNE 32 4 N-65W	360	220	360	KLF
Receipt=0499599, Permit=0249119-- M & D INVESTMENTS	NENW 32 4 N-65W	340	240	340	GW
Receipt=0041664, Permit=0041664-MH- CONQUEST OIL	NWNW 32 4 N-65W	0	0	0	GW
Receipt=0041884, Permit=0041884-MH- CONQUEST OIL	NWNW 32 4 N-65W	0	0	0	GW
Receipt=0280627, Permit=0006590--A HERNANDEZ NORMA	NWNW 32 4 N-65W	240	213	240	GW
Receipt=9059646, Permit=0006590-- KEYSER ELDON L	NWNW 32 4 N-65W	303	0	0	GW

Receipt=0492263, Permit=0243276-- SANDQUIST JAY D	SENW 32 4 N-65W	275	230	275	TKD
Receipt=0544953, Permit=0269104-- SANDQUIST JAY D	SENW 32 4 N-65W	320	280	320	KLF
Receipt=3603938, Permit=0269103-- SANDQUIST JAY D	SENW 32 4 N-65W	275	230	275	KLF
Receipt=0540939, Permit=0265171-- SILVA FRANK	NWSW 32 4 N-65W	200	0	0	GW
Receipt=0475415, Permit=0234769-- TACORONTE BENJAMIN L & SALLY E	SWSW 32 4 N-65W	0	0	0	KLF
Receipt=0456322, Permit=0224687-- SIPRES JOE	SWSW 32 4 N-65W	380	280	380	GW

A WATER SAMPLE WAS COLLECTED ON 2/26/14

COGIS - Environmental Sample Site Information

#703281 Information

Sample Site ID:	703281	ProjNumber:	
FacilityType:	DOM	Location:	NWNW 32 4N 65W
County:	WELD - #123	Lat/Long:	40.27426/-104.695752
Elevation:	0	WellDepth:	240
DWR Receipt #:	0280627		

COGCC Water Quality Database Disclaimer:

The analytical data and other information in this database are a compilation of data collected by COGCC staff, data submitted to COGCC from a variety of third parties, and historical data. All analytical data collected by or submitted to the COGCC is public information and COGCC posts the data to this database as a public service. The data is provided for informational purposes only. COGCC does not conduct a detailed review of quality control/quality assurance protocols, chain of custody procedures, or field or laboratory methodologies on data received from third parties. The level of review performed on historical data is unknown. COGCC does not regularly perform formal data validation for any of the data posted to this database. **The COGCC makes no warranties or representations of any kind, express or implied, regarding the quality, accuracy, reliability, merchantability, or fitness for a particular purpose of the data provided herein.**

Sample(s)

All

Sample ID:	537130	Sample Date:	2/26/2014	Matrix:	GAS	Lab:	ISOTECH
Sample ID:	536503	Sample Date:	2/26/2014	Matrix:	WATER	Lab:	TestAmerica Inc.

Sample Results for Sample # 536503 TestAmerica Inc. ID: 280-52499-1 - Minimize					
Methodcode	ParamDescription	ResultValue	Units	DetectionLimit	Qualifier
E300.0	BROMIDE	ND	mg/L	0.2	<
E300.0	CHLORIDE	5	mg/L	3	
E300.0	FLUORIDE	1	mg/L	0.5	
E300.0	SULFATE	71	mg/L	25	
E353.2	NITRATE/NITRITE	ND	mg/L	0.1	<
RSK175	METHANE	7400	ug/L	5	
SAR-FAO29R1	SODIUM ADSORPTION RATIO	4.4	No Unit	0.4	
SM1030	CATION - ANION BALANCE	13	%		
SM1030	Percent difference	13	%		
SM1030	SUM OF ANIONS	8.5	meq/L		
SM1030	SUM OF CATIONS	6.5	meq/L		
SM2320B	BICARBONATE ALKALINITY as CaCO3	340	mg/L	5	
SM2320B	CARBONATE ALKALINITY AS CaCO3	ND	mg/L	5	<
SM2320B	HYDROXIDE ALKALINITY AS CaCO3	ND	mg/L	5	<
SM2320B	TOTAL ALKALINITY AS CaCO3	340	mg/L	5	
SM2510B	SPECIFIC CONDUCTIVITY	700	UMHOS/CM	2	
SM2540C	TOTAL DISSOLVED SOLIDS	450	mg/L	10	
SM4500-H+ B	pH	7.6	SU	0.1	

SW6010	ARSENIC	ND	ug/L	15	<
SW6010	BARIUM	37	ug/L	10	
SW6010	CALCIUM	35000	ug/L	200	
SW6010	CHROMIUM	ND	ug/L	10	<
SW6010	IRON	220	ug/L	100	
SW6010	LEAD	ND	ug/L	9	<
SW6010	MAGNESIUM	15000	ug/L	200	
SW6010	MANGANESE	81	ug/L	10	
SW6010	POTASSIUM	ND	ug/L	3000	<
SW6010	SELENIUM	ND	ug/L	15	<
SW6010	SODIUM	120000	ug/L	1000	
SW8015	TEPH DIESEL RANGE ORGANICS	ND	mg/Kg	0.24	<
SW8015	TVPH - Gasoline Range Organics	ND	ug/L	25	<
SW8260	1,1,1-TRICHLOROETHANE	ND	ug/L	1	<
SW8260	1,1,2,2-TETRACHLOROETHANE	ND	ug/L	1	<
SW8260	1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	ND	ug/L	3	<
SW8260	1,1,2-TRICHLOROETHANE	ND	ug/L	1	<
SW8260	1,1-DICHLOROETHANE	ND	ug/L	1	<
SW8260	1,1-DICHLOROETHENE	ND	ug/L	1	<
SW8260	1,2,3-TRICHLOROBENZENE	ND	ug/L	1	<
SW8260	1,2,4-TRICHLOROBENZENE	ND	ug/L	1	<
SW8260	1,2-DIBROMO-3-CHLOROPROPANE	ND	ug/L	5	<
SW8260	1,2-DIBROMOETHANE	ND	ug/L	1	<
SW8260	1,2-DICHLOROBENZENE	ND	ug/L	1	<
SW8260	1,2-DICHLOROETHANE	ND	ug/L	1	<
SW8260	1,2-DICHLOROPROPANE	ND	ug/L	1	<
SW8260	1,3-DICHLOROBENZENE	ND	ug/L	1	<
SW8260	1,4-DICHLOROBENZENE	ND	ug/L	1	<
SW8260	1,4-DIOXANE	ND	ug/L	200	<
SW8260	2-BUTANONE	ND	ug/L	6	<
SW8260	2-HEXANONE	ND	ug/L	5	<
SW8260	2-PROPANOL	ND	ug/L	40	<
SW8260	4-METHYL-2-PENTANONE	ND	ug/L	5	<
SW8260	ACETONE	ND	ug/L	10	<
SW8260	BENZENE	ND	ug/L	1	<
SW8260	BROMOCHLOROMETHANE	ND	ug/L	1	<
SW8260	BROMODICHLOROMETHANE	ND	ug/L	1	<
SW8260	BROMOFORM	ND	ug/L	1	<
SW8260	BROMOMETHANE	ND	ug/L	2	<
SW8260	CARBON DISULFIDE	ND	ug/L	2	<
SW8260	CARBON TETRACHLORIDE	ND	ug/L	1	<
SW8260	CHLOROBENZENE	ND	ug/L	1	<
SW8260	CHLOROETHANE	ND	ug/L	2	<
SW8260	CHLOROFORM	ND	ug/L	1	<
SW8260	CHLOROMETHANE	ND	ug/L	2	<

SW8260	cis-1,2-DICHLOROETHENE	ND	ug/L	1	<
SW8260	cis-1,3-DICHLOROPROPENE	ND	ug/L	1	<
SW8260	CYCLOHEXANE	ND	ug/L	2	<
SW8260	CYCLOHEXANONE	ND	ug/L	100	<
SW8260	DIBROMOCHLOROMETHANE	ND	ug/L	1	<
SW8260	DICHLORODIFLUOROMETHANE	ND	ug/L	2	<
SW8260	DICHLOROMETHANE (methylene chloride)	ND	ug/L	2	<
SW8260	ETHANOL	ND	ug/L	300	<
SW8260	ETHYL tert-BUTYL ETHER	ND	ug/L	5	<
SW8260	ETHYLBENZENE	ND	ug/L	1	<
SW8260	ISOBUTYL ALCOHOL	ND	ug/L	110	<
SW8260	ISOPROPYLBENZENE	ND	ug/L	1	<
SW8260	m-+p-XYLENE	ND	ug/L	2	<
SW8260	METHYL ACETATE	ND	ug/L	5	<
SW8260	METHYL CYCLOHEXANE	ND	ug/L	1	<
SW8260	METHYL-tert-BUTYL-ETHER (MTBE)	ND	ug/L	5	<
SW8260	N-Butanol	ND	ug/L	60	<
SW8260	o-XYLENE	ND	ug/L	1	<
SW8260	STYRENE	ND	ug/L	1	<
SW8260	tert-AMYL METHYL ETHER	ND	ug/L	5	<
SW8260	tert-BUTANOL	ND	ug/L	50	<
SW8260	TETRACHLOROETHENE	ND	ug/L	1	<
SW8260	TOLUENE	ND	ug/L	1	<
SW8260	trans-1,2-DICHLOROETHENE	ND	ug/L	1	<
SW8260	trans-1,3-DICHLOROPROPENE	ND	ug/L	3	<
SW8260	TRICHLOROETHENE	ND	ug/L	1	<
SW8260	TRICHLOROFLUOROMETHANE	ND	ug/L	2	<
SW8260	VINYL CHLORIDE	ND	ug/L	1	<
SW8270	1,2,4-TRICHLOROBENZENE	ND	ug/L	3.8	<
SW8270	1,4-DICHLOROBENZENE	ND	ug/L	3.8	<
SW8270	2,4,5-TRICHLOROPHENOL	ND	ug/L	9.5	<
SW8270	2,4,6-TRICHLOROPHENOL	ND	ug/L	9.5	<
SW8270	2,4-DICHLOROPHENOL	ND	ug/L	9.5	<
SW8270	2,4-DIMETHYLPHENOL	ND	ug/L	9.5	<
SW8270	2,4-DINITROPHENOL	ND	ug/L	29	<
SW8270	2,4-DINITROTOLUENE	ND	ug/L	9.5	<
SW8270	2,6-DINITROTOLUENE	ND	ug/L	9.5	<
SW8270	2-CHLORONAPHTHALENE	ND	ug/L	3.8	<
SW8270	2-CHLOROPHENOL	ND	ug/L	9.5	<
SW8270	2-METHYLNAPHTHALENE	ND	ug/L	3.8	<
SW8270	2-METHYLPHENOL	ND	ug/L	9.5	<
SW8270	2-NITROANILINE	ND	ug/L	9.5	<
SW8270	2-NITROPHENOL	ND	ug/L	9.5	<
SW8270	3,3'-DICHLOROBENZIDINE	ND	ug/L	48	<
SW8270	3-+4-METHYLPHENOL	ND	ug/L	9.5	<

SW8270	3-NITROANILINE	ND	ug/L	9.5	<
SW8270	4,6-DINITRO-2-METHYLPHENOL	ND	ug/L	48	<
SW8270	4-BROMOPHENYL PHENYL ETHER	ND	ug/L	9.5	<
SW8270	4-CHLORO-3-METHYLPHENOL	ND	ug/L	9.5	<
SW8270	4-CHLOROANILINE	ND	ug/L	9.5	<
SW8270	4-CHLOROPHENYL PHENYL ETHER	ND	ug/L	9.5	<
SW8270	4-NITROANILINE	ND	ug/L	9.5	<
SW8270	4-NITROPHENOL	ND	ug/L	9.5	<
SW8270	ACENAPHTHENE	ND	ug/L	3.8	<
SW8270	ACENAPHTHYLENE	ND	ug/L	3.8	<
SW8270	ACETOPHENONE	ND	ug/L	9.5	<
SW8270	ANTHRACENE	ND	ug/L	3.8	<
SW8270	ATRAZINE	ND	ug/L	9.5	<
SW8270	BENZ(a)ANTHRACENE	ND	ug/L	3.8	<
SW8270	BENZIDINE	ND	ug/L	95	<
SW8270	BENZO(a)PYRENE	ND	ug/L	3.8	<
SW8270	BENZO(b)FLUORANTHENE	ND	ug/L	3.8	<
SW8270	BENZO(ghi)PERYLENE	ND	ug/L	3.8	<
SW8270	BENZO(k)FLUORANTHENE	ND	ug/L	3.8	<
SW8270	bis(2-CHLOROETHOXY)METHANE	ND	ug/L	9.5	<
SW8270	bis(2-CHLOROETHYL)ETHER	ND	ug/L	9.5	<
SW8270	bis(2-CHLOROISOPROPYL)ETHER	ND	ug/L	9.5	<
SW8270	bis(2-ETHYLHEXYL)PHTHALATE	ND	ug/L	9.5	<
SW8270	BUTYL BENZYL PHTHALATE	ND	ug/L	3.8	<
SW8270	CAPROLACTAM	ND	ug/L	9.5	<
SW8270	CARBAZOLE	ND	ug/L	3.8	<
SW8270	CHRYSENE	ND	ug/L	3.8	<
SW8270	DI-n-BUTYL PHTHALATE	ND	ug/L	3.8	<
SW8270	DI-n-OCTYL PHTHALATE	ND	ug/L	3.8	<
SW8270	DIBENZ(a,h)ANTHRACENE	ND	ug/L	3.8	<
SW8270	DIBENZOFURAN	ND	ug/L	3.8	<
SW8270	DIETHYL PHTHALATE	ND	ug/L	3.8	<
SW8270	DIMETHYL PHTHALATE	ND	ug/L	3.8	<
SW8270	FLUORANTHENE	ND	ug/L	3.8	<
SW8270	FLUORENE	ND	ug/L	3.8	<
SW8270	HEXACHLORO-1,3-BUTADIENE	ND	ug/L	9.5	<
SW8270	HEXACHLOROBENZENE	ND	ug/L	9.5	<
SW8270	HEXACHLOROCYCLOPENTADIENE	ND	ug/L	48	<
SW8270	HEXACHLOROETHANE	ND	ug/L	9.5	<
SW8270	INDENO(1,2,3-cd)PYRENE	ND	ug/L	3.8	<
SW8270	METHYLPHENOL ISOMERS SUM	ND	ug/L	9.5	<
SW8270	N-NITROSO-di-n-PROPYLAMINE	ND	ug/L	9.5	<
SW8270	N-NITROSODIPHENYLAMINE	ND	ug/L	9.5	<
SW8270	NAPHTHALENE	ND	ug/L	3.8	<

SW8270	NITROBENZENE	ND	ug/L	9.5	<
SW8270	PENTACHLOROPHENOL	ND	ug/L	48	<
SW8270	PHENANTHRENE	ND	ug/L	3.8	<
SW8270	PHENOL	ND	ug/L	9.5	<
SW8270	PYRENE	ND	ug/L	9.5	<

Sample ID:	468303	Sample Date:	3/20/2008	Matrix:	GAS	Lab:	Isotech Laboratories
Sample ID:	468304	Sample Date:	3/20/2008	Matrix:	WATER	Lab:	Evergreen Analytical, Inc.
Sample ID:	468301	Sample Date:	5/30/2006	Matrix:	GAS	Lab:	Isotech Laboratories
Sample ID:	468302	Sample Date:	5/30/2006	Matrix:	WATER	Lab:	SevernTrent
Sample ID:	468298	Sample Date:	1/8/2004	Matrix:	GAS	Lab:	Isotech Laboratories
Sample ID:	468299	Sample Date:	1/8/2004	Matrix:	WATER	Lab:	Isotech Laboratories
Sample ID:	468300	Sample Date:	1/8/2004	Matrix:	WATER	Lab:	Evergreen Analytical, Inc.
Sample ID:	468297	Sample Date:	7/9/2002	Matrix:	GAS	Lab:	Isotech Laboratories
Sample ID:	468296	Sample Date:	5/13/2002	Matrix:	WATER	Lab:	Evergreen Analytical, Inc.

COGIS - Environmental Sample Site Information

#703281 Information

Sample Site ID:	703281	ProjNumber:	
FacilityType:	DOM	Location:	NWNW 32 4N 65W
County:	WELD - #123	Lat/Long:	40.27426/-104.695752
Elevation:	0	WellDepth:	240
DWR Receipt #:	0280627		

COGCC Water Quality Database Disclaimer:

The analytical data and other information in this database are a compilation of data collected by COGCC staff, data submitted to COGCC from a variety of third parties, and historical data. All analytical data collected by or submitted to the COGCC is public information and COGCC posts the data to this database as a public service. The data is provided for informational purposes only. COGCC does not conduct a detailed review of quality control/quality assurance protocols, chain of custody procedures, or field or laboratory methodologies on data received from third parties. The level of review performed on historical data is unknown. COGCC does not regularly perform formal data validation for any of the data posted to this database. **The COGCC makes no warranties or representations of any kind, express or implied, regarding the quality, accuracy, reliability, merchantability, or fitness for a particular purpose of the data provided herein.**

Sample(s)

All

Sample ID:	537130	Sample Date:	2/26/2014	Matrix:	GAS	Lab:	ISOTECH
Sample Results for Sample # 537130 ISOTECH ID: 415490 - Minimize							
Methodcode	ParamDescription	ResultValue	Units	DetectionLimit	Qualifier		
SOP	ARGON	1.01	MOL %	0.005			
SOP	BRITISH THERMAL UNITS	230	BTU				
SOP	BUTANE	0.0057	MOL %	0.0001			
SOP	C6+ (hexanes +)	ND	MOL %	0.0001	ND		
SOP	CARBON DIOXIDE	2.46	MOL %	0.005			
SOP	CARBON MONOXIDE	ND	MOL %	0.01	ND		
SOP	DELTA 13C C1	-43.8	‰				
SOP	DELTA 13C C2	-26.8	‰				
SOP	DELTA 13C C3	-17.6	‰				
SOP	DELTA D C1	-213.9	‰				
SOP	ETHANE	2.33	MOL %	0.0001			
SOP	ETHENE	ND	MOL %	0.0001	ND		
SOP	HELIUM DILUTION FACTOR	0.56	NA				
SOP	HYDROGEN	ND	MOL %	0.003	ND		
SOP	ISOBUTANE	0.0096	MOL %	0.0001			
SOP	ISOPENTANE	0.0016	MOL %	0.0001			
SOP	METHANE	18.26	MOL %	0.0002			
SOP	NITROGEN (N2)	68.04	MOL %	0.01			
SOP	OXYGEN (O2)	7.77	MOL %	0.01			

SOP	PENTANE	0.0005	MOL %	0.0001	
SOP	PROPANE	0.117	MOL %	0.0001	
SOP	PROPENE	ND	MOL %	0.0001	ND
SOP	SPECIFIC GRAVITY	0.923	RATIO_AIR		

Sample ID:	536503	Sample Date:	2/26/2014	Matrix:	WATER	Lab:	TestAmerica Inc.
Sample ID:	468303	Sample Date:	3/20/2008	Matrix:	GAS	Lab:	Isotech Laboratories
Sample ID:	468304	Sample Date:	3/20/2008	Matrix:	WATER	Lab:	Evergreen Analytical, Inc.
Sample ID:	468301	Sample Date:	5/30/2006	Matrix:	GAS	Lab:	Isotech Laboratories
Sample ID:	468302	Sample Date:	5/30/2006	Matrix:	WATER	Lab:	SevernTrent
Sample ID:	468298	Sample Date:	1/8/2004	Matrix:	GAS	Lab:	Isotech Laboratories
Sample ID:	468299	Sample Date:	1/8/2004	Matrix:	WATER	Lab:	Isotech Laboratories
Sample ID:	468300	Sample Date:	1/8/2004	Matrix:	WATER	Lab:	Evergreen Analytical, Inc.
Sample ID:	468297	Sample Date:	7/9/2002	Matrix:	GAS	Lab:	Isotech Laboratories
Sample ID:	468296	Sample Date:	5/13/2002	Matrix:	WATER	Lab:	Evergreen Analytical, Inc.