

<b>FORM INSP</b> Rev 05/11	<b>State of Colorado</b> <b>Oil and Gas Conservation Commission</b> 1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109		DE ET OE ES
-------------------------------	--	--	----------------------

Inspection Date: 08/22/2014

Document Number: 668002496

Overall Inspection: **Unsatisfactory**

**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	<input type="checkbox"/>
	<u>429882</u>	<u>429883</u>	<u>DURAN, JOHN</u>	2A Doc Num:	

**Operator Information:**

OGCC Operator Number: 10412 Name of Operator: AUS-TEX EXPLORATION INC

Address: 7985 W 16TH AVENUE

City: LAKEWOOD State: CO Zip: 80214

**Contact Information:**

Contact Name	Phone	Email	Comment
Housey, Melissa		melissa.housey@state.co.us	
Coler, Larry		larry.coler@state.co.us	
Akrad, Ola	(303) 233-2232	OAKrad@austinexploration.com	All Inspections

**Compliance Summary:**

QtrQtr: SWSW Sec: 1 Twp: 20S Range: 70W

**Inspector Comment:**

---

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	
429882	WELL	DG	08/15/2014	LO	043-06219	Pathfinder C 14-01 1	<input checked="" type="checkbox"/>

**Equipment:** Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>1</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>1</u>	Separators: <u>1</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: <u>1</u>
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: <u>2</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: <u>1</u>	Fuel Tanks: _____

**Location**

Emergency Contact Number: (S/U/V) Unsatisfactory Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

**Spills:**

Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

<b>Venting:</b>	
Yes/No	Comment

<b>Flaring:</b>				
Type	Satisfactory/Unsatisfactory	Comment	Corrective Action	CA Date

**Predrill**

Location ID: 429882

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	koepsear	The construction layout drawings show a flare pit. Flare pits are special purpose pits, requiring a Form 15 within 30 days of construction (if no condensate is anticipated), if accumulation of condensate is anticipated, a Form 15 must be submitted and approved prior to construction.	07/19/2012
OGLA	koepsear	Provide notice to COGCC 48-hours prior to commencement of construction activities via form 42.	07/16/2012
OGLA	koepsear	Only enclosed flares shall be utilized at the location. A Form 4 Sundry Notice is required to be filed with the COGCC stating that flaring will be taking place on the location. The Sundry is required to be submitted and approved prior to initiating flaring. The Sundry shall also include a line drawing of the flare.	07/16/2012
OGLA	koepsear	Operator must implement site-specific best management practices in accordance with good engineering practices, including, but not limited to, construction of a berm or diversion dike, site grading, or other comparable measures, sufficient to prevent a release of drilling, completion, produced fluids, or chemical products from migrating off the location.	07/16/2012

OGLA	koepsear	<p>Prior to drilling, operator shall sample the two wells, springs, or surface water features within a one (1) mile radius of the proposed oil and gas location. Testing preference shall be given to water wells and springs over surface water. The sample location shall be surveyed in accordance with Rule 215.</p> <p>Initial baseline testing shall include laboratory analysis of pH, total dissolved solids (TDS), specific conductivity (SC), sodium adsorption ratio (SAR) calculation, calcium (Ca), potassium (K), magnesium (Mg), sodium (Na), arsenic (As), boron (B), barium (Ba), cadmium (Cd), chromium (Cr), copper (Cu), iron (Fe), manganese (Mn), lead (Pb), selenium (Se). All metals analyzed for total recoverable; bromide (Br), chloride (Cl), fluoride (F), sulfate (SO4), alkalinity (total, HCO3, and CO3 – all expressed as CaCO3), benzene, toluene, ethyl benzene, o-xylene, m- + p-xylene (BTEX), dissolved methane, diesel range organics (DRO), gasoline range organics (GRO). Sampling shall be performed by qualified individuals using methods consistent with commonly accepted environmental sampling procedures. Field observations such as pH, temperature, specific conductance, odor, water color, sediment, bubbles, and effervescence shall also be included.</p> <p>After 90 days, but less than 180 days of completion of the first proposed well a “post-completion” test shall be performed for the same analytical parameters listed above and repeated one (1), three (3) and six (6) years thereafter.</p> <p>If free gas or a dissolved methane concentration level greater than one (1) milligrams per liter (mg/l) is detected in a water well, gas compositional analysis and stable isotope analysis of the methane (carbon and deuterium) shall be performed to determine gas type (biogenic or thermogenic). If the methane concentration increases by more than five (5) mg/l between sampling periods, or increases to more than ten (10) mg/l, the operator shall notify the Director and the owner of the water well immediately. If thermogenic methane concentrations increase between sampling periods, the operator shall submit to the Director an action plan to determine the source of the increase.</p> <p>Copies of all test results described above shall be provided to the Director and the landowner where the water quality testing well is located within three (3) months of collecting the samples used for the test. The analytical data and surveyed sample locations shall also be submitted to the Director in an electronic data deliverable format approved by Director.</p>	07/16/2012
Agency	koepsear	Provide notice to COGCC 48-hours prior to commencement of Hydraulic Fracturing activities via form 42.	07/16/2012

**Comment:**

**CA:**  **Date:**

**Wildlife BMPs:**

BMP Type	Comment
Wildlife	Operator will comply with Rule 1204.a.(1) requiring installation and use of bear-proof dumpsters
Wildlife	Location is mapped in elk winter range, therefore, new construction, drilling, completion and re-completion activities will not be scheduled between December 1 and April 15. Routine operations and maintenance will not be limited by this BMP.

**Comment:**

**CA:**  **Date:**

**Stormwater:**

**Comment:**

**Staking:**

**On Site Inspection (305):**

Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_  
 Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_  
Operator Rep. Contact Information:  
 Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_  
 Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_  
 Request LGD Attendance: \_\_\_\_\_  
LGD Contact Information:  
 Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_  
Summary of Landowner Issues:  
 \_\_\_\_\_  
Summary of Operator Response to Landowner Issues:  
 \_\_\_\_\_  
Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:  
 \_\_\_\_\_

**Facility**

Facility ID: 429882 Type: WELL API Number: 043-06219 Status: DG Insp. Status: UN

**Idle Well**

Purpose:  Shut In  Temporarily Abandoned Reminder: \_\_\_\_\_  
 S/V: \_\_\_\_\_ CA Date: \_\_\_\_\_  
 CA: \_\_\_\_\_  
 Comment: Conductor CSG in place and possible Surface CSG.

**Environmental**

**Spills/Releases:**  
 Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_  
 Comment: \_\_\_\_\_  
 Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_  
 Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_  
 Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**  
 DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS: \_\_\_\_\_ Lat \_\_\_\_\_ Long \_\_\_\_\_

**Field Parameters:**  
 \_\_\_\_\_  
 Sample Location: \_\_\_\_\_

Emission Control Burner (ECB): \_\_\_\_\_  
 Comment: \_\_\_\_\_  
 Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit**

**Interim Reclamation:**  
 Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: RANGELAND

Comment:

- 1003a. Debris removed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Waste Material Onsite? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Unused or unneeded equipment onsite? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Pit, cellars, rat holes and other bores closed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_
- Guy line anchors marked? \_\_\_\_\_ CM \_\_\_\_\_  
CA \_\_\_\_\_ CA Date \_\_\_\_\_

- 1003b. Area no longer in use? \_\_\_\_\_ Production areas stabilized ? \_\_\_\_\_
- 1003c. Compacted areas have been cross ripped? \_\_\_\_\_

- 1003d. Drilling pit closed? \_\_\_\_\_ Subsidence over on drill pit? \_\_\_\_\_  
Cuttings management: \_\_\_\_\_

- 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? \_\_\_\_\_  
Production areas have been stabilized? \_\_\_\_\_ Segregated soils have been replaced? \_\_\_\_\_

**RESTORATION AND REVEGETATION**

Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ Perennial forage re-established \_\_\_\_\_

Non-Cropland

Top soil replaced \_\_\_\_\_ Recontoured \_\_\_\_\_ 80% Revegetation \_\_\_\_\_

- 1003 f. Weeds Noxious weeds? \_\_\_\_\_ P \_\_\_\_\_

Comment:

Overall Interim Reclamation \_\_\_\_\_ In Process \_\_\_\_\_

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started: \_\_\_\_\_ Date Final Reclamation Completed: \_\_\_\_\_

Final Land Use: RANGELAND

Reminder:

Comment:

- Well plugged \_\_\_\_\_ Pit mouse/rat holes, cellars backfilled \_\_\_\_\_
- Debris removed \_\_\_\_\_ No disturbance /Location never built \_\_\_\_\_
- Access Roads Regraded \_\_\_\_\_ Contoured \_\_\_\_\_ Culverts removed \_\_\_\_\_
- Gravel removed \_\_\_\_\_
- Location and associated production facilities reclaimed \_\_\_\_\_ Locations, facilities, roads, recontoured \_\_\_\_\_
- Compaction alleviation \_\_\_\_\_ Dust and erosion control \_\_\_\_\_
- Non cropland: Revegetated 80% \_\_\_\_\_ Cropland: perennial forage \_\_\_\_\_

Inspector Name: DURAN, JOHN

Weeds present \_\_\_\_\_ Subsidence \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date \_\_\_\_\_

Overall Final Reclamation \_\_\_\_\_ Multi-Well Location

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment

S/U/V: \_\_\_\_\_ Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

CA: \_\_\_\_\_

**COGCC Comments**

Comment	User	Date
Contacted by Melissa Housey/COGCC to inspect the well site of Pathfinder C 14-01 1. Conductor CSG in place and possible Surface CSG. Operator needs to contact Larry Coler/COGCC (303-894-2100, xt 5142) and/or Melissa Housey (303-894-2100, xt 5194) as soon as possible.	duranj	08/26/2014