



FIELD RECEIPT NO. 10011084410

| CUSTOMER<br>NOBLE ENERGY INC - XML  |                                      |   |  | CREDIT APPROVAL NO.  |          | PURCHASE ORDER NO.           |              | CUSTOMER NUMBER<br>20077336 - 00212896 |            | INVOICE NUMBER |  |
|---|--------------------------------------|---|--|--|----------|------------------------------|--------------|--|------------|----------------|--|
| MAIL<br>INVOICE TO<br>100 GLENBOROUGH DR, STE 100<br>HOUSTON, TEXAS 77067 |                                      |   |  | CITY<br>Houston  |          | STATE<br>Texas               |              | ZIP CODE<br>77067                      |            |                |  |
| DATE WORK<br>COMPLETED 07 21 2014   |                                      | BHI REPRESENTATIVE<br>Anthony J Staples |  | WELL API NO.<br>05123125270000   |          | WELL TYPE<br>Old Well        |              |  |            |                |  |
| DISTRICT<br>BJS, BRIGHTON   |                                      |   |  | JOB DEPTH (ft)<br>4,722  |          | WELL CLASS<br>Gas            |              |  |            |                |  |
| WELL NAME AND NUMBER<br>WEIDENKELLER #1-2                                 |                                      |   |  | TD WELL DEPTH (ft)<br>7,118  |          | GAS USED ON JOB<br>No Gas    |              |  |            |                |  |
| WELL LOCATION<br>1-4N-65W   |                                      | LEGAL DESCRIPTION<br>Weld               |  | COUNTY/PARISH<br>Colorado  |          | JOB TYPE CODE<br>Squeeze-Top |              |  |            |                |  |
| PRODUCT CODE  | DESCRIPTION                          |   |  | UNIT OF MEASURE  | QUANTITY | LIST PRICE UNIT              | GROSS AMOUNT | % DISC.                                | NET AMOUNT |                |  |
| 100021  | Class G Cement                       |   |  | sacks  | 375      |                              |              |  |            |                |  |
| 100121  | Silica Flour                         |   |  | lbs  | 4200     |                              |              |  |            |                |  |
| 100275  | Sodium Metasilicate                  |   |  | lbs  | 21       |                              |              |  |            |                |  |
| 100317  | Poz (Fly Ash)                        |   |  | sacks  | 125      |                              |              |  |            |                |  |
| 488015  | FL-52                                |   |  | lbs  | 126      |                              |              |  |            |                |  |
| 488019  | FP-6L                                |   |  | gals   | 6        |                              |              |  |            |                |  |
| 488449  | Bentonite II                         |   |  | lbs  | 630      |                              |              |  |            |                |  |
| 499632  | Granulated Sugar                     |   |  | lbs  | 100      |                              |              |  |            |                |  |
| 499680  | Static Free                          |   |  | lbs  | 20       |                              |              |  |            |                |  |
| SUB-TOTAL FOR Product Material  |                                      |   |  |  |          |                              |              |  |            |                |  |
| A152  | Personnel Per Diem Chrg - Cement Svc |   |  | ea   | 1        |                              |              |  |            |                |  |
| M100  | Bulk Materials Blending Charge       |   |  | cu ft  | 579      |                              |              |  |            |                |  |
| SUB-TOTAL FOR Service Charges   |                                      |   |  |  |          |                              |              |  |            |                |  |
| ARRIVE LOCATION : 07 21 2014 08:58  |                                      | TIME                                    |  | SERVICE ORDER: I AUTHORIZE WORK TO BEGIN PER SERVICE INSTRUCTIONS IN ACCORDANCE WITH THE TERMS AND CONDITIONS PRINTED ON THE LAST PAGE OF THIS FORM AND REPRESENT THAT I HAVE AUTHORITY TO ACCEPT AND SIGN THIS ORDER. |          |                              |              |  |            |                |  |
| CUSTOMER REP. Carl Swift  |                                      |   |  | CUSTOMER AUTHORIZED AGENT  |          |                              |              |  |            |                |  |
| SEE LAST PAGE FOR GENERAL TERMS AND CONDITIONS                            |                                      |   |  | BHI APPROVED   |          |                              |              |  |            |                |  |

37402



CEMENT JOB REPORT

|  |  |  |  |                           |           |                  |             |                                  |                   |               |  |
|--|--|--|--|---------------------------|-----------|------------------|-------------|----------------------------------|-------------------|---------------|--|
| CUSTOMER   |  | NOBLE ENERGY INC - XML                 |  | DATE                      | 21-JUL-14 | F.R. #           | 10011084410 | SERV. SUPV.                      | Anthony J Staples |               |  |
| LEASE & WELL NAME  |  | WIDENKELLER #1-2 - API 065123125270000 |  | LOCATION                  |           | 1-4N-65W         |             | COUNTY-PARISH-BLOCK              |                   | Weld Colorado |  |
| DISTRICT   |  | Bridgton                               |  | DRILLING CONTRACTOR RIG # |           | Squeeze-Top      |             | TYPE OF JOB                      |                   |               |  |
| SIZE & TYPE OF PLUGS   |  | LIST-CSG-HARDWARE                      |  | MECHANICAL BARRIERS       |           | MD               |             | TVD                              |                   | HANGER TYPES  |  |
| SIZE   |  | MD                                     |  | TVD                       |           | MD               |             | TVD                              |                   | HANGER TYPES  |  |
| No Shoe  |  |  |  |                           |           |                  |             |                                  |                   |               |  |
| PHYSICAL SLURRY PROPERTIES   |  |  |  |                           |           |                  |             |                                  |                   |               |  |
| SACKS OF CEMENT  |  | SLURRY WT PPG                          |  | SLURRY YLD FT3            |           | GPS              |             | PUMP TIME HR:MIN                 |                   | BBI MIX WATER |  |
| LAB REPORT NO. CEMENT  |  | 0                                      |  | 8.34                      |           | 0                |             | 00:00                            |                   | 5             |  |
| Fresh Water  |  | 0                                      |  | 8.34                      |           | 0                |             | 00:00                            |                   | 5             |  |
| Cement Slurry  |  | 250                                    |  | 13.5                      |           | 1.71             |             | 8.27                             |                   | 76            |  |
| Fresh Water  |  | 0                                      |  | 8.34                      |           | 0                |             | 00:00                            |                   | 5             |  |
| G Neat   |  | 250                                    |  | 15.8                      |           | 1.15             |             | 4.99                             |                   | 51.11         |  |
| Fresh Water  |  | 0                                      |  | 8.34                      |           | 0                |             | 00:00                            |                   | 5             |  |
| Available Mix Water  |  | 115                                    |  | Bbl.                      |           | TOTAL            |             | 143.11                           |                   | 78.74         |  |
| HOLE   |  | TBG-CSG-D.P.                           |  | MD                        |           | TVD              |             | GRADE                            |                   | SHOE          |  |
| SIZE   |  | % EXCESS                               |  | DEPTH                     |           | ID               |             | OD                               |                   | WGT.          |  |
| 10   |  | 0                                      |  | 7118                      |           | 4                |             | 4.5                              |                   | 11.6          |  |
| LAST CASING  |  | PKR-CMT RET-BR PL-LINER                |  | PERF. DEPTH               |           | TOP CONN         |             | WELL FLUID                       |                   | WGT.          |  |
| ID   |  | OD                                     |  | WGT                       |           | MD               |             | TVD                              |                   | BRAND & TYPE  |  |
| 8.1  |  | 8.63                                   |  | 24                        |           | CSG              |             | 306                              |                   | No Packer     |  |
| DISPL. VOLUME  |  | DISPL. FLUID                           |  | CAL. PSI                  |           | CAL. MAX PSI     |             | OP. MAX                          |                   | MAX TBG PSI   |  |
| VOLUME   |  | UOM                                    |  | TYPE                      |           | WGT.             |             | BUMP PLUG                        |                   | TO REV.       |  |
| 5  |  | BBLs                                   |  | Fresh Water               |           | 8.34             |             | 0                                |                   | 0             |  |
| Circulated Well:   |  | Rig                                    |  | X                         |           | Bj               |             | Circulation Time:                |                   | 1             |  |
| Mud Density In:  |  | 8.5 LBS/GAL                            |  | Mud Density Out:          |           | 8.5 LBS/GAL      |             | PV & YP Mud In:                  |                   | 0             |  |
| Gas Present:   |  | NO                                     |  | X                         |           | YES              |             | Units:                           |                   |               |  |
| Displaced By:  |  | Rig                                    |  | X                         |           | Bj               |             | Amount Bled Back After Job:      |                   | 0 BBLs        |  |
| Returns During Job:  |  | NONE                                   |  | X                         |           | PARTIAL          |             | X                                |                   | FULL          |  |
| Cement Returns at Surface:   |  | YES                                    |  | X                         |           | NO               |             | Were Returns Planned at Surface: |                   | X             |  |
| Pipe Movement:   |  | ROTATION                               |  | X                         |           | NONE             |             | UNABLE DUE TO STUCK PIPE         |                   | YES           |  |
| Centralizers:  |  | X                                      |  | NO                        |           | YES              |             | Quantity:                        |                   |               |  |
| Job Pumped Through:  |  | CHOKE MANIFOLD                         |  | X                         |           | SQUEEZE MANIFOLD |             | X                                |                   | NO MANIFOLD   |  |
| Plugs  |  | Wiper Balls Used:                      |  | X                         |           | NO               |             | YES                              |                   | Quantity:     |  |
| Number of Attempts by Bj:  |  | 0                                      |  | Competition:              |           | 0                |             | Wiper Balls Used:                |                   | X             |  |
| Plug Catcher Used:   |  | X                                      |  | NO                        |           | YES              |             | Parabow Used:                    |                   | X             |  |
| Was There a Bottom:  |  | X                                      |  | NO                        |           | YES              |             | Top of Plug:                     |                   | 0 FT          |  |
| Squeezes (Update Original Treatment Report for Primary Job)              |  | BLOCK SQUEEZE                          |  | X                         |           | SHOE SQUEEZE     |             | X                                |                   | UNPLANNED     |  |
| Casing Test (Update Original Treatment Report for Primary Job)           |  | Liner Packer:                          |  | X                         |           | NO               |             | YES                              |                   | Bond Log:     |  |
| Casing Test Pressure:  |  | 0 PSI                                  |  | With                      |           | 0 LBS/GAL        |             | Mud                              |                   | Time Held:    |  |
| EXPLANATION: TROUBLE SETTING TOOL, RUNNING CSG, ETC. PRIOR TO CEMENTING: |  | None                                   |  |                           |           |                  |             |                                  |                   |               |  |



## CEMENT JOB REPORT



Baker Hughes JobMaster Program Version 3.60  
Job Number: 10011084410  
Customer: Noble  
Well Name: Weidenkeller 1-2

