

STATE OF
COLORADO

Andrews - DNR, Doug <doug.andrews@state.co.us>

COGCC review of Great Western's Lind West Pad 20-300HN location - Doc #400642557

8 messages

Andrews - DNR, Doug <doug.andrews@state.co.us>
To: Callie Fiddes <cfiddes@gwogco.com>

Tue, Aug 26, 2014 at 2:25 PM

Callie,

This Form 2A is missing information that is required for proposed oil and gas locations that are within the Buffer Zone.

- 1) Evidence that the Rule 305.a. pre-application notifications were received by affected Building Unit owners, and
- 2) With the exception of the BMP for noise mitigation, BMPs for the Rule 604.c. mitigation measures.

Please provide me with these required pieces of information as soon as possible so that this Form 2A may be reviewed. Thank you.

--

Doug Andrews

Oil & Gas Location Assessment Specialist - Northeast Area

**COLORADO**
Oil & Gas Conservation
Commission
Department of Natural Resources

1120 Lincoln St., Suite 801
Denver, CO 80203
doug.andrews@state.co.us
303-894-2100 Ext. 5180

Callie Fiddes <cfiddes@gwogco.com>
To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>

Tue, Aug 26, 2014 at 3:07 PM

Please see attached.

Thank you,



Callie Fiddes

Regulatory Technician

Direct: [303.398.0550](tel:303.398.0550)

Fax: [866.742.1784](tel:866.742.1784)

Privileged / Confidential information may be contained in this message. This information is intended solely for use by the individual entity named as the recipient. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of the contents of this communication is prohibited. In such case, you should destroy this communication and notify the sender by reply email.

From: Andrews - DNR, Doug [mailto:doug.andrews@state.co.us]

Sent: Tuesday, August 26, 2014 2:26 PM

To: Callie Fiddes

Subject: COGCC review of Great Western's Lind West Pad 20-300HN location - Doc #400642557

[Quoted text hidden]

3 attachments



Scanned from a Xerox multifunction device.pdf

98K



Scanned from a Xerox multifunction device.pdf

105K



Best Management Practices.pdf

105K

Andrews - DNR, Doug <doug.andrews@state.co.us>

Wed, Aug 27, 2014 at 1:49 PM

To: Callie Fiddes <cfiddes@gwogco.com>

Callie,

I have completed my review of this proposed oil and gas location and have a few comment.

1) A review of your Location Drawing indicates the nearest Building is 387 feet from the nearest well or edge of nearest production facility (Line Table L5) and the nearest Building Unit is 540 feet from the nearest well or edge of nearest production facility (Line Table L13). Therefore I would like to revise these distance in the Cultural Distance section.

2) You have indicated the date the Rule 305.a.(2) Buffer Zone Notification was sent to Building Unit owners was 7/7/14. However, the copies of the notices you sent me yesterday are dated November 5, 2013. Did you resend these notices again this past July?

Please respond to this correspondence by September 27, 2014. If you have any questions, please contact me. Thank you.

[Quoted text hidden]

Callie Fiddes <cfiddes@gwogco.com>

Wed, Aug 27, 2014 at 2:16 PM

To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>

Yes, please make those changes. The other distances indicated from the wellhead and not the edge of our production pad.

Notices were sent out twice. If you would like me to scan over the green cards from 7/7 as well I can do that.



Callie Fiddes

Regulatory Technician

Direct: [303.398.0550](tel:303.398.0550)

Fax: [866.742.1784](tel:866.742.1784)

Privileged / Confidential information may be contained in this message. This information is intended solely for use by the individual entity named as the recipient. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of the contents of this communication is prohibited. In such case, you should destroy this communication and notify the sender by reply email.

From: Andrews - DNR, Doug [mailto:doug.andrews@state.co.us]

Sent: Wednesday, August 27, 2014 1:50 PM

To: Callie Fiddes

Subject: Re: COGCC review of Great Western's Lind West Pad 20-300HN location - Doc #400642557

[Quoted text hidden]

Andrews - DNR, Doug <doug.andrews@state.co.us>

Wed, Aug 27, 2014 at 2:19 PM

To: Callie Fiddes <cfiddes@gwogco.com>

That would be great. Should eliminate any questions as to why the dates are different. Thanks.

[Quoted text hidden]

Callie Fiddes <cfiddes@gwogco.com>

Wed, Aug 27, 2014 at 2:36 PM

To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>

I'm unable to locate the green card from 7/7/14 for Paul Sorelle but a notice was re-sent to him as well.



Callie Fiddes

Regulatory Technician

Direct: [303.398.0550](tel:303.398.0550)

Fax: [866.742.1784](tel:866.742.1784)

Privileged / Confidential information may be contained in this message. This information is intended solely for use by the individual entity named as the recipient. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of the contents of this communication is prohibited. In such case, you should destroy this communication and notify the sender by reply email.

From: Andrews - DNR, Doug [mailto:doug.andrews@state.co.us]

Sent: Wednesday, August 27, 2014 2:20 PM

[Quoted text hidden]

[Quoted text hidden]



Scanned from a Xerox multifunction device.pdf
128K

Andrews - DNR, Doug <doug.andrews@state.co.us>
To: Callie Fiddes <cfiddes@gwogco.com>

Wed, Sep 10, 2014 at 10:11 AM

Callie,

Now that the Public Comment period has ended, please send me a signed letter that certifies Great Western's compliance with COGCC Rule 306.e. (Meetings with Building Unit owners). Thank you.

[Quoted text hidden]

Callie Fiddes <cfiddes@gwogco.com>
To: "Andrews - DNR, Doug" <doug.andrews@state.co.us>

Wed, Sep 10, 2014 at 10:54 AM

Letter attached.

Thank you,



Callie Fiddes

Regulatory Technician

Direct: [303.398.0550](tel:303.398.0550)

Fax: [866.742.1784](tel:866.742.1784)

Privileged / Confidential information may be contained in this message. This information is intended solely for use by the individual entity named as the recipient. If you are not the intended recipient, be aware that any disclosure, copying, distribution, or use of the contents of this communication is prohibited. In such case, you should destroy this communication and notify the sender by reply email.

From: Andrews - DNR, Doug [mailto:doug.andrews@state.co.us]

Sent: Wednesday, September 10, 2014 10:12 AM

[Quoted text hidden]

[Quoted text hidden]



Lind West Operator Certification Rule 306.e.pdf

9/10/2014

State.co.us Executive Branch Mail - COGCC review of Great Western's Lind West Pad 20-300HN location - Doc #400642557

97K