



WARRIOR ENERGY SERVICES CORP.

D/b/a Black Warrior Wireline

DEPT. 2114
P.O. BOX 122114
DALLAS, TX. 75312-2114
24 Hour Phone (432) 530-1322

Date
August 20, 2014

| | | | |
|--|----------------------------|--|---|
| Company Name Anadarko Oil And Gas Onshore LP | | Well Name and Number HSR B/R D 7-20 | Field Ticket Number 4740-0598 |
| Address 4000 Burlington Ave | | District GREELEY | Engineer Chris Sharp |
| City/State/Zip Code Evans, Colorado 80620 | | Wireline Unit Number WL-4740 | Supervisor/Engineer |
| County/Parish Weld | Field Wattenberg | Rig Name & Number or Crane Unit Number ENSGN RIG | Equipment Operator Ryan Alles |
| Field Engineer / Supervisor Signature | | Equipment Operator | Equipment Operator |

| RUN DATA | | | | NS | SI | S | O | T | L | UNITS | CODE | DATE | DEPTHS AND DESCRIPTION | UNIT PRICE | AMOUNT |
|-------------|--------------------|------------------------------|------------------|---------|----|---|---|---|---|---------|----------|------|--|------------|--------|
| R U N | Job Time: | 10:00 | Shop Time: | 5:30 | | | | | X | 1.0 | 1000-100 | | Service Charge Cased Hole Unit | | |
| | Leave Shop: | 9:00 | Arrive Location: | 9:40 | | | | | | | | | | | |
| | Begin Rig Up: | 9:45 | Finish Rig Up: | 9:55 | | | | | | | | | | | |
| 1 | Time in | 10:00 | Time Out | 11:00 | | | | | | | | | | | |
| | From | Surface | To | 7000' | | | | | | | | | | | |
| | Service in | RAN GAUGE RING TO 7000' | | | | 3 | | | | | | | | | |
| 2 | Time in | 11:10 | Time Out | 12:10 | | | | | | | | | | | |
| | From | Surface | To | 6925' | | | | | | 7,000.0 | 1230-005 | | Junk Catcher / Gauge Ring Depth Charge | | |
| | Service | SET C.I.B.P IN 2 7/8" CASING | | | | 1 | | | | 1.0 | 1240-005 | | Junk Catcher / Gauge Ring Operation Charge | | |
| 3 | Time in | 12:15 | Time Out | 13:00 | | | | | | | | | | | |
| | From | Surface | To | 6925' | | | | | | | | | | | |
| | Service | DUMP BAIL 1 SACK OF CEMENT | | | | | | | | | | | | | |
| 4 | Time in | | Time Out | | | | | | | | | | | | |
| | From | | To | | | | | | | 1.0 | 1250-002 | | Cast Iron Bridge Plug for 2 7/8" Pipe | | |
| | Service | | | | | | | | | 6,925.0 | 1230-001 | | Bridge Plug Depth Charge | | |
| 5 | Time in | | Time Out | | | | | | | 1.0 | 1240-001 | | Bridge Plug Operation Charge | | |
| | From | | To | | | | | | | 1.0 | 1230-023 | | Standard Set Power Charge | | |
| | Service | | | | | | | | | | | | | | |
| 6 | Time in | | Time Out | | | | | | | 6,925.0 | 1230-007 | | Dump Bailer Depth Charge | | |
| | From | | To | | | | | | | 1.0 | 1240-007 | | Dump Bailer Operation Charge | | |
| | Service | | | | | | | | | 1.0 | 1220-061 | | Cement Mixing Equipment | | |
| 7 | Time in | | Time Out | | | | | | | 1.0 | 1220-063 | | Cement / Sand, per sack | | |
| | From | | To | | | | | | | | | | | | |
| | Service | | | | | | | | | | | | | | |
| 8 | Time in | | Time Out | | | | | | | | | | | | |
| | From | | To | | | | | | | | | | | | |
| | Service | | | | | | | | | | | | | | |
| 9 | Time in | | Time Out | | | | | | | | | | | | |
| | From | | To | | | | | | | | | | | | |
| | Service | | | | | | | | | | | | | | |
| 10 | Time in | | Time Out | | | | | | | | | | | | |
| | From | | To | | | | | | | | | | | | |
| | Service | | | | | | | | | | | | | | |
| 11 | Time in | | Time Out | | | | | | | | | | | | |
| | From | | To | | | | | | | | | | | | |
| | Service | | | | | | | | | | | | | | |
| 12 | Time in | | Time Out | | | | | | | | | | | | |
| | From | | To | | | | | | | | | | | | |
| | Service | | | | | | | | | | | | | | |
| 13 | Time in | | Time Out | | | | | | | | | | | | |
| | From | | To | | | | | | | | | | | | |
| | Service | | | | | | | | | | | | | | |
| 14 | Time in | | Time Out | | | | | | | | | | | | |
| | From | | To | | | | | | | | | | | | |
| | Service | | | | | | | | | | | | | | |
| | Begin Rig Down: | 13:05 | Finish Rig Down: | 13:20 | | | | | | | | | | | |
| | Leave Location: | 13:25 | Arrive Shop: | 14:20 | | | | | | | | | | | |
| | Operating Hrs: | 2:25 | Standby Hours: | 1:00 | 4 | 0 | | | | 1.0 | 1000-275 | | | | |
| | Total Field Hrs: | 5:00 | Travel Time Hrs: | 1:35 | | | | | | 1.0 | 1000-182 | | | | |
| | Total Trip Miles: | 45 | Lost Time Hrs: | 0:00 | | | | | | | | | | | |
| | Line Size: | 9/32" | Line Length: | 29,250' | | | | | | | | | | | |
| | Wellhead Volts: | 0 | Rig Volts: | 0 | | | | | | | | | | | |
| WELL DATA | | | | | | | | | | | | | | | |
| | Casing Size: | 2 7/8" | Liner Size: | | | | | | | | | | | | |
| | Tubing Size: | | Drill pipe Size: | | | | | | | | | | | | |
| | Drill Collar Size: | | Minimum I.D.: | | | | | | | | | | | | |
| | Fluid Level: | | Deviation: | | | | | | | | | | | | |
| | Max. Temp: | | Max. Pressure: | | | | | | | | | | | | |
| | Field Prints: | | Final Prints: | | | | | | | | | | | | |
| | Comments: | | | | | | | | | | | | | | |

Kurt Weaver

USER ID: ZKRW5

WBS/WO/CC. 88598070

All Invoices Payable in Dallas, Dallas CO., TX.

TERMS: NET 30 DAYS.

Concerning irretrievable loss of sealed sources, both WESC d/b/a Black Warrior Wireline and customer agree to abide by 25 TAC § 289.253 and NRC Part 39.77.

The Services (as defined in the Terms) related to this Field Invoice Ticket shall be governed exclusively by the Warrior Energy Services Corporation Customer Agreement General Terms and Conditions (the "Terms"), which are expressly incorporated herein by reference. The Terms are available upon request and at Warrior's website (<http://www.superiorenergy.com/subsidiary/warrior/>). Acceptance of the Terms shall be by the earlier of the date of signing above or by acknowledgment as described in Section 1 of the Terms, including without limitation by beginning performance.

Customer Signature

Customer Printed Name



WARRIOR ENERGY SERVICES CORP. JOB DATA SHEET

Company Anadarko Oil And Gas Onshore Well Name and No. HSR B/R D 7-20 Engineer Chris Sharp
County Weld Date 8/20/2014 Ticket No. 4740-0598 Unit No. WL-4740
District GREELEY Line Size 9/32" Line Length 29,250'
Job Time: 10:00 AM Shop Time: 5:30 AM Leave Shop: 9:00 AM Arrive Location: 9:40 AM
Field Hrs. 2:25:00 Standby Hours: 1:00:00 Total Hours 5:00:00 Travel Time Hrs. 1:35:00
Trip Miles 45 Leave Location: 1:25 PM Arrive Shop: 2:20 PM

Notice: Engineer to monitor for stray voltage prior to rig up: Wellhead volts: 0 Rig volts : 0

Were there any equipment or down hole failures? Yes No X If yes explain on Quality Control Analysis Form

Were there any hot shots required? Yes No X If yes explain on Quality Control Analysis Form

Were there any personnel problems? Yes No X If yes explain on Quality Control Analysis Form

Were there any accidents? Yes No X If yes explain on Quality Control Analysis Form

Were there any near misses? Yes No X If yes explain on Quality Control Analysis Form

Well Information

Casing Size 2 7/8" Liner Size Tubing Size Drill Pipe Size
Drill Collar Minimum I.D. Fluid Level 0 Deviation
Max. Temp. Max. Pressure

Run Data

RUN INFORMATION

*****REMARKS SECTION*****DESCRIBE RUN DETAILS IN FULL*****

1 Time in 10:00 AM Out 11:00 AM
From Surface To 7000'
Service #REF!

RAN GUAGE RING TO 7000'

2 Time in 11:10 AM Out 12:10 PM
From Surface To 6925'
Service RAN GUAGE RING TO 700

Set 2 7/8" C.I.B.P @ 6925'

3 Time in 12:15 PM Out 1:00 PM
From Surface To 6925'
Service DUMP BAIL 1 SACK OF CE

Dump bail 1 Sack of Cement on C.I.B.P

4 Time in 12:00 AM Out 12:00 AM
From 0 To 0
Service 0

5 Time in 12:00 AM Out 12:00 AM
From 0 To 0
Service 0

6 Time in 12:00 AM Out 12:00 AM
From 0 To 0
Service 0

7 Time in 12:00 AM Out 12:00 AM
From 0 To 0
Service 0

8 Time in 12:00 AM Out 12:00 AM
From 0 To 0
Service 0



WARRIOR ENERGY SERVICES CORP.

D/b/a Black Warrior Wireline

DEPT. 2114
P.O. BOX 122114
DALLAS, TX. 75312-2114
24 Hour Phone (970) 353-5118

Date
August 21, 2014

| | | | |
|--|----------------------------|---|---|
| Company Name ANADARKO | | Well Name and Number HSR -B/R D 7-20 | Field Ticket Number 7770-0480 |
| Address 4000 Burlington Ave | | District Greeley | Engineer Mike Jandreau |
| City/State/Zip Code Evans, Co. 80620 | | Wireline Unit Number 7770 | Supervisor/Engineer |
| County/Parish Weld | Field Wattenberg | Rig Name & Number or Crane Unit Number Workover Rig | Equipment Operator Shane Ravert |
| Field Engineer / Supervisor Signature | | Equipment Operator | Equipment Operator Ryan Magill |

| RUN | TIME | DEPTHS AND DESCRIPTION | UNIT PRICE | AMOUNT |
|---|---|---|------------|--------|
| 1 | Job Time: 18:00 Shop Time: 5:30 Leave Shop: 17:00 Arrive Location: 18:00 Begin Rig Up: 18:05 Finish Rig Up: 18:20 | Service Charge Cased Hole Unit | | |
| 2 | Time in 18:25 Time Out 19:45 From surface To 6045' | Incomplete Operation Charge | | |
| 3 | Service in Set 2 7/8 CIBP | Stacked out at 6045' | | |
| 4 | | 2 7/8 plug Hung up at 4050' | | |
| 5 | | Lost tool string in hole | | |
| 6 | | | | |
| 7 | | | | |
| 8 | | | | |
| 9 | | | | |
| 10 | | | | |
| 11 | | | | |
| 12 | | | | |
| 13 | | | | |
| 14 | | | | |
| 15 | Begin Rig Down: 19:45 Finish Rig Down: 20:00 Leave Location: 20:10 Arrive Shop: 21:00 Operating Hrs: 1:50 Standby Hours: 0:00 Total Field Hrs: 3:40 Travel Time Hrs: 1:50 Total Trip Miles: 50 Lost Time Hrs: 0:00 Line Size: Line Length: Wellhead Vols: Rig Vols: | UNITS CODE DATE 1.0 1000-100 1.0 1000-120 1.0 1000-275 1.0 1000-186 | | |
| WELL DATA | | | | |
| Casing Size: 2 7/8 Liner Size: Tubing Size: Drill pipe Size: Drill Collar Size: Minimum I.D.: Fluid Level: Deviation: Max. Temp: Max. Pressure: Field Prints: Final Prints: Comments: | | | | |

Kurt Weaver

USER ID: ZKRW5

WBS/WO/CC: 88598070

G/L Acct: 80012330

Consultant: LOGAN LEANART

All invoices Payable in Dallas, Dallas CO., TX.

TERMS: NET 30 DAYS.

Concerning Irretrievable loss of sealed sources, both WESC d/b/a Black Warrior Wireline and customer agree to abide by 25 TAC § 289.253 and NRC Part 39.77.

The Services (as defined in the Terms) related to this Field Invoice Ticket shall be governed exclusively by the Warrior Energy Services Corporation Customer Agreement General Terms and Conditions (the "Terms"), which are expressly incorporated herein by reference. The Terms are available upon request and at Warrior's website (<http://www.superiorenergy.com/subsidiary/warrior/>). Acceptance of the Terms shall be by the earlier of the date of signing above or by acknowledgment as described in Section 1 of the Terms, including without limitation by beginning performance.

Customer Signature

Customer Printed Name



WARRIOR ENERGY SERVICES CORP. JOB DATA SHEET

Company ANADARKO Well Name and No. HSR -B/R D 7-20 Engineer Mike Jandreau
County Weld Date 8/21/2014 Ticket No. 7770-0480 Unit No. 7770
District Greeley Line Size 0 Line Length 0
Job Time: 6:00 PM Shop Time: 5:30 AM Leave Shop: 5:00 PM Arrive Location: 6:00 PM
Field Hrs. 1:50:00 Standby Hours: 0:00:00 Total Hours 3:40:00 Travel Time Hrs. 1:50:00
Trip Miles 50 Leave Location: 8:10 PM Arrive Shop: 9:00 PM

Notice: Engineer to monitor for stray voltage prior to rig up: Wellhead volts: 0 Rig volts : 0

Were there any equipment or down hole failures? Yes No If yes explain on Quality Control Analysis Form
Were there any hot shots required? Yes No If yes explain on Quality Control Analysis Form
Were there any personnel problems? Yes No If yes explain on Quality Control Analysis Form
Were there any accidents? Yes No If yes explain on Quality Control Analysis Form
Were there any near misses? Yes No If yes explain on Quality Control Analysis Form

***** Well Information *****

Casing Size 2.875 Liner Size Tubing Size Drill Pipe Size
Drill Collar Minimum I.D. Fluid Level 0 Deviation
Max. Temp. Max. Pressure

***** Run Data *****

RUN INFORMATION

*******REMARKS SECTION*****DESCRIBE RUN DETAILS IN FULL *******

1 Time in 6:25 PM Out 7:45 PM
From surface To 6045'
Service Set 2 7/8 CIBP

RIH with 2 7/8 CIBP stacked out at 6045'
Hung up coming out of hole at 4050'. Lost tool string in hole.

2 Time in 12:00 AM Out 12:00 AM
From 0 To 0
Service 0

3 Time in Out
From To
Service

4 Time in Out
From To
Service

5 Time in Out
From To
Service

6 Time in Out
From To
Service

7 Time in Out
From To
Service

8 Time in Out
From To
Service