



**COMMENTS**

Access request letters were sent to landowners with potential water sources within the 1/2 mile radius of the location GM 323-28 (Facility ID 335318). Initially, access was granted for only two sources (Facilities 752711 and 752722), which were sampled in July and August of 2013 (samples 534753 and 534755). Surface casing was not set within a year of the sampling; new samples were rescheduled to meet the requirements of Rule 609 Pre-Drill sampling. During that time, access was granted to sample a third source (Facility ID 753285). The fourth source was not sampled because the landowner was unaware of any functioning wells in that location. Please see the attached document for details. This sundry applies to the following API numbers:

05-045-22499  
 05-045-22500  
 05-045-22501  
 05-045-22502  
 05-045-22503  
 05-045-22504  
 05-045-22505  
 05-045-22506  
 05-045-22507  
 05-045-22508

**Operator Comments:**

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Jessie Pahler  
 Title: Project Scientist Email: jpahler@westernwaterandland.com Date: \_\_\_\_\_

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: \_\_\_\_\_ Date: \_\_\_\_\_

**CONDITIONS OF APPROVAL, IF ANY:**

**General Comments**

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>

Total: 0 comment(s)

**Attachment Check List**

<u>Att Doc Num</u>	<u>Name</u>
400689273	WATER ANALYSIS

Total Attach: 1 Files