

Persons Completing Report										Location: C6 13159 CR 39 Platteville, CO 80651					
First Shift		7-3 2nd Shift		3-11		Third Shift		11-7		In case of Emergency dial 911					
Date	Time	Flowmeter	Rate	Barrels	Chart	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or	Filter	Change Time
12-30-13	7:00 AM	6125	459651	2100	2100	5'7"	5'9"	8'	17'8"	7'1"	5'8"	5'2	11:35 AM	1:05 PM	1:05 PM
	9:00 AM	0	459652	1700	1700	5'7"	9'7"	13'5"	7'8"	16'11"	9'4"	5'2	11:35 AM	1:05 PM	1:05 PM
	11:00 AM	0	459651	1700	1700	6'1"	9'4"	18'6"	7'8"	16'11"	10'1"	5'2			
	1:00 PM	0	459652	1500	1500	6'5"	17'1"	3'9"	14'11"	15'11"	15'	5'2			
	3:00 PM	C	459651	1500	1500	8'6"	18'3"	6'5"	15'9"	15'9"	3'11"	5'2			
	5:00 PM	6319	459655	2000	2000	9'11"	20'2"	13'7"	15'9"	5'5"	3'11"	4'5			
	7:00 PM	6346	460263	2000	2000	7'3"	19'2"	21'	15'9"	5'9"	4'9"	4'5			
	9:00 PM	6396	460567	2000	2000	6'	19'6"	22'6"	15'9"	5'5"	4'9"	4'5			
	11:00 PM	6384	461438	2000	2000	8'5"	20'2"	23'6"	15'9"	5'5"	4'9"	4'5			
	1:00 AM	6366	461826	2000	2000	5'	18'3"	23'5"	15'9"	5'5"	4'9"	4'5			
	3:00 AM	6347	462374	2000	2000	5'7"	5'9"	18'5"	15'9"	5'5"	4'9"	4'5			
	5:00 AM	0	462784	1700	1700	5'7"	5'9"	6'3"	15'9"	5'5"	5'2	4'5			

Other items needed or noted  
 11:17 PM 9:00  
 Heat off @ 7:23 PM @

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: JESSIE  
7-3 2nd Shift: JESSIE  
3-11 Third Shift: JESSIE  
11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date / 2-31-13	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Change
Time											Comments	Time
7:00 AM	0	462789	1500	1500	5'4"	6'3"	5'3"	4'9"	16'10"	8'2"		7:51pm
9:00 AM	0	462789	1500	1500	5'3"	8'	11'7"	16'4"	16'10"	2'11"		
11:00 AM	0	462789	1500	1500	6'4"	12'1"	6'2"	16'4"	16'10"	5'2"		
1:00 PM	0	462789	1500	1500	6'3"	14'5"	7'	16'4"	16'10"	5'2"		
3:00 PM	0	462781	1500	1500	6'5"	19'5"	22'3"	16'4"	16'10"	7'5"		
5:00 PM	6393	463062	2000	2000	12'1"	20'3	23'5"	16'4"	16'10"	7'4"		
7:00 PM	0	463333	1900	1900	11'6"	19'3"	17'	16'4"	16'10"	7'7"		
9:00 PM	6282	463410	2000	2000	19'8"	30'	11'3"	16'4"	16'10"	8'8"		
11:00 PM	6384	463624	1850	1850	13'6"	19'2'	20'3"	16'4"	16'10"	8'8"		
1:00 AM	6364	464173	2000	2000	9'2"	18'8"	23'3"	16'4"	16'10"	8'8"		
3:00 AM	6519	464719	2000	2000	5'2"	16'5"	22'8"	16'4"	16'10"	8'8"		
5:00 AM	6264	465302	2000	2000	9'7"	5'9'	16'1"	16'4"	16'10"	9'3"		

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected
--------------	-------------	--	-------------	-----------	----------------

Other items needed or noted  
Items on @ 7:30 AM  
138 eff @ 3:08  
150

Comments:



**In case of Emergency dial 911**

Other items needed or noted  
H&R @ 10:50AM Temp 84  
H&R off @ 6:55pm @ 15











Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: 7-312nd Shift: 3-11 Third Shift: 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Change
7:00 AM	0	471657	1000	1000	52	127	172	171	441	161	1050	
9:00 AM	0	471659	1000	1000	45	77	233	161	161	161	1050	
11:00 AM	0	471657	1000	1000	93	207	244	146	161	14	1050	
1:00 PM	0	471657	1000	1000	130	125	201	146	161	14	1050	
3:00 PM	0	471657	1000	1000	83	184	237	146	161	21	1050	
5:00 PM	0	471657	1000	1000	132	184	228	146	161	21	1050	
7:00 PM	0	471657	1000	1000	132	192	201	146	161	21	1050	
9:00 PM	0	471657	1000	1000	137	203	22	146	161	21	1050	
11:00 PM	0	471657	1000	1000	137	197	242	146	161	21	1050	
1:00 AM	0	471657	1000	1000	145	197	241	146	161	21	1050	
3:00 AM	0	471657	1000	1000	144	195	24	146	161	21	1050	
5:00 AM	0	471657	1000	1000	144	197	241	146	161	21	1050	

Other items needed or noted  
H&R on @ 9:50 AM Temp 9  
H&R off @ 5:45 PM

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: 1 7-3  
2nd Shift: PH  
3-11  
Third Shift: 11-7

In case of Emergency dial 911

Day	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Change
Time											Comments	Time
7:00 AM	6421	473322	1700	1700	11.7	20.2	23.4	AT	16'11"	9'2"	PO.	
9:00 AM	6472	474112	1850	1850	10'41"	12'6"	18'4"	17'4"	16'11"	9'2"	PO.	
11:00 AM	6393	474501	1850	1850	12'7"	19'12"	22'6"	17'	16'7"	10"	U.T.	
1:00 PM	0	474531	1350	1350	15'4"	19'8"	18'7"	17'11"	16'7"	14"	U.T.	
3:00 PM	6421	474549	1700	1700	15.2	19.8	23.8	17'11"	16'7"	1'6"	PO.	
5:00 PM	0	474940	1400	1400	16'3"	19'24"	20'	17'11"	16'7"	14'6"	U.T.	
7:00 PM	6403	475217	1750	1750	15	19'7"	21.5	17'11"	16'7"	4'2"	MAH	
9:00 PM	6375	476244	1900	1900	12'3"	20.1	24	17'11"	16'7"	4'6"	MAH	
11:00 PM	6356	476569	1900	1900	9'6"	21.3	22	17'11"	16'7"	4'8"	MAH	
1:00 AM	6366	476785	1950	1950	6'4"	20.2	21'8"	17'11"	16'7"	4'8"	MAH	
3:00 AM	6366	477472	1950	1950	4'9"	19'12"	22'6"	17'11"	16'7"	4'11"	MAH	
5:00 AM	6347	477485	1950	1950	5'5"	5'6"	18'4"	17'11"	16'7"	6'13"	MAH	

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
						H-R ON 12:40PM TEMP 48

Comments:



Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report:  
 First Shift: *None*  
 7-32nd Shift: *None*  
 3-11 Third Shift: *2/16/15*  
 11-7

In case of Emergency dial 911

Day	Date	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or Comments	Filter Change Time
Monday	1-6-14												
Time													
7:00 AM		6149	478035	1400	1400	6'3"	6'2"	8'8"	17'11"	6'7"	5'2"		
9:00 AM													
			477251	1500	1500	8'2"	5'6"	4'6"	17'11"	6'7"	5'3"		
11:00 AM													
			477251	1500	1500	5'1"	6'4"	8'1"	17'11"	6'7"	7'6"		
1:00 PM													
			478251	1500	1500	6'0"	5'9"	13'4"	17'11"	6'7"	11'10"		
3:00 PM													
			478251	1500	1500	5'8"	11'1"	24'3"	17'11"	6'7"	12'10"		
5:00 PM													
			478408	1700	1700	8'8"	18'1"	22'8"		16'7"	17'4"		
7:00 PM													
			478542	1450	1450	14'	17'5"	23'2"	17'1"	16'7"	6'1"		
9:00 PM													
			479216	1450	1450	12'5"	19'6"	23'9"	17'1"	16'7"	9'1"		
11:00 PM													
			479419	1400	1400	13'	18'3"	23'2"	17'1"	16'7"	9'1"		
1:00 AM													
			479494	1450	1450	10'2"	19'1"	13'	17'1"	16'7"	9'1"		
3:00 AM													
			480092	1700	1700	7'9"	19'1"	9'9"	17'1"	16'7"	12'10"		
5:00 AM													
			480917	1500	1400	5'9"	12'4"	13'3"	17'1"	16'7"	13'7"		

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
						43 R 34 @ 0.52" 150"
						14 R on 6'6" @ 910"
						14 R @ 11.578m @ 152"

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: 7-3  
2nd Shift: 3-11  
Third Shift: 11-7

Persons Completing Report:  
First Shift: 7-3  
2nd Shift: 3-11  
Third Shift: 11-7

Persons Completing Report:  
First Shift: 7-3  
2nd Shift: 3-11  
Third Shift: 11-7

In case of Emergency dial 911  
General Check or Filter  
Changes Time

Day	Time	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	Comments
1-7-14	7:00 AM	C	486517	1500	1500	5'8"	5'9"	7'2"	17'1"	16'7"	13'7"	52
	9:00 AM	0	480517	1500	1500	6'3"	5'8"	4'1"	17'1"	16'7"	13'8"	52
	11:00 AM	0	480517	1500	1500	5'1"	7'1"	15'3"	17'1"	16'7"	14'	52
	1:00 PM	6384	480605	1850	1850	6'1"	12'9"	20'7"	17'1"	16'7"	15'6"	52
	3:00 PM	6366	481488	1900	1900	6'4"	18'	22'9"	17'6"	16'6"	15'	52
	5:00 PM	6347	482100	1950	1950	9'1"	20'1"	22'3"	17'6"	16'6"	11'1"	52
	7:00 PM	6356	482435	2000	2000	9'5"	20'	23'8"	17'6"	16'6"	5'2"	52
	9:00 PM	6347	482794	2000	2000	8'6"	14'7"	24'1"	17'6"	16'6"	8'2"	52
	11:00 PM	6356	483473	2000	2000	7'1"	20'1"	22'2"	17'6"	16'6"	8'2"	52
	1:00 AM	6338	483842	2000	2000	5'3"	15'9"	22'8"	17'6"	16'6"	8'2"	52
	3:00 AM	6310	484378	2000	2000	5'7"	8'6"	15'2"	17'6"	16'6"	8'2"	52
	5:00 AM	6	484386	1550	1550	5'7"	5'4"	4'	17'6"	16'6"	10'2"	52

Comments:

Other items needed or noted  
HTR on @ 5:45 pm @ 75'







Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:

First Shift:

5:05c

7-312nd Shift

5:05c

3-11

Third Shift:

Please / mail

11-7

In case of Emergency dial 911

Day/Time	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date / -9-14	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes
Time											Comments	Time
7:00 AM	C	485715	1400	1400	5'9"	5'9"	6'5"	12'9"	16'10"	14'11"		9:40 AM
9:00 AM	O	485915	1400	1400	6'2"	5'9"	11'2"	17'9"	16'10"	15'5"		2:29 PM
11:00 AM	C	485915	1400	1400	6'2"	16'8"	12'9"	17'9"	4'6"	14'0"		4:40 PM
1:00 PM	O	485915	1400	1400	11'	14'3"	11'3"	N A	N A	16'2"		9:09 PM
3:00 PM	O	485915	1400	1400	12'2"	19'3"	14'6"	N A	N A	16'8"		
5:00 PM	O	485815	1150	1150	10'1"	19'8"	11'4"	17'6"	12'2"	3'8"		
7:00 PM	O	485815	1100	1100	9'5"	19'0"	24'3"	17'6"	12'2"	5'4"		
9:00 PM	6393	486293	1700	1700	5'8"	19'4"	24'2"	17'6"	12'2"	5'7"		
11:00 PM	6227	486445	1700	1700	5'0	19'7"	24'4	17'6"	12'2"	5'7"		
1:00 AM	O	487137	1400	1400	5'5	17'1"	10'8"	17'4"	12'2"	5'7"		
3:00 AM	O	487137	1400	1400	6'3	19'4"	15'5	17'6"	12'2"	5'11"		
5:00 AM		487137	1400	1400	7'6	20'0	4'7	17'6"	12'2"	6'12"		

Hazard Class

Items Noted

Loss control items noted standard or substandard

Responsible

Abatement

Date

Other items needed or noted

432000 @ 5:51 AM

14 + R on @ 5:02 PM @ 6:04

Comments:











*[Handwritten mark]*

Location: C6 13159 CR 39 Platteville, CO 80651										Persons Completing Report: First Shift: <i>Ph.1</i> 7-3 2nd Shift 3-11 Third Shift 11-7										In case of Emergency dial 911					
Day	Time	Flowmeter	Rate	Flowmeter	Barrels	Chart	Pressure	Discharge	Gauge	System	Tanks	Dirty	Tank	Clean	Tank	North Oil	Tank	East Oil	Tank	West Oil	Tank	General Check	Filter	Changes	Time
<i>Sunday</i>																									
	9:00 AM	6245	494046	1900	1900	1900	1900	1900	1900	7	9	9	9	11	14	17	10	14	2	11		U-T		10-25	
	11:00 AM	6292	494833	1950	1950	1950	1950	1950	1950	9	12	14	2	14	14	17	10	14	2	11		U-T		1205	
	1:00 PM	6329	493393	1950	1950	1950	1950	1950	1950	13	15	14	15	20	3	17	10	14	2	11		U-T		3:00 PM	
	3:00 PM	6349	495863	1950	1950	1950	1950	1950	1950	15	19	18	1	23	3	17	10	14	2	11		U-T			
	5:00 PM	6389	496471	1950	1950	1950	1950	1950	1950	19	15	16	7	23	5	17	10	14	2	11		U-T			
	7:00 PM	6338	497234	2000	2000	2000	2000	2000	2000	15	19	20	1	23	5	17	10	14	2	11		U-T			
	9:00 PM	6329	491590	2000	2000	2000	2000	2000	2000	14	2	20	0	22	8	17	14	1	13		U-T				
	11:00 PM	6329	494033	2000	2000	2000	2000	2000	2000	11	6	20	0	23	8	17	14	1	13		U-T				
	1:00 AM	6329	494628	2000	2000	2000	2000	2000	2000	9	5	19	4	23	9	17	14	1	13		U-T				
	3:00 AM	6314	494122	2000	2000	2000	2000	2000	2000	6	3	19	2	22	6	17	14	1	13		U-T				
	5:00 AM	6224	499769	2000	2000	2000	2000	2000	2000	3	14	1	2	22		17	14	1	13		U-T				

Other items needed or noted  
14-R on @ 6:00 PM Temp 85  
ROFF 1009M

Comments:



Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report:  
 First Shift: JCSK  
 7-32nd Shift: JCSK  
 3-11th Third Shift: JCSK  
 11-7

BY	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Time	Rate	Barrels	Pressure	Murphy	Tanks	Tank	Tank	Tank	Tank	Tank	or	Changes.
7:00 AM	6301	499865	2000	2000	5'7"	6'3"	17'	17'4"	17'3"	21'	Comments	Time
9:00 AM	Φ	500104	1600	1625	6'1"	9'2"	16'					12:30pm Charge
11:00 AM	6347	500663	2000	1975	11'4"	18'9"	22'4"					Filter: N. Unlo
1:00 PM	6347	501343	2000	2000	15'	18'7"	24'3"					S. Unlo
3:00 PM	Φ	501343	1800	1800	17'	19'	17'					System
5:00 PM	Φ	501365	1500	1500	20'	20'	14'1"					Oil X-F
7:00 PM	6338	501726	2000	2000	19'3"	19'5"	22'3"	17'11"	16'10"	9'3"		Flat Ta
9:00 PM	6329	501993	2000	2000	21'2"	20'	24'	17'11"	16'10"	9'9"		Sump:
11:00 PM	6338	502734	2000	2000	19'5"	19'5'	23'	17'11"	16'10"	15'2"		Chemical
1:00 AM	6319	503204	2000	2000	16'4"	20'3"	20'8"	17'11"	16'10"	15'3"		961:
3:00 AM	Φ	503535	1600	1600	11'1"	19'9"	20'8"	17'11"	16'10"	15'3"		990:
5:00 AM	6338	503705	2000	2000	7'7"	20'3"	22'6"	17'11"	16'10"	16'10"		Electric

Items Noted: Loss control items noted standard or substandard

Responsible: Abatement

Date: Corrected

Other items needed or noted: H and Ren @ 6:55pm @ 650











Location: C6  
 13159 CR 39  
 Platteville, CO 80651  
 Persons Completing Report:  
 First Shift: Jedd  
 7-3 2nd Shift: Jedd  
 3-11 Third Shift: Alonso / mark  
 11-7

In case of Emergency dial 911

Day / - / - / 14	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Change
Time	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Time
7:00 AM	6376	508146	1700	1700	8'17"	16'3"	22'11"	17'6"	16'2"	13'		5:44
9:00 AM	014	508586	1400	1400	5'2"	19'8"	20'8"		5'6"	16'1"		5:2
11:00 AM	6338	503945	1800	1850	6'2"	6'4"	22'3"	13'8"	5'6"	16'1"		5:2
1:00 PM	6329	509678	1900	1850	6'1"	19'2"	23'2"			16'1"		5:2
3:00 PM	6310	510067	1850	1900	11'3"	16'0"	17'2"					5:2
5:00 PM	6329	910534	2000	2000	11'1"	20'	20'	18'	6'10"	4'4"		5:2
7:00 PM	6	511043	1600	1600	14'5"	20'2"	21'1"	18'	6'10"	6'1"		5:2
9:00 PM	6	511043	1500	1500	18'2"	19'5"	8'2"	18'	6'10"	7'2"		5:2
11:00 PM	6329	511239	2000	2000	14'7"	14'4"	20'4"	18'	6'10"	8"		5:2
1:00 AM	6310	511645	2000	2200	10'7"	14'9"	23'	18'	6'10"	8"		5:2
3:00 AM	6	511628	1500	1500	6'2"	19'8"	17'4"	18'	6'10"	8'2"		5:2
5:00 AM	6347	511833	1750	1750	5'7"	10'9"	24'3"	18'	6'10"	8'2"		5:2

Hazard Class	Items Noted	Loss control	Items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
							H 080 @ 7:03 AM
							H 3/2 @ 3:45
							H + R off @ 1:23 AM @ 13

Comments:







Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report  
First Shift: P.H. 7-3 2nd Shift: 3-11 Third Shift: 11-7

In case of Emergency dial 911

Day SAT	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	File
Date 1-18-14	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Change
Time											Comments	Time
7:00 AM	0	515821	1650	1650	5.8	6.1	16.5	13.2"	17.2"	MT	PO.	12:30
9:00 AM	0	515821	1500	1500	8.3"	5.4"	4.4"	17.1"	6.5"	9'	U.T	3:40
11:00 AM	0	515821	1500	1500	3.4"	10.3"	13.8"	12.1"	6.5"	1.3"	U.T	
1:00 PM	0	515821	1400	1400	5.1	15.4	4.2	15'	6.5	6.1"	PO.	
3:00 PM	0	515821	1400	1400	5.8"	3.1"	3.1"	15'	6.5	9.2"	U.T	
5:00 PM	0	515821	1350	1350	6'	5.5"	3.8"	15'	6.8"	13.8"	U.T	
7:00 PM	0	515821	1350	1350	5.5	15.1"	7.1"	15	6.4"	12.1"	M.H	M.H
9:00 PM	0	515821	1350	1350	5.5	11.1"	2.4"	15	6.4"	12.1"	M.H	M.H
11:00 PM	0	515821	1250	1250	6.2	13.2	2.3.7	15	6.4"	12.1"	M.H	M.H
1:00 AM	0	515821	1250	1250	5.00	14.1	2.3.7	15	6.4"	12.1"	M.H	M.H
3:00 AM	0	515821	1100	1100	5.4	12.4	2.3.4	15	6.4	12.1"	M.H	M.H
5:00 AM	0	515821	1100	1100	5.4	12.4	2.3.4	15	6.4	12.1"	M.H	M.H

Hazard Class	Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
						H-R 2000 7:30 Temp 87
						H-R 2000 9:00 AM Temp 150
						H-R 2000 7:00 AM

Comments:



Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: Phil 7-3  
2nd Shift: 3-11  
Third Shift: 11-7

In case of Emergency dial 911

Day Sunday	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Change
Date 1-19-14	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	Comments	Time
7:00 AM	515821	1100	1100	1100	5.4	6.4	12.5	8'8"	2'10"	16'10"	RA.	9.25
9:00 AM	515821	1100	1100	1100	6'11"	4'5"	18.5	8'8"	2'10"	16'10"	RA.	10.50
11:00 AM	515821	1100	1100	1100	8'2"	20'	13'4"	12'11"	8'8"	1'1"	U-T	1.00
1:00 PM	514662	1850	1850	1850	10'3"	20'	18'	13'11"	8'8"	6'	U-T	2.50
3:00 PM	514662	1850	1850	1850	13'9"	14'2"	21'4"	13'11"	8'8"	2'8"	U-T	3.50
5:00 PM	514662	1900	1900	1900	16'11"	20'2"	22'11"	13'11"	8'8"	16'2"	U-T	4.50
7:00 PM	514662	2001	2001	2001	14'9"	20'3"	23'11"	17'11"	8'8"	16'5"	MIL	5.50
9:00 PM	514662	2000	2000	2000	15'	16'5"	22'4"	13'4"	8'8"	16'9"	MIL	6.50
11:00 PM	514662	2000	2000	2000	16'4"	19'0"	23'7"	17'11"	8'8"	16'4"	MIL	7.50
1:00 AM	514662	2000	2000	2000	16'0"	14'0"	23'4"	17'11"	8'8"	16'5"	MIL	8.50
3:00 AM	514662	2000	2000	2000	14'8"	19'4"	23'5"	17'11"	8'8"	16'5"	MIL	9.50
5:00 AM	514662	2000	2000	2000	8'0"	20'2"	23'1"	17'11"	8'8"	16'5"	MIL	10.50

Comments:

Other items needed or noted  
H-8 on @ 4:30 PM Temp 100











11-7

**In case of Emergency dial 911**

Date	Time	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or Comments	Change Time
11/22/14	7:00 AM	0	529803	1700	1700	5'16"	6'	9'					10:11
	9:00 AM	0	529803	1550	1550	5'3"	17'6"	4'2"					1:45 PM
	11:00 AM	0	529803	1500	1550	8'6"	5'9"	17'3"	17'18"				2:25 PM
	1:00 PM	0	529803	1500	1500	10'6"	20	3'9"	17'8"	20'1"	6'9"		4:10 PM
	3:00 PM	0	529803	1500	1500	10'2"	19'6"	11'8"	17'8"	18'4"	6'9"		4:25 PM
	5:00 PM	0	529803	1500	1500	13'8"	19'	12'1"	17'8"	1'4"	8'2"		5:35 PM
	7:00 PM	0	529803	1450	1450	16'5"	19'8"	6'8"	17'8"	1'4"	11'4"		6:03 PM
	9:00 PM	0	529803	1450	1450	18'	20'2"	8'6"	17'8"	1'4"	11'8"		7:09 PM
	11:00 PM	0	530300	2000	2000	18'9"	20'3"	10'5"	17'8"	1'4"	13'3"		9:32 PM
	1:00 AM	0	530707	1550	1550	17'7"	18'5"	8'2"	17'5"	1'4"	13'3"		11:04 PM
	3:00 AM	0	530804	2000	2000	16'9"	20'	17'6"	17'8"	1'4"	13'3"		1:00 PM
	5:00 AM	0	531069	1500	1500	10'3"	19'9"	10'3"	17'11"	1'4"	16'11"		3:40 PM

Hazard Class    Items Noted    Loss control items noted standard or substandard    Responsible    Abatement    Date Corrected    Other items needed or noted  
 11/22/14 @ 8:54 PM @

---

**Comments:**















Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report:  
 First Shift: Jesse / Phil  
 7-3 2nd Shift: Jesse / Phil  
 3-11 Third Shift: 11-7

In case of Emergency dial 911

Day	5/20	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date	1-26-14	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Change
Time												Comments	Time
7:00 AM		540730	1600	1600	5.2	6.5	7.0	17.1"	7'	2.9"	P.O.		
9:00 AM		540730	1450	1450	5.5	9.9	9.5	17.1"	7'	3.10"	P.O.		
11:00 AM		540730	1400	1400	6.6	17.1	7.5	7.8"	17.2"	5'	P.O.		
1:00 PM		540730	1400	1400	6.7	18.9	18.5	7.8"	17.2"	5'	P.O.		
3:00 PM		541423	1600	1600	9.5"	17.9"	2.8'	7.8"	5.11"	4.10"	52		
5:00 PM		542016	1950	1950	8.5	18.9	22.4'	15'	12.11"	MT	P.O.		
7:00 PM		542540	1950	1950	9.0	18.3	23.4'	12.1"	12.11"	MT	MT		
9:00 PM		542794	1950	1950	7.2	20.1"	23.8	17.1"	12.11"	MT	MT		
11:00 PM		543345	2000	2000	5.6	13.5	23.9	17.1"	12.11"	MT	MT		
1:00 AM		544020	2000	2000	5.4	5.5	14.7	17.1"	12.11"	MT	MT		
3:00 AM		544436	2000	2000	5.17	5.4	7.8	17.1"	12.11"	MT	MT		
5:00 AM		544338	1900	1500	5.11	5.13	15.4	17.1"	12.11"				

Other items needed or noted  
 None 5:39 PM  
 7/4

Comments:







Location: C6  
13159 CR 39  
Plateville, CO 80651

Persons Completing Report:  
First Shift: 7-3 2nd Shift: 3-11 Third Shift: 11-7

In case of Emergency dial 911

Day	Date	Time	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or Comments	Filter Change Time
Tuesday	1/28/14	7:00 AM	0	547310	1550	1550	5'5"	6'	14'6"	17'10"	16'1"	21'10"		7:05
		9:00 AM	0	547310	1500	1500	5'6"	8'9"	10'	17'10"	selling	12'6"		9:05
		11:00 AM	0	547310	1450	1450	6'4"	12'4"	11'1"	17'10"	3'5"	13'2"		11:52
		1:00 PM	0	547310	1400	1400	6'1"	19'4"	3'8"	17'10"	3'5"	14'6"		1:21
		3:00 PM	0	547310	1300	1350	9'1	20'2	3'3	17'10"	3'5"	15'6		1:55 PM
		5:00 PM	0	547310	1300	1300	13'2"	19'2"	12'3"	15'	16'10"	Full		2:40 PM
		7:00 PM	0	547310	1500	1500	17'4"	20'	16'7"	16'10"	16'10"	mt		3:12 PM
		9:00 PM	6245	547880	1950	1950	16'5"	19'8"	19'	17'11"	16'10"	2'9"	19.5	3:38 PM
		11:00 PM	6236	548588	2000	2000	11'2"	19'2"	20'4"	17'11"	16'10"	3'9"	19.5	3:55 PM
		1:00 AM	6227	549092	2000	2000	9'9"	20'2"	19'2"	17'11"	16'10"	8'11"	19.5	5:30 AM
		3:00 AM	0	549325	1950	1950	15'2"	19'4"	8'1"	17'11"	16'10"	9'11"	19.5	5:49 AM
		5:00 AM	6221	549575	1900	1900	13'	20'	15'9"	17'11"	16'10"	10'3"	19.5	5:50 AM

Hazard Class

Items Noted

Loss control items noted standard or substandard

Responsible

Abatement

Date Corrected

Other items needed or noted

H 812 off 645

H 4 R on @ 5:41 PM @

H 4 R off @ 3:05 AM @ 133

Comments:







Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: *U.T.*  
7-3 2nd Shift: *ST*

3-11 Third Shift:  
*Hansen/mark*

11-7

In case of Emergency dial 911

Day/Thursday	Date 11/30/14	Time	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or	Fill
		7:00 AM	6255	55428	2000	2000	171	19'8"	23'2"	17'8"	10'10"	16'		6.25
		9:00 AM	6227	55555	2000	2000	13'8	19'7	23'5		10'10"	16'7		11:39
		11:00 AM	6	555947	1650	1700	14'4	10'1	21'5	21'4"		16'17"		4:05
		1:00 PM	6255	556493	2000	2000	18'2"	19'2"	24'	Transfer	17'2"	21'3"		7:36
		3:00 PM	6255	556591	2000	2000	20'2"	19'4"	24'2"	17'10"	17'2"	21'31		1:36 AM
		5:00 PM	6236	557100	2050	2050	24'8"	19'6"	23'11"	17'10"	17'2"	41'24		
		7:00 PM	6245	557434	2050	2050	23'8	19'2	23'11"	17'10"	17'21	51'91	MA	
		9:00 PM	0	558043	1700	1700	22'2"	18'2"	23'	17'10"	17'21	6'8"	HS	
		11:00 PM	6255	558481	2000	2000	17	20.1	22'8	17'10"	17'21	8'0	MA	
		1:00 AM	6227	559000	2050	2050	13'7	20.0	23'3	12'10	17'2	8'5	MA	
		3:00 AM	6208	559515	2000	2000	11'9"	17'6"	15'5"	17'10"	17'21	8'5	MA	
		5:00 AM	6236	560024	2050	2050	6'9"	19'2"	20'8"	17'10"	17'21	8'9"	MA	

Comments:

Other items needed or noted  
H 8 R on @ 2:35 PM  
H 4 R off @ 5:45 PM @ 1300



Location: C6  
 13159 CR 39  
 Platteville, CO 80651

Persons Completing Report:

First Shift: *Phil* 7-3  
 2nd Shift: *Phil* 3-11  
 Third Shift: 11-7

Date	Time	Flowmeter Rate	Flowmeter Barrels	Chart Pressure	Discharge Gauge	System Tanks	Dirty Tank	Clean Tank	North Oil Tank	East Oil Tank	West Oil Tank	General Check or Comments	Fill
11-21-14	7:00 AM	6245	560178	2150	2100	5.3	19.6	18.5	17.10"	17.2"	8'9"	IZ RO.	12.03
	9:00 AM	6199	561006	2100	2100	5.1"	8.1"	14.6"	17.10"	17.2"	8'10"	IZ	12.04
	11:00 AM	6079	561521	2100	2100	5.4"	5.9"	7.5"	17.10"	17.2"	9'1"	IZ	1.42
	1:00 PM	-0	561531	1700	1700	5.7	17.4	7.2	TRADE N-E	TRADE N-E	9'9"	IZ	2.35
	3:00 PM	6199	561683	2000	2000	8'7"	19.3"	13.6"	TRADE N-W	TRADE N-W	17.2"	PO.	4.15
	5:00 PM	6190	562266	2050	2050	7.7	19.3	16.1	18.2"	17.2"	MT	IZ RO.	6.23
	7:00 PM	6208	562634	2050	2050	8.4"	19.7"	20.1	18.9"	17.2"	MT	PO.	
	9:00 PM	0	563445	1900	1900	8.1"	20"	18.7"	18.2	17.2"	MT	MT	
	11:00 PM	6084	563440	2000	2000	9.3'	19.7'	12.0'	18.2'	17.2'	MT	MT	
	1:00 AM	0	563904	1700	1700	10.4	20	9.3'	18.7'	17.2'	MT	MT	
	3:00 AM	0	564172	1700	1700	12.2	20	9.3	18.2	17.2	MT	MT	
	5:00 AM	6087	564527	2046	2050	13.1	17.6	20.4	18.21	17.12	MT	MT	

Items Noted	Loss control items noted standard or substandard	Responsible	Abatement	Date Corrected	Other items needed or noted
					H-R ON @ 3:32 PM
					H-R ON @ 4:00 & 4 Temp
					H-R OFF @ 12:00

Comments:

In case of Emergency dial 911







Location: C6  
13159 CR 39  
Platteville, CO 80651

Persons Completing Report:  
First Shift: Jesse / Phil  
2nd Shift: Jesse  
3rd Shift: Phil

11-7

In case of Emergency dial 911

Day # & Date	Flowmeter	Flowmeter	Chart	Discharge	System	Dirty	Clean	North Oil	East Oil	West Oil	General Check	Filter
Date 2-2-14	Rate	Barrels	Pressure	Gauge	Tanks	Tank	Tank	Tank	Tank	Tank	or	Change
Time											Comments	Time
7:00 AM	6107	57000	2100	2100	6.2	11.8	22.6	18'4"	12'11"	17'	P.O. J2	10:10
9:00 AM	-0	570804	1800	1800	6.5	7.8	9.10	18'4"	2'3"	17'	P.O.	10:51
11:00 AM	6029	571194	2100	2100	6.3"	19.5"	15'	18'4"	2'3"	17'	P.O.	11:30
1:00 PM	6070	571701	2100	2100	9.6	17.5	14.3	16'4"	2'3"	17'	P.O.	12:48
3:00 PM	6107	572451	2100	2100	14'4"	19.5"	20'9"		9'9"		TV	4:27
5:00 PM	6176	573670	2100	2100	16.0	17.9	21.6	17'11"	9'9"	4'1"	P.O.	
7:00 PM	6107	573175	2100	2100	15.5	19.9	23.7	17'11"	9'9"	9'10"	P.O.	
9:00 PM	6107	573754	2100	2100	11.0	19.0	23.1	17'11"	9'9"	9'10"	M.H.	
11:00 PM	6084	574422	2100	2100	6.5	14.5	21.4	17'11"	9'9"	9'10"	M.H.	
1:00 AM	6097	574744	2100	2100	5.8	13.1	23.8	17'11"	9'9"	9'10"	M.H.	
3:00 AM	6086	575321	2100	2100	5.6	13.0	20.5	17'11"	9'9"	9'10"	M.H.	
5:00 AM	6060	575952	2100	2100	5.4	5.9	13.0	17'11"	9'9"	9'10"	M.H.	

Hazard Class

Items Noted

Loss control items noted standard or substandard

Responsible

Abatement

Date Corrected

Other items needed or noted

H 02 @ 4:15 P.M.  
Roff 9:00  
Hoff 1:30

Comments: