



Well Name: Ansley 1

Report # 1.0, Report Date: 8/21/2014
Phase: Completions, Abandon Wellbore

Well Name Ansley 1	API 05-123-10496	License #	Excalibur ID	Operator TXO Production Corp	Govt Authority
Well Configuration Type	Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Regulatory Drilling Spud Date	Regulatory Rig Release Date
Surface Legal Location NENE 30 5N 61W	North/South Distance (ft)	North/South Reference	East/West Distance (ft)	East/West Reference	Lat/Long Datum
Latitude (") 40° 22' 37.045" N	Longitude (") 104° 14' 40.974" W	Basin DJ Basin	Field Name Riverside	County Weld	State/Province Colorado

Jobs

Job Category Abandon		Primary Job Type Abandon Well			Start Date 8/21/2014		End Date	
Target Depth (ftKB)	Target Formation	AFE Number	AFE+Supp Amt (Cost)	Total Fld Est (Cost) 106,595.00	Total Final Invoice (C...	Var (AFE-Fld) (Cost)	Total Depth Drilled (ft)	

Daily Operations

Report Start Date 8/21/2014	Report End Date 8/22/2014	Status at Reporting Time	Weather	T (°F)	Road Condition
24 Hour Summary Prep location for rig, weld on 8 3/4 casing head.			Operations Next Report Period Water down lease road and location. Add soil mix to shore up blow sand conditions.		
Diesel Used (gal)			Total Rig Power (hp)		

Daily Contacts

Contact Name	Office

Daily Time Breakdown

Start Time	End Time	Dur (hr)	Cum Dur (hr)	Code	Category	Phase	Prob Ref #	Com
06:00	18:00	12.00	12.00	GOP	General Operations	Completions, Abandon Wellbore		Hold JSA safety meeting with Cameron, welder and dirt contractor. Discussed suspended loads, hot metal. Cut off 26" of 8 5/8 surface casing. Good surface to weld on after cut. Welded on Cameron inner O'ring seal casing head. Tested head to 1K. Good test. Back filled the cellar ring. Continue to shore up location with water and soil mix for blow sand.
18:00	06:00	12.00	24.00	inactive	inactive			NA

Safety Checks

Time	Des	Type	Com

Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?

Perforation Summary

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Stimulation/Treatment Stages

<typ> on <dtm>				
Date	Zone	Type	Stim/Treat Company	
Sub Stg #	Stage Type	Top (ftKB)	Btm (ftKB)	Vol Clean Pump (gal)

Other In Hole

Des	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

Cement

Des	Start Date	Cement Comp



Well Name: Ansley 1

Report # 2.0, Report Date: 9/15/2014
Phase: Completions, Abandon Wellbore

Well Name Ansley 1	API 05-123-10496	License #	Excalibur ID	Operator TXO Production Corp	Govt Authority
Well Configuration Type	Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Regulatory Drilling Spud Date	Regulatory Rig Release Date
Surface Legal Location NENE 30 5N 61W	North/South Distance (ft)	North/South Reference	East/West Distance (ft)	East/West Reference	Lat/Long Datum
Latitude (") 40° 22' 37.045" N	Longitude (") 104° 14' 40.974" W	Basin DJ Basin	Field Name Riverside	County Weld	State/Province Colorado

Jobs

Job Category Abandon		Primary Job Type Abandon Well			Start Date 8/21/2014		End Date	
Target Depth (ftKB)	Target Formation	AFE Number	AFE+Supp Amt (Cost)	Total Fld Est (Cost) 106,595.00	Total Final Invoice (C...	Var (AFE-Fld) (Cost)	Total Depth Drilled (ft)	

Daily Operations

Report Start Date 9/15/2014	Report End Date 9/16/2014	Status at Reporting Time 00 PLUG & ABANDON	Weather	T (°F)	Road Condition
24 Hour Summary moved rig onto location set up for re-entry			Operations Next Report Period drill thru cement & plug		
Diesel Used (gal)			Total Rig Power (hp)		

Daily Contacts

Contact Name	Office
Matt Cross	

Daily Time Breakdown

Start Time	End Time	Dur (hr)	Cum Dur (hr)	Code	Category	Phase	Prob Ref #	Com
06:00	18:00	12.00	12.00	DOP G	Drill Out Plugs	Completions, Abandon Wellbore		drove to loc set up rig for re-entry into well. Spot rig. RU and set tanks. Move in all rotating equipment.
18:00	06:00	12.00	24.00	LOC L	Lock Wellhead & Secure	Completions, Abandon Wellbore		SION

Safety Checks

Time	Des	Type	Com

Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?

Perforation Summary

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Stimulation/Treatment Stages

<typ> on <dtm>				
Date	Zone	Type	Stim/Treat Company	
Sub Stg #	Stage Type	Top (ftKB)	Btm (ftKB)	Vol Clean Pump (gal)

Other In Hole

Des	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

Cement

Des	Start Date	Cement Comp



Well Name: Ansley 1

Report # 3.0, Report Date: 9/16/2014
Phase: Completions, Abandon Wellbore

Well Name Ansley 1	API 05-123-10496	License #	Excalibur ID	Operator TXO Production Corp	Govt Authority
Well Configuration Type	Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Regulatory Drilling Spud Date	Regulatory Rig Release Date
Surface Legal Location NENE 30 5N 61W	North/South Distance (ft)	North/South Reference	East/West Distance (ft)	East/West Reference	Lat/Long Datum
Latitude (") 40° 22' 37.045" N	Longitude (") 104° 14' 40.974" W	Basin DJ Basin	Field Name Riverside	County Weld	State/Province Colorado

Jobs

Job Category Abandon		Primary Job Type Abandon Well			Start Date 8/21/2014		End Date	
Target Depth (ftKB)	Target Formation	AFE Number	AFE+Supp Amt (Cost)	Total Fld Est (Cost) 106,595.00	Total Final Invoice (C...	Var (AFE-Fld) (Cost)	Total Depth Drilled (ft)	

Daily Operations

Report Start Date 9/16/2014	Report End Date 9/17/2014	Status at Reporting Time 00 PLUG & ABANDON	Weather	T (°F)	Road Condition
24 Hour Summary DO surface cement plug and TIH			Operations Next Report Period TIH to 2,500' and replug well		
Diesel Used (gal)			Total Rig Power (hp)		

Daily Contacts

Contact Name	Office
Matt Cross	

Daily Time Breakdown

Start Time	End Time	Dur (hr)	Cum Dur (hr)	Code	Category	Phase	Prob Ref #	Com
06:00	11:30	5.50	5.50	SRIG	Rig Up/Down	Completions, Abandon Wellbore		RU 4" iron from diverter to tank. RU 2" line to tank. Load tank w/100 bbls mud. MIRU trash pump. MU 7-7/8" bit. PU bit and 1 x 4-3/4" DC
11:30	18:30	7.00	12.50	DOP G	Drill Out Plugs	Completions, Abandon Wellbore		MU 7-7/8" bit. PU bit and 1 x 4-3/4" DC TIH w/ 7-7/8 bit, 1 4-3/4" DC, 1 jt 2-7/8" PH6 tbg. Tag top cement plug @ 75'. Rotate on cement from 75-104'. Good returns. Circulate 100 bbls; PU 2 more 4-3/4" DC's. TIH and continue drilling cement to 300'.
18:30	06:00	11.50	24.00	DOP G	Drill Out Plugs	Completions, Abandon Wellbore		Continue TIH w/ 2-7/8" tbg circulating down each jt to 1,600'. Stopped at 1,566' circulate out heavy mud. Circulating down all joints. No problems circulating well.

Safety Checks

Time	Des	Type	Com

Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?

Perforation Summary

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Stimulation/Treatment Stages

<typ> on <dtm>				
Date	Zone	Type	Stim/Treat Company	
Sub Stg #	Stage Type	Top (ftKB)	Btm (ftKB)	Vol Clean Pump (gal)

Other In Hole

Des	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

Cement

Des	Start Date	Cement Comp



Well Name: Ansley 1

Report # 4.0, Report Date: 9/17/2014
Phase: Completions, Abandon Wellbore

Well Name Ansley 1	API 05-123-10496	License #	Excalibur ID	Operator TXO Production Corp	Govt Authority
Well Configuration Type	Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Regulatory Drilling Spud Date	Regulatory Rig Release Date
Surface Legal Location NENE 30 5N 61W	North/South Distance (ft)	North/South Reference	East/West Distance (ft)	East/West Reference	Lat/Long Datum
Latitude (") 40° 22' 37.045" N	Longitude (") 104° 14' 40.974" W	Basin DJ Basin	Field Name Riverside	County Weld	State/Province Colorado

Jobs

Job Category Abandon		Primary Job Type Abandon Well			Start Date 8/21/2014		End Date	
Target Depth (ftKB)	Target Formation	AFE Number	AFE+Supp Amt (Cost)	Total Fld Est (Cost) 106,595.00	Total Final Invoice (C...	Var (AFE-Fld) (Cost)	Total Depth Drilled (ft)	

Daily Operations

Report Start Date 9/17/2014	Report End Date 9/18/2014	Status at Reporting Time 00 PLUG & ABANDON	Weather	T (°F)	Road Condition
24 Hour Summary DO to 2,500'. Set first plug.			Operations Next Report Period RD rig		
Diesel Used (gal)			Total Rig Power (hp)		

Daily Contacts

Contact Name	Office
Matt Cross	

Daily Time Breakdown

Start Time	End Time	Dur (hr)	Cum Dur (hr)	Code	Category	Phase	Prob Ref #	Com
06:00	12:00	6.00	6.00	TRIP	Tripping	Completions, Abandon Wellbore		TIH w/ 2-7/8" PH6 to 2,500'. Circulate down entire way. At 2,500', circulate 350 bbls mud to condition hole.
12:00	16:00	4.00	10.00	TRIP	Tripping	Completions, Abandon Wellbore		Start TOOH. Break off 2-DC's and 7-7/8" bit. TIH to 2,500'. Continue to circulate hole.
16:00	18:00	2.00	12.00	CEMT	Cement Squeeze	Completions, Abandon Wellbore		MIRU Sanjel cementers. Pressure test lines to 5,000#. Pump 1st cement plug @ 2,500'; 75 sx G cmt. Displace cmt and LD 5 jts tbg, stand back 20 stands.
18:00	22:00	4.00	16.00	GOP	General Operations	Completions, Abandon Wellbore		WOC
22:00	23:30	1.50	17.50	TRIP	Tripping	Completions, Abandon Wellbore		TIH and tag cmt plug @ 2,059'. LD 67 jts tbg. EOT @ 256'
23:30	00:45	1.25	18.75	CEMT	Cement Squeeze	Completions, Abandon Wellbore		Pressure test to 5,000#. Pump 50 sx G cement. LD 7 jts tbg.
00:45	04:15	3.50	22.25	GOP	General Operations	Completions, Abandon Wellbore		WOC
04:15	04:45	0.50	22.75	TRIP	Tripping	Completions, Abandon Wellbore		TIH and tag plug @ 52'. LD tbg.
04:45	06:00	1.25	24.00	LOC L	Lock Wellhead & Secure	Completions, Abandon Wellbore		Start RD equipment

Safety Checks

Time	Des	Type	Com

Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?

Perforation Summary

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Stimulation/Treatment Stages

<typ> on <dtm>				
Date	Zone	Type	Stim/Treat Company	
Sub Stg #	Stage Type	Top (ftKB)	Btm (ftKB)	Vol Clean Pump (gal)

Other In Hole

Des	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

Cement

Des	Start Date	Cement Comp



Well Name: Ansley 1

Report # 5.0, Report Date: 9/24/2014
Phase: Completions, Abandon Wellbore

Well Name Ansley 1	API 05-123-10496	License #	Excalibur ID	Operator TXO Production Corp	Govt Authority
Well Configuration Type	Original KB Elevation (ft)	Ground Elevation (ft)	KB-Ground Distance (ft)	Regulatory Drilling Spud Date	Regulatory Rig Release Date
Surface Legal Location NENE 30 5N 61W	North/South Distance (ft)	North/South Reference	East/West Distance (ft)	East/West Reference	Lat/Long Datum
Latitude (") 40° 22' 37.045" N	Longitude (") 104° 14' 40.974" W	Basin DJ Basin	Field Name Riverside	County Weld	State/Province Colorado

Jobs

Job Category Abandon		Primary Job Type Abandon Well			Start Date 8/21/2014		End Date	
Target Depth (ftKB)	Target Formation	AFE Number	AFE+Supp Amt (Cost)	Total Fld Est (Cost) 106,595.00	Total Final Invoice (C...	Var (AFE-Fld) (Cost)	Total Depth Drilled (ft)	

Daily Operations

Report Start Date 9/24/2014	Report End Date 9/25/2014	Status at Reporting Time 00 PLUG & ABANDON	Weather	T (°F)	Road Condition
24 Hour Summary Cut off well head and top off w/ cement			Operations Next Report Period		
Diesel Used (gal)			Total Rig Power (hp)		

Daily Contacts

Contact Name	Office
Matt Cross	

Daily Time Breakdown

Start Time	End Time	Dur (hr)	Cum Dur (hr)	Code	Category	Phase	Prob Ref #	Com
06:00	08:00	2.00	2.00	inactive	inactive			
08:00	14:00	6.00	8.00	GOP	General Operations	Completions, Abandon Wellbore		Cut off wellhead and top off with 25sx cement at surface. Remove cellar and cover with dirt. Dry hole marker installed. No flowlines to abandon.
14:00	06:00	16.00	24.00	inactive	inactive			

Safety Checks

Time	Des	Type	Com

Logs

Date	Type	Top (ftKB)	Btm (ftKB)	Cased?

Perforation Summary

Date	Zone	Top (ftKB)	Btm (ftKB)	Current Status

Stimulation/Treatment Stages

<typ> on <dtm>				
Date	Zone	Type	Stim/Treat Company	
Sub Stg #	Stage Type	Top (ftKB)	Btm (ftKB)	Vol Clean Pump (gal)

Other In Hole

Des	Run Date	OD (in)	Top (ftKB)	Btm (ftKB)

Cement

Des	Start Date	Cement Comp