

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203

Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>400713598</div>			
Date Received: <div>10/21/2014</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <div>10447</div>	Contact Name <div>Rob Bleil</div>	Complete the Attachment Checklist
Name of Operator: <div>URSA OPERATING COMPANY LLC</div>	Phone: <div>(970) 6259922</div>	
Address: <div>602 SAWYER STREET #710</div>	Fax: <div>()</div>	
City: <div>HOUSTON</div> State: <div>TX</div> Zip: <div>77007</div> Email: <div>rbleil@ursaresources.com</div>		
API Number : <div>05-0452236100</div>	OGCC Facility ID Number: <div>436714</div>	Survey Plat
Well/Facility Name: <div>Valley Farms L</div>	Well/Facility Number: <div>44D-11-06-92</div>	Directional Survey
Location QtrQtr: <div>SESE</div> Section: <div>11</div> Township: <div>6S</div> Range: <div>92W</div> Meridian: <div>6</div>		Srhc Eqpmt Diagram
County: <div>GARFIELD</div> Field Name: <div>WILDCAT</div>		Technical Info Page
Federal, Indian or State Lease Number: <div></div>		Other

OP OGCC

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☒ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Pre_Drill

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose
538988	704467	09/08/2014	609Pre
538997	753676	09/08/2014	609Pre
538992	753674	09/08/2014	609Pre
538997	753676	09/08/2014	609Pre
537530	753346	03/24/2014	609Pre

537530	753346	03/24/2014	609Pre
538997	753676	09/08/2014	609Pre
538992	753674	09/08/2014	609Pre
538988	704467	09/08/2014	609Pre
538992	753674	09/08/2014	609Pre
537530	753346	03/24/2014	609Pre
538988	704467	09/08/2014	609Pre

COMMENTS

Ursa Operating Company (Ursa) is requesting four (4) previously sampled water sources be used to meet sampling requirements as described in COGCC Rule 609. In addition to the API number listed on this Form 4, there are five API numbers applicable to this request as listed;

API#:

045-22368
045-22362
045-22450
045-22449
045-22439

Operator Comments:

Please forward onto Arthur Koepsell for review.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Kris Rowe
Title: Env. Consultant Email: krowe@hrlcomp.com Date: 10/21/2014

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 10/22/2014

CONDITIONS OF APPROVAL, IF ANY:

COA Type

Description

--	--

General Comments

User Group

Comment

Comment Date

Environmental	The database has been updated with the information provided by the operator.	10/22/2014 11:52:37 AM
---------------	--	---------------------------

Total: 1 comment(s)

Attachment Check List

Att Doc Num

Name

400713598	FORM 4 SUBMITTED
-----------	------------------

Total Attach: 1 Files