

FORM INSP
Rev 05/11

**State of Colorado
Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Inspection Date:
10/24/2014

Document Number:
674700459

Overall Inspection:
SATISFACTORY

FIELD INSPECTION FORM

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	<u>323902</u>	<u>323902</u>	<u>LONGWORTH, MIKE</u>	<input type="checkbox"/>	

Operator Information:

OGCC Operator Number:	<u>96850</u>
Name of Operator:	<u>WPX ENERGY ROCKY MOUNTAIN LLC</u>
Address:	<u>1001 17TH STREET - SUITE #1200</u>
City:	<u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>

- THIS IS A FOLLOW UP INSPECTION
- FOLLOW UP INSPECTION REQUIRED
- NO FOLLOW UP INSPECTION REQUIRED
- INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Gardner, Michael	970/285-9377 ext. 2760	Michael.Gardner@WPXEnergy.com	Principal Environmental Specialist
Kellerby, Shaun		shaun.kellerby@state.co.us	
Brady, Scott	(970) 285-9377	Lowell.Brady@WPXEnergy.com	Drilling Super Intendent

Compliance Summary:

QtrQtr:	<u>NWSW</u>	Sec:	<u>33</u>	Twp:	<u>6S</u>	Range:	<u>96W</u>
Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
06/13/2013	663801128			SATISFACTORY	I		No

Inspector Comment:

Related Facilities:

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
211133	WELL	PR	07/04/2005	GW	045-06892	FEDERAL GM 13-33	PR	<input checked="" type="checkbox"/>
438500	WELL	XX	08/10/2014		045-22490	WPX GM 414-33	ND	<input checked="" type="checkbox"/>
438501	WELL	XX	08/10/2014		045-22491	WPX GM 413-33	DG	<input checked="" type="checkbox"/>
438502	WELL	DG	10/09/2014		045-22492	WPX GM 513-33	DG	<input checked="" type="checkbox"/>
438503	WELL	XX	08/10/2014		045-22493	WPX GM 313-33	ND	<input checked="" type="checkbox"/>
439233	SPILL OR RELEASE	AC	10/14/2014		-	SPILL/RELEASE POINT	AC	<input type="checkbox"/>

Equipment:

Location Inventory

--

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>5</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>1</u>	Separators: <u>5</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

Emergency Contact Number (S/A/V): SATISFACTORY Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Venting:

Yes/No	Comment

Flaring:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 323902

Site Preparation:
 Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____
 Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkd	The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if drill cuttings are to remain/disposed of onsite, they must also meet the applicable standards of table 910-1. Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or pit located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area constructed to be sufficiently impervious to contain any spilled or released material.	07/16/2014
OGLA	kubeczkd	Notify the COGCC 48 hours prior to start of pad reconstruction/regrading, rig mobilization, spud, pipeline testing, start of hydraulic stimulation operations, start of flowback operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).	07/16/2014

<p>OGLA</p>	<p>kubeczkd</p>	<p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>The access road will be maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p> <p>The location is in an area of moderate run-on/run-off potential; therefore standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater run-off.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p>	<p>07/16/2014</p>
<p>OGLA</p>	<p>kubeczkd</p>	<p>Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network.</p> <p>Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids and implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. In addition, pump stations along the surface poly or steel pipeline route will be continuously monitored when operating in order to swiftly respond to such a failure.</p> <p>Operator must ensure no release of fluids at all stream, intermittent stream, ditch, and drainage crossings. For these crossings: operator will ensure appropriate containment by either installing over-sized pipe "sleeves" which extend the length of the crossing and beyond to a distance deemed adequate to capture and/or divert any possible release of fluids and prevent fluids from reaching the stream or drainage; or installing over-sized pipe "sleeves" which extend the length of the crossing and installing shut off valves on either side of crossing instead of catchment basins.</p> <p>Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines.</p>	<p>07/16/2014</p>

S/A/V: SATISFACTORY

Comment:

Notices being submitted

CA:

Date:

Wildlife BMPs:

BMP Type	Comment
Interim Reclamation	Restore both form and function of impacted wetlands and riparian areas and mitigate erosion. Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements. Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife. WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas. Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.
Planning	Share/consolidate corridors for pipeline ROWs to the maximum extent possible. Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas. Locate roads outside of drainages where possible and outside of riparian habitat. Minimize the number, length, and footprint of oil and gas development roads. Use existing roads where possible. Combine and share roads to minimize habitat fragmentation. Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development. Maximize the use of directional drilling to minimize habitat loss/fragmentation. Maximize use of long-term centralized tank batteries to minimize traffic. Maximize use of remote completion/frac operations to minimize traffic. Maximize use of remote telemetry for well monitoring to minimize traffic.

S/AV: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 211133 Type: WELL API Number: 045-06892 Status: PR Insp. Status: PR

Idle Well

Purpose: Shut In Temporarily Abandoned Reminder: _____
 S/A/V: SATISFACTORY CA Date: _____
 CA: _____
 Comment: _____

Facility ID: 438500 Type: WELL API Number: 045-22490 Status: XX Insp. Status: ND

Facility ID: 438501 Type: WELL API Number: 045-22491 Status: XX Insp. Status: DG

Well Drilling

Rig: Rig Name: Cyclone 17 Pusher/Rig Manager: Scott Geary
 Permit Posted: SATISFACTORY Access Sign: SATISFACTORY

Well Control Equipment:

Pipe Ram: YES Blind Ram: YES Hydril Type: _____
 Pressure Test BOP: Pass Test Pressure PSI: 3000 Safety Plan: YES

Drill Fluids

Management:

Lined Pit: _____ Unlined Pit: _____ Closed Loop: YES Semi-Closed Loop: _____
 Multi-Well: YES Disposal Location: _____

Comment:

Facility ID: 438502 Type: WELL API Number: 045-22492 Status: DG Insp. Status: DG

Well Drilling

Rig: Rig Name: Cyclone 17 Pusher/Rig Manager: _____
 Permit Posted: _____ Access Sign: SATISFACTORY

Well Control Equipment:

Pipe Ram: _____ Blind Ram: _____ Hydril Type: _____
 Pressure Test BOP: _____ Test Pressure PSI: _____ Safety Plan: _____

Drill Fluids

Management:

Lined Pit: _____ Unlined Pit: _____ Closed Loop: YES Semi-Closed Loop: _____
 Multi-Well: _____ Disposal Location: _____

Comment:

Drilled

Facility ID: 438503 Type: WELL API Number: 045-22493 Status: XX Insp. Status: ND

Well Drilling

Rig: Rig Name: Cyclone 17 Pusher/Rig Manager: _____
 Permit Posted: _____ Access Sign: _____

Well Control Equipment:

Pipe Ram: _____ Blind Ram: _____ Hydril Type: _____
 Pressure Test BOP: _____ Test Pressure PSI: _____ Safety Plan: _____

Drill Fluids

Management:

Lined Pit: _____ Unlined Pit: _____ Closed Loop: _____ Semi-Closed Loop: _____

Multi-Well: _____ Disposal Location: _____

Comment:

Next well to spud

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
 Comment: _____
 Corrective Action: _____ Date: _____
 Reportable: _____ GPS: Lat _____ Long _____
 Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____
 Comment: _____
 Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____
 Land Use: RANGELAND
 Comment: _____

1003a. Debris removed? _____ CM _____
 CA _____ CA Date _____
 Waste Material Onsite? _____ CM _____
 CA _____ CA Date _____
 Unused or unneeded equipment onsite? _____ CM _____
 CA _____ CA Date _____
 Pit, cellars, rat holes and other bores closed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors removed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors marked? _____ CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____
 Cuttings management: _____
 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____
 Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Ditches	Pass	Ditches	Fail			Ditch on road at entrance needs maintained
Compaction	Pass	Gravel	Pass	MHSP		
Berms	Pass	Compaction	Pass	MHSP		
Gravel	Pass					

S/A/V: SATISFACTOR Corrective Date: _____

Y

Comment: _____

CA: _____

Pits: NO SURFACE INDICATION OF PIT

