

# T2N, R67W

NW. COR.  
SEC. 28, T2N, R67W  
FOUND 2 1/2" ALUM. CAP  
L.S. NO. 24305

E. 1/16 COR.  
SEC. 28 AND SEC. 21  
T2N, R67W  
FOUND 2 1/2" ALUM. CAP  
L.S. NO. 24305  
S 89°35'15" W  
1307.61' (M)

NE. COR.  
SEC. 28, T2N, R67W  
FOUND 2 1/2" ALUM. CAP  
L.S. NO. 24305

S 89°32'41" W 2629.95' (M)

S 89°34'59" W  
1307.72' (M)

N. 1/4 COR.  
SEC. 28, T2N, R67W  
FOUND 2 1/2" ALUM. CAP  
L.S. NO. 12374

220'

1530'

460'

1090'

BOTTOM OF HOLE:  
460' FNL & 1090' FEL

N 00°05'44" E 2633.47' (M)

N 00°09'12" E  
2636.34' (M)

N 00°22'34" W  
1318.74' (M)

N. 1/16 COR.  
SEC. 28 AND SEC. 27  
T2N, R67W  
FOUND 2" ALUM. CAP  
L.S. NO. 25937

W. 1/4 COR.  
SEC. 28, T2N, R67W  
FOUND 2 1/2" ALUM. CAP  
L.S. NO. 24305

CENTER COR.  
SEC. 28, T2N, R67W  
FOUND 2" ALUM. CAP  
L.S. NO. 25937

S 89°36'23" W  
2627.27' (M)

## 28

**SURFACE LOCATION**  
GROUND ELEVATION= 5049.8'  
NAD 83  
LATITUDE= 40.103229°  
LONGITUDE= -104.892066°

LATITUDE= 40°06'11.623"  
LONGITUDE= -104°53'31.437"

**BOTTOM HOLE LOCATION**  
NAD 83  
LATITUDE= 40.115231°  
LONGITUDE= -104.890113°

LATITUDE= 40°06'54.830"  
LONGITUDE= -104°53'24.405"

N 06°43'47" E 4406' GRID  
N 07°07'21" E TRUE  
N 01°22'13" W MAGNETIC

859'

2177'

S 89°36'29" W  
2639.56' (M)

N 00°22'14" W  
1318.52' (M)

E. 1/4 COR.  
SEC. 28, T2N, R67W  
FOUND 2" ALUM. CAP  
L.S. NO. 25937

SW. COR.  
SEC. 28, T2N, R67W  
FOUND 2 1/2" ALUM. CAP  
L.S. NO. 31169

N 00°05'17" W 2614.57' (M)

N 00°09'04" E  
2626.17' (M)

1623'

N 00°03'48" W 2631.68' (M)

SE. COR.  
SEC. 28, T2N, R67W  
FOUND 2 1/2" ALUM. CAP  
L.S. NO. 34980

S 89°51'31" W 2616.27' (M)

S 89°43'44" W 2649.36' (M)

S. 1/4 COR.  
SEC. 28, T2N, R67W  
FOUND 2" ALUM. CAP  
L.S. NO. 23027

**HUNZIKER 1N-28HZ**  
SURFACE LOCATION


433'

### NOTES:

- ▲ INDICATES FOUND SECTION CORNER
- INDICATES CALCULATED CORNER
- ELEVATION BASED ON NAVD88 (GEOID09)
- BASIS OF BEARING DERIVED FROM COLORADO COORDINATE SYSTEM 1983 NORTH ZONE UNLESS OTHERWISE NOTED.
- ALL MEASURED DISTANCES ARE GRID. COMBINED SCALE FACTOR: .99972257
- OPERATOR: ROB WILSON / PDOP = 1.6
- SEE ADDENDUM TO WELL LOCATION CERTIFICATE FOR EXISTING IMPROVEMENTS WITHIN 500' OF THE WELL PAD.
- WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.
- THE BOTTOM OF HOLE BEARS N06°43'47"E 4406' FROM THE SURFACE LOCATION.



NOTE:  
MAGNETIC NORTH IS CURRENT AS OF 8/12/2014.  
MAGNETIC NORTH CHANGES WEST 0°08' PER YEAR.



SCALE: 1" = 1000'

### CERTIFICATE OF SURVEYOR:

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. THIS CERTIFICATE DOES NOT REPRESENT A LAND SURVEY PLAT OR IMPROVEMENT SURVEY PLAT AS DEFINED BY C.S. 38-51-102 AND CANNOT BE RELIED UPON TO DETERMINE OWNERSHIP.

*Benjamin J. Reenders*  
PROFESSIONAL LAND SURVEYOR  
8/14/14

BENJAMIN J. REENDERS  
PROFESSIONAL LAND SURVEYOR  
COLORADO REGISTRATION NUMBER 4334

NOTICE:  
ACCORDING TO COLORADO STATE LAW YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE ON THE CERTIFICATION SHOWN HEREON.

### WELL PAD - HUNZIKER 27C-4HZ

**HUNZIKER 1N-28HZ**  
**WELL LOCATION CERTIFICATE**  
433' FSL & 1623' FEL SWSE (SURFACE)  
460' FNL & 1090' FEL NENE (BOTTOM)  
LOCATED IN SECTION 28  
T2N, R67W, 6TH P.M.  
WELD COUNTY, COLORADO

**Kerr-McGee Oil & Gas Onshore L.P.**  
1099 18th Street  
Denver, Colorado 80202



### CONSULTING, LLC

SHERIDAN OFFICE  
2155 North Main Street  
Sheridan, Wyoming 82801  
Phone 307-674-0609

LOVELAND OFFICE  
1635 Foxtrail Drive, Suite 204  
Loveland, Colorado 80538  
Phone 970-776-4331

DRAFTED BY:	LMO	CHECKED BY:	BJR
DATE DRAFTED:	8/14/14	DATE SURVEYED:	8/4/14
REVISED:		FILE NAME:	13-112