
Mud Logging Services
Mud Logging Unit
Surface Equipment
Sensors
Gas Detection
Lithology
Drilling Parameters
Mud Parameters


Gamma Ray (GR) (API)
Caliper (CALI) (in)
Bit Size (BS) (in)
Deep Resistivity (RDEP) (ohm.m)
Medium Resistivity (RMED) (ohm.m)
Shallow Resistivity (RSHA) (ohm.m)
Neutron Porosity (NPHI) (dec)
Density Porosity (RHOB) (g/cm3)
Photoelectric Factor (PEF) (b/e)
Delta Rho (DRHO) (g/cm3)
Depth (MD) (m)

Dataset Creation: Fri Oct 03 12:00:37 2014 by Calc 0
Charted by: Depth in Feet scaled 1:240



Calibration Report

Database File: 13672.db
Dataset Pathname: pass1
Dataset Creation: Fri Oct 03 07:18:57 2014 by Log 0

Dual Induction Calibration Report

Serial-Model: 1011-PSI
Surface Cal Performed:

Loop:	Readings Air	Readings Loop	References Air	References Loop		Results m	Results b
Deep	0.000	1.000	0.000	1.000	mmho/m	0.525	-27.000
Medium	0.000	1.000	0.000	1.000	mmho/m	0.450	-27.000

Compensated Density Calibration Report

Serial-Model: 998-PSI
Source / Verifier: /
Master Calibration Performed: Mon Sep 01 11:47:50 2014
Before Survey Verification Performed:
After Survey Verification Performed:

Master Calibration

	Density		Far Detector	Near Detector	
Magnesium	1.750	g/cc	7210.00	9816.00	cps
Aluminum	2.690	g/cc	1326.00	6231.00	cps

Spine Angle = 74.98 Density/Spine Ratio = 0.536

	Size		Reading
Small Ring	6.20	in	1.67
Large Ring	19.85	in	1.38

Compensated Neutron Calibration Report

Serial Number: 826
Tool Model: PSI

CALIBRATION

Detector	Readings		Target		Normalization
Short Space	1.00	cps	1.00	cps	1.9000
Long Space	1.00	cps	1.00	cps	2.0900

Gamma Ray Calibration Report

Serial Number: 939
Tool Model: PSI
Performed: Wed Sep 03 09:19:35 2014

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
Calibrator Reading: 1.0 cps

Sensitivity: 0.6100 GAPI/cps