

FORM  
2A

Rev  
08/13

State of Colorado  
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400697721

0

Date Received:

10/06/2014

Oil and Gas Location Assessment

☒ New Location    ☐ Refile    ☐ Amend Existing Location    Location#: \_\_\_\_\_

Submit signed original form. This Oil and Gas Location Assessment is to be submitted to the COGCC for approval prior to any ground disturbance activity associated with oil and gas operations. Approval of this Oil and Gas Location Assessment will allow for the construction of the below specified Location; however, it does not supersede any land use rules applied by the local land use authority. Please see the COGCC website at <http://cogcc.state.co.us/> for all accompanying information pertinent this Oil and Gas Location Assessment.

Location ID:

**439917**

Expiration Date:

**11/15/2017**

☒ This location assessment is included as part of a permit application.

CONSULTATION

- ☐ This location is included in a Comprehensive Drilling Plan. CDP # \_\_\_\_\_
- ☐ This location is in a sensitive wildlife habitat area.
- ☐ This location is in a wildlife restricted surface occupancy area.
- ☐ This location includes a Rule 306.d.(1)A.ii. variance request.

Operator

Operator Number: 10456

Name: CAERUS PICEANCE LLC

Address: 600 17TH STREET #1600N

City: DENVER State: CO Zip: 80202

Contact Information

Name: Crissy Venturo

Phone: (720) 352-7916

Fax: ( )

email: crissy.venturo@progressivepcs.net

RECLAMATION FINANCIAL ASSURANCE

☒ Plugging and Abandonment Bond Surety ID: 20130021    ☐ Gas Facility Surety ID: \_\_\_\_\_

☐ Waste Management Surety ID: \_\_\_\_\_

LOCATION IDENTIFICATION

Name: Mesa Number: H2-797

County: GARFIELD

Quarter: TR 66 Section: 2 Township: 7S Range: 97W Meridian: 6 Ground Elevation: 8478

Define a single point as a location reference for the facility location. When the location is to be used as a well site then the point shall be a well location.

Footage at surface: 2229 feet FNL from North or South section line

625 feet FEL from East or West section line

Latitude: 39.475669 Longitude: -108.180217

PDOP Reading: 1.3 Date of Measurement: 08/19/2014

Instrument Operator's Name: Harold Marshall

## RELATED REMOTE LOCATIONS

(Enter as many Related Locations as necessary. Enter the Form 2A document # only if there is no established COGCC Location ID#)

This proposed Oil and Gas Location is:

LOCATION ID # FORM 2A DOC #

## FACILITIES

Indicate the number of each type of oil and gas facility planned on location

Wells	<u>18</u>	Oil Tanks*	<u>      </u>	Condensate Tanks*	<u>2</u>	Water Tanks*	<u>10</u>	Buried Produced Water Vaults*	<u>      </u>
Drilling Pits	<u>      </u>	Production Pits*	<u>      </u>	Special Purpose Pits	<u>      </u>	Multi-Well Pits*	<u>      </u>	Modular Large Volume Tanks	<u>      </u>
Pump Jacks	<u>      </u>	Separators*	<u>18</u>	Injection Pumps*	<u>      </u>	Cavity Pumps*	<u>      </u>	Gas Compressors*	<u>      </u>
Gas or Diesel Motors*	<u>      </u>	Electric Motors	<u>      </u>	Electric Generators*	<u>      </u>	Fuel Tanks*	<u>      </u>	LACT Unit*	<u>      </u>
Dehydrator Units*	<u>      </u>	Vapor Recovery Unit*	<u>      </u>	VOC Combustor*	<u>2</u>	Flare*	<u>      </u>	Pigging Station*	<u>      </u>

## OTHER FACILITIES\*

Other Facility Type

Number

\*Those facilities indicated by an asterisk (\*) shall be used to determine the distance from the Production Facility to the nearest cultural feature on the Cultural Setbacks Tab.

Per Rule 303.b.(3)C, description of all oil, gas, and/or water pipelines:

Sub surface flow-lines from well head to separators and from separators to water and oil tanks will be 2" steel. 8" steel gas pipeline from the production unit separators to the third party gather's meter point approximately 350' to the east-southeast. One buried 4" to 6" steel water line to transport produced water from the production unit separators to offsite pipeline (approximately 350' to the east-southeast) to SWD well. One temporary surface line (10" to 12" poly) for water delivery. Please see attached Equipment List for additional list of facilities.

## CONSTRUCTION

Date planned to commence construction: 11/15/2014 Size of disturbed area during construction in acres: 7.65

Estimated date that interim reclamation will begin: 05/05/2015 Size of location after interim reclamation in acres: 1.98

Estimated post-construction ground elevation: 8478

## DRILLING PROGRAM

Will a closed loop system be used for drilling fluids: Yes

Is H<sub>2</sub>S anticipated? No

Will salt sections be encountered during drilling: No

Will salt based mud (>15,000 ppm Cl) be used? No

Will oil based drilling fluids be used? No

## DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Method: Recycle/reuse

Cutting Disposal: OFFSITE Cuttings Disposal Method: Beneficial reuse

Other Disposal Description:

Please see attached Waste Management Plan.

Beneficial reuse or land application plan submitted?       

Reuse Facility ID:        or Document Number:       

Centralized E&P Waste Management Facility ID, if applicable:

## SURFACE & MINERALS & RIGHT TO CONSTRUCT

Name: Puckett Land Company

Phone: \_\_\_\_\_

Address: 5430 S. Quebec Street

Fax: \_\_\_\_\_

Address: \_\_\_\_\_

Email: \_\_\_\_\_

City: Greenwood State: CO Zip: 80111  
Village

Surface Owner: ☒ Fee ☐ State ☐ Federal ☐ Indian

Check all that apply. The Surface Owner: ☒ is the mineral owner

☒ is committed to an oil and Gas Lease

☒ has signed the Oil and Gas Lease

☐ is the applicant

The Mineral Owner beneath this Oil and Gas Location is: ☒ Fee ☐ State ☐ Federal ☐ Indian

The Minerals beneath this Oil and Gas Location will be developed from or produced to this Oil and Gas Location: Yes

The right to construct this Oil and Gas Location is granted by: oil and gas lease

Surface damage assurance if no agreement is in place: \_\_\_\_\_ Surface Surety ID: \_\_\_\_\_

Date of Rule 306 surface owner consultation 09/29/2014

## CURRENT AND FUTURE LAND USE

Current Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

Future Land Use (Check all that apply):

Crop Land: ☐ Irrigated ☐ Dry land ☐ Improved Pasture ☐ Hay Meadow ☐ CRP

Non-Crop Land: ☒ Rangeland ☐ Timber ☐ Recreational ☐ Other (describe): \_\_\_\_\_

Subdivided: ☐ Industrial ☐ Commercial ☐ Residential

## CULTURAL DISTANCE INFORMATION

Provide the distance to the nearest cultural feature as measured from Wells or Production Facilities onsite.

	From WELL	From PRODUCTION FACILITY
Building:	5280 Feet	5280 Feet
Building Unit:	5280 Feet	5280 Feet
High Occupancy Building Unit:	5280 Feet	5280 Feet
Designated Outside Activity Area:	5280 Feet	5280 Feet
Public Road:	5280 Feet	5280 Feet
Above Ground Utility:	5280 Feet	5280 Feet
Railroad:	5280 Feet	5280 Feet
Property Line:	4659 Feet	4366 Feet

### INSTRUCTIONS:

- All measurements shall be provided from center of nearest Well or edge of nearest Production Facility to nearest of each cultural feature as described in Rule 303.b.(3)A.
- Enter 5280 for distance greater than 1 mile.
- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.
- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.
- For measurement purposes only, Production Facilities should only include those items with an asterisk(\*) on the Facilities Tab.

## DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a: ☐ Buffer Zone  
☐ Exception Zone  
☐ Urban Mitigation Area

- Buffer Zone - as described in Rule 604.a.(2), within 1,000' of a Building Unit.
- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.
- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: \_\_\_\_\_

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: \_\_\_\_\_

## FOR MULTI-WELL PADS AND PRODUCTION FACILITIES WITHIN DESIGNATED SETBACK LOCATIONS ONLY:

- ☐ Check this box if this Oil and Gas Location has or will have Production Facilities that serve multiple wells (onll or offsite) and the Production Facilities are proposed to be located less than 1,000 feet from a Building Unit. *(Pursuant to Rule 604.c.(2)E.i., the operator must evaluate alternative locations for the Production Facilities that are farther from the Building Unit, and determine whether those alternative locations were technically feasible and economically practicable for the same proposed development.)*
- ☐ By checking this box, I certify that no alternative placements for the Production Facilities, farther from the nearest Building Unit, were available based on the analysis conducted pursuant to Rule 604.c.(2)E.i.

In the space below, explain rationale for siting the multi-well Production Facility(ies) that supports your Rule 604.c.(2)E.i determination. Attach documentation that supports your determination to this Form 2A.

## SOIL

List all soil map units that occur within the proposed location. attach the National Resource Conservation Service (NRCS) report showing the "Map Unit Description" report listing the soil typical vertical profile. This data is to be used when segregating topsoil.

The required information can be obtained from the NRCS web site at <http://soildatamart.nrcs.usda.org/> or from the COGCC web site GIS Online map page found at <http://colorado.gov/cogcc>. Instructions are provided within the COGCC web site help section.

NRCS Map Unit Name: 57: Parachute - Rhone Loams, 5 to 30 percent slopes

NRCS Map Unit Name: \_\_\_\_\_

NRCS Map Unit Name: \_\_\_\_\_

## PLANT COMMUNITY:

Complete this section only if any portion of the disturbed area of the location's current land use is on non-crop land.

Are noxious weeds present: Yes ☐ No ☒

Plant species from: ☒ NRCS or, ☒ field observation Date of observation: 09/01/2014

List individual species: Please see attached NRCS Map Unit Description.

Check all plant communities that exist in the disturbed area.

- ☐ Disturbed Grassland (Cactus, Yucca, Cheatgrass, Rye)
- ☐ Native Grassland (Bluestem, Grama, Wheatgrass, Buffalograss, Fescue, Oatgrass, Brome)
- ☒ Shrub Land (Mahogany, Oak, Sage, Serviceberry, Chokecherry)
- ☐ Plains Riparian (Cottonwood, Willow, Aspen, Maple, Poplar, Russian Olive, Tamarisk)
- ☐ Mountain Riparian (Cottonwood, Willow, Blue Spruce)
- ☐ Forest Land (Spruce, Fir, Ponderosa Pine, Lodgepole Pine, Juniper, Pinyon, Aspen)
- ☐ Wetlands Aquatic (Bullrush, Sedge, Cattail, Arrowhead)
- ☐ Alpine (above timberline)
- ☐ Other (describe): \_\_\_\_\_

## WATER RESOURCES

Is this a sensitive area: ☐ No ☒ Yes

Distance to nearest

downgradient surface water feature: 873 Feet

water well: 1360 Feet

Estimated depth to ground water at Oil and Gas Location 234 Feet

Basis for depth to groundwater and sensitive area determination:

The depth to ground water was determined by using static water level data of Colorado Division of Water Resources nearest active water well approximately 4,750 feet NE of the pad location (Receipt #9502666A, Permit # 271289). Please note there was no static water level available for the water well closest to the pad.

Is the location in a riparian area: ☒ No ☐ Yes

Was an Army Corps of Engineers Section 404 permit filed ☒ No ☐ Yes If yes attach permit.

Is the location within a Rule 317B Surface Water Supply Area buffer \_\_\_\_\_ No  
zone:

If the location is within a Rule 317B Surface Water Supply Area buffer have all public water supply systems within 15 miles been notified: \_\_\_\_\_

## GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 609 \_\_\_\_\_

## DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- ☐ Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- ☐ Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- ☐ Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- ☐ Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- ☐ Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

## RULE 502.b VARIANCE REQUEST

☐ Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number \_\_\_\_\_

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

## OPERATOR COMMENTS AND SUBMITTAL

Comments The proposed Puckett 13B-1 (Doc# 400696387) well location was used as the reference point for footages. The proposed well pad is located on Tract 66. The associated Form 2 APDs are being submitted simultaneously (see attached related form Doc #s). Please refer to the attached multi-well plan for the proposed locations. The surface owner has waived consultation requirements of Rule 306 as shown on the attached waiver.

I hereby certify that the statements made in this form are, to the best of my knowledge, true, correct and complete.

Signed: \_\_\_\_\_ Date: 10/06/2014 Email: crissy.venturo@progressivepcs.net

Print Name: Crissy Venturo Title: Permit Representative

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved:  Director of COGCC Date: 11/16/2014

## Conditions Of Approval

All representations, stipulations and conditions of approval stated in this Form 2A for this location shall constitute representations, stipulations and conditions of approval for any and all subsequent operations on the location unless this Form 2A is modified by Sundry Notice, Form 4 or an Amended Form 2A.

### COA Type

### Description

Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network.

Operator must implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located.

Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface pipeline routes for leaks during active transfer of fluids. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. The operator shall maintain records of inspections, findings and repairs, if necessary, for the life of the pits.

Operator must ensure 110 percent secondary containment for any potential volume of fluids that may be released from the surface pipeline at all sensitive area crossings, including, but not limited to stream, intermittent stream, ditch, and drainage crossings.

Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.

	<p>The moisture content of drill cuttings managed onsite shall be kept as low as practicable to prevent accumulation of liquids greater than de minimis amounts. After drilling and completion operations have been completed, the drill cuttings that will remain on the well pad location (cuttings management area, the cut portion of the pad, cuttings trench, dry cuttings drilling pit), must meet the applicable standards of Table 910-1. After the drill cuttings have been amended (if necessary) and placed on the well pad, sampling frequency of the drill cuttings (to be determined by the operator) shall be representative of the material left on location. No offsite disposal of cuttings to another oil and gas location shall occur without prior approval of a Waste Management Plan (submitted via a Form 4 Sundry Notice) specifying disposal location and waste characterization method. No offsite reuse of cuttings to another oil and gas location shall occur without prior approval of a Beneficial Reuse or Land Application Plan (submitted via a Form 4 Sundry Notice) specifying reuse or application, location, and waste characterization method. Commercial disposal of drill cuttings will only require notification to COGCC via a Form 4 Sundry Notice.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>Potential odors associated with the completions process and/or with long term production operations must be controlled/mitigated.</p>
	<p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days and after precipitation events), and maintained in good condition.</p> <p>The access road will be constructed and maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p> <p>The location is in an area of moderate to high run-on/run-off potential; therefore standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater run-off.</p> <p>The nearby hillside must be monitored for any day-lighting of drilling fluids throughout the drilling of the surface casing interval.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (corrugated steel with poly liner) to contain any spilled or released material around permanent crude oil, condensate, and produced water storage tanks.</p>

Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, pipeline testing, start of hydraulic stimulation operations, and start of flowback operations (if different than stimulation) using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).

ROAN RIM NTO: Notice to Operators (NTO) Drilling Wells on the Roan Plateau in Garfield County: Operator shall comply with all provisions of the June 12, 2008 Notice to Operators (NTO) Drilling Wells Within ¾ Mile of the Rim of the Roan Plateau in Garfield County – Pit Design, Construction, and Monitoring Requirements. At a minimum, all pits (if constructed) must be lined.

The operator shall submit, and receive approval of, a reuse and recycling plan per Rule 907.a.(3), prior to any offsite reuse/recycling of cuttings.

### **Best Management Practices**

<b><u>No</u></b>	<b><u>BMP/COA Type</u></b>	<b><u>Description</u></b>
1	Pre-Construction	<ul style="list-style-type: none"> <li>• A stabilized staging area will be prepared.</li> <li>• Vehicle tracking pads, geotextiles, or mud mats will be installed where applicable to provide designated access into the ROW.</li> <li>• Perimeter control BMPs will be installed.</li> <li>• Access to areas that are not to be disturbed will be limited to protect the existing vegetation.</li> <li>• Dust mitigation practices will be utilized.</li> </ul>
2	General Housekeeping	<ul style="list-style-type: none"> <li>• Caerus will routinely inspect the surface pipeline to ensure integrity and conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids. Inspections shall be conducted by viewing the length of the pipeline.</li> <li>• Caerus will comply with Rule 609 Statewide Groundwater Baseline Sampling and Monitoring</li> </ul> <p>Caerus will comply with Rule 603.f Statewide equipment, weeds, waste, and trash requirements.</p>
3	Wildlife	<ul style="list-style-type: none"> <li>• All garbage and any food items will be placed in bear proof trash containers.</li> <li>• Personnel will not feed wildlife at any time.</li> <li>• Bears will not be approached if encountered in the project area.</li> <li>• Seed mix used for interim and final reclamation is prescribed by the landowner.</li> <li>• Other considerations as described in the Wildlife Mitigation Plan with Colorado Division of Parks and Wildlife.</li> </ul>
4	Storm Water/Erosion Control	<ul style="list-style-type: none"> <li>• Run-on protection and run-off controls will be installed prior to the beginning of construction activities, as practicable, with consideration given to worker safety and site access. Additional structural and non-structural Best Management Practices (BMPs) will likely need to be installed during and following construction.</li> <li>• No stormwater run-off will be discharged to the Colorado River.</li> </ul>
5	Construction	<ul style="list-style-type: none"> <li>• Stockpiles for topsoil, excess cut material, and drill cuttings will be located in work areas within perimeter BMPs.</li> <li>• Stormwater BMPs will be installed per details in the Stormwater BMP manual.</li> <li>• Disturbed area of site will be left in a surface roughened condition when feasible.</li> <li>• BMPs will be protected, inspected and repaired as necessary.</li> <li>• Dust mitigation practices will be utilized.</li> <li>• The access road will be constructed and maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</li> <li>• Berms or other containment devices shall be constructed to be sufficiently impervious (corrugated steel with synthetic liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</li> </ul>



6	Drilling/Completion Operations	<ul style="list-style-type: none"> <li>• Topsoil will be stockpiled as appropriate to maintain microbial viability.</li> <li>• Run-off from the facility will be controlled per Stormwater Management Plan.</li> <li>• Pooled water will be treated for mosquitoes to minimize the spread of the West Nile virus.</li> <li>• Caerus will ensure 110 percent secondary containment for any potential volume of fluids that may be released from the surface pipeline at all sensitive area crossings, including, but not limited to stream, intermittent stream, ditch, and drainage crossings.</li> </ul>
7	Interim Reclamation	<ul style="list-style-type: none"> <li>• Top soil, where present, will be segregated from deeper soils and replaced as top soil on the final grade, a process known as live topsoil handling.</li> <li>• In all cases, temporary disturbance will be kept to an absolute minimum.</li> <li>• Equipment and materials handling will be done on established sites to reduce area and extent of soil compaction.</li> <li>• Disturbances will be reseeded as soon as practical with the recommended mix in the re-vegetation section.</li> <li>• Topsoil stockpiles will be seeded with non-invasive sterile hybrid grasses, if stored longer than one growing season.</li> <li>• Prior to delivery to the site, equipment will be cleaned of soils remaining from previous construction sites which may be contaminated with noxious weeds.</li> <li>• If working in sites with weed-seed contaminated soil, equipment will be cleaned of potentially seed-bearing soils and vegetative debris prior to moving to uncontaminated terrain.</li> </ul>
8	Final Reclamation	<ul style="list-style-type: none"> <li>• BMPs installed during previous phases will be maintained and repaired as necessary.</li> <li>• Surface will be stabilized with gravel when feasible</li> <li>• BMPs will be inspected.</li> <li>• Seeding and mulching or the installation of erosion control blankets will take place where applicable.</li> <li>• All non-biodegradable temporary BMPs will be removed when applicable.</li> <li>• Dust mitigation practices will be utilized.</li> </ul>

Total: 8 comment(s)

### **Attachment Check List**

<b><u>Att Doc Num</u></b>	<b><u>Name</u></b>
2107147	CORRESPONDENCE
400697721	FORM 2A SUBMITTED
400698368	WASTE MANAGEMENT PLAN
400698509	LOCATION PICTURES
400698512	HYDROLOGY MAP
400698521	ACCESS ROAD MAP
400698525	TOPO MAP
400698562	MULTI-WELL PLAN
400698563	LOCATION DRAWING
400698564	CONST. LAYOUT DRAWINGS
400698568	REFERENCE AREA MAP
400698573	REFERENCE AREA PICTURES
400698722	WAIVERS
400698723	NRCS MAP UNIT DESC
400699783	EQUIPMENT LIST
400701908	FACILITY LAYOUT DRAWING

Total Attach: 16 Files

### General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	Corrected start date of construction and notified opr. Final review complete.	11/11/2014 11:03:13 AM
OGLA	Initiated/Completed OGLA Form 2A review on 10-22-14 by Dave Kubeczko; requested acknowledgement of fluid containment, spill/release BMPs, flowback to tanks only, cuttings low moisture content, beneficial reuse plan, notification, tank berming, hillside monitoring, sediment control, dust control, odor control, Roan Rim NTO, and pipeline testing COAs from operator on 10-22-14; received acknowledgement of COAs from operator on 10-24-14; no CPW; passed OGLA Form 2A review on 11-05-14 by Dave Kubeczko; fluid containment, spill/release BMPs, flowback to tanks only, cuttings low moisture content, notification, tank berming, hillside monitoring, sediment control, dust control, odor control, Roan Rim NTO, and pipeline testing COAs.	10/22/2014 11:00:15 AM
Permit	Passed Completeness	10/8/2014 10:12:17 AM

Total: 3 comment(s)