



# Kerr-McGee Oil & Gas Onshore LP

A subsidiary of Anadarko Petroleum Corporation

1099 18<sup>th</sup> Street  
Denver, CO 80202  
720-929-6000

November 20, 2014

Department of Natural Resources  
Oil and Gas Conservation Commission  
The Chancery Building  
1120 Lincoln St., Suite 801  
Denver, CO 80203

Re: Request for Exception to Rule 317.p  
GREEN 1C-8HZ GREEN 1N-8HZ  
GREEN 2C-8HZ GREEN 2N-8HZ  
GREEN 3N-8HZ GREEN 4N-8HZ  
GREEN 5N-8HZ  
Township 1 North, Range 65 West  
Section 8: NW/4 NW/4  
Weld County, Colorado

Ladies/Gentlemen:

Kerr-McGee Oil & Gas Onshore LP ("KMG") respectfully requests the Director to approve an exception to Rule 317.p and only run an LWD gamma ray log in the horizontal section in the above stated wells on the same well pad. Rule 317.p of the Colorado Oil and Gas Commission's Rules and Regulations requires wells to be logged with a minimum of a resistivity log with gamma ray. The above-named wells are requested to be exempt from this requirement due to the proximity of existing well(s) with acceptable resistivity logs with gamma ray. The available log(s) are within 660 feet of the vertical section(s) of the proposed well(s).

The proposed wells will be logged with an LWD gamma ray log in the horizontal section. The wells will also be cased-hole logged with a cement bond and gamma ray log from the production casing shoe to the surface. The Drilling Completion Report (Form 5) submitted for each well will indicate that no open-hole logs were run.

The existing well(s) within 660 feet with acceptable resistivity logs with gamma ray are listed in the table below:

Well Name	Well Number	API Number	Distance From Well(s)	Azimuth (Degrees)	COGCC Well File Document Number
GREEN	XX 8-4	0512323718	344	60	1367986
RITCHEY	1	0512308690	267	210	1051591

Should you have any questions, please contact our office. Thank you for your consideration.

Very truly yours,

**Kerr-McGee Oil & Gas Onshore LP**

A handwritten signature in blue ink, consisting of a large, stylized 'C' followed by a horizontal line and a small flourish.

Craig Richardson  
Regulatory Analyst II