**BASIN WELL LOGGING**
PERFORATING - WIRELINE SERVICES

## Cement Bond Log
## W/Gamma Ray, VDL
## & Casing Collars

| | |
|---|---|
| Company | Kinder Morgan CO2 Co. L.P. |
| Well | Goodman Point 27 |
| Field | Mc Elmo Dome |
| County | Montezuma |
| State | Colorado |

Company Kinder Morgan CO2 Co. L.P.
Well Goodman Point 27
Field Mc Elmo Dome
County Montezuma State Colorado

Location: API # : 05083067170000
935' FSL & 2105' FEL
SEC 18 TWP 36N RGE 17W

Other Services
Gyro

Permanent Datum Ground Level Elevation 7080
Log Measured From K.B. 22.5'
Drilling Measured From Kelly Bushing

Elevation
K.B. 7102.5
D.F. 7102.5
G.L. 7080

| | |
|---|---|
| Date | 9-29-14 |
| Run Number | One |
| Depth Driller | 8125' |
| Depth Logger | 8036 |
| Bottom Logged Interval | 8033 |
| Top Log Interval | Surface |
| Open Hole Size | 6" |
| Type Fluid | Water |
| Density / Viscosity | N/A |
| Max. Recorded Temp. | N/A |
| Estimated Cement Top | See Log |
| Time Well Ready | See Log |
| Time Logger on Bottom | See Log |
| Equipment Number | T-110 |
| Location | Farmington N.M. |
| Recorded By | Jason S. |
| Witnessed By | Kenny Kornegay |

| Borehole Record | | | | Tubing Record | | | |
|---|---|---|---|---|---|---|---|
| Run Number | Bit | From | To | Size | Weight | From | To |
| | | | | | | | |

| Casing Record | Size | Wgt/Ft | Top | Bottom |
|---|---|---|---|---|
| Surface String | 9 5/8" | 36# / J-55 | Surface | 2930' |
| Prot. String | | | | |
| Production String | 7" | 29# / 32# 13 CR | Surface | 7457' |
| Liner | 4 1/2" | 12.75# / 13 CR | 7380' | 8047' |

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

Adjusted Log to Halliburtan Compensated Spectral Log
Dated 24-Aug-14.
-5'



| Sensor | Offset (ft) | Description | Len (ft) | OD (in) | Wt (lb) |
|---|---|---|---|---|---|
| | | PTS275 | 2.83 | 2.75 | |
| WVF3<br>WVF5 | 12.54<br>11.92 | CBL-SIE275 (234) | 8.33 | 2.75 | 60.00 |
| CCL<br>GR | 6.75<br>5.42 | GR-PTS275Inv (275INV) | 4.83 | 2.75 | |
| | | PTS275 | 2.83 | 2.75 | |

Dataset: mcelmo dome unit-gp-27.db: field/well/run1/pass5
Total Length: 18.83 ft
Total Weight: 60.00 lb
O.D. 2.75 in

**BASIN WELL LOGGING**
PERFORATING - WIRELINE SERVICES

# Main Pass

Database File: mcelmo dome unit-gp-27.db
Dataset Pathname: pass9.2
Presentation Format: cbl_dr
Dataset Creation: Mon Sep 29 12:27:59 2014
Charted by: Depth in Feet scaled 1:240

3600
3700
3800
3900
4000
4100
4200
4300
4400
4500
4600
4700
4800
4900
5000
5100
5200
5300
5400
5500
5600
5700
5800
5900
6000
6100
6200
6300
6400
6500
6600
6700
6800
6900
7000
7100
7200
7300
7400
7500



## Calibration Report

| | |
|---|---|
| Database File: | mcelmo dome unit-gp-27.db |
| Dataset Pathname: | pass5 |
| Dataset Creation: | Mon Sep 29 12:28:14 2014 |

### Gamma Ray Calibration Report

| | | |
|---|---|---|
| Serial Number: | 275INV | |
| Tool Model: | PTS275Inv | |
| Performed: | Tue Dec 11 09:35:37 2012 | |
| Calibrator Value: | 1.0 | GAPI |
| Background Reading: | 0.0 | cps |
| Calibrator Reading: | 1.0 | cps |
| Sensitivity: | 0.8000 | GAPI/cps |

### Cement Bond Log Calibration Report

| | | |
|---|---|---|
| Serial Number: | 234 | |
| Tool Model: | SIE275 | |
| Performed: | Mon Sep 29 08:52:07 2014 | |
| Depth: | 783.917 | ft |
| Casing Diameter: | 7 | in |

| | 3' Spacing | 5' Spacing | |
|---|---|---|---|
| Signal Zero: | 0.25 | 0 | mV |
| Calibrated Amplitude: | 62.1651 | 62.1651 | mV |
| Reading at Signal Zero: | 0.00488281 | 0.00205078 | V |
| Reading in Free Pipe: | 1.59187 | 1.14392 | V |
| Gain: | 39.0142 | 54.4415 | |
| Offset: | 0.0595009 | -0.111647 | |