

**CURRENT WELL SCHEMATIC**

Well Name Goodman Point 27 (GP-27)

Pilot API # 05-083-06717-00

S/T API # : N/A

Section 7 Township 36N Range 17W

Surface Hole: 935' FSL, 2105' FEL Section 18, T36N R17W NMPM Elevation 7080'

Spud Date: 7/20/2014

Pilot Completion Date: TBD

S/T Completion Date: N/A

*Updated: 9/11/14 VC*

**Conductor Casing**

Size 14 in

Set at 103 ft

Conductor @ 103 ft

**Conductor Cement**

cement with ready-mix to surface

**Surface Casing**

Size 9-5/8 in

Set at 2930 ft

Wt. 36 ppf

Hole Size 12-1/4 in

Est. T.O.C. surface ft

Set Date: 8/29/14

RBP Set @ 2560 ft

Grade J-55 surface to 2930 ft

Csg Shoe @ 2930 ft

**Surface Cement**

Date Cemented: 7/25/2014

Lead : 800 sx Versacem, 1/8# Poly-E-Flake, .1% Halad®-9  
6% bentonite, 5# Kol-Seal; 1.92 yield

Tail : 300 sx Lifecem, 1/8# Poly-E-Flake, .1% HALAD®-9  
1.16 yield

Note : circ 142 bbls to pits, top out with 50 sx

**Production Casing**

Size 7 in

Wt. 29 ppf

Wt. 32 ppf

Wt. 29 ppf

Hole Size 8-3/4 in

Est. T.O.C. surface ft

Grade 13 CR from surface to 5602 ft

Grade 13 CR from 5602 to 7058 ft

Grade 13 CR from 7058 to 7457 ft

**Prod Cement**

Date Cemented: 8/17/2014

Lead: 1700 sx HalCem, .2% Versaset, .2% Halad-766  
1.5% Chem-Foamer 760; 1.43 yield

Tail: 300 sx HalCem, .2% Veraset, .2% Halad-766

1.28 yield

Note : circ 105 bbls to pits, pumped 100 sx cap

Set Date: 8/28/14

Hanger Set @ 7380 ft

Csg Shoe @ 7457 ft

Top of Leadville @ 7916'

**Production Liner**

Size 4-1/2 in

Wt. 12.75 ppf

Hole Size 6 in

Grade 13 CR from 7380 to 8047 ft

Liner Shoe @ 8047 ft

**Liner Cement**

Date Cemented: 8/29/2014

Lead: 110 sx HalCem System

Note: \_\_\_\_\_

TD Date: 8/23/14

6" OH TD @ 8125'