


[illegible]

-9	CCL	1	0	AMP (mV)	100	0	AMPAVG	150
0	GR (GAPI)	200	0	AMPx5 (mV)	20	0	AMPMAX	150
						0	AMPMIN	150

200 VDL 1200

1 SECTOR MAP 8



10 60



200


300

400





500

600





700

800





900

1000



1100


1200



1300



1400

1500





1600

1700





1800

1900





2000

2100



2200


2300



2400



2500

2600




2700

2800





2900

3000





3100

3200



3300



3400



3500



3600

3700





3800

3900




4000

4100





4200

4300



4400



4500



4600


4700

4800




4900

5000




5100

5200





5300

5400



5500


5600



5700




5800

5900





6000

6100



6200



6300



6500

6600


6700



6800



6900

7000




7100


7200



7300

7400





Calibration Report

Database File: 13676.db
 Dataset Pathname: Final
 Dataset Creation: Sun Aug 24 22:35:01 2014

Gamma Ray Calibration Report

Serial Number: 111205
 Tool Model: probe 2.75
 Performed: Sun Aug 24 15:39:15 2014

Calibrator Value: 1.0 GAPI

Background Reading: 0.0 cps
 Calibrator Reading: 1.0 cps

Sensitivity: 1.0000 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: 130584
 Tool Model: RBT-C3

Calibration Casing Diameter: 7.000 in
 Calibration Depth: 40.845 ft

Master Calibration, performed Sun Aug 24 15:45:03 2014:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.012	0.988	1.500	62.165	62.397	-0.082
CAL	0.012	1.007				
5'	0.012	0.958	1.500	62.165	63.775	-0.446
SUM						
S1	0.010	1.005	0.000	100.000	100.340	-0.133
S2	0.012	1.009	0.000	100.000	101.151	-0.476
S3	0.012	1.004	0.000	100.000	101.347	-0.516
S4	0.012	1.008	0.000	100.000	101.521	-0.525
S5	0.012	1.004	0.000	100.000	101.634	-0.547
S6	0.012	1.004	0.000	100.000	100.818	-0.264
S7	0.012	1.003	0.000	100.000	101.716	-0.536
S8	0.012	1.007	0.000	100.000	101.580	-0.508

Internal Reference Calibration, performed Wed Dec 31 17:00:00 1969:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.012	1.007	1.000	0.000

Air Zero Calibration, performed Wed Aug 13 15:26:48 2014:

	Raw (v)		Calibrated (v)		Results	
	Zero		Zero		Offset	
3'	0.000		0.000		0.000	
5'	0.000		0.000		0.000	
SUM						
S1	0.000		0.000		0.000	
S2	0.000		0.000		0.000	
S3	0.000		0.000		0.000	
S4	0.000		0.000		0.000	
S5	0.000		0.000		0.000	
S6	0.000		0.000		0.000	
S7	0.000		0.000		0.000	
S8	0.000		0.000		0.000	

Temperature Calibration Report

Serial Number: 130584
Tool Model: RBT-C3
Performed: Wed Aug 13 16:18:33 2014

	Reference	Reading
Low Reference:	0.00 degF	0.00 degF
High Reference:	1.00 degF	1.00 degF

Gain: 0.77
Offset: 15.00
Delta Spacing 1