

**State of Colorado**  
**Oil and Gas Conservation Commission**

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>400736696</b>			
Date Received: <b>11/25/2014</b>			

**SUNDRY NOTICE**

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 96850 Contact Name Reed Haddock  
 Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLC Phone: (303) 606-4086  
 Address: 1001 17TH STREET - SUITE #1200 Fax: (303) 629-8268  
 City: DENVER State: CO Zip: 80202 Email: reed.haddock@wpxenergy.com

Complete the Attachment  
Checklist

OP OGCC

API Number : 05- 045 22487 00 OGCC Facility ID Number: 438389  
 Well/Facility Name: Puckett SG Well/Facility Number: 714-44-23-HN1  
 Location QtrQtr: SESE Section: 14 Township: 7S Range: 96W Meridian: 6  
 County: GARFIELD Field Name: GRAND VALLEY  
 Federal, Indian or State Lease Number: \_\_\_\_\_

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

**CHANGE OF LOCATION OR AS BUILT GPS REPORT**

☒ Change of Location \* ☐ As-Built GPS Location Report ☐ As-Built GPS Location Report with Survey

\* Well location change requires new plat. A substantive surface location change may require new Form 2A.

**SURFACE LOCATION GPS DATA** Data must be provided for Change of Surface Location and As Built Reports.

Latitude 39.430895 PDOP Reading 2.7 Date of Measurement 05/10/2013  
 Longitude -108.070691 GPS Instrument Operator's Name J. Kirkpatrick

**LOCATION CHANGE (all measurements in Feet)**

Well will be: HORIZONTAL (Vertical, Directional, Horizontal)

Change of **Surface** Footage **From** Exterior Section Lines:

Change of **Surface** Footage **To** Exterior Section Lines:

Current **Surface** Location **From** QtrQtr SESE Sec 14

New **Surface** Location **To** QtrQtr SESE Sec 14

Change of **Top of Productive Zone** Footage **From** Exterior Section Lines:

Change of **Top of Productive Zone** Footage **To** Exterior Section Lines:

Current **Top of Productive Zone** Location **From** Sec 23

New **Top of Productive Zone** Location **To** Sec 23

Change of **Bottomhole** Footage **From** Exterior Section Lines:

Change of **Bottomhole** Footage **To** Exterior Section Lines:

Current **Bottomhole** Location Sec 23 Twp 7S

New **Bottomhole** Location Sec 26 Twp 7S

Is location in High Density Area? No

Distance, in feet, to nearest building 2365, public road: 384, above ground utility: 1101, railroad: 271,

property line: 208, lease line: 0, well in same formation: 4580

Ground Elevation 5091 feet Surface owner consultation date \_\_\_\_\_

FNL/FSL		FEL/FWL	
<u>225</u>	<u>FSL</u>	<u>773</u>	<u>FEL</u>
<u>225</u>	<u>FSL</u>	<u>773</u>	<u>FEL</u>
Twp <u>7S</u>	Range <u>96W</u>	Meridian <u>6</u>	
Twp <u>7S</u>	Range <u>96W</u>	Meridian <u>6</u>	
<u>340</u>	<u>FNL</u>	<u>657</u>	<u>FEL</u>
<u>1263</u>	<u>FNL</u>	<u>820</u>	<u>FEL</u> **
Twp <u>7S</u>	Range <u>96W</u>		
Twp <u>7S</u>	Range <u>96W</u>		
<u>26</u>	<u>FSL</u>	<u>657</u>	<u>FEL</u>
<u>189</u>	<u>FSL</u>	<u>637</u>	<u>FEL</u> **

\*\* attach deviated drilling plan

**CHANGE OR ADD OBJECTIVE FORMATION AND/OR SPACING UNIT**

<u>Objective Formation</u>	<u>Formation Code</u>	<u>Spacing Order Number</u>	<u>Unit Acreage</u>	<u>Unit Configuration</u>
NIOBRARA	NBRR	510-59	2606	ALL 22,23,26,27

**OTHER CHANGES**

☐ **REMOVE FROM SURFACE BOND** Signed surface use agreement is a required attachment

☐ **CHANGE OF WELL, FACILITY OR OIL & GAS LOCATION NAME OR NUMBER**

From: Name PUCKETT SG Number 714-44-23-HN1 Effective Date: \_\_\_\_\_

To: Name \_\_\_\_\_ Number \_\_\_\_\_

☐ **ABANDON PERMIT: Permit can only be abandoned if the permitted operation has NOT been conducted. Field inspection will be conducted to verify site status.**

☐ WELL: Abandon Application for Permit-to-Drill (Form2) – Well API Number \_\_\_\_\_ has not been drilled.

☐ PIT: Abandon Earthen Pit Permit (Form 15) – COGCC Pit Facility ID Number \_\_\_\_\_ has not been constructed (Permitted and constructed pit requires closure per Rule 905)

☐ CENTRALIZED E&P WASTE MANAGEMENT FACILITY: Abandon Centralized E&P Waste Management Facility Permit (Form 28) – Facility ID Number \_\_\_\_\_ has not been constructed (Constructed facility requires closure per Rule 908)

OIL & GAS LOCATION ID Number: \_\_\_\_\_

☐ Abandon Oil & Gas Location Assessment (Form 2A) – Location has not been constructed and site will not be used in the future.

☐ Keep Oil & Gas Location Assessment (Form 2A) active until expiration date. This site will be used in the future.

**Surface disturbance from Oil and Gas Operations must be reclaimed per Rule 1003 and Rule 1004.**

☒ **REQUEST FOR CONFIDENTIAL STATUS**

☐ **DIGITAL WELL LOG UPLOAD**

☒ **DOCUMENTS SUBMITTED** Purpose of Submission: Revised APD

**RECLAMATION****INTERIM RECLAMATION**

☐ Interim Reclamation will commence approximately \_\_\_\_\_

Per Rule 1003.e.(3) operator shall submit Sundry Notice reporting interim reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Interim reclamation complete, site ready for inspection.

Per Rule 1003.e(3) describe interim reclamation procedure in Comments below or provide as an attachment and attach required location photographs.

**Field inspection will be conducted to document Rule 1003.e. compliance**

**FINAL RECLAMATION**

☐ Final Reclamation will commence approximately \_\_\_\_\_

Per Rule 1004.c.(4) operator shall submit Sundry Notice reporting final reclamation is complete and site is ready for inspection when vegetation reaches 80% coverage.

☐ Final reclamation complete, site ready for inspection. Per Rule 1004.c(4) describe final reclamation procedure in Comments below or provide as an attachment.

**Field inspection will be conducted to document Rule 1004.c. compliance**

Comments:

#### ENGINEERING AND ENVIRONMENTAL WORK

##### ☐ NOTICE OF CONTINUED TEMPORARILY ABANDONED STATUS

Indicate why the well is temporarily abandoned and describe future plans for utilization in the COMMENTS box below or provide as an attachment, as required by Rule 319.b.(3).

Date well temporarily abandoned \_\_\_\_\_ Has Production Equipment been removed from site? \_\_\_\_\_

Mechanical Integrity Test (MIT) required if shut in longer than 2 years. Date of last MIT \_\_\_\_\_

☐ SPUD DATE: \_\_\_\_\_

#### TECHNICAL ENGINEERING AND ENVIRONMENTAL WORK

Details of work must be described in full in the COMMENTS below or provided as an attachment.

☒ NOTICE OF INTENT Approximate Start Date 01/26/2015

☐ REPORT OF WORK DONE Date Work Completed \_\_\_\_\_

- |  |   |  |
|--|---|--|
| <input type="checkbox"/> Intent to Recomplete (Form 2 also required) | <input type="checkbox"/> Request to Vent or Flare   | <input type="checkbox"/> E&P Waste Mangement Plan      |
| <input checked="" type="checkbox"/> Change Drilling Plan             | <input type="checkbox"/> Repair Well  | <input type="checkbox"/> Beneficial Reuse of E&P Waste |
| <input type="checkbox"/> Gross Interval Change                       | <input type="checkbox"/> Rule 502 variance requested. Must provide detailed info regarding request. |  |
| <input type="checkbox"/> Other _____                                 | <input type="checkbox"/> Status Update/Change of Remediation Plans for Spills and Releases          |  |

#### COMMENTS:

SHL stays the same. BHL has changed. End of Completions is 301' FSL (SESE), Sec. 26, T7S, R96W. The revised TD is 19,050' MD; 9,110' TVD.

#### CASING AND CEMENTING CHANGES

Casing Type	Size	Of	/	Hole	Size	Of	/	Casing	Wt/Ft	Csg/LinTop	Setting Depth	Sacks of Cement	Cement Bottom	Cement Top
Conductor casing	24				20				52.7#	0	80	30	80	0
Surface String	17	1		2	13	3		8	68#	0	1865	621	1865	0
First String	12	1		4	9	5		8	47#	0	8747	1185	8747	2800
Stage Cement 1st String 1	12	1		4	9	5		8	47#	0	2800	450	2800	865
Second String	8	1		2	5	1		2	23#	0	19050	1154	19050	7747

#### H2S REPORTING

Data Fields in this section are intended to document Sample and Location Data associated with the collection of a Gas Sample that is submitted for Laboratory Analysis.

Gas Analysis Report must be attached.

H2S Concentration: \_\_\_\_\_ in ppm (parts per million) Date of Measurement or Sample Collection \_\_\_\_\_

Description of Sample Point:

Absolute Open Flow Potential \_\_\_\_\_ in CFPD (cubic feet per day)

Description of Release Potential and Duration (If flow is not open to the atmosphere, identify the duration in which the container or pipeline would likely be opened for servicing operations.):

Distance to nearest occupied residence, school, church, park, school bus stop, place of business, or other areas where the public could reasonably be expected to frequent: \_\_\_\_\_

Distance to nearest Federal, State, County, or municipal road or highway owned and principally maintained for public use: \_\_\_\_\_

COMMENTS:

### **Best Management Practices**

<b><u>No</u></b>	<b><u>BMP/COA Type</u></b>	<b><u>Description</u></b>
1	Planning	WPX will run triple-combo open hole logs in the vertical section of Niobrara wells from KOP to base of surface casing on at least one well per pad location. CBL log will also be run from KOP up to surface. MWD/LWD logs with GR will be run for the lateral portion of the wells. Form 5 Completion Reports will identify wells with open hole logs.

Total: 1 comment(s)

**Operator Comments:**

The original approved permit is for Fee Surface and Fee Minerals. The SHL is the same. The BHL moved. The horizontal wellbore now cuts through 80 acres of Federal Minerals (COC59137). Attached, find a copy of the submitted Federal APD, a copy of the Federal Lease, a revised survey plat, a revised directional plot and plan, a revised offset well evaluation, and a 10-Point Drill Plan.

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Reed Haddock  
Title: Regulatory Specialist Sta Email: reed.haddock@wpenergy.com Date: 11/25/2014

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: BURGER, CRAIG Date: 12/11/2014

**CONDITIONS OF APPROVAL, IF ANY:****COA Type****Description**

	Cement coverage COA on the APD (Form 2 doc# 400577059) is revised to: 1) Operator shall provide isolation of all Mesa Verde Group oil, gas, and water-bearing sandstone and coalbed formations. Cement top behind the intermediate casing (9+5/8" Second String) shall be a minimum of 200' above the Mesa Verde (and Ohio Creek Formation, if present). Verify intermediate casing cement coverage with a cement bond log.
--	--

**General Comments****User Group****Comment****Comment Date**

Permit	Attached corrected well location plat showing entire wellbore path.	12/3/2014 7:50:01 AM
Engineer	Evaluated existing offset oil and gas wells within 1,500 feet of this wellbore. No mitigation required. Changed first string cement top to 2800' per operator.	11/26/2014 4:22:31 PM

Total: 2 comment(s)

**Attachment Check List****Att Doc Num****Name**

2167918	WELL LOCATION PLAT
400736696	FORM 4 SUBMITTED
400737220	OIL & GAS LEASE
400737221	OFFSET WELL EVALUATION
400737255	DIRECTIONAL DATA
400737258	DIRECTIONAL SURVEY
400738987	OTHER
400739951	OTHER

Total Attach: 8 Files