



-9	CCL	1	0	AMP (mV)	100	0	AMPAVG	150	200	VDL	1200	1	SECTOR MAP	8
0	GR (GAPI)	200	0	AMPx5 (mV)	20	0	AMPMAX	150				10		60
						0	AMPMIN	150						



200


300

400



500

600




700

Top of Cement

800


Top of Cement

Top of Cement




900

1000



1100


1200



1300


1400

1500





1600

1700





1800

1900




2000

2100



2200


2300



2400


2500

2600





2700

2800




2900

3000






3100

3200



3300


3400



3500

3600


3700



3900


4000

4100




4200

4300



4400


4500



4600


4700

4800



4900

5000




5100

5200



5400


5600



5700


5800

5900




6000

6100




6200

6300




6400

6500



6600



6700



6800


6900

7000





7100


7200



7300

7400





Log Variables

Database: C:\Warrior\Data\13692.db
Dataset: field/well/run1/pass3

Top - Bottom

PPT usec	CASEWGHT lb/ft	MAXAMPL mV	MINAMPL mV	MINATTN db/ft	CASEOD in	PERFS
0	26	0	1	0.8	7	0
TDEPTH ft	BOTTEMP degF	BOREID in				
0	190	8.75				

Calibration Report

Database File: 13692.db
 Dataset Pathname: pass3.1
 Dataset Creation: Thu Oct 02 23:34:23 2014 by Calc 0

Gamma Ray Calibration Report

Serial Number: 51013
 Tool Model: probe 2.75
 Performed: Thu Sep 23 11:03:07 2014

Calibrator Value: 1400.0 GAPI

Background Reading: 26.8 cps
 Calibrator Reading: 1120.0 cps

Sensitivity: 0.9000 GAPI/cps

Segmented Cement Bond Log Calibration Report

Serial Number: 11206
 Tool Model: RBT-C3

Calibration Casing Diameter: 4.500 in
 Calibration Depth: 274.969 ft

Master Calibration, performed Thu Oct 02 21:33:59 2014:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.000	0.865	1.000	72.000	82.102	0.999
CAL	0.013	0.883				
5'	0.000	0.857	1.000	72.000	82.844	1.000
SUM						
S1	-0.005	1.182	0.000	100.000	84.262	0.386
S2	-0.005	1.271	0.000	100.000	78.353	0.409
S3	-0.005	1.309	0.000	100.000	76.126	0.380
S4	-0.005	1.221	0.000	100.000	81.580	0.396
S5	-0.005	1.131	0.000	100.000	88.025	0.431
S6	-0.005	1.067	0.000	100.000	93.294	0.477
S7	-0.005	1.050	0.000	100.000	94.737	0.519
S8	-0.006	1.105	0.000	100.000	90.041	0.500

Internal Reference Calibration, performed Wed Oct 02 21:17:00 2014:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.013	0.883	1.000	0.000

Air Zero Calibration, performed Fri Oct 02 21:00:00 2014:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000

5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000

Temperature Calibration Report

Serial Number: 11206
Tool Model: RBT-C3
Performed: Thu Oct 02 05:05:17 2014

	Reference	Reading
Low Reference:	0.00 degF	0.00 degF
High Reference:	1.00 degF	1.00 degF
Gain:	0.86	
Offset:	5.50	
Delta Spacing	1	