

Company: Omimex Petroleum Inc

Well: Kennedy State 1 1 36 7 45

Field: Holyoke South

County: Phillip State: Colorado

Platform Express				
Caliper				
Cement Volume				
County:	Phillip			
Field:	Holyoke South			
Location:	2226 FSL 2470 FWL			
Well:	Kennedy State 11 36 7 45			
Company:	Omomix Petroleum Inc			
Logging Date	Location:		Elev.:	K.B. 3775.00 ft
			G.L. 3769.00 ft	
Run Number	Permanent Datum:		Elev.:	3769.00 f
	Log Measured From:		6.00 ft	above Perm.Datum
Depth Driller	Drilling Measured From:		Kelly Bushing	
Schlumberger Depth	API Serial No.	Section:	Township:	Range:
Bottom Log Interval	05-0095-06467	36	7N	45W
Top Log Interval	19-Nov-2014			
Casing Driller Size @ Depth	Run 1			
Casing Schlumberger	2792.00 ft			
Bit Size	2792.00 ft			
Type Fluid In Hole	2792.00 ft			
Density	475.60 ft			
Fluid Loss	475.6 ft			
Source of Sample	6.25 in			
RM @ Meas Temp	Water			
RMF @ Meas Temp	9.3 lbm/gal			
RMC @ Meas Temp	33 s			
Source RMF	8			
RM @ BHT	Active Tank			
Max Recorded Temperatures	0.62 ohm.m @ 75 degF			
Circulation Stopped	0.47 ohm.m @ 75 degF			
Logger on Bottom	0.78 ohm.m @ 75 degF			
Unit Number	Calculated			
Recorded By	0.23 @ 212			
Witnessed By	0.18 @ 212			
	114 degF			
	18-Nov-2014			
	19-Nov-2014			
	01:00:00			
	3022			
	Tezla Hayduk			
	Paul Dekaye			


Disclaimer

THE USE OF AND RELIANCE UPON THIS RECORDED-DATA BY THE HEREIN NAMED COMPANY (AND ANY OF ITS AFFILIATES, PARTNERS, REPRESENTATIVES, AGENTS, CONSULTANTS AND EMPLOYEES) IS SUBJECT TO THE TERMS AND CONDITIONS AGREED UPON BETWEEN SCHLUMBERGER AND THE COMPANY, INCLUDING: (a) RESTRICTIONS ON USE OF THE RECORDED-DATA; (b) DISCLAIMERS AND WAIVERS OF WARRANTIES AND REPRESENTATIONS REGARDING COMPANY'S USE AND RELIANCE UPON THE RECORDED-DATA; AND (c) CUSTOMER'S FULL AND SOLE RESPONSIBILITY FOR ANY INFERENCE DRAWN OR DECISION MADE IN CONNECTION WITH THE USE OF THIS RECORDED-DATA.

Contents

- 1. Header
- 2. Disclaimer
- 3. Contents
- 4. Well Sketch
- 5. Borehole Size/Casing/Tubing Record
- 6. Operational Run Summary
- 7. Borehole Fluids
- 8. Remarks and Equipment Summary
- 9. Depth Summary
- 10. Run 1
 - 10.1 Integration Summary
 - 10.2 Software Version
 - 10.3 Composite Summary
 - 10.4 Log (Noble East Caliper)
 - 10.5 Parameter Listing
- 11. Calibration Report
- 12. Tail

Well Sketch





Borehole Size/Casing/Tubing Record

Bit						
Bit Size (in)	9.875	6.25				
Top Driller (ft)	0	478				
Top Logger (ft)	0	478				
Bottom Driller (ft)	478	2792				
Bottom Logger (ft)	478	2792				
Casing						
Size (in)	7					
Weight (lbm/ft)	17					
Inner Diameter (in)	6.538					
Grade	N/A					
Top Driller (ft)	0					
Top Logger (ft)	0					
Bottom Driller (ft)	477.1					
Bottom Logger (ft)	475.6					

Operational Run Summary

Parameter (unit)	Run 1					
Date Log Started	19-Nov-2014					
Time Log Started	00:30:42					
Date Log Finished	19-Nov-2014					
Time Log Finished	01:54:29					
Top Log Interval (ft)	475.60					
Bottom Log Interval (ft)	2792.00					
Total Depth (ft)	2789.00					
Max Hole Deviation (deg)	0.00					
Azimuth of Max Deviation (deg)	0.00					
Bit Size (in)	6.250					
Logging Unit Number	3022					
Logging Unit Location	Fort Morgan					
Recorded By	Tezla Hayduk					
Witnessed By	Paul Dekaye					
Service Order Number	CYPH-00033					

Service Order Number	EXP 11-00033					
Borehole Fluids						
Parameter(unit)	Run 1					
Fluid Type	Water					
Fluid Name	Water					
Max Recorded Temperatures (degF)	114					
Source of Sample	Active Tank					
Salinity (ppm)	14800					
Density (lbm/gal)	9.3					
Funnel Viscosity (s)	33					
Fluid Loss (cm3)						
PH	8					
Date/Time Circulation Stopped	18-Nov-2014 19:00:00					
Date Logger on Bottom	19-Nov-2014					
Time Logger on Bottom	01:00:00					
Source RMF	Calculated					
RMC	Calculated					
RM @ Meas Temp (ohm.m@degF)	0.62 @ 75					
RMF @ Meas Temp (ohm.m@degF)	0.47 @ 75					
RMC @ Meas Temp (ohm.m@degF)	0.78 @ 75					
RM @ BHT (ohm.m@degF)	0.23 @ 212					
RMF @ BHT (ohm.m@degF)	0.18 @ 212					
RMC @ BHT (ohm.m@degF)	0.29 @ 212					
Total Solid (%)	7.3					
High Gravity Solids (%)						
Remarks and Equipment Summary						
Run 1: Toolstring				Run 1: Remarks		
Equip name	Length	MP name	Offset	Crew: Jacob Jump, Ian Derry		
LEH-QT	51.57			Toolstring ran as per tool sketch		
LEH-QT						
DTC-H	48.65					
ECH-KC		CTEM	47.75			
DTC-H		HV	0.00			
		ToolStatus	45.65			
		TelStatus	45.65			
AH-184[2]	45.65					
AH-184[1]	43.65					
GPIT-F:770	41.65					
GPIH-B		GPIT-F Incl	40.23			
DHRU-F		ometer				
GPIC-F:770						
HGNS-H	37.65					
HGNH		GPIT	0.00			
NPV-N		Temperature	37.62			
NSR-F:5068		GR	36.91			
UWCA-11						

HMCA-H
HGNS-H
HACCZ-H:3616

— CNL Porosity 30.57
HGNS 28.24
HMCA 28.24
Accelerometer 0.00

HDRS-H 28.24

ECH-MEB
HRCC-H:3828
HRMS-H
Short Spacing
Backscatter
GSR-J:5094
Long Spacing:287
36
GPV-Q
HRGD-H:3933

HRCC 24.24

— MCFL 18.81
— Caliper 18.33
— TLD Density 17.94

AIT-M:50 16.00

AMIS:50
AMRM:50

Temperature 7.91
Power Supply 7.91
Induction 7.91

SP 0.08
Mud Resistivity 0.00
Head Tension
TOOL_ZERO

Lengths are in ft
Maximum Outer Diameter = 4.625 in
Line: Sensor Location, Value: Gating Offset
All measurements are relative to TOOL_ZERO

Depth Summary

Run 1

Depth Measuring Device

Type	IDW-JA		
Serial Number	5896		
Calibration Date	13-Aug-2014		

Calibrator Serial Number	7-39P LXS								
Calibration Cable Type	7-39P LXS								
Wheel Correction 1	-3								
Wheel Correction 2	-2								
Tension Device									
Type	CMTD-B/A								
Serial Number	1109								
Calibration Date	18-Nov-2014								
Calibrator Serial Number	441345A								
Number of Calibration Points	10								
Calibration Root Mean Square Error	36								
Calibration Peak Error	69								
Logging Cable									
Type	7-39P-LXS								
Serial Number									
Length	17000.00 ft								
Conveyance Type	Wireline								
Rig Type	Land								
Run 1:Depth Control Parameters			Depth Control Remarks						
Log Sequence	First Log In the Well		All Schlumberger depth control procedures followed						
Rig Up Length At Surface			IDWused for primary depth control						
Rig Up Length At Bottom			Z-Cart used for secondary depth control						
Rig Up Length Correction									
Stretch Correction									
Tool Zero Check At Surface									
Run 1									
Integration Summary									
Output Channel(s)	Output Description	Input Parameter	Output Value	Unit					
ICV	Integrated Cement Volume	GCSE_UP_PASS, FCD	234.99	ft3					
IHV	Integrated Hole Volume	GCSE_UP_PASS	490.74	ft3					
Software Version									
Acquisition System			Version						
MaxWell			4.0.9163.3000						
Application Patch			Patch-SP-10767_26570-4.0.9163.3001						
Computation	Description			Version					
Borehole	Borehole Ensemble provides common Borehole Parameters and Channels			4.0.9469.3000					
DepthCorrection	DepthCorrection			4.0.9469.3000					
Tool Elements	Description		Software Version	Firmware Version					
HRCC-H	HILT High-Resolution Control Cartridge, 150 degC		4.0.9575.3000	2.0					
HGNS-H	HILT Gamma-Ray and Neutron Sonde, 150 degC		4.0.9575.3000	2.0					
Pass Summary									
Run Name	Pass Objective	Direction	Top	Bottom	Start	Stop	DSC Mode	Depth Shift	Include Parallel Data
Run 1	Log[3]:Up	Up	49.15 ft	2793.83 ft	19-Nov-2014 1:04:56 AM	19-Nov-2014 1:54:13 AM	ON	0.48 ft	No
All depths are referenced to toolstring zero									
Log	Company:Omimex Petroleum Inc				Well:Kennedy State 11 36 7 45				
Run 1: Log[3]:Up:S002									
Description:	Format: Log (Noble East Caliper)	Index Scale: 5 in per 100 ft	Index Unit: ft	Index Type: Measured Depth	Creation Date: 19-Nov-2014 02:05:26				

Channel	Source	Sampling
CALI	HDRS-H:HRCC-H:HRCC-H	1in
BS	Borehole	6in
CALI	HDRS-H:HRCC-H:HRCC-H	1in
GR_CAL	HGNS-H:HGNS-H:HGNS-H	6in
ICV	Borehole	6in
ICV	Borehole	6in
IHV	Borehole	6in
STIT	DepthCorrection	6in
TENS	WLWorkflow	6in
TIME_1900	WLWorkflow	0.1in


─| IHV - Integrated Hole Volume every 100.00 (ft3)


TIME_1900 - Time Marked every 60.00 (s)


─| ICV - Integrated Cement Volume every 100.00 (ft3)


─| IHV - Integrated Hole Volume every 10.00 (ft3)


─| ICV - Integrated Cement Volume every 10.00 (ft3)
































Bit Size (BS)		Stuck Tool Indicator, Total (STIT)	
6	in	0	ft 50
Calibrated Gamma Ray (GR_CAL) HGNS-H		FCD2-FCD3	
0	gAPI	23	in
Caliper (CALI) HDRS-H		Future Casing (Outer) Diameter (FCD)	
4	in	23	in

Future Casing (Outer) Diameter (FCD)		Future Casing (Outer) Diameter (FCD)	
23	in	23	in
Bit Size (BS)		Bit Size (BS)	
23	in	3	in
Caliper (CALI) HDRS-H		Cable Tension (TENS)	
23	in	6000	lbf
Integrated Cement Volume (ICV) ft3		Caliper (CALI) HDRS-H	
3		3	

ICV - Integrated Cement Volume every 10.00 (ft3)
IHV - Integrated Hole Volume every 10.00 (ft3)
ICV - Integrated Cement Volume every 100.00 (ft3)
TIME_1900 - Time Marked every 60.00 (s)
IHV - Integrated Hole Volume every 100.00 (ft3)

Description: Format: Log (Noble East Caliper) Index Scale: 5 in per 100 ft Index Unit: ft Index Type: Measured Depth Creation Date: 19-Nov-2014 02:05:36

Channel Processing Parameters				
Parameter	Description	Tool	Value	Unit
BHS	Borehole Status (Open or Cased Hole)	Borehole	Open	
BS	Bit Size	WLSESSION	Depth Zoned	in

Sonde Error Correction Quad - 5		Master	-----	-50.000	-26.597	50.000	
Sonde Error Correction Real - 6	mS/m	Master	-----	5.000	10.310	15.000	
Sonde Error Correction Quad - 6		Master	-----	-30.000	-5.646	30.000	
Sonde Error Correction Real - 7	mS/m	Master	-----	-5.000	-1.623	5.000	
Sonde Error Correction Quad - 7		Master	-----	-30.000	-4.661	30.000	

AIT Mud Calibration - Mud Calibration Gain

Master (EEPROM):		12:18:07 04-Sep-2014					
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Coarse Gain		Master	1.000	0.800	0.831	1.200	
Fine Gain		Master	1.000	0.800	0.833	1.200	

AIT Electronics Check - Thru Calibration Check

Master (EEPROM):		12:18:07 04-Sep-2014		Before (Measured):		13:29:13 18-Nov-2014	
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Thru Cal Mag - 0	V	Master	-----	0.366	0.603	0.854	
		Before	-----	0.366	0.603	0.854	
		Before-Master	-----	-----	0.000	-----	
Thru Cal Phase - 0	deg	Master	-----	137.000	-165.073	-103.000	
		Before	-----	137.000	-164.117	-103.000	
		Before-Master	-----	-----	0.956	-----	
Thru Cal Mag - 1	V	Master	-----	0.762	1.237	1.778	
		Before	-----	0.762	1.236	1.778	
		Before-Master	-----	-----	-0.001	-----	
Thru Cal Phase - 1	deg	Master	-----	136.000	-166.020	-104.000	
		Before	-----	136.000	-165.062	-104.000	
		Before-Master	-----	-----	0.958	-----	
Thru Cal Mag - 2	V	Master	-----	0.372	0.613	0.868	
		Before	-----	0.372	0.613	0.868	
		Before-Master	-----	-----	0.000	-----	
Thru Cal Phase - 2	deg	Master	-----	132.000	-169.506	-108.000	
		Before	-----	132.000	-168.553	-108.000	
		Before-Master	-----	-----	0.953	-----	
Thru Cal Mag - 3	V	Master	-----	0.420	0.691	0.980	
		Before	-----	0.420	0.691	0.980	
		Before-Master	-----	-----	0.000	-----	
Thru Cal Phase - 3	deg	Master	-----	131.000	-170.241	-109.000	
		Before	-----	131.000	-169.288	-109.000	
		Before-Master	-----	-----	0.953	-----	
Thru Cal Mag - 4	V	Master	-----	0.804	1.297	1.876	
		Before	-----	0.804	1.296	1.876	
		Before-Master	-----	-----	-0.001	-----	
Thru Cal Phase - 4	deg	Master	-----	125.000	-176.203	-115.000	
		Before	-----	125.000	-175.244	-115.000	
		Before-Master	-----	-----	0.959	-----	
Thru Cal Mag - 5	V	Master	-----	1.176	1.887	2.744	
		Before	-----	1.176	1.886	2.744	
		Before-Master	-----	-----	-0.001	-----	
Thru Cal Phase - 5	deg	Master	-----	122.000	-177.732	-118.000	
		Before	-----	122.000	-176.767	-118.000	
		Before-Master	-----	-----	0.965	-----	
Thru Cal Mag - 6	V	Master	-----	1.176	1.886	2.744	
		Before	-----	1.176	1.885	2.744	
		Before-Master	-----	-----	-0.001	-----	
Thru Cal Phase - 6	deg	Master	-----	121.000	-177.711	-119.000	
		Before	-----	121.000	-176.745	-119.000	
		Before-Master	-----	-----	0.966	-----	
Thru Cal Mag - 7	V	Master	-----	0.846	1.357	1.974	
		Before	-----	0.846	1.357	1.974	
		Before-Master	-----	-----	0.000	-----	
Thru Cal Phase - 7	deg	Master	-----	115.000	-178.471	-125.000	
		Before	-----	115.000	-177.485	-125.000	
		Before-Master	-----	-----	0.986	-----	
SPA Zero	mV	Master		-50.000	0.156	50.000	
		Before		-50.000	0.132	50.000	
		Before-Master	-----	-----	-0.024	-----	
SPA Plus	mV	Master		941.000	987.998	1040.000	
		Before		941.000	987.881	1040.000	

		Before-Master	-----	-----	-0.117	-----	
Temperature Zero	V	Master		-0.050	0.000	0.050	
		Before		-0.050	0.000	0.050	
		Before-Master	-----	-----	0.000	-----	
Temperature Plus	V	Master		0.870	0.915	0.960	
		Before		0.870	0.915	0.960	
		Before-Master	-----	-----	0.000	-----	

HDRS-H (HILT Density and Rxo Sonde, 150 degC) Calibration - Run 1

Primary Equipment :

HILT High-Resolution Control Cartridge, 150 degC	HRCC-H	3828
HILT Resistivity Gamma-Ray Density Device, 150 degC	HRGD-H	3933

Auxiliary Equipment :

HRDD Backscatter Detector	Backscatter	
HRDD Long Spacing Detector	Long Spacing	28736
HRDD Short Spacing Detector	Short Spacing	
Cesium 137 Gamma-Ray Logging Source	GSR-J	5094
HILT High-Resolution Control Cartridge, 150 degC	HRCC-H	3828
HILT High-Resolution Mechanical Sonde, 150 degC	HRMS-H	

Calibration Parameter :

Small Ring Size (Caliper Calibration Small Ring)	8.00
Large Ring Size (Caliper Calibration Large Ring)	12.00

HDRS Caliper Calibration - Caliper Accumulations

Before (Measured): 13:36:07 18-Nov-2014

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Small Ring	in	Before	8.00	6.00	7.61	10.00	
Large Ring	in	Before	12.00	9.00	11.81	15.00	

HDRS Density Calibration - Inversion Results

Master (EEPROM): 15:21:00 21-Oct-2014

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Rho Aluminum	g/cm3	Master	2.596	2.586	2.594	2.606	
Rho Magnesium	g/cm3	Master	1.686	1.676	1.689	1.696	
Pe Aluminum		Master	2.570	2.470	2.582	2.670	
Pe Magnesium		Master	2.650	2.550	2.589	2.750	

HDRS Density Calibration - Deviation Summary

Master (EEPROM): 15:21:00 21-Oct-2014

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
BS Average Deviation	%	Master	0	-0.6000	0.3325	0.6000	
BS Max Deviation	%	Master	0	-1.6000	0.9257	1.6000	
SS Average Deviation	%	Master	0	-1.0000	0.3008	1.0000	
SS Max Deviation	%	Master	0	-2.5000	0.9629	2.5000	
LS Average Deviation	%	Master	0	-1.5000	0.9542	1.5000	
LS Max Deviation	%	Master	0	-3.5000	2.5936	3.5000	

HDRS Density Calibration - Background Summary

Master (EEPROM): 15:21:00 21-Oct-2014 Before (Measured): 13:33:10 18-Nov-2014

Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
BS Window Ratio		Master	1.0000		0.7486		
		Before	0.7486	0.7111	0.7511	0.7860	
		Before-Master	-----	-----	0.0025	-----	
BS Window Sum	1/s	Master	1		23350		
		Before	23350	22183	23329	24518	
		Before-Master	-----	-----	-21	-----	
SS Window Ratio		Master	1.0000		0.4883		
		Before	0.4883	0.4639	0.4881	0.5127	
		Before-Master	-----	-----	-0.0002	-----	
SS Window Sum	1/s	Master	1		10931		
		Before	10931	10384	10905	11477	
		Before-Master	-----	-----	-26	-----	
LS Window Ratio		Master	1.0000		0.3000		

Window Rate		Master Before	0.3000	0.2850	0.3019	0.3150	
		Before-Master	-----	-----	0.0019	-----	
LS Window Sum	1/s	Master	1		1194		
		Before	1194	1134	1190	1253	
		Before-Master	-----	-----	-4	-----	

HDRS Density Calibration - Photo-multiplier High Voltages

Master (EEPROM):		15:21:00 21-Oct-2014		Before (Measured):		13:33:10 18-Nov-2014	
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
BS PM High Voltage	V	Master		1000	1613	2400	
		Before		1000	1612	2400	
		Before-Master	-----	-100	-1	100	
SS PM High Voltage	V	Master		1000	1489	2400	
		Before		1000	1512	2400	
		Before-Master	-----	-100	23	100	
LS PM High Voltage	V	Master		1000	1276	2400	
		Before		1000	1290	2400	
		Before-Master	-----	-100	14	100	

HDRS Density Calibration - Crystal Quality Resolutions

Master (EEPROM):		15:21:00 21-Oct-2014		Before (Measured):		13:33:10 18-Nov-2014	
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
BS Crystal Resolution	%	Master		5.00	10.77	25.00	
		Before		5.00	10.77	25.00	
		Before-Master	-----	-1.00	0.00	1.00	
SS Crystal Resolution	%	Master		5.00	9.68	20.00	
		Before		5.00	10.01	20.00	
		Before-Master	-----	-1.00	0.33	1.00	
LS Crystal Resolution	%	Master		5.00	8.06	20.00	
		Before		5.00	8.09	20.00	
		Before-Master	-----	-1.00	0.03	1.00	

HDRS MCFL Calibration - MCFL Accumulations

Before (Measured):		13:34:56 18-Nov-2014					
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Main Resistivity	ohm.m	Before	3875	3565	3874	4185	
Deep Resistivity	ohm.m	Before	3830	3524	3813	4136	
Shallow Resistivity	ohm.m	Before	3830	3524	3820	4136	

HGNS-H (HILT Gamma-Ray and Neutron Sonde, 150 degC) Calibration - Run 1

Primary Equipment :			
HILT Gamma-Ray and Neutron Sonde, 150 degC		HGNS-H	
Auxiliary Equipment :			
HGNS Accelerometer, 150 degC		HACCZ-H	3616
AmBe Neutron Logging Source		NSR-F	5068
Calibration Parameter :			
Water Temperature			
Housing Size			
JIG-BKG (Jig minus background reference)		165	

HGNS Accelerometer Calibration - Accelerometer Accumulations

Before:							
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
AZ Vertical Measurement - 0	ft/s2	Before	-----	-----	-----	-----	

HGNS Accelerometer EEPROM - Accelerometer EEPROM Read

Master (Manual Entry):		00:00:00 15-Feb-2005					
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Accelerometer Manufacturer		Master			QAT_160		
Accelerometer Reference Temperature	degF	Master		30.2	77.0	122.0	
Accelerometer Coefficients - 0		Master	-----	-----	-2323.000	-----	
Accelerometer Coefficients - 1		Master	-----	-----	2.895	-----	
Accelerometer Coefficients - 2		Master	-----	-----	0.001	-----	

Accelerometer Coefficients - 3		Master	----	----	0.000	----	
Accelerometer Coefficients - 4		Master	----	----	2.764	----	
Accelerometer Coefficients - 5		Master	----	----	0.000	----	
Accelerometer Coefficients - 6		Master	----	----	0.000	----	
Accelerometer Coefficients - 7		Master	----	----	0.000	----	
Accelerometer Coefficients - 8		Master	----	----	298.500	----	
Accelerometer Coefficients - 9		Master	----	----	1.009	----	

HGNS Neutron Calibration - HGNS Neutron Accumulations

Master (Manual Entry):		11:12:08 15-Sep-2014		Before (Measured):		13:29:08 18-Nov-2014	
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
Near Zero Measurement - 0	1/s	Master	----	----	----	----	
		Before	0	5.0	28.1	40.0	
		Before-Master	----	----	----	----	
Far Zero Measurement - 0	1/s	Master	----	----	----	----	
		Before	0	5.0	27.3	40.0	
		Before-Master	----	----	----	----	
Near Plus Measurement - 0	1/s	Master	----	----	----	----	
		Before	----	----	----	----	
		Before-Master	----	----	----	----	
Far Plus Measurement - 0	1/s	Master	----	----	----	----	
		Before	----	----	----	----	
		Before-Master	----	----	----	----	
Near Corrected Plus Measurement	1/s	Master		4700.0	5351.0	6900.0	
		Before	----	----	----	----	
		Before-Master	----	----	----	----	
Far Corrected Plus Measurement	1/s	Master		1900.0	2289.0	2900.0	
		Before	----	----	----	----	
		Before-Master	----	----	----	----	

HGNS Gamma-Ray Calibration - Gamma-Ray Accumulations

Before (Measured):		13:41:46 18-Nov-2014					
Measurement	Unit	Phase	Nominal	Low Limit	Actual	High Limit	
RGR Zero Measurement	gAPI	Before	30.0	0	81.0	120.0	
RGR Plus Measurement	gAPI	Before	185.4	157.1	177.2	206.3	
GR Calibration Gain		Before	0.89	0.80	0.93	1.05	

Company:	Omimex Petroleum Inc	Schlumberger
Well:	Kennedy State 11 36 7 45	
Field:	Holyoke South	
County:	Phillip	
State:	Colorado	
Platform Express		
Caliper		
Cement Volume		