

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

12/23/2014

Document Number:

674700777

Overall Inspection:

ACTION REQUIRED**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	324080	324080	LONGWORTH, MIKE	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 96850Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLCAddress: 1001 17TH STREET - SUITE #1200City: DENVER State: CO Zip: 80202

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Inspection, WPX	970-263-2716	COGCCInspectionReports@wpxenergy.com	WPX Inspection Mail Box

Compliance Summary:QtrQtr: SESE Sec: 1 Twp: 7S Range: 96W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
01/24/2014	663902695			SATISFACTORY	F		No

Inspector Comment:**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
256385	WELL	PR	11/19/1999	GW	045-07448	UNOCAL GM 44-1	PR	<input checked="" type="checkbox"/>
429917	WELL	PR	03/15/2013	OW	045-21682	WPX Energy GM 441-12	PR	<input checked="" type="checkbox"/>
430274	WELL	PR	03/15/2013	OW	045-21712	WPX Energy GM 341-12	PR	<input checked="" type="checkbox"/>
430275	WELL	PR	03/15/2013	OW	045-21713	WPX Energy GM 331-12	PR	<input checked="" type="checkbox"/>
430276	WELL	PR	03/15/2013	OW	045-21714	WPX Energy GM 31-12	PR	<input checked="" type="checkbox"/>
430277	WELL	PR	03/15/2013	OW	045-21715	WPX Energy GM 41-12	PR	<input checked="" type="checkbox"/>

Equipment:Location Inventory

Inspector Name: LONGWORTH, MIKE

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>6</u>	Production Pits: _____
Condensate Tanks: <u>1</u>	Water Tanks: <u>2</u>	Separators: <u>6</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location

<u>Signs/Marker:</u>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
BATTERY	SATISFACTORY			
TANK LABELS/PLACARDS	SATISFACTORY			
WELLHEAD	SATISFACTORY			
CONTAINERS	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY Corrective Date: _____

Comment: _____

Corrective Action: _____

<u>Spills:</u>				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

<u>Fencing/:</u>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK BATTERY	SATISFACTORY			
WELLHEAD	SATISFACTORY			
SEPARATOR	SATISFACTORY			

<u>Equipment:</u>					
Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Bird Protectors	4	SATISFACTORY			
Horizontal Heated Separator	6	SATISFACTORY			
Ancillary equipment	1	SATISFACTORY	Chemical container at wells		
Plunger Lift	6	SATISFACTORY			

Facilities: ☐ New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	300 BBLs	STEEL AST	,

S/A/V: SATISFACTORY Comment: _____

Corrective Action: _____ Corrective Date: _____

Paint

Inspector Name: LONGWORTH, MIKE

Condition	Adequate
Other (Content)	
Other (Capacity)	
Other (Type)	

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate
Corrective Action				Corrective Date
Comment				

Facilities:

☐ New Tank

Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	2	300 BBLs	STEEL AST	,
S/A/V:	SATISFACTORY		Comment:	
Corrective Action:				Corrective Date:

Paint

Condition	Adequate
Other (Content)	
Other (Capacity)	
Other (Type)	

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Corrective Action				Corrective Date
Comment				

Venting:

Yes/No	Comment
YES	Glycol pump at separator.

Flaring:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 324080

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>SITE SPECIFIC COAs:</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals, and maintained in good condition.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines. Additional containment shall be required where temporary pumps and other necessary equipment or chemicals are located.</p> <p>Due to the steep slopes to the west, north, and east, this location is in an area of high run off/run on potential; therefore appropriate BMPs need to be in place both during and after well pad construction, as well as during all drilling and well completion operations. Standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater runoff.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.</p>	08/08/2012

S/AV: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Planning	<p>PLANNING BMP's</p> <p>Share/consolidate corridors for pipeline ROWs to the maximum extent possible.</p> <p>Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas.</p> <p>Minimize newly planned activities and operations within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river.</p> <p>Avoid constructing any road segment in the channel of an intermittent or perennial stream</p> <p>Minimize the number, length, and footprint of oil and gas development roads</p> <p>Use existing roads where possible</p> <p>Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors</p> <p>Maximize the use of directional drilling to minimize habitat loss/fragmentation</p> <p>Maximize use of remote telemetry for well monitoring to minimize traffic</p>
Construction	<p>CONSTRUCTION BMP's</p> <p>Design road crossings of streams to allow fish passage at all flows and to minimize the generation of sediment.</p>
Interim Reclamation	<p>PRODUCTION/RECLAMATION BMP's</p> <p>Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife</p> <p>WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeded and reclamation of disturbed areas.</p> <p>Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings.</p> <p>Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.</p>

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Inspector Name: LONGWORTH, MIKE

Date Onsite Request Received: _____	Date of Rule 306 Consultation: _____
Request LGD Attendance: _____	
<u>LGD Contact Information:</u>	
Name: _____	Phone Number: _____
Agreed to Attend: _____	
<u>Summary of Landowner Issues:</u>	
<u>Summary of Operator Response to Landowner Issues:</u>	
<u>Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:</u>	

Facility

Facility ID: 256385	Type: WELL	API Number: 045-07448	Status: PR	Insp. Status: PR
Producing Well				
Comment: Producing well				
Facility ID: 429917	Type: WELL	API Number: 045-21682	Status: PR	Insp. Status: PR
Producing Well				
Comment: Producing well				
Facility ID: 430274	Type: WELL	API Number: 045-21712	Status: PR	Insp. Status: PR
Producing Well				
Comment: Producing well				
Facility ID: 430275	Type: WELL	API Number: 045-21713	Status: PR	Insp. Status: PR
Producing Well				
Comment: Producing well				
Facility ID: 430276	Type: WELL	API Number: 045-21714	Status: PR	Insp. Status: PR
Producing Well				
Comment: Producing well				
Facility ID: 430277	Type: WELL	API Number: 045-21715	Status: PR	Insp. Status: PR
Producing Well				
Comment: Producing well				

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well: _____ Lat _____ Long _____

DWR Receipt Num: _____	Owner Name: _____	GPS : _____
Field Parameters:		
Sample Location: _____		
Emission Control Burner (ECB): _____		
Comment: _____		
Pilot: _____	Wildlife Protection Devices (fired vessels): _____	

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Debris removed? _____ CM _____

CA _____ CA Date _____

Waste Material Onsite? _____ CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? _____ CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? _____ CM _____

CA _____ CA Date _____

Guy line anchors removed? _____ CM _____

CA _____ CA Date _____

Guy line anchors marked? _____ CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation _____

Inspector Name: LONGWORTH, MIKE

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____

Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____

Pit mouse/rat holes, cellars backfilled _____

Debris removed _____

No disturbance /Location never built _____

Access Roads Regraded _____

Contoured _____

Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____

Locations, facilities, roads, recontoured _____

Compaction alleviation _____

Dust and erosion control _____

Non cropland: Revegetated 80% _____

Cropland: perennial forage _____

Weeds present _____

Subsidence _____

Comment: _____

Corrective Action: _____

Date _____

Overall Final Reclamation

Well Release on Active Location ☐

Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Rip Rap	Pass					
				MHSP	Pass	
		Culverts	Fail			
Gravel	Pass					
Seeding	Fail					
Check Dams	Fail					
Compaction	Fail					
Ditches	Fail					
Other	Fail					
Berms	Pass					

S/A/V: **ACTION REQUIRED**

Corrective Date: **02/15/2015**

Comment: **Cut walls are unstable. Check dam is washing and eroding. Straw bales have been washed away from culvert outlet flow. Ditch behind separators and tanks is filling with sediment from cut wall washing.**

CA: **Repair and maintain BMPs.**

Pits: ☒ NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
674700778	Storm water GM 44-1	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3514811

ACTION REQUIRED

ANY ACTION REQUIRED items listed on this report indicate that the oil and gas facility or the oil and gas operations listed on the report may be in violation of the rules and regulations of the Colorado Oil and Conservation Commission (“COGCC”) and corrective action is required.

There is reasonable cause to believe that a violation of the Oil and Gas Conservation Act, or of any rule, regulation, or order of the Commission, or of any permit issued by the Commission, has occurred. The Operator’s compliance with this Inspection Report is required to resolve these alleged violations. This document requires the Operator to timely respond to the COGCC and to comply with directives as listed by the **Corrective Action Deadline Date**. Failure to do so will result in the issuance of a Notice of Alleged Violation and initiation of enforcement proceedings in which COGCC will seek monetary penalties for the alleged violations pursuant to § 34-60-121, C.R.S. and Rule 523, COGCC Rules of Practice and Procedure, 2 CCR 404-1. (Please note that the COGCC's penalty authority was recently increased to a maximum of \$15,000 per day and penalties are no longer capped at a maximum of \$10,000 per violation.)