



DE	ET	OE	ES
Document Number: <div>400766111</div>			
Date Received:			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number:	10071	Contact Name	Mary	Pobuda
Name of Operator:	BARRETT CORPORATION* BILL		Phone:	(303) 312-8511
Address:	1099 18TH ST STE 2300		Fax:	(303) 291-0420
City:	DENVER	State:	CO	Zip: 80202 Email: mpobuda@billbarrettcorp.com

API Number :	05-	123	40127	00	OGCC Facility ID Number:	438794
Well/Facility Name:	Anschutz State			Well/Facility Number:	5-62-35-0108BH2	
Location	QtrQtr:	NWNW	Section:	35	Township:	5N Range: 62W Meridian: 6
County:	WELD		Field Name:	WATTENBERG		
Federal, Indian or State Lease Number:	CO97998					

Complete the Attachment
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).
NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

No action, no active wells in sampling range. Olsson samples all wells on the Anschutz Equus Ranch annually. Please see attached sundry figure.

This sundry is for all wells on this pad:

Anschutz State 5-62-35-0108BH2- API# 05-123-40127

Anschutz State 5-62-35-1609BH2- API# 05-123-40131

Anschutz State 5-62-35-1609CH2- API# 05-123-40128

Anschutz State 5-62-35-1724CH2- API# 05-123-40129

This sundry is for all wells on this pad:

Anschutz State 5-62-35-1609BH2- API# 05-123-40131

Anschutz State 5-62-35-1724CH2- API# 05-123-40129

Anschutz State 5-62-35-1724CH2- API# 05-123-40129

Operator Comments:

Signed: _____ Print Name: Nikki Graber

Title: Associate Geologist Email: ngrab@olssonassociates.com Date: _____

COGCC Approved:	Date:
-----------------	-------

CONDITIONS OF APPROVAL, IF ANY:

General Comments

--	--	--

Total: 0 comment(s)

Attachment Check List

400766140	OTHER
-----------	-------

Total Attach: 1 Files