

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203

Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>400780800</div>			
Date Received: <div>01/27/2015</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number:	96850	Contact Name	Jessie Pahler
Name of Operator:	WPX ENERGY ROCKY MOUNTAIN LLC	Phone:	(970) 242-0170
Address:	1001 17TH STREET - SUITE #1200	Fax:	( )
City:	DENVER	State:	CO
Zip:	80202	Email:	jpahler@westernwaterandland.com

API Number :	05-	103	12171	00	OGCC Facility ID Number:	440446
Well/Facility Name:	FEDERAL			Well/Facility Number:	RGU 522-26-198	
Location	QtrQtr:	LOT 6	Section:	26	Township:	1S
					Range:	98W
					Meridian:	6
County:	RIO BLANCO		Field Name:	SULPHUR CREEK		
Federal, Indian or State Lease Number:	COC60732					

Complete the Attachment  
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srhc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).  
**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
 

4

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

4

Number of Water Source Exceptions requested per Rule 609.c.

0

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

4

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.  
**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

## COMMENTS

Four potential water sources were located within a 1/2 mile radius of drill pad RGU 22-26-198 (location ID 440459). Well owners did not respond to access requests, or access request letters were returned to sender. See attached document for details. This sundry applies to API numbers:

05-103-12171  
05-103-12172  
05-103-12173  
05-103-12174  
05-103-12175  
05-103-12176  
05-103-12177  
05-103-12178  
05-103-12179  
05-103-12180  
05-103-12181  
05-103-12182  
05-103-12183  
05-103-12184  
05-103-12185  
05-103-12186  
05-103-12187  
05-103-12188

## Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Jessie Pahler (WPX agent)

Title: Project Scientist Email: jpahler@westernwaterandland.com Date: 1/27/2015

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 1/27/2015

**CONDITIONS OF APPROVAL, IF ANY:**

<u>COA Type</u>	<u>Description</u>

## General Comments

<b><u>User Group</u></b>	<b><u>Comment</u></b>	<b><u>Comment Date</u></b>
Environmental	A review of DWR data on the COGCC website indicates that there are no additional water features, other than those addressed by the operator, that meet the 100 series definition of a water source within ½ mile of the oil and gas well(s).	1/27/2015 10:10:56 AM

Total: 1 comment(s)

## Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400780800	FORM 4 SUBMITTED
400780824	WATER ANALYSIS

Total Attach: 2 Files