

2014 COLORADO RULE 608 COMPLIANCE REPORT

RATON BASIN, COLORADO

Received 02/04/2015
Project 2042
Document 2313880



OCTOBER 2014



Prepared for:

XTO ENERGY, INC.
Trinidad, Colorado



2014 COLORADO RULE 608 COMPLIANCE REPORT

RATON BASIN, COLORADO

OCTOBER 2014

Prepared for:

**XTO ENERGY, INC.
21603 Highway 12
Trinidad, Colorado 81082**

Prepared by:

**LT ENVIRONMENTAL, INC.
4600 West 60th Avenue
Arvada, Colorado 80003
(303) 433-9788**



TABLE OF CONTENTS

EXECUTIVE SUMMARY	iii
1.0 INTRODUCTION	1-1
1.1 OBJECTIVE.....	1-1
1.2 PROJECT AREA	1-1
1.3 SCOPE OF WORK.....	1-2
1.4 DEVIATIONS.....	1-2
1.5 REPORT ORGANIZATION	1-3
2.0 FIELD METHODS.....	2-1
2.1 2013 PROJECT AREA	2-1
2.2 PROPERTY ACCESS	2-1
2.3 FLUX SURVEY	2-1
2.3.1 Global Positioning System Data Management.....	2-2
2.3.2 Flux Volume Estimations	2-3
2.4 NATURAL SPRING MONITORING.....	2-3
3.0 RESULTS	3-1
3.1 FLUX SURVEY	3-1
3.2 NATURAL SPRING SURVEY.....	3-1
3.2.1 Field Observations.....	3-2
3.2.2 Sampling and Analysis	3-2
3.2.3 Flux Measurements	3-2
4.0 CONCLUSIONS	4-1
5.0 REFERENCES	5-1

TABLE OF CONTENTS (CONTINUED)

FIGURES

- FIGURE 1 PROJECT AREA MAP
- FIGURE 2 2014 PROJECT AREA MAP
- FIGURE 3 METHANE FLUX CONTOURS – MAPPING AREA L-1021
- FIGURE 4 METHANE FLUX CONTOURS – MAPPING AREA L-1030
- FIGURE 5 METHANE FLUX CONTOURS – MAPPING AREA L-1033
- FIGURE 6 METHANE FLUX CONTOURS – MAPPING AREA L-1050
- FIGURE 7 METHANE FLUX CONTOURS – MAPPING AREA 5
- FIGURE 8 METHANE FLUX CONTOURS – MAPPING AREA 13 & L-1026
- FIGURE 9 METHANE FLUX CONTOURS – MAPPING AREA 14
- FIGURE 10 METHANE FLUX CONTOURS – MAPPING AREA 32 & L-1049
- FIGURE 11 METHANE FLUX CONTOURS – MAPPING SEEP AREA 19
- FIGURE 12 STIFF DIAGRAMS

TABLES

- TABLE 1 PROPERTY OWNER AND ACCESS INFORMATION
- TABLE 2 MAPPING AREA SUMMARIES
- TABLE 3 NATURAL SPRING WATER QUALITY MEASUREMENTS
- TABLE 4 NATURAL SPRING ANALYTICAL RESULTS

APPENDICES

- APPENDIX A EQUIPMENT SPECIFICATIONS
- APPENDIX B FLUX METER DATA
- APPENDIX C VOLUMETRIC FLUX CALCULATIONS
- APPENDIX D NATURAL SPRING ANALYTICAL RESULTS

EXECUTIVE SUMMARY

LT Environmental, Inc. (LTE) completed the tasks for the 2014 Colorado Rule 608 Compliance Program on behalf of XTO Energy, Inc. (XTO) with respect to XTO operations in Las Animas County, Colorado (Project Area). LTE followed the Colorado Oil and Gas Conservation Commission (COGCC)-approved *Work Plan*, dated May 5, 2010, in accordance with the following subsections of the COGCC Rule 608:

- 608(a) – Assessment and monitoring of plugged and abandoned (P&A) production wells within one-quarter ($\frac{1}{4}$) mile of proposed coalbed methane (CBM) wells;
- 608(b) – Water well sampling; and
- 608(c) – Coal outcrop and coal mine monitoring.

The 2014 Rule 608 Compliance Program meets the requirements of subsections a, b, and c of the COGCC Rule 608.

XTO proposes to drill CBM production wells in the Project Area of the Raton Basin. The 2014 Project Area was determined by a 2-mile buffer around the 2010 and 2011 proposed XTO CBM production wells as well as CBM production wells XTO installed in 2010 and 2011. XTO did not install any new CBM production wells in the Raton Basin in 2012 or 2013 and as a result, the 2014 Project Area is identical to the 2011 Project Area. Due to the absence of any proposed 2014 CBM production wells by XTO, tasks and subtasks were omitted from the 2014 Rule 608 Compliance Program. XTO confirmed this plan with the COGCC.

LTE identified, through previous investigations, nine mapping areas for surveying in 2014. Based on the findings from 2014 and a review of historical flux surveys at these nine mapping areas, areas L-1021, 32 & L-1049, L-1030, L-1050, 5, and 14 appear to be active seep areas. LTE recommends these areas be included in the 2015 Colorado Rule 608 Compliance Program. Seep areas L-1033, 13 & L-1026, and 19 do not appear to be active methane seep areas and as a result, LTE recommends these areas be omitted from future monitoring activities.

Four natural springs were sampled for water quality analysis (Spring01, Chavez01, Chavez02, and Chavez03). The water types appear to be predominately calcium and sodium+potassium in cationic composition and chloride and bicarbonate in anionic composition. In addition to collecting a water sample, flux measurements were collected in the vicinity of the natural springs. Reportable methane flux was not detected at any of the measurement locations.

LTE, at the direction of XTO, proposes to continue conducting Rule 608 compliance activities in Las Animas County in accordance with the COGCC-approved *Work Plan* as XTO development activities expand.

1.0 INTRODUCTION

LT Environmental, Inc. (LTE) has prepared this 2014 Colorado Rule 608 Compliance Report, on behalf of XTO Energy, Inc. (XTO), to summarize the tasks completed with respect to XTO operations in Las Animas County, Colorado (Project Area) (Figure 1). Compliance activities were conducted in accordance with the Colorado Oil and Gas Conservation Commission (COGCC)-approved *Work Plan* (LTE, May 2010) previously submitted on May 5, 2010. This is the fifth annual event conducted in accordance with this compliance program.

1.1 OBJECTIVE

The objective of this Rule 608 Compliance Program is to meet compliance requirements, as discussed in the May 2010 *Work Plan*, associated with the drilling and installation of coalbed methane (CBM) production wells, specifically in Las Animas County, Colorado, which applies to the following subsections of Rule 608 from the COGCC 600 Series Safety Regulations, as amended on March 30, 2009:

- 608(a) – Assessment and monitoring of plugged and abandoned (P&A) production wells within one-quarter ($\frac{1}{4}$) mile of proposed CBM wells;
- 608(b) – Water well sampling; and
- 608(c) – Coal outcrop and coal mine monitoring.

1.2 PROJECT AREA

The Project Area is located in the Raton Basin in southern Colorado. The Raton Basin is a geologic structural basin in southern Colorado and northern New Mexico. The basin is situated in Huerfano and Las Animas counties, Colorado, and Colfax County, New Mexico. The basin has long been a source of coal production and more recently a source of CBM. Much of the regional geology presented herein was derived from the report, *A Geologic Assessment of Natural Gas from Coal Seams in the Raton and Vermejo Formations, Raton Basin* (Stevens, et.al. 1992).

The Raton Basin is an asymmetric synclinal basin with the axis of the La Veta syncline oriented roughly north-south and passing through Weston, Colorado, which is immediately east of the area defined by XTO for development of CBM. The Raton Formation outcrops over approximately 50 percent (%) of the Project Area. The discontinuous nature of the coal beds both in the subsurface and on the surface makes it difficult to identify and/or correlate individual continuous coal beds from the subsurface producing zone to the surface coal outcrop. The XTO proposed drilling area is located on the western side of the La Veta syncline suggesting that the formations encountered within the Project Area are dipping to the east.

The Vermejo Formation consists of sandstone, interbedded siltstone, shale, carbonaceous shale, and coal accumulated above the fluvial-deltaic sequences of the Trinidad Sandstone (Stevens, et al. 1992). The Vermejo Formation outcrops along the western edge of the Raton Basin syncline basin, which is on the west side of the Project Area. Of the more than 90,000-acre Project Area,

the Vermejo Formation outcrop covers approximately 2% of the overall Project Area. The Raton and Vermejo formation outcrops are depicted on Figure 1.

1.3 SCOPE OF WORK

XTO has proposed to drill CBM production wells in the Project Area of the Raton Basin over the next several years (red outline on Figure 1), which began in 2010. XTO did not install any CBM production wells in the Project Area in 2012 and did not propose any new CBM production wells for 2013 or 2014. As a result, the 2014 Project Area was determined by a 2-mile buffer around the 2010 and 2011 proposed XTO CBM production wells as well as CBM production wells XTO installed in 2010 and 2011. The 2014 Project Area (green outline on Figure 2), proposed 2010 and 2011 CBM production well locations, recorded P&A production well locations, water well locations, topography, and mine features are illustrated on Figure 2.

The scope of work for the Rule 608 Compliance Program included the following tasks:

- Task 1: Assessment of applicable P&A production wells;
- Task 2: Assessment of applicable water wells;
- Task 3: Detailed mapping of known and diminishing methane seep areas;
- Task 4: Assessment of applicable natural springs; and
- Task 5: Preparation of this report.

1.4 DEVIATIONS

XTO did not propose or install any new CBM production wells in 2014. As a result, tasks and subtasks were omitted from the 2014 Rule 608 Compliance Program as described below. XTO confirmed this plan with the COGCC as described in the Revised 2014 Colorado Rule 608 Compliance Cost Estimate, dated July 16, 2014. Historical procedures and findings for these tasks are described in previous annual reports and have been omitted from this report.

There were no new P&A production wells within the 2014 Project Area to assess in 2014 and as a result, Task 1 was not conducted for this 2014 Colorado Rule 608 Compliance Program.

A review of water wells within the 2014 Project Area meeting the requirements set forth in Rule 608(b) identified one water well (Permit Number 39685). However, the two proposed XTO CBM production wells (New Elk 22-13 and New Elk 22-14) nearest to the water well were not installed during 2014. As a result, Task 2 was not conducted during the 2014 Colorado Rule 608 Compliance Program. Water well #39685 will be sampled prior to the drilling of New Elk 22-13 and New Elk 22-14.

Ground surveys to locate suspect methane seeps on the Raton Formation outcrop and color infrared (CIR) aerial imagery and field verification of suspect areas along the Vermejo Formation and at the Quinto, Tercio, and Vega mines were not conducted as part of Task 3 since no new CBM production wells were proposed for 2014.

While conducting detailed mapping of methane seeps areas during 2010, 2011, 2012, and 2013, (Task 3), gas samples were collected from those areas with reportable methane flux and where existing isotopic information from the 2007 *COGCC Phase II Seep Investigation* (LTE, 2007) did not exist. During the 2007 Phase II seep investigation conducted for the COGCC, gas samples were collected from many of the known and suspect seep areas in the Raton Basin. As a result, re-sampling these seeps was not necessary in 2014. Each methane seep area currently has isotopic analysis associated with it.

The COGCC informed XTO and LTE that those natural springs that overlap with other oil and gas industry companies conducting similar activities to comply with Rule 608 did not need to be sampled. As a result, Task 4 was reduced by not sampling Spring 05 (Vega Canyon), Spring 07 (Spring Canyon), or Spring 08 (Middle Lorencito). LTE was not granted property access for Spring 03, Spring 04, Spring 06, Spring 09, or Spring 10. As a result, natural spring water samples from these six springs were not collected in 2014.

1.5 REPORT ORGANIZATION

This report is organized into five sections including this introduction (Section 1.0), which presents the objectives and scope of work related to the project. The field methods are described in Section 2.0. The 2014 results are summarized in Section 3.0. The conclusions of the 2014 work are in Section 4.0. The report references are included in Section 5.0. Figures, tables, and appendices follow the text.

2.0 FIELD METHODS

2.1 2013 PROJECT AREA

The 2014 Project Area was determined by a 2-mile buffer around the 2010 and 2011 proposed XTO CBM production wells as well as CBM production wells XTO installed in 2010 and 2011. The 2014 Project Area is outlined in green on Figure 2. The overall Project Area is outlined in red on Figure 2.

2.2 PROPERTY ACCESS

Prior to conducting 2014 field activities, LTE acquired landowner information from the Las Animas County Assessor's office. LTE cross-referenced parcel data to identify owners of parcels located in the 2014 Project Area. LTE requested to gain access to all properties where field work was proposed, but was denied access to several properties; as a result, no investigation activities were conducted on those properties. The 2014 property owner and access information is presented in Table 1.

2.3 FLUX SURVEY

Flux surveys of mapping areas consists of utilizing a West Systems® portable gas flux meter (flux meter) to measure the magnitude and extent of methane seepage, if detected, within the survey area. Measurements are typically collected using a sampling grid approach.

Grids for detailed mapping areas consisted of varying numbers of squares, with grid nodes spaced 50 feet to 400 feet apart, depending on historical data for previously identified methane seep areas. The smaller grid spacings are typically used to map methane seep areas of relatively small extent. A flux measurement is collected at the corner of each grid square. When methane is detected along the outer edges of the mapping area, additional grid points are developed and measured to determine the extent of methane seepage. Where appropriate, photographs of vegetative conditions, visible seeps, and sensitive receptors are collected.

The portable flux meter measures the flux of methane, hydrogen sulfide, and carbon dioxide by employing individual gas-specific sensors that records the increases, if any, of gas concentrations over time for a given surface area. These increases in concentration over time are proportional to the flux of each gas. For this flux survey, only methane flux rates are reported.

The flux meter components include an accumulation chamber connected by circulation tubes to the gas detector unit. At each sampling point, the accumulation chamber is placed on the ground surface to capture gas seeping from the ground. A fan in the chamber continuously mixes the gases in the chamber during the measurement process. A pump moves gases in the accumulation chamber to the detector unit. After passing through the detector unit, gases are returned to the chamber. This closed-loop process allows soil gases discharging to the chamber to increase in concentration over time. Increases in concentrations are measured and recorded automatically. No gas is allowed to escape the system nor is a vacuum is not created during the process. This enables measurement of natural gas seep conditions, if present. The result for each gas is reported as a mass flux in units of moles per square meter per day ($\text{mol}/\text{m}^2 \cdot \text{day}$).

Flux measurement accuracy can be limited by surface conditions. One of the most important factors is the quality of the seal between the accumulation chamber base and the ground surface. To ensure a proper seal between the ground surface and the chamber, field personnel choose relatively flat surfaces where possible and place loose soil surrounding the base of the chamber to reduce the potential for gas loss at the base of the chamber. In addition, ground disturbance is minimized during the measurement process in order to maintain the natural seep conditions. In areas with heterogeneous surfaces, the seal is sometimes difficult to achieve. This scenario is evident at locations with poorly developed soil or where the soil surface is obscured by decayed organic matter on the forest floor.

The accuracy of the total flux estimation within the Project Area is influenced by the ability of the grid spacing system to represent the actual flux on a detailed level relative to the subsurface fracture system, coal quality, and stratigraphy within the Raton Formation.

The methane sensor within the flux meter unit has a range of 60 parts per million (ppm) to 50,000 ppm. The flux meter methane measurement range is 0.0 mol/m²·day to 300 mol/m²·day. Methane fluxes below 0.2 mol/m²·day are detectable with decreased accuracy. As a result, reporting of methane fluxes will not include values less than 0.2 mol/m²·day. Information on the flux meter is provided in Appendix A.

During the measurement process, gas concentrations are recorded at 1-second intervals and directly downloaded via Bluetooth® connection to a portable digital assistant (PDA) integrated with the Global Positioning System (GPS) unit. Other measurements recorded include barometric pressure, temperature, date, and time.

Integrated West Systems Flux Manager® software on the GPS unit recorded the gas measurement data. The software plots the curve of gas concentration versus time for each measurement collected. The best-fit line for the curve generated is selected. The slope of the best-fit line is proportional to the flux at the measurement point.

Full color spectrum aerial photographs were used as base maps for field use and figures for reporting. The geologic contacts depicted on the aerial photographic maps were derived from geologic maps prepared by the Colorado Geological Survey (CGS) and digitized. Accuracy of the formation contact is reduced when aerial photographs are viewed at a smaller scale.

2.3.1 Global Positioning System Data Management

Each sample location is recorded using a GPS unit. Soil gas sampling grids are created in ArcView® and pre-loaded into the GPS unit so field personnel can quickly and accurately position detection equipment along the Project Area. Soil gas measurements and other relevant field data are then stored as attributes in the GPS unit along with the associated position data. The data stored in the GPS unit are downloaded later for processing and reporting.

The GPS unit position data are collected in the World Geodetic System 1984 (WGS 84) and projected in Universal Transverse Mercator (UTM) Zone 13 South, North American Datum 1983 (NAD 83) for use in an ArcView® project file. On average, 25 GPS log points are collected for each point feature in order to obtain more accurate positioning.

Readings collected with the GPS unit can be located with 1-meter accuracy. However, the terrain and forest canopy can adversely affect GPS unit accuracy. North-facing slopes and heavily wooded areas can distort or block satellite signals. When satellite signals are limited, positioning accuracy decreases. In locations where the GPS unit cannot obtain a signal, field personnel will note measurement data on their field reference maps. Specifications of the GPS unit are included in Appendix A.

2.3.2 Flux Volume Estimations

LTE estimated the volumetric flux of methane for each mapping area where sufficient reportable methane flux data points are available. Flux data were interpolated and gridded, then contoured and processed to estimate total volumetric flux.

The results were converted to volumetric flux rates common to the natural gas production industry in units of thousand cubic feet per day (MCFD). For a better perspective of the methane flux rates, LTE converted the mass flux values into volumetric flux units of cubic feet per day (CFD), assuming equal areas. The unit conversion is based on the molecular weight of the gas and the density of the gas at approximately 6,900 feet above mean sea level.

For methane flux, the calculation is as follows:

$$\frac{\text{mol CH}_4}{\text{day}} \times \frac{16.04276 \text{ g CH}_4}{\text{mol CH}_4} \times \frac{0.0698 \text{ ft}^3 \text{ CH}_4}{\text{g CH}_4} = \frac{\text{ft}^3 \text{ CH}_4}{\text{day}}$$

For example,

$$1.0 \text{ mol/day CH}_4 = 1.12 \text{ CFD CH}_4$$

Notes:

ft³ – cubic feet

CH₄ – methane

g – gram

CFD – cubic feet per day

mol - mole

The volumetric flux values calculated are estimates and may not represent actual values for the specific areas. Interpolation calculation techniques are highly sensitive to data skewness and can result in large changes in calculated flux values based on measurements made at only a few locations.

2.4 NATURAL SPRING MONITORING

Surveys of natural springs are conducted on a well-by-well basis. Only natural springs identified on United States Geological Survey (USGS) topographic maps within the 2014 Project Area were surveyed.

Once a natural spring was identified, collection of water samples was attempted, barring any property access restrictions or lack of flow. At each natural spring, field personnel located the position and elevation using a GPS. A discharge rate was estimated, when possible, using a graduated cylinder and stopwatch. Water quality measurements, including pH, total dissolved solids (TDS), specific conductance (SC), oxidation-reduction potential (ORP), and temperature

were collected using a YSI® 556 meter. The equipment specifications for the water quality field meter are provided in Attachment A.

Water samples from the natural spring were collected and analyzed for the following:

- Major Cations [dissolved sodium (Na), calcium (Ca), magnesium (Mg), potassium (K), and iron (Fe)] by Environmental Protection Agency (EPA) Method 6010/6020;
- Dissolved Metals [selenium (Se), manganese (Mn)] by EPA Method 6010/6020;
- Alkalinity (carbonate/bicarbonate) by EPA Method 300;
- Major Anions [chloride (Cl), sulfate (SO₄), bromide (Br), and fluoride (F)] by EPA Method 300;
- SC by MCA Method WW 120.1;
- Nitrate/Nitrite as Nitrogen (N) by EPA Method 353.3;
- TDS by EPA Method 160.1;
- Sodium Adsorption Ratio (SAR) by United States Department of Agriculture (USDA) Handbook 60; and
- Bacteria by Iron Reducing Bacteria (IRB) / Sulfate Reducing Bacteria (SRB) / Slime Forming Bacteria (SLYM).

Laboratory-provided sample bottles were filled with water for analysis of the parameters identified above. All water samples collected were submitted in a cooler under strict chain-of-custody documentation to Accutest Mountain States Laboratories (Accutest) located in Wheat Ridge, Colorado.

LTE sampled natural springs Spring 01, Chavez01, Chavez02, and Chavez03 during the sampling event in 2014. Spring02 (also known as Quiet Spring) was inspected during the 2014 sample event; however, due to the stagnation of the water from the natural spring, a water sample was not collected.

3.0 RESULTS

3.1 FLUX SURVEY

As a result of the 2013 Colorado Rule 608 Compliance Program, LTE identified nine mapping areas for surveying in 2014. Of the nine mapping areas, the following six areas detected reportable methane flux:

- L-1021;
- 32 & L-1049;
- L-1030;
- L-1050;
- 5; and
- 14.

Total reportable volumetric methane flux at those areas with more than one reportable flux point ranged from 0.4 MCFD for area 14 to 150.7 MCFD for area 32 & L-1049. Since 2011, each of the six mapping areas have had reportable methane flux detected and have been considered active seep areas.

The following mapping areas did not detect reportable methane flux in 2014:

- L-1033;
- 13 & L-1026; and
- 19.

These three mapping areas had limited reportable methane flux detections in 2011 and 2012 and had no detections in 2013 or 2014. These seep areas do not appear to be active at this time.

Methane flux measurements are presented on Figures 3 through 11. Summaries of the mapping areas are included in Table 2. Flux data is included in Appendix B. Volumetric flux calculations are included in Appendix C.

3.2 NATURAL SPRING SURVEY

LTE identified 13 natural springs within the 2014 Project Area (Figure 2). Natural springs Spring 05 (Vega Canyon), Spring 07 (Spring Canyon), and Spring 08 (Middle Lorencito) were excluded from the sampling list as approved by the COGCC. Five natural springs were located on private property with no access granted. Four natural springs (Spring01, Chavez01, Chavez02, and Chavez03) were sampled on August 21, 2014. Spring02 (Quiet Spring) was stagnant at the time of sampling and as a result, no water sample was collected.

3.2.1 Field Observations

LTE collected field measurements from the Spring01, Chavez01, Chavez02, and Chavez03 natural springs, which were documented in the field logbook. The 2014 field observations and measurements for the natural springs are summarized in Table 3.

3.2.2 Sampling and Analysis

By plotting the major anions and major cations that are dissolved in the natural spring water samples on a Stiff diagram, the water type can be presented graphically. The water types appear to be predominately calcium and sodium+potassium in cationic composition and chloride and bicarbonate in anionic composition.

Laboratory analytical results for the natural spring samples are summarized in Table 4. A Stiff diagram illustrating the water type is depicted on Figure 12. Natural spring analytical results are presented in Appendix D.

3.2.3 Flux Measurements

During the 2014 natural spring sampling event, flux measurements were collected near each natural spring location. Reportable methane flux was not detected in any of the flux measurement locations near the three natural springs.

4.0 CONCLUSIONS

The 2014 Rule 608 Compliance Program meets the requirements of subsections a, b, and c of the COGCC Rule 608.

LTE identified, through previous investigations, nine mapping areas for flux surveying in 2014. Based on the findings from 2014 and a review of historical flux surveys at these nine mapping areas, areas L-1021, 32 & L-1049, L-1030, L-1050, 5, and 14 appear to be active methane seeps. LTE recommends these mapping areas be included in the 2015 Colorado Rule 608 Compliance Program. Areas L-1033, 13 & L-1026, and 19 do not appear to be active methane seep areas and as a result, LTE recommends these areas be omitted from future monitoring activities.

Four natural springs were sampled for water quality analysis (Spring01, Chavez01, Chavez02, and Chavez03). The water types appear to be predominately calcium and sodium+potassium in cationic composition and chloride and bicarbonate in anionic composition. In addition to collecting a water sample, flux measurements were collected in the vicinity of the natural springs. Reportable methane flux was not detected at any of the measurement locations.

LTE, at the direction of XTO, proposes to continue conducting Rule 608 compliance activities in Las Animas County in accordance with the COGCC-approved *Work Plan* as XTO's development activities expand.

5.0 REFERENCES

- Armstrong, M and N. Champigny. 1988. *A Study on Kriging Small Blocks*.
- COGCC, 2011. RE: XTO - Rule 608 P&A Well. Sent by Peter Gintautas of the Colorado Oil and Gas Conservation Commission to Daniel R. Moir of LT Environmental, Inc., April 28, 2011.
- Cressie, Noel A.C. *Statistics for Spatial Distribution*. John Wiley and Sons, New Jersey. 1993.
- Crow EL and Shimizu K Eds., *Lognormal Distributions: Theory and Application*, Dekker, New York. 1988.
- [Geochimica et Cosmochimica Acta, Volume 69, Issue 23](#), 1 December 2005, Pages 5413-5428
- Gilbert, Richard O. *Statistical Methods for Environmental Pollution Monitoring*. Van Nostrand Reinhold, New York. 1987.
- LTE, 2007. *2007 Phase II Raton Basin Gas Seep Investigation, Las Animas and Huerfano Counties, Colorado, COGCC Project #1925*. December 2007.
- LTE, 2010. *Work Plan. Colorado Rule 608 Compliance, Raton Basin, Colorado*. May 2010.
- LTE, 2010. *2010 Colorado Rule 608 Compliance Report, Raton Basin, Colorado*. December 2010.
- LTE, 2012. *2011 Colorado Rule 608 Compliance Report, Raton Basin, Colorado*. January 2012.
- LTE, 2012. *2012 Colorado Rule 608 Compliance Report, Raton Basin, Colorado*. November 2012.
- LTE, 2013. *2013 Colorado Rule 608 Compliance Report, Raton Basin, Colorado*. October 2013.
- Rice, D.D, “Composition and origins of coalbed gas, in Law”, B.E., and D.D. Rice, eds., Hydrocarbons from Coal: AAPG Studies in Geology 38, p. 159–184, 1993.
- Sichel, H.S. “The estimation of means and associated confidence limits for small samples from lognormal populations”. Symposium on Mathematical Statistics and Computer Applications in Ore Evaluation, 106-122. S. Afr. Inst. Min. Metall, Johannesburg. 1966
- Sinclair, A.J. “A Fundamental Approach to Threshold Estimation in Exploration Geochemistry: Probability Plots Revisited.” In: A.W. Rose and P.M. Taufen (Editors), Geochemical Exploration 1989. J. Geochem. Explor., 41: 1-22.
- Stevens, et.al., *A Geologic Assessment of Natural Gas from Coal Seams in the Raton and Vermejo Formations, Raton Basin*. 1992.



Surfer 8 – Contouring and 3D Surface Mapping for Scientists and Engineers – User’s Guide.
Golden: Golden Software, Inc., 1993.


West Systems, *Portable Diffuse Flux Meter, Carbon Dioxide, Methane, & Hydrogen Sulfide, Release 7.00 Handbook*. July 2007.


Zheng Zhou, Chris J. Ballentine, Rolf Kipfer, Martin Schoell, and Steve Thibodeaux. *Noble gas tracing of groundwater/coalbed methane interaction in the San Juan Basin, USA*.



FIGURES







LEGEND

- 2010 PROPOSED COALBED METHANE PRODUCTION WELL
- ◆ 2010 INSTALLED COALBED METHANE PRODUCTION WELL
- 2011 PROPOSED COALBED METHANE PRODUCTION WELL
- ◆ 2011 INSTALLED COALBED METHANE PRODUCTION WELL
- WATER WELL LABELED WITH PERMIT NUMBER
- SPRING LABELED WITH SAMPLE ID
(SPRING NAME, IF APPLICABLE)
- ROAD
- OTHER WATER SOURCE
- MAJOR DRAINAGE
- MAPPING AREA
- PROJECT AREA
- 2014 PROJECT AREA
- COLORADO STATE LINE
- TOWNSHIP AND RANGE LINES
- SECTION LINE
- MINE BOUNDARY



IMAGE COURTESY OF ESRI

0 1.5 3
Miles

FIGURE 2
2014 PROJECT AREA MAP
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO

XTO ENERGY, INC.





LEGEND

2014 METHANE FLUX MEASUREMENT
($\text{mol}/\text{m}^2 \cdot \text{day}$)

- 0.0000 - 0.1999
- 0.2000 - 0.5000
- 0.5001 - 1.0000
- 1.0001 - 10.0000
- 10.0001 - 50.0000
- 50.0001 - 100.0000
- 100.0001 - 400.0000

▲ 2007 SUSPECT METHANE SEEP (ID LABELED IN BLACK)

▲ 2010 SUSPECT METHANE SEEP (ID LABELED IN ORANGE)

▲ 2011 SUSPECT METHANE SEEP (ID LABELED IN GREEN)

— METHANE FLUX CONTOUR ($\text{mol}/\text{m}^2 \cdot \text{day}$)

CONTOUR INTERVAL VARIES

$\text{mol}/\text{m}^2 \cdot \text{day}$: MOLES PER SQUARE METER PER DAY

ONLY METHANE FLUX MEASUREMENTS GREATER

THAN OR EQUAL TO $0.2 \text{ mol}/\text{m}^2 \cdot \text{day}$ ARE LABELED

■ LEWICKI MINE BOUNDARY

□ SECTION LINE

FIGURE 3
METHANE FLUX CONTOURS
MAPPING AREA L-1021

2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO

XTO ENERGY, INC.

P:\XTO Energy\GIS\MXD\012914005_RULE_608_2014\012914005 FIG03_CH4.mxd





LEGEND

2014 METHANE FLUX MEASUREMENT
($\text{mol}/\text{m}^2 \cdot \text{day}$)

- 0.0000 - 0.1999
- 0.2000 - 0.5000
- 0.5001 - 1.0000
- 1.0001 - 10.0000
- 10.0001 - 50.0000
- 50.0001 - 100.0000
- 100.0001 - 400.0000

- ▲ 2007 SUSPECT METHANE SEEP (ID LABELED IN BLACK)
- ▲ 2010 SUSPECT METHANE SEEP (ID LABELED IN ORANGE)
- ▲ 2011 SUSPECT METHANE SEEP (ID LABELED IN GREEN)

— METHANE FLUX CONTOUR ($\text{mol}/\text{m}^2 \cdot \text{day}$)
CONTOUR INTERVAL VARIES

$\text{mol}/\text{m}^2 \cdot \text{day}$: MOLES PER SQUARE METER PER DAY
ONLY METHANE FLUX MEASUREMENTS GREATER
THAN OR EQUAL TO $0.2 \text{ mol}/\text{m}^2 \cdot \text{day}$ ARE LABELED

■ LEWICKI MINE BOUNDARY

□ SECTION LINE

FIGURE 4
METHANE FLUX CONTOURS
MAPPING AREA L-1030
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO
XTO ENERGY, INC.





LEGEND

2014 METHANE FLUX MEASUREMENT
($\text{mol}/\text{m}^2 \cdot \text{day}$)

- 0.0000 - 0.1999
- 0.2000 - 0.5000
- 0.5001 - 1.0000
- 1.0001 - 10.0000
- 10.0001 - 50.0000
- 50.0001 - 100.0000
- 100.0001 - 400.0000

▲ 2007 SUSPECT METHANE SEEP (ID LABELED IN BLACK)

▲ 2010 SUSPECT METHANE SEEP (ID LABELED IN ORANGE)

▲ 2011 SUSPECT METHANE SEEP (ID LABELED IN GREEN)

— METHANE FLUX CONTOUR ($\text{mol}/\text{m}^2 \cdot \text{day}$)

CONTOUR INTERVAL VARIES

$\text{mol}/\text{m}^2 \cdot \text{day}$: MOLES PER SQUARE METER PER DAY

ONLY METHANE FLUX MEASUREMENTS GREATER
THAN OR EQUAL TO $0.2 \text{ mol}/\text{m}^2 \cdot \text{day}$ ARE LABELED

■ LEWICKI MINE BOUNDARY

□ SECTION LINE

FIGURE 5
METHANE FLUX CONTOURS
MAPPING AREA L-1033

2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO

XTO ENERGY, INC.

P:\XTO Energy\GIS\MXD\012914005_RULE_608_2014\012914005 FIG03_CH4.mxd





LEGEND

2014 METHANE FLUX MEASUREMENT
($\text{mol}/\text{m}^2 \cdot \text{day}$)

- 0.0000 - 0.1999
- 0.2000 - 0.5000
- 0.5001 - 1.0000
- 1.0001 - 10.0000
- 10.0001 - 50.0000
- 50.0001 - 100.0000
- 100.0001 - 400.0000

▲ 2007 SUSPECT METHANE SEEP (ID LABELED IN BLACK)

▲ 2010 SUSPECT METHANE SEEP (ID LABELED IN ORANGE)

▲ 2011 SUSPECT METHANE SEEP (ID LABELED IN GREEN)

— METHANE FLUX CONTOUR ($\text{mol}/\text{m}^2 \cdot \text{day}$)

CONTOUR INTERVAL VARIES

$\text{mol}/\text{m}^2 \cdot \text{day}$: MOLES PER SQUARE METER PER DAY

ONLY METHANE FLUX MEASUREMENTS GREATER

THAN OR EQUAL TO $0.2 \text{ mol}/\text{m}^2 \cdot \text{day}$ ARE LABELED

■ LEWICKI MINE BOUNDARY

□ SECTION LINE

0 100 200

Feet

IMAGE COURTESY OF ESRI



FIGURE 6
METHANE FLUX CONTOURS
MAPPING AREA L-1050
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO
XTO ENERGY, INC.





LEGEND

2014 METHANE FLUX MEASUREMENT
($\text{mol}/\text{m}^2 \cdot \text{day}$)

- 0.0000 - 0.1999
- 0.2000 - 0.5000
- 0.5001 - 1.0000
- 1.0001 - 10.0000
- 10.0001 - 50.0000
- 50.0001 - 100.0000
- 100.0001 - 400.0000

▲ 2007 SUSPECT METHANE SEEP (ID LABELED IN BLACK)

▲ 2010 SUSPECT METHANE SEEP (ID LABELED IN ORANGE)

▲ 2011 SUSPECT METHANE SEEP (ID LABELED IN GREEN)

— METHANE FLUX CONTOUR ($\text{mol}/\text{m}^2 \cdot \text{day}$)

CONTOUR INTERVAL VARIES

$\text{mol}/\text{m}^2 \cdot \text{day}$: MOLES PER SQUARE METER PER DAY

ONLY METHANE FLUX MEASUREMENTS GREATER
THAN OR EQUAL TO $0.2 \text{ mol}/\text{m}^2 \cdot \text{day}$ ARE LABELED

■ LEWICKI MINE BOUNDARY

□ SECTION LINE

IMAGE COURTESY OF ESRI

FIGURE 7
METHANE FLUX CONTOURS
MAPPING AREA 5
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO
XTO ENERGY, INC.





LEGEND

2014 METHANE FLUX MEASUREMENT
($\text{mol}/\text{m}^2 \cdot \text{day}$)

- 0.0000 - 0.1999
- 0.2000 - 0.5000
- 0.5001 - 1.0000
- 1.0001 - 10.0000
- 10.0001 - 50.0000
- 50.0001 - 100.0000
- 100.0001 - 400.0000

- ▲ 2007 SUSPECT METHANE SEEP (ID LABELED IN BLACK)
- ▲ 2010 SUSPECT METHANE SEEP (ID LABELED IN ORANGE)
- ▲ 2011 SUSPECT METHANE SEEP (ID LABELED IN GREEN)

— METHANE FLUX CONTOUR ($\text{mol}/\text{m}^2 \cdot \text{day}$)
CONTOUR INTERVAL VARIES

$\text{mol}/\text{m}^2 \cdot \text{day}$: MOLES PER SQUARE METER PER DAY
ONLY METHANE FLUX MEASUREMENTS GREATER
THAN OR EQUAL TO $0.2 \text{ mol}/\text{m}^2 \cdot \text{day}$ ARE LABELED

LEWICKI MINE BOUNDARY

SECTION LINE

0 100 200
Feet

IMAGE COURTESY OF ESRI



FIGURE 8
METHANE FLUX CONTOURS
MAPPING AREAS 13 & L-1026
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO
XTO ENERGY, INC.





LEGEND

2014 METHANE FLUX MEASUREMENT (mol/m² • day)

- 0.0000 - 0.1999
 - 0.2000 - 0.5000
 - 0.5001 - 1.0000
 - ◆ 1.0001 - 10.0000
 - ▲ 10.0001 - 50.0000
 - ◆ 50.0001 - 100.0000
 - 100.0001 - 400.0000

- ▲ 2007 SUSPECT METHANE SEEP (ID LABELED IN BLACK)
- ▲ 2010 SUSPECT METHANE SEEP (ID LABELED IN ORANGE)

- ▲ 2010 SUSPECT METHANE SEEP (ID LABELED IN ORANGE)
- ▲ 2011 SUSPECT METHANE SEEP (ID LABELED IN GREEN)

— METHANE FLUX CONTOUR (m)

CONTOUR INTERVAL VARIES

$\text{mol/m}^2 \cdot \text{day}$: MOLES PER SQUARE METER PER DAY

ONLY METHANE FLUX MEASUREMENTS GREATER

THAN OR EQUAL TO $0.2 \text{ mol/m}^2 \cdot \text{da}$

LEWICKI MINE

0 100 200

Feet


FIGURE 9


METHANE FLUX CONTOURS

METHANE FLUX CONTOURS
MAPPING AREA 14

AS ANIMAS CO.
XTO ENERGY, INC.

P:\XTO_Energy\GIS\MXD\012914005_RULE_608_2014\012914005_EIG03_CH4.mxd





LEGEND

2014 METHANE FLUX MEASUREMENT
(mol/m² • day)

- 0.0000 - 0.1999
- 0.2000 - 0.5000
- 0.5001 - 1.0000
- 1.0001 - 10.0000
- 10.0001 - 50.0000
- 50.0001 - 100.0000
- 100.0001 - 400.0000

- ▲ 2007 SUSPECT METHANE SEEP (ID LABELED IN BLACK)
- ▲ 2010 SUSPECT METHANE SEEP (ID LABELED IN ORANGE)
- ▲ 2011 SUSPECT METHANE SEEP (ID LABELED IN GREEN)

— METHANE FLUX CONTOUR (mol/m² day)

CONTOUR INTERVAL VARIES

mol/m² • day: MOLES PER SQUARE METER PER DAY

ONLY METHANE FLUX MEASUREMENTS GREATER
THAN OR EQUAL TO 0.2 mol/m² • day ARE LABELED

■ LEWICKI MINE BOUNDARY

□ SECTION LINE


0 100 200

Feet



FIGURE 11
METHANE FLUX CONTOURS
MAPPING AREA 19
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO
XTO ENERGY, INC.





LEGEND

- Ca: CALCIUM
- Cl: CHLORIDE
- CO₃: CARBONATE
- HCO₃: BICARBONATE
- K: POTASSIUM
- Mg: MAGNESIUM
- Na: SODIUM
- SO₄: SULFATE
- meq/l: MILLIEQUIVALENTS PER LITER

FIGURE 12
STIFF DIAGRAMS
AUGUST 21, 2014
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO
XTO ENERGY, INC



TABLES



TABLE 1
PROPERTY OWNER AND ACCESS INFORMATION
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO

LANDOWNER	PARCEL ID	XTO ENERGY, INC. SECTION	TOWNSHIP	RANGE	PERMISSION GRANTED
XTO Energy, Inc.	14533300	28	33	67	Yes
	14533405	27, 28	33	67	
	14533200	27	33	67	
Red River Ranch Holdings, LLC	14182121	4, 5, 6, 7, 8	35	67	No Response
	1418210	1, 2, 3, 10, 11, 12, 13, 14, 15	35	68	
Hill Ranch LTD and Kozad Properties LTD	12220713	4, 5, 6, 7, 10	35	67	Yes
	12220714	1, 2, 3, 10, 11, 12, 13, 14, 15	35	68	
	11071110	21, 22, 28	34	67	
	13432508	2, 31, 32, 33	34	67	
	14533003	28	33	67	
	13297000	27, 35	33	67	
Department of Natural Resources (care of mibe.truillo@state.co.us)	10877304	30	33	67	Yes
		2, 3, 13, 23, 24, 25, 26	34	68	
		19	34	67	
		25	33	68	
		35	33	68	
Bill R. and Rossana T. Chavez	13940200	19	33	67	Yes
Donald Mounier		17	33	67	Yes
Mr. and Mrs. Jurajda		17	33	67	Yes
Sabrina Blakeney	14239500	17	33	67	No Response
Gery Navalesi		18	33	67	No
Richard W Stiles		18	33	67	No
Bill Toupal		28	33	67	Yes
		27, 28	33	67	
		27	33	67	
Veronica Law		19	33	67	Yes



TABLE 2
MAPPING AREA SUMMARIES
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO

XTO ENERGY, INC.

Area IDs	Ground Survey Conducted						2007	2010			2011			2012			2013			2014			Subsurface Methane Gas Detected
	2007	2010	2011	2012	2013	2014		Total Number of Flux Points	Reportable CH ₄ Flux Points [*]	Total CH ₄ Flux (MCFD)**	Total Number of Sample Points	Reportable CH ₄ Flux Points [*]	Total CH ₄ Flux (MCFD)**	Total Number of Flux Points	Reportable CH ₄ Flux Points [*]	Total CH ₄ Flux (MCFD)**	Total Number of Sample Points	Reportable CH ₄ Flux Points [*]	Total CH ₄ Flux (MCFD)**	Total Number of Sample Points	Reportable CH ₄ Flux Points [*]	Total CH ₄ Flux (MCFD)**	
L-1021	--	--	x	--	--	--	--	--	--	--	44	10	129.71	47	--	--	--	--	--	--	51	4	1.9
32 & L-1049	x	--	--	--	--	--	--	--	--	--	372	146	304.12	217	55	720.4	234	37	332.4	233	33	150.7	
L-1030	--	--	x	--	--	--	--	--	--	--	17	3	2.19	17	3	2.2	18	1	NA	18	4	56.9	
L-1050	--	--	x	--	--	--	--	--	--	--	22	4	0.69	22	2	1.0	22	0	0.0	25	1	NA	
5	x	--	x	--	--	--	x	--	--	--	167	16	2.16	83	6	1.9	83	0	0.0	80	3	0.8	
14	x	--	--	--	--	--	--	94	16	0.56	50	7	0.34	46	0	0.00	58	3	NA	66	4	0.4	
L-1033	--	--	x	--	--	--	--	--	--	--	26	1	0.02	40	4	0.1	40	0	0.0	38	0	0.0	
13 & L-1026	x	--	x	--	--	--	--	29	8	10.74	56	2	0.03	61	1	NA	61	0	0.0	38	0	0.0	
19	x	--	--	--	--	--	x	--	--	--	23	0	0.00	15	1	NA	15	0	0.0	14	0	0.0	

Notes:

moles/m²·day - moles per meter squared per day

MCFD - thousand cubic feet per day

-- - No data available

* - Only points where flux values were above the reporting limit of 0.2 moles/m²·day

** - Volume includes only gridded values > 0.2 moles/m²·day

NA - Not applicable

CH₄ - Methane



TABLE 3
NATURAL SPRING WATER QUALITY MEASUREMENTS
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO

XTO ENERGY, INC.

Natural Spring	Location	Latitude	Longitude	Inspection Date	Specific Electrical Conductance ($\mu\text{S}/\text{cm}$)	pH (Units)	ORP (mV)	Temperature ($^{\circ}\text{C}$)	TDS (mg/L)
Spring01	North Fork Apache Canyon	-104.991708	37.108089	8/13/2010	381	9.2	140.5	22.4	247
				8/19/2011	408	7.1	-99.5	13.29	432
				9/4/2012	DRY - NOT MEASURED				
				8/15/2013	DRY - NOT MEASURED				
				8/21/2014	515.9	9.1	-61.8	12.4	337.19
Chavez01	Rancho Escondido	-104.9265768	37.15615866	9/4/2012	391	6.8	106.5	15.7	200.7
				8/15/2013	356	7.0	12	14.9	NM
				8/21/2014	329	7.7	200.9	16.3	578.98
Chavez02	Rancho Escondido	-104.922814480	37.152863914	9/4/2012	414	6.51	105.5	16.0	207.7
				8/15/2013	417	6.9	NM	14.1	NM
				8/21/2014	399.3	7.5	169.7	14.4	260.24
Chavez03	Rancho Escondido	-104.916708750	37.156096546	9/4/2012	1,864	6.95	104.7	14.1	921.9
				8/15/2013	1,464	7.3	47.3	14.7	NM
				8/21/2014	1,922.9	7.6	-40.1	16.3	1,255.32
Spring03 - Quiet Spring	Rancho Escondido	-104.915474	37.174474	8/21/2014	STAGNANT WATER - NOT MEASURED				

Notes:

Blank cells indicate no measurement.

$\mu\text{S}/\text{cm}$ - microSiemens per centimeter

ORP - oxidation reduction potential

mV - millivolts

mg/L - milligrams per liter

$^{\circ}\text{C}$ - degrees celsius

TDS - total dissolved solids

ppm - parts per million

NM - Not Measured

DO - dissolved oxygen



TABLE 4
NATURAL SPRING ANALYTICAL RESULTS
2014 COLORADO RULE 608 COMPLIANCE REPORT
RATON BASIN, LAS ANIMAS COUNTY, COLORADO

XTO ENERGY, INC.

Natural Spring	Location	Sample Date	Calcium (mg/L)	Magnesium (mg/L)	Sodium (mg/L)	Potassium (mg/L)	Manganese (mg/L)	Selenium (mg/L)	Carbonate (mg/L)	Bicarbonate (mg/L)	TDS (mg/L)	Specific Conductivity (umhos/cm)	pH
Spring01	North Fork Apache Canyon	8/13/2010	3.4	0.652	97.7	1.41	0.021	<0.00080	<5.0	205	280	364	10.13
		8/19/2011	2.21	0.52	136	1.640	0.126	<0.00080	<5.0	332	420	428	8.16
		9/4/2012						DRY - NOT SAMPLED					
		8/15/2013						DRY - NOT SAMPLED					
		8/21/2014	1.41	0.349	129	<1.0	0.0063	<0.00080	<5.0	251	338	406	NA
Chavez01	Rancho Escondido	9/4/2012	44.5	8.12	20.4	<1.0	<0.0050	<0.0020	<5.0	157	194	323	7.28
		8/15/2013	50.2	8.59	20.8	1.070	NA	<0.0020	<5.0	171	224	358	7.4
		8/21/2014	49.8	8.92	15	1.230	<0.0050	<0.00080	<5.0	141	210	278	NA
Chavez02	Rancho Escondido	9/4/2012	49.3	9.56	18.2	1.430	<0.0050	<0.0020	<5.0	163	206	330	7.17
		8/15/2013	59.7	11	20.2	1.510	0.0055	<0.0020	<5.0	201	264	428	7.28
		8/21/2014	57.7	11.2	15.9	1.770	<0.0050	<0.00080	<5.0	167	242	318	NA
Chavez03	Rancho Escondido	9/4/2012	117	43.2	20.8	6.250	<0.0050	<0.0020	<5.0	495	990	160	7.44
		8/15/2013	113	48.2	22.3	5.500	<0.0050	<0.0020	<5.0	536	1,090	1,850	7.38
		8/21/2014	117	53.3	241	5.810	0.373	<0.00080	<5.0	539	1,160	1,660	NA
Spring03 - Quiet Spring	Rancho Escondido	8/21/2014						STAGNANT WATER - NOT SAMPLED					

Natural Spring	Location	Sample Date	Sulfate (mg/L)	Chloride (mg/L)	Bromide (mg/L)	Fluoride (mg/L)	Hydrogen Sulfide (mg/L)	Nitrogen as Nitrate (mg/L)	Nitrogen as Nitrite (mg/L)	Iron Reducing Bacteria (cfu/ml)	Slime Forming Bacteria (cfu/ml)	Sulfate Reducing Bacteria (cfu/ml)
Spring01	North Fork Apache Canyon	8/13/2010	2.9	3.3	<0.20	0.74	<0.50	<0.23	<0.061	500	>350,000	700,000
		8/19/2011	2.7	3.7	<0.20	1.4	NA	<0.045	<0.011	9,000	350,000	700,000
		9/4/2012					DRY - NOT SAMPLED					
		8/15/2013					DRY - NOT SAMPLED					
		8/21/2014	3.5	3.7	<0.050	1.0	0.5	<0.010	<0.0040	<25	<500	<200
Chavez01	Rancho Escondido	9/4/2012	19.3	3.4	<0.050	0.27	0.0	<0.0040	74,500	350,000	359,000	
		8/15/2013	28.7	5.8	<0.050	0.27	NA	0.012	<0.0040	74,500	66,500	1,200
		8/21/2014	21.6	5.1	<0.050	0.23	0.0	<0.010	<0.0040	9,000	66,500	700
Chavez02	Rancho Escondido	9/4/2012	20.3	4	<0.050	0.3	0.0	0.088	<0.0040	74,500	350,000	359,000
		8/15/2013	31.3	8.1	<0.050	0.29	NA	1.8	1.8	75,500	12,500	5,000
		8/21/2014	24.0	5.8	<0.050	0.29	0.0	0.4	<0.0040	9,000	<500	5,000
Chavez03	Rancho Escondido	9/4/2012	63.7	254	2	0.35	0.0	0.083	0.024	74,500	66,500	359,000
		8/15/2013	47.4	324	2.6	0.72	NA	0.26	0.26	9,000	350,000	359,000
		8/21/2014	42.5	342	2.7	<0.50	0.0	0.063	<0.020	2,300	66,500	359,000
Spring03 - Quiet Spring	Rancho Escondido	8/21/2014					STAGNANT WATER - NOT SAMPLED					

Notes:

mg/L - milligrams per liter

TDS - Total dissolved solids

umhos/cm - Microohms per centimeter

cfu/ml - Coliform units per milliliter

< - Less than the laboratory reporting limit

NA - Not analyzed

> - greater than




APPENDIX A
EQUIPMENT SPECIFICATIONS



WEST Systems portable soil flux meter

for Carbon dioxide, Methane and Hydrogen sulfide fluxes


The WEST Systems Fluxmeter is a portable instrument for the measurement of soil gas diffuse degassing phenomena that uses the accumulation chamber method.




This method studied for soil respiration in agronomy (Parkinson) and for soil degassing in volcanic areas (R. Cioni et al.), has been designed by WEST Systems to obtain a portable instrument that allows the performance of measurements with very good accuracy in a short time. The instrument allows a wide range evaluation of the amount of soil gas flux and can be utilized for the evaluation of biogas degassing (landfills), for the survey of non visible degassing phenomena in volcanic and geothermal areas as well as soil respiration rate in agronomy. In the picture below, the results of the degassing survey of a landfill.



Portable fluxmeter



Methane flux contour lines



a group of researchers during a flux mapping fieldwork, using the WS-LI820 flux meter
Courtesy of United States Geological Survey

WEST
Systems

West Systems Srl
Via Molise 3 - Zona Ind. Gello - 56025 Pontedera (PI) Italy
Phone +39 0587 294216 Fax +39 0587 296058
www.westsystems.com
g.virgili@westsystems.com

Portable soil flux meter

Common physical characteristics:

Total Weight = 8.3 Kg/16 lbs. to be carried on the back using the backpack-like support vest. The field operator will also have to carry one of the accumulation chambers and the palmtop:

Warm Up

Only at instrument cold start-up a warm-up time of 20 minutes is required. The typical measurement time ranges from 2 to 4 minutes and the autonomy of the instrument is about 4 hours with a single NiMH 14.4 Volts, 2.6 A/h battery. The instrument comes with two interchangeable batteries.

Accumulation Chamber specifications:

- Accumulation chamber A diameter : 200 mm / Height: 100 mm / weight: 1.5 Kg/3.3 lbs
- Accumulation chamber B diameter : 200 mm / Height: 200mm / weight : 2.2 Kg/4.84 lbs

Palm top computer: PocketPC Color Display based on Windows Mobile operating system.

- PalmTop with cables, 0.3 Kg/0.7 lbs.
- Size 125mm (4.8") x 82mm (3.2") * 25 mm (1").



Software The instrument is supplied with a custom software, FluxManager, which allows recording and visualization of the increase in concentration of the target gas in the accumulation chamber, and then the flux calculations. The obtained measurements can be saved on the palmtop computer and then transferred to a desktop PC with a USB connection or using a SD card.

The instrument is supplied complete with:

- backpack-like support vest
- Carrying case for transport and storage
- 2 batteries NiMH 14.4 Volts 2.6 A/h and 1 NiMH battery charger
- Accumulation chamber A and B
- Palmtop Pocket PC
- User Manual, in English
- FLUX Manager Software for Windows Mobile, in English


The standard flux meter configuration is supplied with a single gas detector, normally the carbon dioxide detector. The fluxmeter can host two sensors by the way special releases, based on specific customer request, it can be supplied with a maximum of 3 sensors.

Finally we improved the connection between the instrument and the palmtop that now is based on BlueTooth wireless embedded device.



The measured carbon dioxide flux vs imposed flux
($\text{grams m}^{-2} \text{ day}^{-1}$);
The error % vs imposed flux (in blue).

The instrument is extremely versatile and allows measurement of flux in 2/4 minutes. In the picture: Soil bio-gas flux monitoring in a landfill.




Accumulation Chamber Type B

The accumulation chambers

In the normal use of instrument only the chamber B is used. To extend the instrument sensitivity to very low fluxes the accumulation chamber A is supplied.

	Type A	Type B
net area m^2		0.0314
net volume m^3	0.003	0.006



CO₂ - LI820

LI820 based Carbon dioxide fluxmeter

The CO₂ Fluxmeter is equipped with the LICOR LI-820 the most accurate and reliable portable carbon dioxide detector. The LI-820 is a double beam infrared sensor compensated for temperature variation in the range from -10 to 45°C and for atmospheric pressure variation in the range 660-1060 hPa. Accuracy 2% repeatability ±5ppm. The full scale range can be set to 1000, 2000, 5000 or 20000 ppmV of carbon dioxide. The characteristics of precision refer to the sensor set to a full scale range of 20000 ppmV. If a very high sensitivity is required, the detector can be set to 1000 or 2000 ppm full scale value to measure with very high precision fluxes in the range from 0 to 10 moles m⁻² day⁻¹

CO₂ FLUX Measurement range:

from 0 up 600 moles m⁻² day⁻¹

The accuracy depends on the measured flux:

0 to 0.5 moles m ⁻² day ⁻¹	25% (Acc.ch.A)
0.5 to 1 moles m ⁻² day ⁻¹	15% (Acc.ch.A or B)
1 to 150 moles m ⁻² day ⁻¹	10% (Acc.ch.B)
150 to 300 moles m ⁻² day ⁻¹	10% (Acc.ch.B)
300 to 600 moles m ⁻² day ⁻¹	20% (Acc.ch.B)


WS-DRAGER CO₂

WS-DRAGER: CO₂ Flux measurement:

A double beam infrared sensor compensated for temperature variation in the range from -20 to 65°C. Accuracy 3%. The full scale value can be set from 2,000 to 300,000 ppm of carbon dioxide. Carbon Dioxide flux measurement range from 0.5 to 1500 moles/m² per day.

The precision depends on the measured flux:

range: 0.5 – 5 moles/m ² per day	25% (Acc. chamber A)
5-350 moles/m ² /day	10% (Acc. chamber B)
350-600 moles/m ² /day	25% (Acc. chamber B)
600-1500 moles/m ² /day	25% (Acc.Ch.B / F.S.=10%)



WS-HC CH⁴

Methane fluxmeter


The methane sensor is an IR spectrometer. The full-scale range is 5000ppm, accuracy of 5% of reading, and repeatability is 2% of span. Detection limit 60 ppm, resolution 22 ppm. The detector was designed to measure the not controlled emissions of landfill, but it can be used to detect methane emission from coal or wherever the 0.2 moles/m²/day detection limit is acceptable.

Methane Flux measurement range

from 0.2 up 300 moles m⁻² day⁻¹

The fluxmeter is provided with 2 accumulation chambers and the accuracy depends on the measured flux:

0.2 to 10 moles m ⁻² day ⁻¹	25% (Acc.Ch.A)
10 to 150 moles m ⁻² day ⁻¹	15% (Acc.Ch.A)
150 to 300 moles m ⁻² day ⁻¹	20% (Acc.Ch.B)



H₂S - WEST

Hydrogen sulfide

The hydrogen sulphide detector is a electrochemical cell with the following specifications:

The full-scale range is 20ppm, with a precision of 3% of reading, and the repeatability is 1.5% of span with a zero offset of 0.3%.

H₂S Flux measurement range: from 0.0025 to 0.5 moles/m² per day.

The precision depends on the measured flux:

0.0025 – 0.05 moles/m ² per day	±25% (Acc. Chamber A)
0.05 – 0.5 moles/m ² per day	±10% (Acc. Chamber B)

NOTE: The hydrogen sulphide flux evaluation can be affected by the presence of large quantities of water in both liquid and vapour phases.

We thanks to N.Lima et al. for the maps.

WEST
Systems


West Systems Srl
Via Molise 3 - Zona Ind. Gello - 56025 Pontedera (PI) Italy
Phone +39 0587 294216 Fax +39 0587 299608
www.westsystems.com g.virgili@westsystems.com

Application on a landfill: mapping the biogas non controlled emissions.

The figure shows the compare between the results of the measurement regime of a land/fill undertaken in 1998 and 2001: the mapping performed in 1998 gave clear indications of the areas which required intervention to improve the cover and the capture system.

The interventions were performed only where necessary with a significant economic savings.

The measurement regime of 2001 indicates without any doubt that the interventions were efficient and state-of-the-art.



The obtained results:

- Minor atmospheric emissions;
- Higher quantity and better quality of biogas for cogeneration;
- Optimisation of management costs.

Continuous soil flux monitoring

WEST Systems produces a soil gas station for the continuous monitoring of carbon dioxide and hydrogen sulfide flux, soil temperature, soil water content, soil pressure gradient, soil heat flux and meteorological parameters.

For more information contact your local representative, visit our web site or e-mail to:
g.virgili@westsystems.com

Local sales representative

H.Q.

West Systems Srl

Via Molise 3 - Zona Ind. Gello - 56025 Pontedera (PI) Italy
Phone +39 0587 294216 www.westsystems.com (or .it)
Fax +39 0587 296068 g.virgili@westsystems.com (or .it)


West Systems Srl
Via Molise 3 - Zona Ind. Gello - 56025 Pontedera (PI) Italy
Phone +39 0587 294216
Fax +39 0587 296068

WEST
Systems

Japan

SHOKO CO., LTD.
7-13,1-chome, Shibakoen, Minato-ku Tokyo
105-8432, Japan
TEL : 03-3459-5106 FAX : 03-3459-5081
WEB SITE <http://www.shoko.co.jp>
e-mail s-isotope@shoko.co.jp

Hydrogen Sulfide Detector



Pin	Signal
1	Gnd
2	+VDC
3	Gnd
4	RS485-B
5	RS485-A
6	Gnd
7	+12V
8	Gnd
9	RS485-B

Legenda

Gnd: Ground reference for power supply and RS485
+VDC: 10-28 Volts Power supply input
RS485-A: Digital signal output A
RS485-B: Digital signal output B

Sensor specifications

Ambient conditions:

Air temperature -40°C to 65 °C

Air pressure 700 hPa to 1300 hPa

Air RH 5% - 95% non condensating.

Expected sensor life > 24 months.

Chemical cell order code: WEST H2S-BH

Detector order code: WEST TOX-05-H2S-BH

Factory calibration : 20 ppm

RMS Noise <= 0.02 ppm

Zero Offset <= 0.2 ppm

Max Overrange >= 200 ppm

The chemical cell reaction is:



the gas sample specific consuption is very low:

2.5×10^{-10} moles/Sec per ppm

Due to this consuption the H2S flux is methodically underestimated by a -10% with the AccumulationChamber A and by a -5% when using the accumulation chamber B. Then we advise to use the accumulation chamber B except when the flux is very very low.

Appendix M

WS-HC detector

WS-HC Hydrocarbon Flux measurement:

The HydroCarbon detector is based on a double beam infrared spectrometer able to detect methane, hexane , propane and other molecules with HC linkages. The instrument comes calibrated for the methane. *The instrument requires a frequent zero base-line calibration that will be done using atmospheric air. The calibration requires 20 second.*

Detector specifications:

Accuracy 5%

Repeatability 2%

Resolution 22 ppm (Methane equivalent)

Full scale range is 50000 ppm of methane.

Detection limit 60 ppm.

Methane flux measurement range from 0.1 to 150 moles/m² per day.
The precision depends on the measured flux:

range 0.1	5	moles/ m ² per day	±25%
5 - 150		moles/ m ² per day	±10%

The measurement of very low fluxes (< 0.1 moles/m²/day) is possible but the error will increase due to the low detector sensitivity.



RS485 Connector DB9 Male panel

Pin 1	Gnd
Pin 2	+Power supply
Pin 3	Gnd
Pin 4	RS485 B
Pin 5	RS485 A
Pin 6	Gnd
Pin 7	+Power supply
Pin 8	Gnd
Pin 9	RS485 B

The gas fittings can be used with rilsan 6x4 mm tubes or silicon 5x3.2 tubes. Please respect inlet and outlet ports.

LI-820 Specifications

CO₂ Specifications

Measurement Range: 0-1000 ppm, 0-2000 ppm with 14 cm bench; 0-5000 ppm, 0-20000 ppm with 5 cm bench

Accuracy: < 2.5% of reading with 14 cm bench; 4% of reading with 5 cm bench

Calibration Drift

¹**Zero Drift:** < 0.15 ppm / °C

²**Span Drift at 370 ppm:** < 0.03% / °C

³**Total Drift at 370 ppm:** <0.4 ppm / °C

RMS Noise at 370 ppm with 1 sec Signal Filtering: < 1 ppm

¹ Zero drift is the change with temperature at 0 concentration

² Span drift is the change after re-zeroing following a temperature change

³ Total drift is the change with temperature without re-zeroing or re-spanning

Measurement Principle: Non-Dispersive Infrared

Traceability: Traceable gases to WMO standards from 0-3000 ppm. Traceable gases to EPA protocol gases from 3000 to 20000 ppm

Pressure Compensation Range: 15 kPa-115 kPa

Maximum Gas Flow Rate: 1 liter/minute

Output Signals: Two Analog Voltage (0-2.5 V or 0-5 V) and Two Current (4-20 mA)
Digital: TTL (0-5 V) or Open Collector

DAC Resolution: 14-bits across user-specified range

Source Life: 18000 hours

Power Requirements: Input Voltage 12-30 VDC
1.2A @ 12V (14 W) maximum during warm-up with heaters on
0.3 A @ 12 V (3.6 W) average after warm-up with heaters on

Supply Operating Range: 12-30 VDC

Operating Temperature Range: -20 to 45 °C


Relative Humidity Range: 0 to 95% RH, Non-Condensing

Dimensions: 8.75" x 6" x 3" (22.23 x 15.25 x 7.62 cm)

Weight: 2.2 lbs (1 kg)

Quantifying the flux

How explained in the chapter 3 the flux is proportional to the concentration increase ratio ppm/sec. The proportionality factor depends on the chamber volume/surface ratio as well as the barometric pressure and the air temperature inside the accumulation chamber.



There are two methods to carry out the field work, in both cases for each measurement you have to record the type of accumulation chamber used, the barometric pressure, and the air temperature.

The variation of few mBar of the pressure and or few degrees of temperature do not affect the evaluation of flux very much, then you can use a mean value for both parameters. Of course that depends on the accuracy you want to reach for the evaluation of flux.

The instrument measures the barometric pressure, using the embedded pressure sensor of the LICOR, with a good accuracy. A platinum Pt100 or a thermo-couple thermometer can be used to measure the air temperature as well as the soil temperature.

Choosing the flux measurement unit

The first measurements made, 10 years ago, with the accumulation chamber was expressed in cm/sec which is a speed, the speed of carbon dioxide flowing out from the soil. During the last ten years several units have been used by volcanologist and by geochemistry researchers. The most common unit is grams/squaremeter per day, but using the same instrument for two gas species to express the flux using this unit means to have two different conversion factors. Actually we use the unit **moles/squaremeter per day** that has two advantages: A single conversion factor for every gas specie and an easy conversion of the flux in grams/sm per day simply multiplying the result expressed in moles/sm per day for the molecular weight of the target gas.

From the [tools][settings] menu you can set the accumulation chamber factor in the "A.c.K." field.

If this factor is set to 1 the instrument will give you results expressed in ppm/sec, that's simply the slope of the curve in the selected interval.

If you set the A.c.K to a value different from 1 the instrument will give you the results expressed in moles per square meter per day.

Please see next page.

Quantifying the flux

Method 1: Measuring the slope

Set the Accumulation Chamber factor to 1 in order to have the flux measurement expressed in the slope unit "ppm/sec" and translate it in the desired unit with a post processing.

Using this method you can focus only on the accumulation chamber interfacing with the soil, the flux curve shape and the other aspects of the measurement, putting off choosing the correct accumulation chamber factor.

Method 2: Measuring the flux directly in moles/sm/day.

To get the results directly in moles/sm/day you have to set the Accumulation Chamber factor to the correct value, taking it from the tables.

For each measurement, if there are variations in the air temperature, or of the barometric pressure, or if you changed the accumulation chamber you have to select the [tools][settings] menu and put the correct accumulation chamber factor in the "A.c.K." field. This operation can be "critical". In any case on the saved files you'll find the results of flux evaluation expressed in both units , the raw ppm/sec and the moles/sm/day computed with the A.c.K. you set.

The accumulation chamber factors

Here following the formula used to compute the A.c.K.:

$$K = \frac{86400 \cdot P}{10^6 \cdot R \cdot T_k} \cdot \frac{V}{A}$$

Where

- **P** is the barometric pressure expressed in mBar (HPa)
- **R** is the gas constant $0.08314510 \text{ bar L K}^{-1} \text{ mol}^{-1}$
- **T_k** is the air temperature expressed in Kelvin degree
- **V** is the chamber net volume in cubic meters
- **A** is the chamber inlet net area in square meters.

The dimensions of the A.c.K. are

$$K = \frac{\text{moles} \cdot \text{meter}^{-2} \cdot \text{day}^{-1}}{\text{ppm} \cdot \text{sec}^{-1}}$$

In the table the conversion factors vs temperaure and barometric pressure for the Accumulation Chamber Type A and B are reported.

An example:

You're using the accumulation chamber B, the slope of the flux curve is 2.5 ppm/sec, the barometric pressure is 1008 mBar (HPa) and the air temperature is 22 °C. From the table B get the value that correspond to the barometric pressure and temperature. In this case I get the value computed for 25°C and 1013 mBar : 0.696.

Then the flux is: $2.5 \times 0.696 = 1.74$ moles per square meter per day.

Gasport® Gas Tester

MSA

The Gasport Gas Tester is designed for gas utility workers to detect methane and certain toxic gases. It is a reliable, simple, versatile tool to help your service technicians get the job done quickly! With multiple ranges and sensing capabilities built into one rugged housing, the Gasport Tester simplifies your work by reducing the number of meters you have to carry on the job.



Applications

The Gasport Tester's poison-tolerant methane sensor provides three measurement ranges for your daily service needs:

- Open air, safety sampling
- Small, in-home leak detection
- Street/outdoor service line leak detection



Features and Benefits

- Proven in field use—rugged and reliable
 - Less costly to maintain, less time in repair
- Multiple functions in one instrument
 - No need to buy, carry & maintain multiple instruments
- New, poison-tolerant combustible gas sensor
 - Reduces meter ownership costs
- User-selectable, "silent" operation mode
 - Reduces customer disturbances and worries
- Fast warm up time
 - Fastest warm up time in industry saves time
- Can monitor up to four gases at a time
 - Fewer instruments to carry
- Show all gas concentrations simultaneously
 - Eliminates guesswork on what reading is displayed
- Autoranging methane sensor
 - Automatically switches between 0-5% and 5-100% methane ranges
- Gas readings recorded for later retrieval
 - Can double check readings after job is done
- Simple manual or automated calibration options
 - Reduces training time and helps ensure accuracy
- Intrinsically safe
 - Meets safety standards for work in hazardous areas
- Lifetime warranty on case and electronics
 - Reduced maintenance and lifetime costs

Specifications

Gas	Range	Resolution
Methane	0-5000 ppm	50 ppm
Methane	0-100% LEL or 0-5% CH ₄	1 % LEL or 0.1% CH ₄
Methane	5-100% CH ₄	1% CH ₄
Oxygen	0-25%	0.1%
Carbon Monoxide	0-1000 ppm	1 ppm
Hydrogen Sulfide	0-100 ppm	1 ppm

Battery types:	NiCd and Alkaline
Case material:	Impact resistant, stainless-steel-fiber-filled polycarbonate
Operating temperature:	normal -10 to 40°C; extended -20 to 50°C
Operating humidity:	Continuous: 15-95% RH, non-condensing Intermittent duty: 5-95% RH, non condensing
Warm up time:	Less than 20 seconds to initial readings
Datalog capacity:	12 hours
Input:	3 clearly marked, metal domed keys
Warranty:	Case and Electronics: Lifetime Sensors and consumable parts: 1 year

The answer for gas utilities' gas detection needs

Gasport® Gas Tester

Ordering Information

Battery Chargers

Part No.	Description
494716	Omega 120 VAC 50/60Hz
495965	Omega 220 VAC 50/60Hz
801759	Omega 110/220 VAC, Five Unit, 50/60Hz
800525	Omega 8 - 24VDC for vehicle use

Battery Packs

Part No.	Description
496990	Standard NiCd Rechargeable
800526	Alkaline, Type C
711041	Alkaline, with Thumbscrews
800527	Heavy Duty NiCd Rechargeable

Sensors

Part No.	Description
813693	Combustible Gas
480566	O2
812389	CO
812390	H2S

Protective Boots

Part No.	Description
804955	Black, for NiCd Battery Packs
802806	Orange, for NiCd Battery Packs
806751	Black, for Alkaline Battery Packs
806750	Orange, for Alkaline Battery Packs
806749	Black, for HD NiCd Battery Packs
806748	Orange, for HD NiCd Battery Packs
812833	Yellow Soft Carrying Case with Harness
711022	Black padded Vinyl Carrying Case with Harness

Approvals

The Gasport Gas Tester has been designed to meet intrinsic safety testing requirements in certain hazardous atmospheres.

The Gasport Gas Tester is approved by MET (an OSHA Nationally Recognized Testing Laboratory [NRTL]) for use in Class I, Division I, Groups A, B, C, D; Class II, Division I, Groups E, F, G; and Class III Hazardous locations. Gaspor tGas Testers sold in Canada are approved by CSA for use in Class I, Division I, Groups A, B, C, and D locations.

Contact MSA at 1-800-MSA-2222 for more information or with questions regarding the status of approvals.

Sampling Equipment

Part No.	Description
800332	Probe - 1 ft., plastic
800333	Probe - 3 ft., plastic
803561	Probe - 3 ft., plastic (holes 2" from end) (bar hole probe)
803962	Probe - 3 ft., plastic (holes 2" from handle) (solid probe)
803848	Probe - Hot Gas Sampler
710465	Sampling Line - 5 ft., coiled
497333	Sampling Line - 10 ft.
497334	Sampling Line - 15 ft.
497335	Sampling Line - 25 ft.

Calibration Check Equipment

Part No.	Description
477149	Calibration Kit Model RP with 0.25 lpm Regulator
491041	Calibration Gas - methane, 2.5%
473180	Calibration Gas - methane, 2.5% oxygen, 15%60 ppm CO
813718	Calibration Gas - methane, 2.5% oxygen, 15%300 ppm CO 10 ppm H2S
813720	Calibration Gas - methane, 2.5% oxygen, 15%300 ppm CO 10 ppm H2S

Sampling Accessories

Part No.	Description
801582	Replacement Filter, Probe, pkg. of 10
801291	External Filter Holder
014318	Charcoal Filter
711039	Line Scrubber Filter Holder
711059	Line Scrubber Replacement Cartridges, Box of 12
808935	Dust Filter, Pump Module
802897	Water Trap (Teflon) Filter, Pump Module

Accessories

Part No.	Description
804679	Data Docking Module Kit. Includes the Data Docking Module, MSA Link Software and Instruction Manual

Gasport Gas Tester Kits

	LEL Display	O2	CO	H2S	Alarms Always	Alarms Optional	Leak Detect Page	Peak	Alkaline Battery	NiCd Battery	Soft Coiled Line	1ft Probe	Part No.
4-Gas, Selectable, NiCd	•	•	•	•	•	•	•	•	•	•	•	•	711489
4-Gas, Selectable, Alkaline	•	•	•	•	•	•	•	•	•	•	•	•	711490
3-Gas, Selectable, NiCd	•	•	•	•	•	•	•	•	•	•	•	•	711493
3-Gas, Selectable, Alkaline	•	•	•	•	•	•	•	•	•	•	•	•	711494
2-Gas, Selectable, NiCd	•	•	•	•	•	•	•	•	•	•	•	•	711495
2-Gas, Selectable, Alkaline	•	•	•	•	•	•	•	•	•	•	•	•	711496
4-Gas, Alarms On, NiCd	•	•	•	•	•	•	•	•	•	•	•	•	711491
4-Gas, Alarms On, Alkaline	•	•	•	•	•	•	•	•	•	•	•	•	711492

Assemble-to-Order (ATO) System: You Make the Choices

The ATO System makes it easy to "custom order" the Gasport Gas Tester, configured exactly the way you want it. You can choose from an extensive line of base instrument components and accessories. To obtain a copy of the "ATO System and Price Information for the Gasport Gas Tester," call toll-free 1-800-MSA-2222, and request Bulletin 0804-28. To obtain a copy of the ATO via FAX, call MSA QuickLit Information Service at 1-800-672-9010. At the prompt, request QuickLit Document #2345 (ATO for Gasport Gas Tester).

Note: This Data Sheet contains only a general description of the products shown. While uses and performance capabilities are described, under no circumstances shall the products be used by untrained or unqualified individuals and not until the product instructions including any warnings or cautions provided have been thoroughly read and understood. Only they contain the complete and detailed information concerning proper use and care of these products.

ID 08-04-27-MC / May 2000
© MSA 2000 Printed in U.S.A.

Corporate Headquarters
P.O. Box 426
Pittsburgh, PA 15230 USA
Phone (412) 967-3000
www.MSAnet.com

U.S. Customer Service Center
1-800-MSA-2222

MSA International
Phone (412) 967-3354
FAX (412) 967-3451

Offices and representatives worldwide
For further information:



GeoXT

The total GPS platform for all your GIS field requirements

The GeoXT™ handheld, from the GeoExplorer® series, is an essential tool for maintaining your GIS. It's all you need to collect location data, keep existing GIS information up to date, and even mobilize your GIS.

The unique GeoExplorer series combines a Trimble® GPS receiver with a rugged field-ready handheld computer running the Microsoft® Windows Mobile™ 2003 software for Pocket PCs. Plus there's an internal battery that easily lasts for a whole day of GPS operation. The result is tightly integrated, tough, and incredibly powerful.

High-accuracy Integrated GPS


The GeoXT is optimized to provide the reliable, high-accuracy location data you need. Advanced features like EVEREST™ multipath rejection technology let you work under canopy, in urban canyons, or anywhere where accuracy is crucial.

Need submeter accuracy in real-time? Use corrections from a satellite-based augmentation system (SBAS) like WAAS¹ or EGNOS². Want to get that extra edge in precision? Collect data with Trimble's TerraSync™ or GPScorrect™ software, and then postprocess back in the office.

Because the GPS receiver and antenna are built into the handheld computer, it's never been easier to use GPS in your application. The system is more than just cable-free: it's a totally integrated solution.

Optimized productivity

Take advantage of the power and flexibility of Windows Mobile software for Pocket PCs by choosing from the most comprehensive range of field software available—whether off-the-shelf or purpose-built. Whatever your needs, Windows



Key Features

- High-performance submeter GPS with integrated WAAS/EGNOS
- Windows Mobile 2003 software for Pocket PCs, allowing maximum flexibility in software choice
- Rugged handheld with all-day battery
- Advanced color TFT display with backlight
- Integrated Bluetooth for wireless connectivity

Mobile lets you choose a software solution to match your workflow.

Windows Mobile includes familiar Microsoft productivity tools, including Pocket Word, Pocket Excel, and Pocket Outlook®. Pocket Outlook lets you synchronize e-mails, contacts, appointments, and data with your office computer, so whether you're in the office or in the field, you're always up to date.

Go wireless with integrated Bluetooth®* for connection to other Bluetooth-enabled devices, including cell phones and PCs. You also have the option to use the USB support module to connect to a desktop computer, or use the optional serial clip for cabled connections in the field.

Receive a free copy of Microsoft Streets & Trips** 2004 software with your GeoXT handheld, and take advantage of comprehensive map and travel information for easy navigation and route planning.

All the memory you need

There's plenty of storage space in the GeoXT for all your GIS data. The fast processor and large memory mean even big graphics files load quickly—and they're crisp and crystal-clear on the advanced TFT outdoor color screen.

From data collection to data maintenance, to mobile GIS and beyond ... the GeoXT is the handheld of choice.

* Bluetooth type approvals are country specific. GeoExplorer series handhelds are approved for use with Bluetooth in the USA. For a complete list of other countries with Bluetooth approval please refer to: www.trimble.com/geo_bluetooth.html.

** Microsoft Streets & Trips 2004 software available in US/Canada; Microsoft AutoRoute® 2004 in Europe.

Trimble.

GeoXT

The total GPS platform for all your GIS field requirements

Standard features

System

- Microsoft Windows Mobile 2003 software for Pocket PCs
- 206 MHz Intel StrongARM processor
- 512 MB non-volatile Flash data storage
- Outdoor color display
- Ergonomic cable-free handheld
- Rugged and water-resistant design
- All-day internally rechargeable battery
- Bluetooth wireless

GPS

- Submeter accuracy
- Integrated WAAS¹/EGNOS²
- RTCM real-time correction support
- NMEA and TSIP protocol support
- EVEREST multipath rejection technology

Software

- GPS Controller for control of integrated GPS and in-field mission planning
- GPS Connector for connecting integrated GPS to external ports
- File Explorer, Internet Explorer, Pocket Outlook (Inbox, Calendar, Contacts, Tasks, Notes), Sprite Pocket Backup, Transcriber, Pocket Word, Pocket Excel, Pictures, Windows[®] Media Player, Bluetooth File Transfer, Calculator, ActiveSync[®]
- Microsoft Streets & Trips/AutoRoute 2004 software

Accessories

- Support module with power supply and USB data cable
- Getting Started Guide
- Companion CD Includes Outlook 2002 and ActiveSync 3.7.1
- Hand strap
- Pouch
- Stylus

Optional Features

Software

- TerraSync
- GPScorrect for ESRI[®] ArcPad[®]
- GPS Pathfinder[®] Tools Software Development Kit (SDK)
- GPS Pathfinder Office
- Trimble GPS Analyst extension for ArcGIS[®]

Accessories

- Serial clip for field data and power input
- Vehicle power adaptor³
- Portable power kit³
- Hurricane antenna
- External patch antenna
- Pole-mountable ground plane
- Baseball cap with antenna sleeve
- Beacon-on-a-Belt (BoB[™]) differential correction receiver³
- Hard carry case
- Null modem cable³
- Backpack kit

Specifications subject to change without notice.

Technical specifications

Physical

Size	21.5 cm x 9.9 cm x 7.7 cm (8.5 in x 3.9 in x 3.0 in)
Weight	0.72 kg (1.59 lb) with battery
Processor	206 MHz Intel StrongARM SA-1110
Memory	64 MB RAM and 512 MB Internal Flash disk
Power	

Low (no GPS)	0.6 Watts
Normal (with GPS)	1.4 Watts
High (with GPS, backlight, and Bluetooth)	2.5 Watts

Battery	Internal lithium-ion, rapidly rechargeable in unit, 21 Watt-hours
---------	---

Environmental

Temperature	
Operating	-10 °C to +50 °C (14 °F to 122 °F)
Storage	-20 °C to +70 °C (-4 °F to 158 °F)
Humidity	99% non-condensing
Casing	Wind-driven rain and dust-resistant per IP54 standard Slip-resistant grip, shock- and vibration-resistant

Input/output

Communications	Bluetooth for wireless connectivity USB via support module, serial via optional DE9 serial clip adaptor
----------------	--

Bluetooth

Certification	Bluetooth type approvals are country specific. GeoExplorer series handhelds are approved for use with Bluetooth in the USA. For a complete list of other countries with Bluetooth approval please refer to www.trimble.com/geox_t.asp .
---------------	--

Profiles

Both client and host support	Serial Port, File Transfer (using OBEX)
Client support only	Dial-Up Networking, Lan Access
Host support only	Basic Imaging, Object Push

Display	Advanced outdoor TFT, 240 x 320 pixel, 65,536 colors, with backlight
Audio	Microphone and half duplex speaker, record and playback utilities
Interface	Anti-glare coated touch screen, Soft Input Panel (SIP) virtual keyboard 2 hardware control keys plus 4 programmable permanent touch buttons Handwriting recognition software, Audio system events, warnings, and notifications

GPS

Channels	12
Integrated real-time	WAAS ¹ or EGNOS ²
Update rate	1 Hz
Time to first fix	30 sec (typical)
Protocols	NMEA (GGA, VTG, GLL, GSA, ZDA, GSV, RMC), TSIP (Trimble Standard Interface Protocol)

Accuracy (RMS)⁴ after differential correction

Postprocessed ⁵	Submeter
Carrier postprocessed ⁶	

With 10 minutes tracking satellites

Real-time 30 cm

1 WAAS (Wide Area Augmentation System). Available in North America only.
For more information, see <http://gps.faa.gov/programs/index.htm>.

2 EGNOS (European Geostationary Navigation Overlay System). Available in Europe only.
For more information, see <http://www.esa.int/export/esaSA/navigation.html>.

3 Serial clip also required.

4 Horizontal accuracy. Requires data to be collected with minimum of 4 satellites, maximum PDOP of 6, minimum SNR of 4, minimum elevation of 15 degrees, and reasonable multipath conditions. Ionospheric conditions, multipath signals or obstruction of the sky by buildings or heavy tree canopy may degrade precision by interfering with signal reception. Accuracy varies with proximity to base station by +1 ppm for postprocessing and real-time, and by +5 ppm for carrier postprocessing.

5 Postprocessing with GPS Pathfinder Office software or GPS Analyst extension for ArcGIS.

6 Requires collection of carrier data. (Only available with the GPS Pathfinder Office software).



NORTH & SOUTH AMERICA

Trimble Navigation Limited
7403 Church Ranch Blvd • Suite 100
Westminster, CO 80021 • USA
+1-720-887-4374 Phone • +1-720-887-8019 Fax

EUROPE, AFRICA & MIDDLE EAST

Trimble GmbH
Am Prime Parc 11 • 65479 Raunheim • GERMANY
+49-6142-2100-0 Phone • +49-6142-2100-550 Fax

ASIA-PACIFIC

Trimble Navigation Australia Pty. Ltd
Level 1 • 123 Gotha St • Fortitude Valley
Queensland 4006 • AUSTRALIA
+61-7-3216-0044 Phone • +61-7-3216-0088 Fax

YOUR LOCAL TRIMBLE OFFICE OR REPRESENTATIVE

www.trimble.com

© 2002-2004, Trimble Navigation Limited. All rights reserved. Trimble, the Globe & Triangle logo, GeoExplorer, and GPS Pathfinder are trademarks of Trimble Navigation Limited registered in the United States Patent and Trademark Office and other countries. BoB, EVEREST, GeoXT, GPScorrect, and TerraSync are trademarks of Trimble Navigation Limited. ActiveSync, AutoRoute, Microsoft, Outlook, Windows, and Windows Mobile are either registered trademarks or trademarks of Microsoft Corporation in the United States and/or other countries. The Bluetooth word mark and logos are owned by the Bluetooth SIG, Inc. and any use of such marks by Trimble Navigation Limited is under license. Pocket Backup was produced by Sprite Software Limited and is used under license. All other trademarks are the property of their respective owners. TID1330SE (08/04)



ULTRAMETER II™



**MYRON L
COMPANY**
Water Quality Instrumentation
Accuracy • Reliability • Simplicity

ULTRAMETER II™

Advanced Design • Superior Performance



pH/ORP Sensor
protective cap

Four-digit display for
full 9999 readings, with
autoranging capability
up to 200 mS/200 ppt

Powerful microprocessor
based surface-mount
circuitry

Display prompts for simple
pH calibration

Memory for 100 readings
with Date & Time Stamp

Real Time Clock

Factory calibrations
stored in microprocessor



Conductivity

Resistivity

TDS

Temperature

pH

ORP

CE

ULTRA-FAST ULTRA-EASY ULTRA-POWERFUL

Since 1957, the Myron L Company has designed and manufactured highly reliable analytical instruments for a wide variety of applications. Thousands of professionals around the world rely every day on the performance of our instruments. Demanding uses range from boiler water testing to ultrapure water control to medical instruments for artificial kidney machines.

We are proud of the trust our handheld instruments and monitor/controllers have earned in the past. Our product line has evolved to a new level of outstanding performance and value in analytical instruments: the Ultrameter II series. While priced like affordable single-parameter instruments, the Ultrameter II does the job of three, four or even six instruments.

Accuracy You Can Trust

Both Ultrameter II models deliver performance of $\pm 1\%$ of reading (not merely full scale). This high level of accuracy has been achieved through advanced four-electrode conductivity cell technology, a unique pH/ORP sensor and powerful microprocessor-based circuitry. With displayed values of up to 9999, the full four-digit LCD ensures resolution levels never before possible in such affordable instruments. Factory calibrated with NIST traceable solutions, each Ultrameter II may be supplied with both certification of traceability and NIST traceable solutions for definitive calibration.

Fast and accurate in the laboratory, both Ultrameter II models are rugged enough for daily in-line controller checks in hostile process applications.

Innovative Engineering

The Ultrameter II is a prime example of how high-tech engineering can greatly simplify and streamline a task. Whether in the lab, industrial plant, or in a remote field location, merely:

1. Fill the cell cup
2. Push a parameter key
3. Take the reading

Temperature compensation and range selection are both rapid and automatic. The Ultrameter II is a true one-hand operation instrument.

Easy to Calibrate

All calibrations are quickly accomplished by pressing the Δ or ∇ keys to agree with our NIST traceable Standard Solution. When calibration is necessary, display prompts simplify pH calibration and make sure the correct buffer is being used. Plus, all parameters (excluding factory-set temperature) have an internal electronic setting that can be used for field calibration and as a check on pH/ORP sensor life.

Advanced Features

- Fully automatic temperature compensation
- User adjustable temperature compensation (up to $9.99\text{%/}^{\circ}\text{C}$) which also allows TC to be disabled for applications requiring non-compensated readings.
- User adjustable conductivity/TDS conversion ratio for greater accuracy when measuring solutions not contained in the microprocessor.
- Auto-shutoff maximizes the life of the single 9V battery to more than 100 hours/5000 tests.
- Non-volatile microprocessor provides data back-up, even when the battery is changed. This assures all calibrations and memory data will be retained.
- Extended life pH/ORP sensor is user replaceable in the field.

High Performance at a Low Cost

Beyond their affordable purchase price, Ultra-Fast, Ultra-Easy, Ultra-Powerful Ultrameter II's save both time and money. Measure for measure, Ultrameter II's give you a better return on your investment than any other handheld instrument. To see for yourself, contact your distributor or the Myron L Company today.

Multiple Applications

Irrigation Water

Hydroponics

Laboratories

Homeland Security

Reverse Osmosis

Deionization

Wastewater

Cooling Towers

Environmental

Desalination

Fountain Solutions

BENEFITS DESIGNED TO SAVE YOU TIME & MONEY



Built-in IR Port allows you to conveniently download your data to a computer.
(Requires Myron L uDock™ Accessory Package)




Ample memory provides increased flexibility to record and store 100 separate readings.

Real Time Clock with Date & Time Stamp allows you to maintain the integrity of each individual reading.



The advanced four-electrode cell for conductivity/resistivity/TDS eliminates polarization, allowing greater accuracy and stability with minimal maintenance.



The pH/ORP sensor chamber provides protection to a unique porous liquid-junction.



The large capacity KCl reservoir guarantees extended life.

A custom LCD helps simplify calibration and operation by using annunciators and prompts to indicate various conditions.

IP67/NEMA 6 rated Ultrameter II's are waterproof and buoyant and can be fully immersed to 3 feet/1 meter.

Features

Ultrameter II™ Models	4PII	6PII
Conductivity	Conductivity, TDS	Conductivity, TDS
TDS, Resistivity	Resistivity, pH	ORP, Temperature
Temperature		
Autoranging	•	•
Adjustable Temp. Compensation	•	•
Adjustable Cond/TDS ratio	•	•
Memory (100 readings)	•	•
Date & Time Stamp	•	•
pH Calibration Prompts		•
Low battery indicator	•	•
Auto-off	•	•

Specifications

Display	4 Digit Liquid Crystal Display
Dimensions	196 x 68 x 64 mm/ 7.7 x 2.7 x 2.5 inches
LxWxH	
Weight	352 g/12.4 oz.
Case/conductivity cell material	VALOX®
Cell capacities	pH/ORP: 1.2 mL/0.04 oz. Cond/TDS/Res: 5 mL/0.2 oz.
Power	9V alkaline battery
Battery life	>100 hours (5000 readings)
Operating/storage temperature	0 - 55°C/32 - 132°F
Protection ratings	IP67/NEMA 6 Waterproof to 1 meter/3 feet

*TM GENERAL ELECTRIC

Parameters

	Conductivity	TDS	Resistivity	pH	ORP	Temperature
Ranges	0-9999 µS/cm 10-200 mS/cm in 5 autoranges	0-9999 ppm 10-200 ppt in 5 autoranges	10 kΩ-30 MΩ	0-14 pH	±999 mV	0-71°C 32-160°F
Resolution	0.01(<100 µS) 0.1(<1000 µS) 1.0(<10 mS) 0.01(<100 mS) 0.1(<200 mS)	0.01(<100 ppm) 0.1(<1000 ppm) 1.0(<10 ppt) 0.01(<100 ppt) 0.1(<200 ppt)	0.01(<100 kΩ) 0.1(<1000 kΩ) 1.0(>1 MΩ)	±0.01 pH	±1 mV	0.1°C/F
Accuracy	±1% of reading	±1% of reading	±1% of reading	±0.01 pH	±1 mV	±0.1°C
Auto Temperature Compensation	0-71°C 32-160°F	0-71°C 32-160°F	0-71°C 32-160°F	0-71°C 32-160°F	—	—
Adjustable Temperature Compensation to 25°C	0-9.99%/°C	0-9.99%/°C	0-9.99%/°C	—	—	—
Conductivity/TDS Ratios Preprogrammed	KCl, 442*, NaCl	KCl, 442*, NaCl	—	—	—	—
Adjustable Conductivity/TDS Ratio Factor	0.20-7.99	0.20-7.99	—	—	—	—

*442 Natural Water Standard™ Myron L Company

Accessories

uDock™ Accessory Package includes uDock™, USB cable and Macintosh/PC application software for downloading data. MODEL: U2CIP

Certificates confirming the NIST traceability of an Ultrameter II are available (must be specified when placing instrument order). MODEL: MC

Conductivity Standard Solutions are necessary to maintain accuracy and for periodic calibration of conductivity/TDS parameters. All Standard Solutions are NIST traceable for your complete confidence. RECOMMENDED VALUES: KCl-7000 (7 mS), 442-3000 (TDS), or NaCl-14.0 (mS) available in 2 oz/59 ml, 1 qt/1 L, and 1 gal/3.8 L.

pH Buffers are necessary to maintain accuracy and for periodic calibration of pH and ORP parameters. Calibration with pH 7 Buffer is especially important. All pH 4, 7, and 10 Buffers are NIST traceable and are available in 2 oz/59 ml, 1 qt/1 L, and 1 gal/3.8 L.

MODEL: SS20Z, SSQ and SSG
Certificate of NIST traceability for pH Buffer or Conductivity Standard Solutions are available (must be specified when placing solution order). MODEL: SC

Hard protective case (small)
MODEL: UPP

Hard protective case (kit) with three buffers (pH 4, 7, and 10), one pH/ORP storage solution, and two standard solutions, (KCl-7000 and 442-3000). All bottles are 2 oz/59 ml. MODEL: PKU

Soft protective case is constructed of padded Nylon and features a belt clip for hands-free mobility. MODEL: UCC (Blue)
UCCDT (Desert Tan)

Replacement pH/ORP sensor user-replaceable, features a unique/porous liquid-junction. MODEL: RPR



Built on Trust

Founded in 1957, Myron L Company is one of the world's leading manufacturers of water quality instruments. Because of our policy of continuous product improvement, changes in design and the specifications in this brochure are possible. You have our assurance any changes will be guided by our product philosophy: Accuracy, Reliability, Simplicity.

MYRON L COMPANY

Water Quality Instrumentation
Accuracy • Reliability • Simplicity

Limited Warranty

All Myron L Ultrameter II's have a Two (2) Year Limited Warranty. The pH/ORP sensors have a Six (6) Month Limited Warranty. Warranty is limited to the repair or replacement of the Ultrameter II only, at our discretion. Myron L Company assumes no other responsibility or liability.

www.myronl.com

2450 Impala Drive
Carlsbad, California 92010-7226 USA

Tel: +1-760-438-2021

Fax: +1-800-869-7668 / +1-760-931-9189

APPENDIX B
FLUX METER DATA



APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
ApacheCanyonSpring_01	ApacheCanyonSpring	Apache	1161067.163	3148102.318	8/15/2013	0	0	0.201944664	A	761.2	24.4	15-08-2013 09:48:27	0	-0.002	0.843999982	0.239270926
Chavez01_01	Chavez01	Chavez	1178749.916	3167116.109	8/15/2013	0	0	0.385255814	A	787.7	35.5	15-08-2013 13:22:09	0	-0.01	1.613999963	0.238696292
Chavez02_01	Chavez02	Chavez	1177560.489	3168222	8/15/2013	0	0	0.243757635	A	788.8	28.0	15-08-2013 12:43:08	0	-0.004	0.995000005	0.244982541
Chavez03_01	Chavez03	Chavez	1178748.963	3169995.489	8/15/2013	0	0	0.220830068	A	787.5	27.7	15-08-2013 11:22:11	0	-0.003	0.90200001	0.244822681
L-1030_01	L-1030	L-1030	1146316.008	3164656.475	8/13/2013	0	0.002110567	0.052529663	A	781.9	38.7	13-08-2013 14:49:28	0	0.009	0.224000007	0.234507412
L-1030_02	L-1030	L-1030	1146262.06	3164660.109	8/13/2013	0	0.001404342	0.315274894	A	781.9	39.3	13-08-2013 14:52:43	0	0.006	1.347000003	0.234057084
L-1030_03	L-1030	L-1030	1146201.391	3164669.175	8/13/2013	0	0.00070087	0.064947292	A	781.7	39.8	13-08-2013 14:55:15	0	0.003	0.277999997	0.233623356
L-1030_04	L-1030	L-1030	1146211.852	3164704.594	8/13/2013	0	0.00023337	0.001633588	A	781.6	40.1	13-08-2013 14:57:51	0	0.001	0.007	0.233369768
L-1030_05	L-1030	L-1030	1146208.148	3164771.606	8/13/2013	0	0	0.113790035	A	781.7	40.4	13-08-2013 15:00:47	0	0	0.488000005	0.233176306
L-1030_06	L-1030	L-1030	1146204.273	3164814.462	8/13/2013	0	0.000233028	0.010253217	A	781.7	40.6	13-08-2013 15:03:28	0	0.001	0.044	0.233027667
L-1030_07	L-1030	L-1030	1146096.793	3164855.494	8/13/2013	0	0.000698994	0.091801159	A	781.6	40.6	13-08-2013 15:06:03	0	0.003	0.393999994	0.232997864
L-1030_08	L-1030	L-1030	1146264.166	3164815.05	8/13/2013	0	0.000465996	0	A	781.6	40.6	13-08-2013 15:09:06	0	0.002	-0.039999999	0.232997864
L-1030_09	L-1030	L-1030	1146252.199	3164754.864	8/13/2013	0	0	0.030548075	A	782.0	40.5	13-08-2013 15:11:54	0	0	0.130999997	0.233191416
L-1030_10	L-1030	L-1030	1146257.364	3164716.241	8/13/2013	0	0	0.121049464	A	781.9	40.4	13-08-2013 15:14:24	0	-0.001	0.518999994	0.23323597
L-1030_11	L-1030	L-1030	1146314.691	3164722.593	8/13/2013	0	0	0	A	782.3	40.3	13-08-2013 15:17:09	0	-0.002	-0.028999999	0.23342973
L-1030_12	L-1030	L-1030	1146308.073	3164763.015	8/13/2013	0	0	0.014004881	A	782.0	40.2	13-08-2013 15:19:45	0	0	0.059999999	0.23341468
L-1030_13	L-1030	L-1030	1146313.017	3164806.915	8/13/2013	0	0.00186863	0.163271561	A	782.3	40.1	13-08-2013 15:22:15	0	0.008	0.699000001	0.233578771
L-1030_14	L-1030	L-1030	1146363.029	3164814.497	8/13/2013	0	0.00140192	0.036917232	A	782.3	40.0	13-08-2013 15:24:32	0	0.006	0.158000007	0.233653352
L-1030_15	L-1030	L-1030	1146354.405	3164759.257	8/13/2013	0	0.002804736	0.291458815	A	782.3	39.9	13-08-2013 15:27:35	0	0.012	1.246999979	0.233727992
L-1030_16	L-1030	L-1030	1146360.572	3164715.095	8/13/2013	0	0.002571829	0.068036579	A	782.3	39.8	13-08-2013 15:30:04	0	0.011	0.291000009	0.233802676
L-1030_17	L-1030	L-1030	1146355.897	3164661.427	8/13/2013	0	0.001402726	0.003273028	A	782.0	39.7	13-08-2013 15:32:34	0	0.006	0.014	0.23378773
L-1030_18	L-1030	L-1030	1146280.626	3164746.323	8/13/2013	0.565298736	0.008416358	2.916969538	A	782.0	39.7	13-08-2013 15:35:33	2.417999983	0.035999998	12.47700024	0.23378773
L-1033_01	L-1033	L-1033	1167778.882	3188859.213	8/13/2013	0	0	1.207083821	A	798.8	27.1	13-08-2013 09:14:23	0	0	4.850999832	0.248831958
L-1033_02	L-1033	L-1033	1167709.552	3188859.186	8/13/2013	0	0.000247841	0.219835341	A	798.8	28.3	13-08-2013 09:19:05	0	0.001	0.887000024	0.247841418
L-1033_03	L-1033	L-1033	1167662.855	3188866.281	8/13/2013	0	0.001481508	0.083705224	A	798.2	29.2	13-08-2013 09:23:02	-0.342000008	0.006	0.338999987	0.246918067
L-1033_04	L-1033	L-1033	1167557.619	3188925.999	8/13/2013	0	0.002213477	0.109444164	A	798.2	30.4	13-08-2013 09:27:12	0	0.009	0.444999993	0.245941937
L-1033_05	L-1033	L-1033	1167475.832	3188787.902	8/13/2013	0	0.000980614	0.066191435	A	798.0	31.3	13-08-2013 09:31:29	0	0.004	0.270000011	0.245153457
L-1033_06	L-1033	L-1033	1167403.294	3188673.271	8/13/2013	0	0.001221754	0.101649962	A	798.0	32.3	13-08-2013 09:35:47	0	0.005	0.416000009	0.244350865
L-1033_07	L-1033	L-1033	1167477.403	3188590.346	8/13/2013	0	0.000243474	0.572650969	A	798.0	33.4	13-08-2013 09:41:58	0	0.001	2.351999998	0.243474051
L-1033_08	L-1033	L-1033	1167599.356	3188522.046	8/13/2013	0	0.00194321	0.445966542	A	798.2	34.2	13-08-2013 09:46:23	0	0.008	1.835999966	0.242901176
L-1033_09	L-1033	L-1033	1167595.76	3188634.272	8/13/2013	0	0.002182509	0.566239893	A	798.7	34.9	13-08-2013 09:51:15	0	0.009	2.335000038	0.24250102
L-1033_10	L-1033	L-1033	1167615.054	3188812.881	8/13/2013	0	0.002661992	0.03847789	A	798.6	35.5	13-08-2013 09:55:49	0	0.011	0.158999994	0.241999313
L-1033_11	L-1033	L-1033	1167665.9	3188813.883	8/13/2013	0	0.000960609	0.082357347	A	798.3	36.0	13-08-2013 09:59:26	0	0.004	0.340999991	0.241517156
L-1033_12	L-1033	L-1033	1167658.802	3188766.92	8/13/2013	0	0.00241205	0.888117015	A	798.3	36.					

APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
L-1033_38	L-1033	L-1033	1167817.268	3188496.452	8/13/2013	0	0.005687529	0.167545125	A	798.0	41.8	13-08-2013 11:45:05	0	0.024	0.707000017	0.236980379
L-1033_39	L-1033	L-1033	1167765.528	3188523.02	8/13/2013	0	0.001895004	0.366683215	A	797.9	41.9	13-08-2013 11:48:09	0	0.008	1.547999978	0.236875474
L-1033_40	L-1033	L-1033	1167259.16	3188843.502	8/13/2013	0	0.003312467	0.024370288	A	798.0	42.3	13-08-2013 11:58:16	-0.052000001	0.014	0.103	0.23660475
Seep_Area_13_L-1026_01	Seep Area 13 L-1026	SA13	1174563.455	3164375.936	8/14/2013	0	0.000237696	0.448770612	A	784.4	35.5	14-08-2013 13:56:25	0	0.001	1.888000011	0.23769629
Seep_Area_13_L-1026_02	Seep Area 13 L-1026	SA13	1174613.506	3164408.834	8/14/2013	0	0.001421572	0.009003289	A	784.4	36.5	14-08-2013 14:00:40	0	0.006	0.037999999	0.236928672
Seep_Area_13_L-1026_03	Seep Area 13 L-1026	SA13	1174636.37	3164477.726	8/14/2013	0	0.004491761	0.008037889	A	784.7	37.3	14-08-2013 14:03:40	0	0.018999999	0.034000002	0.236408502
Seep_Area_13_L-1026_04	Seep Area 13 L-1026	SA13	1174642.36	3164525.272	8/14/2013	0	0.004718134	0.293939799	A	784.8	38.0	14-08-2013 14:06:54	0	0.02	1.246000051	0.23590672
Seep_Area_13_L-1026_05	Seep Area 13 L-1026	SA13	1174573.716	3164537.957	8/14/2013	0	0.005650864	0.642079473	A	784.8	38.6	14-08-2013 14:10:00	0	0.024	2.726999998	0.235452682
Seep_Area_13_L-1026_06	Seep Area 13 L-1026	SA13	1174525.359	3164539.767	8/14/2013	0	0.003998586	0.238268644	A	785.0	39.0	14-08-2013 14:12:54	0	0.017000001	1.013000011	0.235210896
Seep_Area_13_L-1026_07	Seep Area 13 L-1026	SA13	1174486.221	3164532.781	8/14/2013	0	0.002585165	0.178846404	A	785.1	39.3	14-08-2013 14:15:34	0	0.011	0.760999978	0.23501499
Seep_Area_13_L-1026_08	Seep Area 13 L-1026	SA13	1174479.461	3164500.263	8/14/2013	0	0.003052852	0.206889391	A	785.0	39.5	14-08-2013 14:18:05	0	0.013	0.880999982	0.234834731
Seep_Area_13_L-1026_09	Seep Area 13 L-1026	SA13	1174524.547	3164492.112	8/14/2013	0	0.003753997	0.154148504	A	784.8	39.7	14-08-2013 14:21:36	0	0.016000001	0.657000005	0.234624818
Seep_Area_13_L-1026_10	Seep Area 13 L-1026	SA13	1174557.439	3164418.238	8/14/2013	0	0.003286003	2.103746176	A	785.1	39.7	14-08-2013 14:24:43	0	0.014	8.963000298	0.234714508
Seep_Area_13_L-1026_11	Seep Area 13 L-1026	SA13	1174494.694	3164413.032	8/14/2013	0	0.002112161	0.763898432	A	785.0	39.7	14-08-2013 14:28:32	0	0.009	3.255000114	0.234684601
Seep_Area_13_L-1026_12	Seep Area 13 L-1026	SA13	1174477.252	3164400.026	8/14/2013	0	0.003051289	0.248327941	A	785.1	39.7	14-08-2013 14:31:25	0	0.013	1.057999969	0.234714508
Seep_Area_13_L-1026_13	Seep Area 13 L-1026	SA13	1174434.643	3164405.329	8/14/2013	0	0.003286003	0.47717458	A	785.1	39.7	14-08-2013 14:34:41	0	0.014	2.032999992	0.234714508
Seep_Area_13_L-1026_14	Seep Area 13 L-1026	SA13	1174375.696	3164286.847	8/14/2013	0	0.00281568	0.33952412	A	784.6	39.6	14-08-2013 14:37:53	0	0.012	1.447000027	0.234640032
Seep_Area_13_L-1026_15	Seep Area 13 L-1026	SA13	1174316.907	3164285.87	8/14/2013	0	0.003518931	0.385205656	A	784.2	39.5	14-08-2013 14:41:33	0	0.015	1.64199996	0.234595418
Seep_Area_13_L-1026_16	Seep Area 13 L-1026	SA13	1174278.245	3164294.876	8/14/2013	0	0.002577754	0.21981214	A	783.1	39.4	14-08-2013 14:44:38	0	0.011	0.938000023	0.234341294
Seep_Area_13_L-1026_17	Seep Area 13 L-1026	SA13	1174234.028	3164298.111	8/14/2013	0	0.002109477	0.401503861	A	783.0	39.3	14-08-2013 14:47:35	0	0.009	1.713000059	0.23438637
Seep_Area_13_L-1026_18	Seep Area 13 L-1026	SA13	1174202.577	3164243.145	8/14/2013	0	0.00070262	1.073135376	A	782.4	39.3	14-08-2013 14:51:16	0	0.003	4.581999779	0.234206766
Seep_Area_13_L-1026_19	Seep Area 13 L-1026	SA13	1174219.594	3164192.492	8/14/2013	0	0.000702755	0.342007637	A	782.3	39.2	14-08-2013 14:55:22	0	0.003	1.460000038	0.234251797
Seep_Area_13_L-1026_20	Seep Area 13 L-1026	SA13	1174241.074	3164228.075	8/14/2013	0	0.002110289	0.33788076	A	782.8	39.1	14-08-2013 14:58:21	0	0.009	1.440999985	0.234476581
Seep_Area_13_L-1026_21	Seep Area 13 L-1026	SA13	1174278.303	3164240.667	8/14/2013	0	0.00211002	0.411922723	A	782.7	39.1	14-08-2013 15:01:38	0	0.009	1.756999969	0.234446663
Seep_Area_13_L-1026_22	Seep Area 13 L-1026	SA13	1174270.93	3164194.326	8/14/2013	0	0.001875573	0.257187963	A	782.7	39.1	14-08-2013 15:05:06	0	0.008	1.097000003	0.234446663
Seep_Area_13_L-1026_23	Seep Area 13 L-1026	SA13	1174323.618	3164233.247	8/14/2013	0	0.006570377	0.9773435	A	783.4	39.1	14-08-2013 15:07:50	0	0.028000001	4.164999962	0.234656304
Seep_Area_13_L-1026_24	Seep Area 13 L-1026	SA13	1174309.933	3164204.598	8/14/2013	0	0.004459608	0.268280625	A	783.6	39.1	14-08-2013 15:10:23	0	0.018999999	1.143000007	0.234716207
Seep_Area_13_L-1026_25	Seep Area 13 L-1026	SA13	1174333.249	3164141.471	8/14/2013	0	0.002816235	0.180943117	A	783.5	39.1	14-08-2013 15:14:28	0	0.012	0.771000028	0.234686255
Seep_Area_13_L-1026_26	Seep Area 13 L-1026	SA13	1174332.561	3164099.711	8/14/2013	0	0.003288543	0.150803193	A	784.2	39.1	14-08-2013 15:17:40	0	0.014	0.64200002	0.23489593
Seep_Area_13_L-1026_27	Seep Area 13 L-1026	SA13	1174319.184	3164053.034	8/14/2013	0	0.003757611	0.343586564	A	784.3	39.2	14-08-2013 15:20:19	0	0.016000001	1.463000059	0.234850675
Seep_Area_13_L-1026_28	Seep Area 13 L-1026	SA13	1174375.565	3164049.182	8/14/2013	0	0.002583028	0.177994117	A	784.2	39.2	14-08-2013 15:23:02	0	0.011	0.758000016	0.234820738
Seep_Area_13_L-1026_29	Seep Area 13 L-1026	SA														

APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
Seep_Area_13_L-1026_57	Seep Area 13 L-1026	SA13	1174471.084	3164240.124	8/14/2013	0	0.00258286	0.448478401	A	784.4	39.3	14-08-2013 16:41:47	0	0.011	1.909999967	0.23480545
Seep_Area_13_L-1026_58	Seep Area 13 L-1026	SA13	1174465.794	3164289.8	8/14/2013	0	0.003756887	0.342815965	A	784.4	39.3	14-08-2013 16:44:20	0	0.016000001	1.460000038	0.23480545
Seep_Area_13_L-1026_59	Seep Area 13 L-1026	SA13	1174449.04	3164303.796	8/14/2013	0	0.003053638	0.398382336	A	784.7	39.3	14-08-2013 16:46:44	0	0.013	1.69599998	0.234895244
Seep_Area_13_L-1026_60	Seep Area 13 L-1026	SA13	1174423.009	3164281.408	8/14/2013	0	0.001878444	0.087817244	A	784.4	39.3	14-08-2013 16:49:19	-0.01	0.008	0.374000013	0.23480545
Seep_Area_13_L-1026_61	Seep Area 13 L-1026	SA13	1174419.513	3164328.996	8/14/2013	0	0.002113249	0.389307439	A	784.4	39.3	14-08-2013 16:52:02	0	0.009	1.657999992	0.23480545
Seep_Area_14_01	SeepArea14	SA14	1168900.952	3156460.573	8/14/2013	0	0	0	A	774.9	21.5	14-08-2013 09:56:38	0	-0.002	-0.109999999	0.24597463
Seep_Area_14_02	SeepArea14	SA14	1168913.712	3156416.965	8/14/2013	0	0.00171368	0.665152729	A	774.9	22.9	14-08-2013 10:00:29	0	0.007	2.717000008	0.244811445
Seep_Area_14_03	SeepArea14	SA14	1168900.303	3156355.974	8/14/2013	0.431306928	0.000486802	0.172814846	A	774.6	24.5	14-08-2013 10:04:59	1.771999955	0.002	0.709999979	0.2434012
Seep_Area_14_04	SeepArea14	SA14	1168907.13	3156310.699	8/14/2013	0.328766137	0.000725753	0.492302507	A	773.5	25.9	14-08-2013 10:08:48	1.358999968	0.003	2.035000086	0.241917685
Seep_Area_14_05	SeepArea14	SA14	1168914.74	3156242.782	8/14/2013	0	0.001203952	0.514809906	A	773.5	27.3	14-08-2013 10:13:01	0	0.005	2.138000011	0.240790427
Seep_Area_14_06	SeepArea14	SA14	1168867.272	3156228.138	8/14/2013	0	0.000239961	0.130058661	A	773.4	28.3	14-08-2013 10:16:00	0	0.001	0.541999996	0.239960626
Seep_Area_14_07	SeepArea14	SA14	1168860.28	3156299.576	8/14/2013	0.279729098			A	773.9	29.6	14-08-2013 10:20:58	1.169999957			0.239084706
Seep_Area_14_08	SeepArea14	SA14	1168859.467	3156347.152	8/14/2013	0	0.00071208	0.032280944	A	773.9	31.8	14-08-2013 10:29:31	0	0.003	0.136000007	0.237359881
Seep_Area_14_09	SeepArea14	SA14	1168816.908	3156342.098	8/14/2013	0	0.001184999	0.406217784	A	774.5	32.5	14-08-2013 10:32:43	0	0.005	1.713999987	0.236999884
Seep_Area_14_10	Seep Area 14	SA14	1168817.104	3156282.907	8/14/2013	0	0	0.68881011	A	774.3	34.8	14-08-2013 10:48:26	0	-0.001	2.928999901	0.235169053
Seep_Area_14_11	Seep Area 14	SA14	1168836.097	3156216.575	8/14/2013	0	0.000234468	0.010785546	A	774.5	35.8	14-08-2013 10:54:17	0	0.001	0.046	0.2344684
Seep_Area_14_12	Seep Area 14	SA14	1168824.672	3156411.577	8/14/2013	0	0	0	A	774.0	36.4	14-08-2013 10:58:46	0	-0.003	-0.07	0.233862862
Seep_Area_14_13	Seep Area 14	SA14	1168867.91	3156409.038	8/14/2013	0	0.000234089	0.00304316	A	775.5	36.7	14-08-2013 11:01:48	0	0.001	0.013	0.234089226
Seep_Area_14_14	Seep Area 14	SA14	1168964.424	3156519.664	8/14/2013	0	0.001869094	0.124995694	A	775.5	37.3	14-08-2013 11:07:32	0	0.008	0.535000026	0.233636796
Seep_Area_14_15	Seep Area 14	SA14	1168968.076	3156456.012	8/14/2013	0	0.000233336	0.075600915	A	775.5	37.7	14-08-2013 11:11:00	0	0.001	0.324000001	0.233336151
Seep_Area_14_16	Seep Area 14	SA14	1168972.582	3156407.461	8/14/2013	0	0.000698792	0.154899001	A	774.9	38.0	14-08-2013 11:13:43	0	0.003	0.665000021	0.232930824
Seep_Area_14_17	Seep Area 14	SA14	1168953.931	3156362.015	8/14/2013	0	0	0	A	774.5	38.3	14-08-2013 11:16:55	0	-0.003	-0.107000001	0.232586339
Seep_Area_14_18	Seep Area 14	SA14	1168968.72	3156304.361	8/14/2013	0	0	0.019981846	A	774.2	38.5	14-08-2013 11:20:03	0	-0.003	0.086000003	0.232347041
Seep_Area_14_19	Seep Area 14	SA14	1168976.402	3156242.927	8/14/2013	0	0.000231884	0.02550721	A	773.4	38.8	14-08-2013 11:23:27	0	0.001	0.109999999	0.231883734
Seep_Area_14_20	Seep Area 14	SA14	1169003.844	3156352.567	8/14/2013	0	0.000926701	0.108424008	A	773.2	39.0	14-08-2013 11:26:59	0	0.004	0.467999995	0.231675237
Seep_Area_14_21	Seep Area 14	SA14	1169000.897	3156414.999	8/14/2013	0	0.004636527	0.563337982	A	774.2	39.2	14-08-2013 11:30:26	0	0.02	2.430000067	0.231826335
Seep_Area_14_22	Seep Area 14	SA14	1169004.349	3156456.071	8/14/2013	0	0.000463595	0.026656736	A	774.6	39.4	14-08-2013 11:33:25	0	0.002	0.115000002	0.231797695
Seep_Area_14_23	Seep Area 14	SA14	1169011.637	3156509.199	8/14/2013	0	0.000695397	0.089242607	A	775.1	39.6	14-08-2013 11:36:31	0	0.003	0.38499999	0.231798992
Seep_Area_14_24	Seep Area 14	SA14	1169013.126	3156588.017	8/14/2013	0	0.001391426	0.332318813	A	775.7	39.7	14-08-2013 11:39:16	0	0.006	1.432999969	0.231904268
Seep_Area_14_25	Seep Area 14	SA14	1169039.585	3156655.301	8/14/2013	0	0.00115945	0.206150144	A	775.9	39.8	14-08-2013 11:42:26	0	0.005	0.888999999	0.231889933
Seep_Area_14_26	Seep Area 14	SA14	1169101.298	3156671.811	8/14/2013	0	0.001855598	0.126180649	A	776.1	39.8	14-08-2013 11:45:03	0	0.008	0.54400003	0.231949717
Seep_Area_14_27	Seep Area 14	SA14	1169154.453	3156663.253	8/14/2013	0	0.00023189	0	A	775.9	39.8	14-08-2013 11:48:35	0	0.001	-0.001	0.231889933
Seep_Area_14_28	Seep Area 14	SA14	1169107.831	3156617.355	8/14/2013	0	0.001158852	0.316830128	A	775.5	39.8	14-08-2013 11:51:10	0	0.005	1.366999984	0.231770396
Seep_Area_14_29	Seep Area															

APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
Seep_Area_14_55	Seep Area 14	SA14	1169469.727	3156614.512	8/14/2013	0	0.001617089	0.118509553	A	774.2	40.3	14-08-2013 13:09:39	0	0.007	0.513000011	0.231012776
Seep_Area_14_56	Seep Area 14	SA14	1169479.588	3156551.342	8/14/2013	0	0.001615739	0.181885988	A	773.8	40.4	14-08-2013 13:12:13	0	0.007	0.787999988	0.230819792
Seep_Area_14_57	Seep Area 14	SA14	1169415.708	3156615.663	8/14/2013	0	0.000923104	0	A	773.9	40.5	14-08-2013 13:15:00	0	0.004	-0.050999999	0.230776012
Seep_Area_14_58	Seep Area 14	SA14	1169426.385	3156556.822	8/14/2013	0	0.000923223	0.102016173	A	774.0	40.5	14-08-2013 13:18:18	0	0.004	0.442000002	0.230805829
SeepArea_5_01	SeepArea 5	SA05	1172619.083	3176608.278	8/19/2013	0	0.00049203	0.10111209	A	786.6	25.9	19-08-2013 10:41:25	0	0.002	0.411000013	0.246014804
SeepArea_5_02	SeepArea 5	SA05	1172670.315	3176600.407	8/19/2013	0	0.001716583	0.565491319	A	786.7	26.9	19-08-2013 10:44:46	0	0.007	2.305999994	0.24522607
SeepArea_5_03	SeepArea 5	SA05	1172706.038	3176596.973	8/19/2013	0	0.002196784	0.524787426	A	786.7	28.3	19-08-2013 10:49:38	-0.054000001	0.009	2.150000095	0.244087175
SeepArea_5_04	SeepArea 5	SA05	1172701.871	3176574.886	8/19/2013	0	0.00584095	0.437341154	A	787.0	29.3	19-08-2013 10:52:50	0	0.024	1.797000051	0.243372917
SeepArea_5_05	SeepArea 5	SA05	1172662.503	3176549.12	8/19/2013	0	0.000969521	0.134036317	A	786.9	30.5	19-08-2013 10:57:19	0	0.004	0.552999973	0.242380336
SeepArea_5_06	SeepArea 5	SA05	1172658.469	3176507.71	8/19/2013	0	0.003139571	0.780545652	A	786.9	31.6	19-08-2013 11:00:51	0	0.013	3.232000113	0.241505459
SeepArea_5_07	SeepArea 5	SA05	1172716.579	3176506.05	8/19/2013	0	0.002167858	0.258216023	A	786.9	32.4	19-08-2013 11:04:53	0	0.009	1.072000027	0.240873143
SeepArea_5_08	SeepArea 5	SA05	1172754.142	3176595.487	8/19/2013	0	0.000479237	0.869095922	A	786.9	34.0	19-08-2013 11:11:08	0	0.002	3.627000093	0.239618391
SeepArea_5_09	SeepArea 5	SA05	1172752.62	3176557.901	8/19/2013	0	0.005733636	0.301493675	A	787.1	35.0	19-08-2013 11:15:01	0	0.024	1.261999965	0.238901481
SeepArea_5_10	SeepArea 5	SA05	1172754.529	3176490.735	8/19/2013	0	0.003571477	0.642865837	A	787.0	36.0	19-08-2013 11:19:43	0	0.015	2.700000048	0.238098457
SeepArea_5_11	SeepArea 5	SA05	1172757.514	3176453.796	8/19/2013	0	0.003328419	0.572012544	A	787.1	36.5	19-08-2013 11:22:28	0	0.014	2.405999899	0.237744197
SeepArea_5_12	SeepArea 5	SA05	1172757.236	3176401.943	8/19/2013	0	0.002610639	0.361454785	A	787.0	37.0	19-08-2013 11:25:14	0	0.011	1.523000002	0.237330779
SeepArea_5_13	SeepArea 5	SA05	1172755.351	3176350.867	8/19/2013	0	0.004738976	0.31608969	A	787.0	37.5	19-08-2013 11:28:37	0	0.02	1.333999991	0.236948788
SeepArea_5_14	SeepArea 5	SA05	1172774.329	3176326.048	8/19/2013	0	0.003787012	0.204972029	A	787.4	38.0	19-08-2013 11:31:46	-0.017000001	0.016000001	0.865999997	0.236688256
SeepArea_5_15	SeepArea 5	SA05	1172792.469	3176292.124	8/19/2013	0	0.003543491	0.40372172	A	787.4	38.6	19-08-2013 11:35:12	0	0.015	1.708999991	0.236232728
SeepArea_5_16	SeepArea 5	SA05	1172763.187	3176245.991	8/19/2013	0	0.001650453	0.215501949	A	787.4	39.2	19-08-2013 11:39:02	0	0.007	0.913999975	0.235778943
SeepArea_5_17	SeepArea 5	SA05	1172754.464	3176213.53	8/19/2013	0	0.002823379	0	A	787.5	39.9	19-08-2013 11:43:09	0	0.012	-0.119000003	0.235281602
SeepArea_5_18	SeepArea 5	SA05	1172710.843	3176354.533	8/19/2013	0	0.004695133	0.172546148	A	787.5	40.6	19-08-2013 11:48:15	0	0.02	0.735000014	0.234756663
SeepArea_5_19	SeepArea 5	SA05	1172701.089	3176298.971	8/19/2013	0	0.022707714	0.294029772	A	787.3	41.4	19-08-2013 11:53:43	0	0.097000003	1.256000042	0.234100133
SeepArea_5_20	SeepArea 5	SA05	1172697.833	3176260.593	8/19/2013	0	0.006083509	0.035331145	A	787.4	41.6	19-08-2013 11:56:24	-0.01	0.026000001	0.150999993	0.233981103
SeepArea_5_21	SeepArea 5	SA05	1172664.555	3176312.968	8/19/2013	0	0.004441971	0.292001188	A	787.5	41.9	19-08-2013 11:59:18	0	0.018999999	1.248999953	0.233787984
SeepArea_5_22	SeepArea 5	SA05	1172693.524	3176201.521	8/19/2013	0	0.005603085	0.29976508	A	787.4	42.3	19-08-2013 12:02:52	0	0.024	1.284000039	0.233461887
SeepArea_5_23	SeepArea 5	SA05	1172611.721	3176361.378	8/19/2013	0	0.002799771	0.032664001	A	787.9	42.7	19-08-2013 12:07:02	-0.254000008	0.012	0.140000001	0.233314291
SeepArea_5_24	SeepArea 5	SA05	1172571.822	3176349.001	8/19/2013	0	0.003955808	0.538222551	A	787.3	43.3	19-08-2013 12:12:19	0	0.017000001	2.312999964	0.232694581
SeepArea_5_25	SeepArea 5	SA05	1172502.569	3176347.97	8/19/2013	0	0.003486442	0.283331513	A	786.9	43.5	19-08-2013 12:15:10	0	0.015	1.218999982	0.23242946
SeepArea_5_26	SeepArea 5	SA05	1172465.102	3176316.927	8/19/2013	0	0.009747196	0.706207573	A	786.2	43.7	19-08-2013 12:17:52	0	0.041999999	3.042999983	0.232076108
SeepArea_5_27	SeepArea 5	SA05	1172454.027	3176259.251	8/19/2013	0	0.006259713	0.247374579	A	785.9	43.9	19-08-2013 12:20:16	0	0.027000001	1.067000031	0.231841207
SeepArea_5_28	SeepArea 5	SA05	1172414.893	3176244.164	8/19/2013	0	0.004633312	0.058379728	A	785.8	44.1	19-08-2013 12:22:41	0	0.02	0.252000004	0.231665581
SeepArea_5_29	SeepArea 5	SA05	1172469.987	3176197.736	8/19/2013	0	0.002316375	0.305066556	A	786.2	44.3	19-08-2013 12:25:34	0	0.01	1.317000031	0.231637478
Seep																

APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
SeepArea_5_56	SeepArea 5	SA05	1172621.33	3176102.392	8/19/2013	0	0.005069319	0.465916544	A	787.5	46.5	19-08-2013 13:59:44	0	0.022	2.022000074	0.230423599
SeepArea_5_57	SeepArea 5	SA05	1172606.848	3176159.395	8/19/2013	0	0.00576059	0.225354284	A	787.5	46.5	19-08-2013 14:02:26	0	0.025	0.977999985	0.230423599
SeepArea_5_58	SeepArea 5	SA05	1172611.987	3176204.427	8/19/2013	0	0.009672876	0.430442959	A	787.1	46.5	19-08-2013 14:04:47	0	0.041999999	1.868999958	0.230306566
SeepArea_5_59	SeepArea 5	SA05	1172623.472	3176256.51	8/19/2013	0	0.007137689	0.222649872	A	786.9	46.5	19-08-2013 14:08:03	0	0.030999999	0.967000008	0.230248049
SeepArea_5_60	SeepArea 5	SA05	1172630.688	3176304.579	8/19/2013	0	0.007830883	0.481829643	A	786.9	46.4	19-08-2013 14:11:16	0	0.034000002	2.092000008	0.230320096
SeepArea_5_61	SeepArea 5	SA05	1172806.923	3176217.245	8/19/2013	0	0.004380194	0.055789839	A	786.9	46.1	19-08-2013 14:15:51	-0.086999997	0.018999999	0.241999999	0.230536535
SeepArea_5_62	SeepArea 5	SA05	1172815.327	3176261.814	8/19/2013	0	0.002539426	0.178452417	A	787.5	45.9	19-08-2013 14:18:18	0	0.011	0.773000002	0.23085694
SeepArea_5_63	SeepArea 5	SA05	1172815.167	3176349.206	8/19/2013	0	0.002540868	0.271410853	A	787.7	45.8	19-08-2013 14:20:52	0	0.011	1.174999952	0.230987966
SeepArea_5_64	SeepArea 5	SA05	1172811.537	3176396.599	8/19/2013	0	0.000461652	0.613073111	A	786.9	45.7	19-08-2013 14:23:13	0	0.002	2.655999899	0.230825737
SeepArea_5_65	SeepArea 5	SA05	1172804.514	3176461.419	8/19/2013	0	0.008543741	0.759469271	A	786.7	45.5	19-08-2013 14:25:52	0	0.037	3.289000034	0.230911911
SeepArea_5_66	SeepArea 5	SA05	1172823.17	3176498.693	8/19/2013	0	0.005548186	0.457956493	A	787.1	45.3	19-08-2013 14:28:20	0	0.024	1.980999947	0.231174409
SeepArea_5_67	SeepArea 5	SA05	1172806.887	3176562.956	8/19/2013	0	0.001850087	0.28260082	A	786.9	45.1	19-08-2013 14:30:48	0	0.008	1.222000003	0.231260911
SeepArea_5_68	SeepArea 5	SA05	1172844.273	3176547.661	8/19/2013	0	0.001851721	0.424044192	A	787.1	44.9	19-08-2013 14:33:17	0	0.008	1.832000017	0.231465161
SeepArea_5_69	SeepArea 5	SA05	1172850.858	3176503.297	8/19/2013	0	0.00185301	0.532045364	A	787.4	44.8	19-08-2013 14:35:15	0	0.008	2.296999931	0.231626198
SeepArea_5_70	SeepArea 5	SA05	1172862.821	3176460.933	8/19/2013	0	0.002318014	0.23551026	A	787.5	44.6	19-08-2013 14:37:22	0	0.01	1.016000032	0.231801435
SeepArea_5_71	SeepArea 5	SA05	1172856.024	3176401.608	8/19/2013	0	0.002087262	0.240035102	A	787.4	44.4	19-08-2013 14:39:48	0	0.009	1.034999967	0.231917977
SeepArea_5_72	SeepArea 5	SA05	1172855.201	3176356.82	8/19/2013	0	0.005104451	0.924601674	A	787.5	44.3	19-08-2013 14:41:32	0	0.022	3.984999895	0.232020497
SeepArea_5_73	SeepArea 5	SA05	1172845.976	3176304.167	8/19/2013	0	0.003251986	0.074098811	A	787.9	44.1	19-08-2013 14:43:29	0	0.014	0.319000006	0.23228468
SeepArea_5_74	SeepArea 5	SA05	1172856.667	3176259.383	8/19/2013	0	0.001627125	0.031612713	A	788.2	44.0	19-08-2013 14:45:23	0	0.007	0.136000007	0.232446402
SeepArea_5_75	SeepArea 5	SA05	1172851.739	3176211.803	8/19/2013	0	0.001861332	0.182643205	A	788.2	43.7	19-08-2013 14:47:51	0	0.008	0.785000026	0.232666492
SeepArea_5_76	SeepArea 5	SA05	1172928.906	3176187.089	8/19/2013	0	0.002808473	0.351293206	A	791.6	43.2	19-08-2013 14:52:21	0	0.012	1.501000047	0.234039441
SeepArea_5_77	SeepArea 5	SA05	1172835.096	3176072.985	8/19/2013	0	0.002105158	0.829432368	A	790.4	42.9	19-08-2013 14:54:54	0	0.009	3.546000004	0.233906478
SeepArea_5_78	SeepArea 5	SA05	1172781.527	3175984.956	8/19/2013	0	0.000468168	0.054775704	A	790.5	42.7	19-08-2013 14:57:10	0	0.002	0.233999997	0.234084204
SeepArea_5_79	SeepArea 5	SA05	1172713.565	3175901.187	8/19/2013	0	0.002812748	0.088835962	A	790.8	42.4	19-08-2013 14:59:33	0	0.012	0.379000008	0.234395668
SeepArea_5_80	SeepArea 5	SA05	1172643.27	3175881.972	8/19/2013	0	0.004456342	0.149873823	A	790.8	42.2	19-08-2013 15:01:58	0	0.018999999	0.638999999	0.234544322
SeepArea_5_81	SeepArea 5	SA05	1172710.335	3176037.828	8/19/2013	0	0.003986004	0.215244189	A	789.8	41.9	19-08-2013 15:04:49	0	0.017000001	0.917999983	0.2344708
SeepArea_5_82	SeepArea 5	SA05	1172928.121	3176318.047	8/19/2013	0	0.000470224	0.114734627	A	790.2	41.2	19-08-2013 15:11:07	0	0.002	0.488000005	0.235111937
SeepArea_5_83	SeepArea 5	SA05	1172994.746	3176372.048	8/19/2013	0	0	0.836866796	A	789.1	40.9	19-08-2013 15:14:37	0	-0.002	3.561000109	0.235008925
SeepArea19_01	SeepArea19	SA19	1146462.417	3158681.821	8/13/2013	0	0	0.462542176	A	779.4	33.7	13-08-2013 13:51:27	0	-0.001	1.947000027	0.237566605
SeepArea19_02	SeepArea19	SA19	1146472.859	3158743.106	8/13/2013	0	0.00260559	0.219580203	A	779.4	34.6	13-08-2013 13:55:46	0	0.011	0.926999986	0.236871853
SeepArea19_03	SeepArea19	SA19	1146326.544	3158830.015	8/13/2013	0	0.001655301	0.744412601	A	779.6	35.2	13-08-2013 13:59:31	0	0.007	3.148000002	0.236471593
SeepArea19_04	SeepArea19	SA19	1146382.106	3158890.18	8/13/2013	0	0.001654005	0.103493452	A	780.0	35.6	13-08-2013 14:02:20	0	0.007	0.437999994	0.236286417
SeepArea19_05	SeepArea19	SA19	1146457.575	3158867.555	8/13/2013	0	0.00377546	0.096746162	A	779.7	35.9	13-08-2013 14:04:56	0	0.016000001	0.409999996	0.23596625
SeepArea19_06	SeepArea19	SA19	114648													

APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
SeepArea32L-1049_106	SeepArea32L-1049	SA32/L-1049	1174659.823	3177755.163	8/17/2013	0	0.003284451	0.517770231	A	791.0	42.2	17-08-2013 10:17:12	0	0.014	2.207000017	0.234603643
SeepArea32L-1049_107	SeepArea32L-1049	SA32/L-1049	1174577.678	3177762.596	8/17/2013	0	0.002576068	0.342617005	A	790.6	42.6	17-08-2013 10:20:23	0	0.011	1.463000059	0.234187961
SeepArea32L-1049_108	SeepArea32L-1049	SA32/L-1049	1174467.985	3177749.098	8/17/2013	0	0.001404859	0.179821998	A	791.2	42.9	17-08-2013 10:23:37	0	0.006	0.768000007	0.234143227
SeepArea32L-1049_109	SeepArea32L-1049	SA32/L-1049	1174577.616	3177646.482	8/17/2013	0	0.002573133	0.42082423	A	791.2	43.2	17-08-2013 10:26:11	0	0.011	1.799000025	0.233921185
SeepArea32L-1049_11	SeepArea32L-1049	SA32/L-1049	1174973.076	3175834.767	8/16/2013	0	0	0.024224265	A	791.6	38.6	16-08-2013 12:25:15	0	-0.002	0.101999998	0.2374928
SeepArea32L-1049_110	SeepArea32L-1049	SA32/L-1049	1174667.164	3177642.652	8/17/2013	0	0.002104093	0.500774205	A	791.0	43.3	17-08-2013 10:29:23	-0.013	0.009	2.14199996	0.233788148
SeepArea32L-1049_111	SeepArea32L-1049	SA32/L-1049	1174785.49	3177661.93	8/17/2013	0	0.001634966	0.049282543	A	790.5	43.4	17-08-2013 10:32:19	0	0.007	0.210999995	0.233566567
SeepArea32L-1049_112	SeepArea32L-1049	SA32/L-1049	1174873.882	3177541.758	8/17/2013	0	0.001866169	0.072314039	A	789.5	43.4	17-08-2013 10:36:28	0	0.008	0.310000002	0.233271092
SeepArea32L-1049_113	SeepArea32L-1049	SA32/L-1049	1174862.958	3177443.965	8/17/2013	0	0.00279801	0.235499144	A	788.9	43.3	17-08-2013 10:42:52	0	0.012	1.00999999	0.23316747
SeepArea32L-1049_114	SeepArea32L-1049	SA32/L-1049	1174970.143	3177442.225	8/17/2013	0	0.002800668	0.266530246	A	789.4	43.2	17-08-2013 10:46:58	0	0.012	1.14199996	0.233389005
SeepArea32L-1049_115	SeepArea32L-1049	SA32/L-1049	1174951.066	3177345.795	8/17/2013	0	0.001632584	0.112181805	A	788.6	43.1	17-08-2013 10:49:53	0	0.007	0.481000006	0.23322621
SeepArea32L-1049_116	SeepArea32L-1049	SA32/L-1049	1174973.787	3177256.443	8/17/2013	0	0.001633721	0.167806491	A	788.9	43.0	17-08-2013 10:52:51	0	0.007	0.718999982	0.233388737
SeepArea32L-1049_117	SeepArea32L-1049	SA32/L-1049	1175083.327	3177233.116	8/17/2013	0	0.001868529	0.03737057	A	789.0	42.8	17-08-2013 10:56:08	0	0.008	0.159999996	0.233566076
SeepArea32L-1049_118	SeepArea32L-1049	SA32/L-1049	1175071.071	3177142.124	8/17/2013	0	0.004431846	0.218793243	A	787.7	42.7	17-08-2013 10:59:10	0	0.018999999	0.938000023	0.233255059
SeepArea32L-1049_119	SeepArea32L-1049	SA32/L-1049	1175177.35	3177160.64	8/17/2013	0	0.001169977	0.049607038	A	789.7	42.5	17-08-2013 11:02:45	0	0.005	0.211999997	0.233995467
SeepArea32L-1049_12	SeepArea32L-1049	SA32/L-1049	1175060.03	3175846.512	8/16/2013	0	0	0.207935438	A	791.3	39.0	16-08-2013 12:28:49	0	0	0.876999974	0.237098575
SeepArea32L-1049_120	SeepArea32L-1049	SA32/L-1049	1175178.765	3177058.783	8/17/2013	0	0.001632576	0.38132298	A	787.1	42.5	17-08-2013 11:05:42	0	0.007	1.63499999	0.233225062
SeepArea32L-1049_121	SeepArea32L-1049	SA32/L-1049	1175071.073	3177029.127	8/17/2013	0	0.00303674	0.85869664	A	788.1	42.4	17-08-2013 11:09:13	0	0.013	3.676000118	0.233595386
SeepArea32L-1049_122	SeepArea32L-1049	SA32/L-1049	1174965.181	3177045.555	8/17/2013	0	0.002106494	0.235693261	A	789.4	42.3	17-08-2013 11:11:58	0	0.009	1.006999969	0.234054878
SeepArea32L-1049_123	SeepArea32L-1049	SA32/L-1049	1174948.062	3177153.346	8/17/2013	0.318891883	0.004686141	0.298038572	A	790.0	42.2	17-08-2013 11:14:44	1.360999942	0.02	1.271999955	0.234307051
SeepArea32L-1049_124	SeepArea32L-1049	SA32/L-1049	1174855.575	3177163.274	8/17/2013	4.332348347	0.002109567	2.271535397	A	789.8	42.0	17-08-2013 11:18:34	18.4829998	0.009	9.690999985	0.234396398
SeepArea32L-1049_125	SeepArea32L-1049	SA32/L-1049	1174851.249	3177262.909	8/17/2013	0	0.001879218	0.227385417	A	790.5	41.6	17-08-2013 11:24:02	0	0.008	0.967999995	0.234902292
SeepArea32L-1049_126	SeepArea32L-1049	SA32/L-1049	1174850.035	3177352.361	8/17/2013	0	0.000939551	0.173112273	A	790.2	41.5	17-08-2013 11:26:20	0	0.004	0.736999989	0.234887764
SeepArea32L-1049_127	SeepArea32L-1049	SA32/L-1049	1174754.753	3177355.922	8/17/2013	1.575817108	0.000940506	0.667523801	A	790.5	41.3	17-08-2013 11:29:24	6.702000141	0.004	2.838999987	0.235126391
SeepArea32L-1049_128	SeepArea32L-1049	SA32/L-1049	1174757.935	3177456.591	8/17/2013	0	0.000470612	0.357900143	A	790.6	41.1	17-08-2013 11:31:54	0	0.002	1.521000028	0.235305801
SeepArea32L-1049_129	SeepArea32L-1049	SA32/L-1049	1174771.521	3177554.276	8/17/2013	0	0.000706367	0.629843831	A	790.6	40.9	17-08-2013 11:34:34	0	0.003	2.674999952	0.235455647
SeepArea32L-1049_13	SeepArea32L-1049	SA32/L-1049	1175061.106	3175951.822	8/16/2013	0	0.000236586	0.086353771	A	790.6	39.4	16-08-2013 12:31:53	0	0.001	0.36500001	0.236585662
SeepArea32L-1049_130	SeepArea32L-1049	SA32/L-1049	1174684.94	3177546.968	8/17/2013	0	0.002354711	0.427144527	A	790.4	40.8	17-08-2013 11:37:18	0	0.01	1.81400001	0.23547107
SeepArea32L-1049_131	SeepArea32L-1049	SA32/L-1049	1174566.247	3177549.102	8/17/2013	0	0.001650392	0.727115393	A	790.9	40.6	17-08-2013 11:40:06	0	0.007	3.084000111	0.235770226
SeepArea32L-1049_132	SeepArea32L-1049	SA32/L-1049	1174652.707	3177443.654	8/17/2013	0	0.00070803	0.369591832	A	791.2	40.4	17-08-2013 11:42:59	0	0.003	1.565999985	0.236010104
SeepArea32L-1049_133	SeepArea32L-1049	SA32/L-1049	1174655.971	3177359.307	8/17/2013	0	0.001652									

APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
SeepArea32L-1049_16	SeepArea32L-1049	SA32/L-1049	1175359.667	3175952.828	8/16/2013	0	0.000469453	0.159144416	A	787.9	40.8	16-08-2013 12:44:26	0	0.002	0.677999973	0.23472628
SeepArea32L-1049_160	SeepArea32L-1049	SA32/L-1049	1173785.027	3178246.53	8/18/2013	0	0.005267	0.224805132	A	792.1	36.3	18-08-2013 12:50:23	0	0.022	0.93900001	0.239409089
SeepArea32L-1049_161	SeepArea32L-1049	SA32/L-1049	1173776.712	3178165.702	8/18/2013	0	0	1.098014355	A	792.5	36.5	18-08-2013 12:53:38	0	0	4.586999893	0.239375278
SeepArea32L-1049_162	SeepArea32L-1049	SA32/L-1049	1173870.081	3178157.474	8/18/2013	0	0.001195953	0.49655965	A	792.4	36.7	18-08-2013 12:56:41	0	0.005	2.075999975	0.239190578
SeepArea32L-1049_163	SeepArea32L-1049	SA32/L-1049	1173962.792	3178143.256	8/18/2013	6.004468918	0.002389458	1.911805391	A	792.1	36.9	18-08-2013 12:59:35	25.12899971	0.01	8.001000404	0.238945797
SeepArea32L-1049_164	SeepArea32L-1049	SA32/L-1049	1173964.692	3178027.63	8/18/2013	1.177094698	0.001910093	0.597381592	A	792.0	37.1	18-08-2013 13:03:04	4.929999828	0.008	2.502000093	0.238761619
SeepArea32L-1049_165	SeepArea32L-1049	SA32/L-1049	1173872.072	3178059.891	8/18/2013	0	0.000954244	0.850708783	A	792.1	37.4	18-08-2013 13:06:58	0	0.004	3.565999985	0.238561079
SeepArea32L-1049_166	SeepArea32L-1049	SA32/L-1049	1173779.674	3178049.258	8/18/2013	0	0.002147564	0.877637804	A	792.8	37.6	18-08-2013 13:10:47	0	0.009	3.677999973	0.238618225
SeepArea32L-1049_167	SeepArea32L-1049	SA32/L-1049	1173849.269	3177981.193	8/18/2013	0	0.000715124	0.127530366	A	792.5	37.8	18-08-2013 13:13:44	0	0.003	0.535000026	0.238374516
SeepArea32L-1049_168	SeepArea32L-1049	SA32/L-1049	1173960.818	3177951.265	8/18/2013	0	0.000476322	0.225538641	A	792.3	38.0	18-08-2013 13:17:05	0	0.002	0.947000027	0.238161176
SeepArea32L-1049_169	SeepArea32L-1049	SA32/L-1049	1174075.826	3177946.665	8/18/2013	15.26120663	0.00237858	1.629565001	A	791.8	38.2	18-08-2013 13:19:58	64.16100311	0.01	6.850999832	0.237857983
SeepArea32L-1049_17	SeepArea32L-1049	SA32/L-1049	1175469.73	3175907.295	8/16/2013	0	0.000703059	0.771021545	A	787.9	41.3	16-08-2013 12:48:58	0	0.003	3.289999962	0.234353051
SeepArea32L-1049_170	SeepArea32L-1049	SA32/L-1049	1174161.367	3177841.138	8/18/2013	3.742925644	0.002139494	1.164835572	A	791.6	38.3	18-08-2013 13:23:06	15.74499989	0.009	4.900000095	0.237721547
SeepArea32L-1049_171	SeepArea32L-1049	SA32/L-1049	1174059.897	3177844.431	8/18/2013	0	0.001425414	0.133751348	A	791.6	38.5	18-08-2013 13:25:46	0	0.006	0.563000023	0.237569004
SeepArea32L-1049_172	SeepArea32L-1049	SA32/L-1049	1173953.827	3177857.001	8/18/2013	0	0.00142486	0.298508108	A	791.8	38.7	18-08-2013 13:28:35	0	0.006	1.256999969	0.237476617
SeepArea32L-1049_173	SeepArea32L-1049	SA32/L-1049	1173830.902	3177729.419	8/18/2013	1.728613734	0.001187072	5.602740765	A	792.1	38.9	18-08-2013 13:31:59	7.281000137	0.005	23.59900093	0.23741433
SeepArea32L-1049_174	SeepArea32L-1049	SA32/L-1049	1173765.193	3177738.038	8/18/2013	0	0.001187141	0.08357472	A	792.4	39.0	18-08-2013 13:34:54	0	0.005	0.351999998	0.237428173
SeepArea32L-1049_175	SeepArea32L-1049	SA32/L-1049	1173801.044	3177846.029	8/18/2013	0	0.003560282	0.175165862	A	792.4	39.1	18-08-2013 13:37:34	0	0.015	0.737999976	0.237352133
SeepArea32L-1049_176	SeepArea32L-1049	SA32/L-1049	1173762.267	3177861.026	8/18/2013	0	0.001660933	0.110333405	A	792.4	39.2	18-08-2013 13:39:59	0	0.007	0.465000004	0.237276137
SeepArea32L-1049_177	SeepArea32L-1049	SA32/L-1049	1173881.781	3177847.877	8/18/2013	0	0.000474341	0.247605756	A	792.3	39.3	18-08-2013 13:42:48	0	0.002	1.04400003	0.237170264
SeepArea32L-1049_178	SeepArea32L-1049	SA32/L-1049	1173955.663	3177751.436	8/18/2013	0	0.000948138	0.138428167	A	792.1	39.4	18-08-2013 13:46:15	0	0.004	0.583999991	0.237034529
SeepArea32L-1049_179	SeepArea32L-1049	SA32/L-1049	1174042.32	3177745.944	8/18/2013	0	0.001421669	0.153066322	A	791.8	39.4	18-08-2013 13:48:46	0	0.006	0.646000028	0.236944765
SeepArea32L-1049_18	SeepArea32L-1049	SA32/L-1049	1175459.426	3176058.999	8/16/2013	0	0.003030949	0.918843806	A	785.6	42.0	16-08-2013 12:54:45	0	0.013	3.940999985	0.233149916
SeepArea32L-1049_180	SeepArea32L-1049	SA32/L-1049	1174150.89	3177745.412	8/18/2013	0.7528162	0.001420855	2.500941277	A	791.6	39.5	18-08-2013 13:51:41	3.178999901	0.006	10.56099987	0.236809134
SeepArea32L-1049_181	SeepArea32L-1049	SA32/L-1049	1174252.09	3177633.032	8/18/2013	0	0.00260341	2.1272223	A	791.4	39.6	18-08-2013 13:55:02	-0.388999999	0.011	8.987999916	0.236673608
SeepArea32L-1049_182	SeepArea32L-1049	SA32/L-1049	1174138.929	3177654.599	8/18/2013	0	0.001892784	0.091800012	A	791.4	39.7	18-08-2013 13:58:22	-0.192000002	0.008	0.388000011	0.236597955
SeepArea32L-1049_183	SeepArea32L-1049	SA32/L-1049	1174054.54	3177632.994	8/18/2013	0	0.002128701	0.295179904	A	791.4	39.8	18-08-2013 14:01:26	-0.714999974	0.009	1.248000026	0.236522362
SeepArea32L-1049_184	SeepArea32L-1049	SA32/L-1049	1173951.46	3177648.717	8/18/2013	5.519092083	0.002838796	9.507363319	A	791.8	39.9	18-08-2013 14:04:20	23.32999992	0.012	40.18899918	0.236566305
SeepArea32L-1049_185	SeepArea32L-1049	SA32/L-1049	1173840.76	3177639.756	8/18/2013	0	0.003546229	1.815432787	A	791.8	40.1	18-08-2013 14:07:18	0	0.015	7.678999901	0.236415267
SeepArea32L-1049_186	SeepArea32L-1049	SA32/L-1049	1173767.668	3177642.471	8/18/2013	0	0.002127595	0.171153247	A	792.0	40.2	18-08-2013 14:10:27	0	0.009	0.723999977	0.236399516

APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
SeepArea32L-1049_213	SeepArea32L-1049	SA32/L-1049	1174556.125	3176849.426	8/18/2013	0	0.001861711	0.600867331	A	790.6	44.6	18-08-2013 15:31:46	0	0.008	2.582000017	0.232713923
SeepArea32L-1049_214	SeepArea32L-1049	SA32/L-1049	1174436.37	3176854.101	8/18/2013	0	0.000931091	0.251860172	A	790.8	44.6	18-08-2013 15:34:39	0	0.004	1.082000017	0.232772797
SeepArea32L-1049_215	SeepArea32L-1049	SA32/L-1049	1174339.144	3176848.046	8/18/2013	0	0.000931209	0.112676278	A	790.9	44.6	18-08-2013 15:37:16	0	0.004	0.483999997	0.232802227
SeepArea32L-1049_216	SeepArea32L-1049	SA32/L-1049	1174346.465	3176748.803	8/18/2013	0	0.000465604	0.132697269	A	790.9	44.6	18-08-2013 15:39:57	0	0.002	0.569999993	0.232802227
SeepArea32L-1049_217	SeepArea32L-1049	SA32/L-1049	1174455.392	3176757.605	8/18/2013	0	0.000698099	0.220599189	A	790.8	44.7	18-08-2013 15:42:44	0	0.003	0.948000014	0.232699558
SeepArea32L-1049_218	SeepArea32L-1049	SA32/L-1049	1174543.557	3176745.553	8/18/2013	0	0.001627973	0.14558728	A	790.6	44.8	18-08-2013 15:45:17	-0.915000021	0.007	0.625999987	0.232567534
SeepArea32L-1049_219	SeepArea32L-1049	SA32/L-1049	1174545.847	3176640.012	8/18/2013	0	0.00092945	0.048563771	A	790.4	45.0	18-08-2013 15:47:55	0	0.004	0.209000006	0.232362539
SeepArea32L-1049_22	SeepArea32L-1049	SA32/L-1049	1175261.41	3176051.691	8/16/2013	0	0.000699322	0.466914237	A	787.7	42.9	16-08-2013 13:12:20	0	0.003	2.003000021	0.233107448
SeepArea32L-1049_220	SeepArea32L-1049	SA32/L-1049	1174644.31	3176655.566	8/18/2013	0	0.001857262	0.748708844	A	790.2	45.2	18-08-2013 15:51:19	0	0.008	3.224999905	0.232157797
SeepArea32L-1049_221	SeepArea32L-1049	SA32/L-1049	1174642.897	3176569.057	8/18/2013	0	0.000696255	0.118131213	A	790.2	45.3	18-08-2013 15:54:05	0	0.003	0.509000003	0.2320849
SeepArea32L-1049_222	SeepArea32L-1049	SA32/L-1049	1174550.462	3176536.922	8/18/2013	0	0.000928048	0.109045662	A	790.2	45.4	18-08-2013 15:56:50	0	0.004	0.469999999	0.232012048
SeepArea32L-1049_223	SeepArea32L-1049	SA32/L-1049	1174545.269	3176448.298	8/18/2013	0	0.000695818	0.102053262	A	790.2	45.5	18-08-2013 15:59:53	0	0.003	0.439999998	0.231939226
SeepArea32L-1049_224	SeepArea32L-1049	SA32/L-1049	1174653.406	3176437.735	8/18/2013	0	0.00046382	0.151437148	A	790.1	45.5	18-08-2013 16:02:25	0	0.002	0.652999997	0.231909886
SeepArea32L-1049_225	SeepArea32L-1049	SA32/L-1049	1174651.777	3176339.855	8/18/2013	0	0.000231808	0.159947366	A	790.0	45.6	18-08-2013 16:05:04	0	0.001	0.689999998	0.231807783
SeepArea32L-1049_226	SeepArea32L-1049	SA32/L-1049	1174554.724	3176353.366	8/18/2013	0	0.000927522	0.11083889	A	790.0	45.5	18-08-2013 16:08:13	0	0.004	0.477999985	0.231880531
SeepArea32L-1049_227	SeepArea32L-1049	SA32/L-1049	1174438.014	3176354.29	8/18/2013	0	0.000463878	0.064942986	A	790.2	45.5	18-08-2013 16:10:53	0	0.002	0.280000001	0.231939226
SeepArea32L-1049_228	SeepArea32L-1049	SA32/L-1049	1174339.919	3176346.388	8/18/2013	0	0	0.25327763	A	790.2	45.5	18-08-2013 16:13:43	0	0	1.092000008	0.231939226
SeepArea32L-1049_229	SeepArea32L-1049	SA32/L-1049	1174336.268	3176258.542	8/18/2013	0	0.000464142	0.215361655	A	790.4	45.4	18-08-2013 16:16:24	-5.327000141	0.002	0.927999973	0.232070759
SeepArea32L-1049_23	SeepArea32L-1049	SA32/L-1049	1175153.108	3176053.167	8/16/2013	0	0.000933672	0.763277054	A	788.5	42.8	16-08-2013 13:15:43	0	0.004	3.269999981	0.233418062
SeepArea32L-1049_230	SeepArea32L-1049	SA32/L-1049	1174342.587	3176157.46	8/18/2013	0	0.000696212	0.350658923	A	790.4	45.4	18-08-2013 16:18:53	0	0.003	1.511000037	0.232070759
SeepArea32L-1049_231	SeepArea32L-1049	SA32/L-1049	1174450.6	3176148.169	8/18/2013	0	0.00046417	0.441889673	A	790.2	45.3	18-08-2013 16:21:30	0	0.002	1.904000044	0.2320849
SeepArea32L-1049_232	SeepArea32L-1049	SA32/L-1049	1174468.499	3176256.355	8/18/2013	0	0.000696385	0.787611723	A	790.1	45.2	18-08-2013 16:24:09	0	0.003	3.392999887	0.232128426
SeepArea32L-1049_233	SeepArea32L-1049	SA32/L-1049	1174554.695	3176253.076	8/18/2013	0	0.000464344	0.142553598	A	790.0	45.1	18-08-2013 16:26:38	0	0.002	0.614000022	0.232171968
SeepArea32L-1049_234	SeepArea32L-1049	SA32/L-1049	1174542.692	3176153.171	8/18/2013	0	0.000232113	0.109789543	A	789.8	45.1	18-08-2013 16:29:10	0	0.001	0.47299999	0.232113197
SeepArea32L-1049_24	SeepArea32L-1049	SA32/L-1049	1175053.913	3176057.375	8/16/2013	0	0.001402551	0.083919287	A	789.4	42.7	16-08-2013 13:20:40	0	0.006	0.358999997	0.233758464
SeepArea32L-1049_25	SeepArea32L-1049	SA32/L-1049	1175088.301	3176141.721	8/16/2013	0	0	0.061603155	A	790.5	42.5	16-08-2013 13:24:52	0	0	0.263000011	0.234232515
SeepArea32L-1049_26	SeepArea32L-1049	SA32/L-1049	1175178.719	3176155.176	8/16/2013	0	0.000936871	0.363740265	A	790.2	42.4	16-08-2013 13:27:46	0	0.004	1.552999973	0.234217823
SeepArea32L-1049_27	SeepArea32L-1049	SA32/L-1049	1175267.505	3176167.976	8/16/2013	0	0.000468288	0.114730477	A	789.7	42.3	16-08-2013 13:31:01	0	0.002	0.49000001	0.234143823
SeepArea32L-1049_28	SeepArea32L-1049	SA32/L-1049	1175368.515	3176249.902	8/16/2013	0	0.001168198	0.059344478	A	787.5	42.1	16-08-2013 13:36:21	0	0.005	0.254000008	0.233639672
SeepArea32L-1049_29	SeepArea32L-1049	SA32/L-1049	1175247.499	3176242.121	8/16/2013	0	0.000467754	0.072268002	A	787.8	41.9	16-08-2013 13:39:59	0	0.002	0.308999985	0.233877048
SeepArea32L-1049_30	SeepArea32L-1049	SA32/L-1049	1175177.321	3176244.006	8/16/2013	0	0	0.056457378	A	789.1	41.9	16-08-2013 13:				

APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
SeepArea32L-1049_59	SeepArea32L-1049	SA32/L-1049	1174946.124	3176752.866	8/16/2013	0	0.00023336	0.280265749	A	790.8	43.8	16-08-2013 15:14:23	0	0.001	1.200999975	0.23336032
SeepArea32L-1049_60	SeepArea32L-1049	SA32/L-1049	1175048.193	3176749.168	8/16/2013	0	0.000933676	0.080529585	A	790.5	43.6	16-08-2013 15:17:32	0	0.004	0.344999999	0.233419091
SeepArea32L-1049_61	SeepArea32L-1049	SA32/L-1049	1175145.531	3176758.284	8/16/2013	0	0.000933794	1.143196583	A	790.1	43.4	16-08-2013 15:20:54	0	0.004	4.896999836	0.233448371
SeepArea32L-1049_62	SeepArea32L-1049	SA32/L-1049	1175248.366	3176763.942	8/16/2013	0.812343359	0	0.255988598	A	789.5	43.0	16-08-2013 15:26:46	3.477999926	0	1.095999956	0.233566239
SeepArea32L-1049_63	SeepArea32L-1049	SA32/L-1049	1175357.789	3176749.374	8/16/2013	0	0.000934679	0.14814654	A	789.1	42.7	16-08-2013 15:30:34	0	0.004	0.634000003	0.233669624
SeepArea32L-1049_64	SeepArea32L-1049	SA32/L-1049	1175465.347	3176747.854	8/16/2013	0	0.001635479	0.144623101	A	788.5	42.5	16-08-2013 15:34:01	0	0.007	0.619000018	0.233639896
SeepArea32L-1049_65	SeepArea32L-1049	SA32/L-1049	1175377.97	3176817.466	8/16/2013	0	0.000934796	0.09464813	A	788.2	42.3	16-08-2013 15:38:07	0	0.004	0.405000001	0.233699083
SeepArea32L-1049_66	SeepArea32L-1049	SA32/L-1049	1175293.346	3176839.656	8/16/2013	0	0.000466894	0.070034087	A	787.1	42.2	16-08-2013 15:41:35	0	0.002	0.300000012	0.233446941
SeepArea32L-1049_67	SeepArea32L-1049	SA32/L-1049	1175267.916	3176964.613	8/16/2013	0	0.000233625	0.114008948	A	787.7	42.2	16-08-2013 15:45:48	0	0.001	0.488000005	0.23362489
SeepArea32L-1049_68	SeepArea32L-1049	SA32/L-1049	1175178.803	3176934.546	8/16/2013	0	0.000466449	0.01539283	A	786.6	42.3	16-08-2013 15:49:19	0	0.002	0.066	0.23322469
SeepArea32L-1049_69	SeepArea32L-1049	SA32/L-1049	1175145.869	3176845.486	8/16/2013	0	0.00070083	0.288041323	A	787.9	42.3	16-08-2013 15:53:45	0	0.003	1.23300004	0.233610138
SeepArea32L-1049_70	SeepArea32L-1049	SA32/L-1049	1175048.771	3176848.466	8/16/2013	0	0.010528468	1.488725185	A	789.1	42.3	16-08-2013 15:57:26	0	0.045000002	6.362999916	0.233965933
SeepArea32L-1049_71	SeepArea32L-1049	SA32/L-1049	1175052.973	3176944.862	8/16/2013	0	0.002574766	0.745043635	A	789.7	42.4	16-08-2013 16:00:00	0	0.011	3.183000088	0.234069631
SeepArea32L-1049_72	SeepArea32L-1049	SA32/L-1049	1174958.504	3176952.089	8/16/2013	0	0.003742742	0.573809147	A	789.7	42.6	16-08-2013 16:03:08	0	0.016000001	2.453000069	0.233921364
SeepArea32L-1049_73	SeepArea32L-1049	SA32/L-1049	1174949.566	3176842.466	8/16/2013	0	0.000935982	3.194738626	A	790.2	42.7	16-08-2013 16:05:57	0	0.004	13.65299988	0.233995363
SeepArea32L-1049_74	SeepArea32L-1049	SA32/L-1049	1174856.232	3176858.101	8/16/2013	0.670672953	0.00093604	0.356865406	A	790.5	42.8	16-08-2013 16:10:17	2.865999937	0.004	1.524999976	0.234010115
SeepArea32L-1049_75	SeepArea32L-1049	SA32/L-1049	1174853.209	3176944.653	8/16/2013	0	0.00046802	1.168412566	A	790.5	42.8	16-08-2013 16:13:20	0	0.002	4.993000031	0.234010115
SeepArea32L-1049_76	SeepArea32L-1049	SA32/L-1049	1174760.357	3176958.695	8/16/2013	2.411942244	0.002106091	0.892982602	A	790.5	42.8	16-08-2013 16:16:12	10.307000016	0.009	3.815999985	0.234010115
SeepArea32L-1049_77	SeepArea32L-1049	SA32/L-1049	1174766.075	3176850.955	8/16/2013	0	0.000936692	0.273279965	A	790.8	42.7	16-08-2013 16:19:11	0	0.004	1.167000055	0.234173045
SeepArea32L-1049_78	SeepArea32L-1049	SA32/L-1049	1174667.387	3176945.643	8/16/2013	1.719933867	0.000937166	1.933607817	A	791.2	42.7	16-08-2013 16:22:05	7.34100008	0.004	8.253000259	0.234291494
SeepArea32L-1049_79	SeepArea32L-1049	SA32/L-1049	1174646.972	3177048.642	8/17/2013	21.18105316	0	0.42572695	A	792.5	19.7	17-08-2013 08:49:42	83.68399811	-0.002	1.682000041	0.253107578
SeepArea32L-1049_80	SeepArea32L-1049	SA32/L-1049	1174654.411	3177158.15	8/17/2013	0	0.001006245	0.130308792	A	792.5	21.5	17-08-2013 08:54:26	0	0.004	0.518000007	0.251561373
SeepArea32L-1049_81	SeepArea32L-1049	SA32/L-1049	1174642.666	3177250.83	8/17/2013	0	0.001001491	0.380065769	A	791.7	22.6	17-08-2013 08:57:19	0	0.004	1.518000007	0.250372708
SeepArea32L-1049_82	SeepArea32L-1049	SA32/L-1049	1174547.668	3177239.371	8/17/2013	0.663222075	0.001248066	0.205431595	A	791.7	23.5	17-08-2013 09:00:26	2.657000065	0.005	0.823000014	0.249613121
SeepArea32L-1049_83	SeepArea32L-1049	SA32/L-1049	1174567.381	3177352.471	8/17/2013	0.369446009	0.002487852	0.741131067	A	792.0	24.6	17-08-2013 09:03:20	1.485000014	0.01	2.979000092	0.248785183
SeepArea32L-1049_84	SeepArea32L-1049	SA32/L-1049	1174565.734	3177446.363	8/17/2013	0.277535617	0.000247579	0.275307387	A	791.6	25.9	17-08-2013 09:07:13	1.121000051	0.001	1.111999989	0.247578591
SeepArea32L-1049_85	SeepArea32L-1049	SA32/L-1049	1174461.933	3177446.404	8/17/2013	0.597664773	0.001728068	0.497930557	A	791.7	26.8	17-08-2013 09:10:24	2.421000004	0.007	2.01699996	0.246866912
SeepArea32L-1049_86	SeepArea32L-1049	SA32/L-1049	1174470.917	3177558.866	8/17/2013	1.361587524	0.001967968	1.373641491	A	791.8	27.9	17-08-2013 09:13:44	5.534999847	0.008	5.584000111	0.245995954
SeepArea32L-1049_87	SeepArea32L-1049	SA32/L-1049	1174468.327	3177646.597	8/17/2013	0	0	0.474052459	A	791.7	29.1	17-08-2013 09:17:26	0	-0.003	1.934999943	0.244988352
SeepArea32L-1049_88	SeepArea32L-1049	SA32/L-1049	1174380.908	3177641.027	8/17/2013	0	0.0029321	2.448303223	A	791.7	29.9	17-08-2013 09:20:11	-0.018999999	0.012	10.020000046	0.244341627</

APPENDIX B - FLUX DATA

SitePt	Site	AreaAbbrev	Northing	Easting	Date	CH ₄ flux	H ₂ Sflux	CO ₂ flux	ACCUMULATION CHAMBER	PRESSURE (HPa)	TEMP DegC	TIME	CH ₄ slope	H ₂ Sslope	CO ₂ slope	AcK
SeepAreaL-1021_19	SeepAreaL-1021	L-1021	1173857.849	3178877.538	8/20/2013	0	0.003714089	0.517651141	A	791.1	45.6	20-08-2013 14:02:59	0	0.016000001	2.230000019	0.232130557
SeepAreaL-1021_20	SeepAreaL-1021	L-1021	1173886.827	3178771.325	8/20/2013	0	0.008119968	0.611317575	A	790.9	45.7	20-08-2013 14:06:14	0	0.035	2.63499999	0.231999084
SeepAreaL-1021_21	SeepAreaL-1021	L-1021	1173869.345	3178817.811	8/20/2013	0	0.003941512	0.350098997	A	790.9	45.9	20-08-2013 14:08:41	0	0.017000001	1.50999999	0.231853649
SeepAreaL-1021_22	SeepAreaL-1021	L-1021	1173899.831	3178716.351	8/20/2013	0	0.001158758	0.100811988	A	790.8	46.0	20-08-2013 14:11:14	0	0.005	0.435000002	0.231751695
SeepAreaL-1021_23	SeepAreaL-1021	L-1021	1173951.853	3178673.386	8/20/2013	0	0	0.060460601	A	790.7	46.1	20-08-2013 14:13:46	0	0	0.261000007	0.231649801
SeepAreaL-1021_24	SeepAreaL-1021	L-1021	1173962.09	3178620.203	8/20/2013	0	0	0.133354768	A	790.5	46.2	20-08-2013 14:16:01	0	-0.003	0.575999975	0.231518701
SeepAreaL-1021_25	SeepAreaL-1021	L-1021	1173975.209	3178564.793	8/20/2013	0	0	0.011584023	A	791.3	46.3	20-08-2013 14:18:31	0	0	0.050000001	0.231680453
SeepAreaL-1021_26	SeepAreaL-1021	L-1021	1173904.118	3178355.231	8/20/2013	0	0.002544316	0.236158744	A	790.5	46.5	20-08-2013 14:23:05	0	0.011	1.021000028	0.231301412
SeepAreaL-1021_27	SeepAreaL-1021	L-1021	1173894.574	3178412.983	8/20/2013	0	0.002312291	0.205562636	A	790.5	46.6	20-08-2013 14:25:33	0	0.01	0.888999999	0.231229067
SeepAreaL-1021_28	SeepAreaL-1021	L-1021	1173896.425	3178467.05	8/20/2013	0	0.003699444	0.26289174	A	790.7	46.7	20-08-2013 14:27:43	0	0.016000001	1.136999965	0.231215253
SeepAreaL-1021_29	SeepAreaL-1021	L-1021	1173891.857	3178510.459	8/20/2013	0	0.003959248	0.34818095	A	796.7	46.8	20-08-2013 14:29:52	0	0.017000001	1.495000005	0.232896954
SeepAreaL-1021_30	SeepAreaL-1021	L-1021	1173900.035	3178559.628	8/20/2013	0	0.001862012	0.037472986	A	796.7	47.0	20-08-2013 14:32:01	0	0.008	0.160999998	0.232751459
SeepAreaL-1021_31	SeepAreaL-1021	L-1021	1173922.22	3178574.833	8/20/2013	0	0.00230868	0.259726554	A	790.5	47.1	20-08-2013 14:34:12	0	0.01	1.125	0.230868056
SeepAreaL-1021_32	SeepAreaL-1021	L-1021	1173895.363	3178616.044	8/20/2013	0	0.001846835	0.411613345	A	790.7	47.2	20-08-2013 14:36:37	0	0.008	1.782999992	0.230854377
SeepAreaL-1021_33	SeepAreaL-1021	L-1021	1173892.082	3178660.923	8/20/2013	0	0.000461537	0.070615217	A	790.9	47.4	20-08-2013 14:39:03	0	0.002	0.305999994	0.230768695
SeepAreaL-1021_34	SeepAreaL-1021	L-1021	1173838.988	3178715.583	8/20/2013	0	0.00023058	0.127280191	A	790.5	47.5	20-08-2013 14:41:22	-0.129999995	0.001	0.551999986	0.230580062
SeepAreaL-1021_35	SeepAreaL-1021	L-1021	1173850.995	3178764.035	8/20/2013	0	0.004841896	0.153096139	A	790.7	47.6	20-08-2013 14:43:34	0	0.021	0.663999975	0.230566487
SeepAreaL-1021_36	SeepAreaL-1021	L-1021	1173832.189	3178652.817	8/20/2013	0	0.001152988	0.017756021	A	791.3	47.8	20-08-2013 14:46:00	0	0.005	0.077	0.23059766
SeepAreaL-1021_37	SeepAreaL-1021	L-1021	1173839.801	3178608.023	8/20/2013	0	0.000460586	0.0158902	A	790.5	47.9	20-08-2013 14:48:39	0	0.002	0.068999998	0.230292767
SeepAreaL-1021_38	SeepAreaL-1021	L-1021	1173836.677	3178557.497	8/20/2013	0	0.003452879	0.443810076	A	790.4	48.0	20-08-2013 14:51:25	0	0.015	1.927999973	0.230191946
SeepAreaL-1021_39	SeepAreaL-1021	L-1021	1173849.246	3178511.964	8/20/2013	0	0.002532284	0.183245286	A	790.7	48.1	20-08-2013 14:53:47	0	0.011	0.796000004	0.230207637
SeepAreaL-1021_40	SeepAreaL-1021	L-1021	1173800.589	3178510.601	8/20/2013	0	0.000920311	0.100774072	A	790.5	48.2	20-08-2013 14:56:21	0	0.004	0.437999994	0.230077788
SeepAreaL-1021_41	SeepAreaL-1021	L-1021	1173804.605	3178451.682	8/20/2013	0	0.001381259	0.096227735	A	791.2	48.3	20-08-2013 14:58:38	0	0.006	0.418000013	0.230209887
SeepAreaL-1021_42	SeepAreaL-1021	L-1021	1173850.922	3178450.826	8/20/2013	0	0.001841106	0.557164788	A	791.2	48.4	20-08-2013 15:00:49	0	0.008	2.421000004	0.230138287
SeepAreaL-1021_43	SeepAreaL-1021	L-1021	1173839.444	3178417.638	8/20/2013	0.44018802	0.000919453	1.62214458	A	790.5	48.5	20-08-2013 15:03:22	1.914999962	0.004	7.05700016	0.229863197
SeepAreaL-1021_44	SeepAreaL-1021	L-1021	1173801.174	3178407.986	8/20/2013	0	0.004597579	0.156317696	A	790.8	48.6	20-08-2013 15:05:43	0	0.02	0.680000007	0.229878962
SeepAreaL-1021_45	SeepAreaL-1021	L-1021	1173799.206	3178352.572	8/20/2013	0	0.005971974	0.319500595	A	790.4	48.7	20-08-2013 15:08:09	0	0.026000001	1.391000032	0.229691297
SeepAreaL-1021_46	SeepAreaL-1021	L-1021	1173849.578	3178362.372	8/20/2013	0	0.002758228	0.276282549	A	791.2	48.8	20-08-2013 15:10:35	0	0.012	1.202000022	0.229852363
SeepAreaL-1050_01	SeepAreaL-1050	L-1050	1172720.298	3179622.781	8/20/2013	0	0	0.045400102	A	792.0	28.7	20-08-2013 11:31:34	0	-0.004	0.185000002	0.245405957
SeepAreaL-1050_02	SeepAreaL-1050	L-1050	1172656.484	3179609.619	8/20/2013	0	0	0.060912002	A	792.1	29.7	20-08-2013 11:35:37	0	-0.002	0.248999998	0.244626522
SeepAreaL-1050_03	SeepAreaL-1050	L-1050	1172625.247	3179607.194	8/20/2013	0	0	0.080743864	A	791.7	30.4	20-08-2013 11:38:27	0	0	0.331	0.243939161
SeepAreaL-1050_04	SeepAreaL-1050	L-1050	1172569.6	3179601.647	8/20/2013	0	0	0.057405274	A	791.0	31.0	20-08-2013 11:40:56	0	-0.001	0.236000001	0.243242681
SeepAreaL-1																

APPENDIX C
VOLUMETRIC FLUX CALCULATIONS



Grid Volume Computations

Tue Sep 16 12:08:06 2014

Upper Surface

Grid File Name: C:\DatabaseBackup\XTO\2014MethaneSurvey\SA32_L1049plus1021_CH4
.grd
Grid Size: 123 rows x 222 columns

X Minimum: 3175765.817
X Maximum: 3179074.446
X Spacing: 14.971171945702

Y Minimum: 1173713.91
Y Maximum: 1175540.484
Y Spacing: 14.971918032787

Z Minimum: -1.0293510911669
Z Maximum: 41.473150645926

Lower Surface

Level Surface defined by Z = 0

Volumes

Z Scale Factor: 0.0929

Total Volumes by:

Trapezoidal Rule: 123508.40782817
Simpson's Rule: 123479.99641655
Simpson's 3/8 Rule: 123505.75527669

Cut & Fill Volumes

Positive Volume [Cut]: 137010.72142432
Negative Volume [Fill]: 13502.313596144
Net Volume [Cut-Fill]: 123508.40782817

Areas

Planar Areas

Positive Planar Area [Cut]: 1622738.4473848
Negative Planar Area [Fill]: 1909596.6348548
Blanked Planar Area: 2511120.6248068
Total Planar Area: 6043455.7070464

Surface Areas

Positive Surface Area [Cut]: 1622762.5260218
Negative Surface Area [Fill]: 1909596.9124059

Grid Volume Computations

Wed Sep 17 14:28:04 2014

Upper Surface

Grid File Name: P:\XTO Energy\608\2014 Survey\Surfer\SA32_L1049_CH4.grd
Grid Size: 68 rows x 100 columns

X Minimum: 3175715.817
X Maximum: 3178462.626
X Spacing: 27.745545454549

Y Minimum: 1173663.91
Y Maximum: 1175590.484
Y Spacing: 28.754835820896

Z Minimum: -2.1667555572165
Z Maximum: 40.013055332804

Lower Surface

Level Surface defined by Z = 0

Volumes

Z Scale Factor: 0.0929

Total Volumes by:

Trapezoidal Rule: 121952.90933216
Simpson's Rule: 121861.97755389
Simpson's 3/8 Rule: 121852.91692402

Cut & Fill Volumes

Positive Volume [Cut]: 134533.39419477
Negative Volume [Fill]: 12580.484862608
Net Volume [Cut-Fill]: 121952.90933216

Areas

Planar Areas

Positive Planar Area [Cut]: 1566388.1118038
Negative Planar Area [Fill]: 1701077.9821346

Blanked Planar Area: 2024464.7084284
Total Planar Area: 5291930.8023668

Surface Areas

Positive Surface Area [Cut]: 1566411.0164356
Negative Surface Area [Fill]: 1701078.1912024

Grid Volume Computations

Tue Sep 16 12:03:25 2014

Upper Surface

Grid File Name: C:\DatabaseBackup\XTO\2014MethaneSurvey\SA14_CH4.grd
Grid Size: 52 rows x 42 columns

X Minimum: 3156157.627
X Maximum: 3156773.573
X Spacing: 15.023073170732

Y Minimum: 1168766.043
Y Maximum: 1169531.659
Y Spacing: 15.012078431371

Z Minimum: -0.201223985801
Z Maximum: 0.71736877391775

Lower Surface

Level Surface defined by Z = 0

Volumes

Z Scale Factor: 0.0929

Total Volumes by:

Trapezoidal Rule: 263.26548031964
Simpson's Rule: 264.0762885674
Simpson's 3/8 Rule: 265.47142934039

Cut & Fill Volumes

Positive Volume [Cut]: 373.50266715705
Negative Volume [Fill]: 110.2371868374
Net Volume [Cut-Fill]: 263.26548031964

Areas

Planar Areas

Positive Planar Area [Cut]: 181954.55454848
Negative Planar Area [Fill]: 102210.16187777

Blanked Planar Area: 187413.3963097
Total Planar Area: 471578.11273595

Surface Areas

Positive Surface Area [Cut]: 181954.5617566
Negative Surface Area [Fill]: 102210.16246402

Grid Volume Computations

Tue Sep 16 12:02:06 2014

Upper Surface

Grid File Name: C:\DatabaseBackup\XTO\2014MethaneSurvey\SA5_CH4.grd
Grid Size: 41 rows x 50 columns

X Minimum: 3175941.307
X Maximum: 3176680.186
X Spacing: 15.07916326531

Y Minimum: 1172304.856
Y Maximum: 1172911.542
Y Spacing: 15.16715

Z Minimum: -0.45746441347412
Z Maximum: 2.96897205278

Lower Surface

Level Surface defined by Z = 0

Volumes

Z Scale Factor: 0.0929

Total Volumes by:

Trapezoidal Rule: 457.10475282886
Simpson's Rule: 437.93971636346
Simpson's 3/8 Rule: 447.59856819158

Cut & Fill Volumes

Positive Volume [Cut]: 733.16953421568
Negative Volume [Fill]: 276.06478138681
Net Volume [Cut-Fill]: 457.10475282886

Areas

Planar Areas

Positive Planar Area [Cut]: 184831.43653873
Negative Planar Area [Fill]: 114089.82943439

Blanked Planar Area: 149346.279021
Total Planar Area: 448267.54499411

Surface Areas

Positive Surface Area [Cut]: 184831.53881974
Negative Surface Area [Fill]: 114089.83490342

Grid Volume Computations

Tue Sep 16 12:15:26 2014

Upper Surface

Grid File Name: C:\DatabaseBackup\XTO\2014MethaneSurvey\L1050_CH4.grd
Grid Size: 93 rows x 100 columns

X Minimum: 3179605.686
X Maximum: 3179823.216
X Spacing: 2.1972727272707

Y Minimum: 1172567.814
Y Maximum: 1172770.606
Y Spacing: 2.2042608695641

Z Minimum: -0.18566659349973
Z Maximum: 3.4888989436728

Lower Surface

Level Surface defined by Z = 0

Volumes

Z Scale Factor: 0.0929

Total Volumes by:

Trapezoidal Rule: 731.01340599549
Simpson's Rule: 731.1159518321
Simpson's 3/8 Rule: 731.07706089142

Cut & Fill Volumes

Positive Volume [Cut]: 804.21141568188
Negative Volume [Fill]: 73.199040178302
Net Volume [Cut-Fill]: 731.01237550357

Areas

Planar Areas

Positive Planar Area [Cut]: 14542.412369087
Negative Planar Area [Fill]: 29570.93139085

Blanked Planar Area: 0
Total Planar Area: 44113.343759937

Surface Areas

Positive Surface Area [Cut]: 14542.539492948
Negative Surface Area [Fill]: 29570.932531773

Grid Volume Computations

Tue Sep 16 11:58:37 2014

Upper Surface

Grid File Name: C:\DatabaseBackup\XTO\2014MethaneSurvey\L1030_ch4.grd
Grid Size: 25 rows x 21 columns

X Minimum: 3164608.006
X Maximum: 3164903.373
X Spacing: 14.768350000004

Y Minimum: 1146045.22
Y Maximum: 1146411.735
Y Spacing: 15.271458333339

Z Minimum: -36.145740200817
Z Maximum: 155.23104881949

Lower Surface

Level Surface defined by Z = 0

Volumes

Z Scale Factor: 0.0929

Total Volumes by:

Trapezoidal Rule: 26334.202194107
Simpson's Rule: 27331.282858959
Simpson's 3/8 Rule: 26695.935090287

Cut & Fill Volumes

Positive Volume [Cut]: 50811.660033034
Negative Volume [Fill]: 24477.457838927
Net Volume [Cut-Fill]: 26334.202194107

Areas

Planar Areas

Positive Planar Area [Cut]: 30272.348440235
Negative Planar Area [Fill]: 46634.8279717

Blanked Planar Area: 31349.259593135
Total Planar Area: 108256.43600507

Surface Areas

Positive Surface Area [Cut]: 30601.00239665
Negative Surface Area [Fill]: 46691.063773436

Grid Volume Computations

Wed Sep 17 14:28:29 2014

Upper Surface

Grid File Name: P:\XTO Energy\608\2014 Survey\Surfer\L1021_CH4.grd
Grid Size: 22 rows x 52 columns

X Minimum: 3178304.341
X Maximum: 3179074.446
X Spacing: 15.100098039215

Y Minimum: 1173751.701
Y Maximum: 1174062.15
Y Spacing: 14.783285714287

Z Minimum: -0.84581900500497
Z Maximum: 2.1353351955339

Lower Surface

Level Surface defined by Z = 0

Volumes

Z Scale Factor: 0.0929

Total Volumes by:

Trapezoidal Rule: 644.2101924267
Simpson's Rule: 627.93579852193
Simpson's 3/8 Rule: 634.38420392471

Cut & Fill Volumes

Positive Volume [Cut]: 1662.8383711612
Negative Volume [Fill]: 1018.6281787345
Net Volume [Cut-Fill]: 644.2101924267

Areas

Planar Areas

Positive Planar Area [Cut]: 76098.962740146
Negative Planar Area [Fill]: 110632.14898423

Blanked Planar Area: 52347.21542064
Total Planar Area: 239078.32714501

Surface Areas


Positive Surface Area [Cut]: 76099.087632715
Negative Surface Area [Fill]: 110632.20064627

APPENDIX D
NATURAL SPRING ANALYTICAL RESULTS





09/10/14



Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61331R

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **14**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	5
Section 4: Sample Results	6
4.1: D61331-1R: SPRING 01	7
Section 5: Misc. Forms	8
5.1: Chain of Custody	9
Section 6: General Chemistry - QC Data Summaries	10
6.1: Method Blank and Spike Results Summary	11
6.2: Duplicate Results Summary	12
6.3: Matrix Spike Results Summary	13
6.4: Matrix Spike Duplicate Results Summary	14



Sample Summary

LT Environmental

Job No: D61331R

Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
D61331-1R	08/21/14	09:04 DH	08/22/14	AQ	Ground Water SPRING 01



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: LT Environmental

Job No D61331R

Site: Colo Rule 608 Compliance Raton Basin CO

Report Date 9/10/2014 12:18:04 P

On 08/22/2014, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D61331R was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Wet Chemistry By Method SM 2320B-2011

Matrix: AQ

Batch ID: GN26358

- All method blanks for this batch meet method specific criteria.
- Sample(s) D61757-1DUP, D61757-2MS, D61757-2MSD were used as the QC samples for the Alkalinity, Total as CaCO₃ analysis.
- The following samples were run outside of holding time for method SM 2320B-2011: D61331-1R

Matrix: AQ

Batch ID: GN26359

- All method blanks for this batch meet method specific criteria.
- The following samples were run outside of holding time for method SM 2320B-2011: D61331-1R

Matrix: AQ

Batch ID: GN26360

- All method blanks for this batch meet method specific criteria.
- The following samples were run outside of holding time for method SM 2320B-2011: D61331-1R

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 1

Job Number: D61331R
Account: LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO
Collected: 08/21/14

3

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Analyte						

D61331-1R SPRING 01

Alkalinity, Bicarbonate as CaCO3	251	5.0		mg/l	SM 2320B-2011
Alkalinity, Total as CaCO3	260	5.0		mg/l	SM 2320B-2011



4

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

Client Sample ID:	SPRING 01	Date Sampled:	08/21/14
Lab Sample ID:	D61331-1R	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Alkalinity, Bicarbonate as CaC	251	5.0	mg/l	1	09/09/14	JD	SM 2320B-2011
Alkalinity, Carbonate	< 5.0	5.0	mg/l	1	09/09/14	JD	SM 2320B-2011
Alkalinity, Total as CaCO ₃	260	5.0	mg/l	1	09/08/14	JD	SM 2320B-2011

RL = Reporting Limit



Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE OF

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes																					
Company Name LT Environmental Street Address 4600 West 60th Ave City Denver State CO Zip 80003		Project Name Rule 608 Street: 		Billing Information (If different from Report to) Company Name Street Address 																							
Project Contact Dan Moire dmoire@new.com Phone # 303-483-9788 Sample(s) Name(s) Devin Hencemann		Project# 012914005 Client PO# 		City State Zip Attention: PO# 																							
Accutest Sample # Field ID / Point of Collection Spring 01		Collection MEGHDIV# Date 8/21/14 Time 904 Sampled by DH GW 10		Number of preserved Bottles <table border="1"> <tr> <th></th> <th>HCl</th> <th>NH3H</th> <th>INH3</th> <th>INSO4</th> <th>None</th> <th>Dr Water</th> <th>Mech</th> <th>ENONE</th> <th>BSulfate</th> </tr> <tr> <td># of bottles</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </table>			HCl	NH3H	INH3	INSO4	None	Dr Water	Mech	ENONE	BSulfate	# of bottles											
					HCl	NH3H	INH3	INSO4	None	Dr Water	Mech	ENONE	BSulfate														
# of bottles																											
X See Attached																											
								LAB USE ONLY 01 103-02 Jones																			
Turnaround Time (Business days) <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> Std. 5 Business Days (By Contract only) <input type="checkbox"/> 5 Day EMERGEN <input type="checkbox"/> 3 Day EMERGEN <input type="checkbox"/> 2 Day EMERGEN <input type="checkbox"/> 1 Day EMERGEN Emergency & Rush T/A data available VIA LabLink				Approved By (Accutest PM): _____ Date: _____		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> Commercial "B" +Narrative <input type="checkbox"/> FULLT1 (Level 3+4)		<input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format _____ <input type="checkbox"/> PDF																			
						Commercial "A" = Results Only Commercial "B" = Results + QC Summary		Comments / Special Instructions <i>we need EDD's</i> <i>Cogcc, XTG, LTC Formats</i>																			
Sample Custody must be documented below each time samples change possession, including courier delivery.																											
Relinquished by Sampler: 1 JL		Date Time: 8/21/14 1637 1		Received By: 1 UAT		Relinquished By: 2 UAT		Date Time: 8-22-14 1030 2																			
Relinquished by Sampler: 3		Date Time: 3		Received By: 4		Relinquished By: 4		Date Time: 4																			
Relinquished by: 5		Date Time: 5		Received By: 		Custody Seal # Intact <input type="checkbox"/> Not Intact		Preserved where applicable / <input type="checkbox"/>																			
								On Ice B Cooler Temp. 40																			

D61331R: Chain of Custody



General Chemistry

QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries



METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61331R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Alkalinity, Bicarbonate as CaC	GN26359	5.0	0.0	mg/l	100	99.3	99.3	90-110%
Alkalinity, Carbonate	GN26360	5.0	0.0	mg/l	100	99.3	99.3	80-120%
Alkalinity, Total as CaCO ₃	GN26358	5.0	0.57	mg/l	100	99	99.3	90-110%

Associated Samples:

Batch GN26358: D61331-1R

Batch GN26359: D61331-1R

Batch GN26360: D61331-1R

(*) Outside of QC limits

6.1
6

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61331R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Alkalinity, Total as CaCO ₃	GN26358	D61757-1	mg/l	320	300	6.5	0-20%

Associated Samples:

Batch GN26358: D61331-1R
(*) Outside of QC limits

6.2
6

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61331R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Alkalinity, Total as CaCO ₃	GN26358	D61757-2	mg/l	240	100	330	90.5	80-120%

Associated Samples:

Batch GN26358: D61331-1R

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

6.3

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61331R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Alkalinity, Total as CaCO ₃	GN26358	D61757-2	mg/l	240	100	340	0.1	20%

Associated Samples:

Batch GN26358: D61331-1R


(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

6.4
6



09/08/14



Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61331

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **48**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	7
Section 4: Sample Results	8
4.1: D61331-1: SPRING 01	9
4.2: D61331-1A: SPRING 01	11
4.3: D61331-1B: SPRING 01	13
4.4: D61331-1F: SPRING 01	14
Section 5: Misc. Forms	15
5.1: Chain of Custody	16
Section 6: GC Volatiles - QC Data Summaries	17
6.1: Method Blank Summary	18
6.2: Blank Spike Summary	19
6.3: Matrix Spike/Matrix Spike Duplicate Summary	20
Section 7: Metals Analysis - QC Data Summaries	21
7.1: Prep QC MP13802: Se	22
7.2: Prep QC MP13804: Ca,Fe,Mg,Mn,K,Na	26
7.3: Prep QC MP13810: Ca,Mg,Na,Sodium Adsorption Ratio	34
Section 8: General Chemistry - QC Data Summaries	44
8.1: Method Blank and Spike Results Summary	45
8.2: Duplicate Results Summary	46
8.3: Matrix Spike Results Summary	47
8.4: Matrix Spike Duplicate Results Summary	48



Sample Summary

LT Environmental

Job No: D61331Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
D61331-1	08/21/14	09:04 DH	08/22/14	AQ	Ground Water	SPRING 01
D61331-1A	08/21/14	09:04 DH	08/22/14	AQ	Ground Water	SPRING 01
D61331-1B	08/21/14	09:04 DH	08/22/14	AQ	Ground Water	SPRING 01
D61331-1F	08/21/14	09:04 DH	08/22/14	AQ	Groundwater Filtered	SPRING 01



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: LT Environmental

Job No D61331

Site: Colo Rule 608 Compliance Raton Basin CO

Report Date 9/6/2014 2:01:49 PM

On 08/22/2014, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D61331 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GC By Method RSK175 MOD

Matrix: AQ

Batch ID: GFB558

- All samples were analyzed within the recommended method holding time.
- Sample(s) D61416-1MS, D61416-1MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- D61416-1MS, -1MSD: The pH of the sample was >2 at time of analysis.

Metals By Method EPA 200.7

Matrix: AQ

Batch ID: MP13804

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61281-1FMS, D61281-1FMSD were used as the QC samples for the metals analysis.
- MP13804-MB1 for Iron: All sample results >10x method blank concentration or <RL.

Metals By Method EPA 200.8

Matrix: AQ

Batch ID: MP13802

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1FMS, D61331-1FMSD were used as the QC samples for the metals analysis.

Metals By Method SW846 6010C

Matrix: AQ

Batch ID: MP13810

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1AMS, D61331-1AMSD, D61331-1ASDL were used as the QC samples for the metals analysis.
- The serial dilution RPD(s) for Magnesium are outside control limits for sample MP13810-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

Wet Chemistry By Method EPA 300.0/SW846 9056

Matrix: AQ

Batch ID: GP13355

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1MS, D61331-1MSD were used as the QC samples for the Bromide, Chloride, Fluoride, Nitrogen, Nitrate, Nitrogen, Nitrite, Sulfate analysis.

Matrix: AQ

Batch ID: R23295

- The data for EPA 300.0/SW846 9056 meets quality control requirements.
- D61331-1 for Nitrogen, Nitrate + Nitrite: Calculated as: (Nitrogen, Nitrate) + (Nitrogen, Nitrite)

Wet Chemistry By Method HACH IRB-BART

Matrix: AQ

Batch ID: MB415

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SLYM-BART

Matrix: AQ

Batch ID: MB416

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SRB-BART

Matrix: AQ

Batch ID: MB417

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH8190/SM4500P-B/E

Matrix: AQ

Batch ID: GP13364

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61053-1DUP, D61319-1MS, D61319-1MSD were used as the QC samples for the Phosphorus, Total analysis.

Wet Chemistry By Method SM 2510B-2011

Matrix: AQ

Batch ID: GP13377

- Sample(s) D61319-1DUP were used as the QC samples for the Specific Conductivity analysis.

Wet Chemistry By Method SM 2540C-2011

Matrix: AQ

Batch ID: GN26162

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61281-2DUP were used as the QC samples for the Solids, Total Dissolved analysis.

Wet Chemistry By Method USDA HANDBOOK 60

Matrix: AQ

Batch ID: MP13810

- D61331-1A for Sodium Adsorption Ratio: Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+(Mg meq/L)/2]

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 1

Job Number: D61331
Account: LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO
Collected: 08/21/14

3

Lab Sample ID	Client Sample ID	Result/ Analyte	Qual	RL	MDL	Units	Method
---------------	------------------	--------------------	------	----	-----	-------	--------

D61331-1 SPRING 01

Methane	1.00	0.0040	0.0020	mg/l	RSK175 MOD
Chloride	3.7	0.50		mg/l	EPA 300.0/SW846 9056
Fluoride	1.0	0.10		mg/l	EPA 300.0/SW846 9056
Phosphorus, Total	0.021	0.010		mg/l	HACH8190/SM4500P-B/E
Solids, Total Dissolved	338	10		mg/l	SM 2540C-2011
Specific Conductivity	406	1.0		umhos/cm	SM 2510B-2011
Sulfate	3.5	0.50		mg/l	EPA 300.0/SW846 9056

D61331-1A SPRING 01

Sodium	129	2.0	mg/l	SW846 6010C
Sodium Adsorption Ratio ^a	25.0		ratio	USDA HANDBOOK 60

D61331-1B SPRING 01

No hits reported in this sample.

D61331-1F SPRING 01

Calcium	1410	400	ug/l	EPA 200.7
Magnesium	349	200	ug/l	EPA 200.7
Manganese	6.3	5.0	ug/l	EPA 200.7
Sodium	129000	400	ug/l	EPA 200.7

(a) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+ (Mg meq/L)/2]



4

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

Client Sample ID: SPRING 01
Lab Sample ID: D61331-1
Matrix: AQ - Ground Water
Method: RSK175 MOD
Project: Colo Rule 608 Compliance Raton Basin CO

Date Sampled: 08/21/14
Date Received: 08/22/14
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FB11961.D	5	08/26/14	JJ	n/a	n/a	GFB558
Run #2							

	Initial Volume	Headspace Volume	Volume Injected	Temperature
Run #1	39.0 ml	4.0 ml	500 ul	21.0 Deg. C
Run #2				

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	1.00	0.0040	0.0020	mg/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	SPRING 01	Date Sampled:	08/21/14
Lab Sample ID:	D61331-1	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Bromide	< 0.050	0.050	mg/l	1	08/22/14 13:46	JB	EPA 300.0/SW846 9056
Chloride	3.7	0.50	mg/l	1	08/22/14 13:46	JB	EPA 300.0/SW846 9056
Fluoride	1.0	0.10	mg/l	1	08/22/14 13:46	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrate	< 0.010	0.010	mg/l	1	08/22/14 13:46	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrate + Nitrite ^a	< 0.014	0.014	mg/l	1	08/22/14 13:46	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrite	< 0.0040	0.0040	mg/l	1	08/22/14 13:46	JB	EPA 300.0/SW846 9056
Phosphorus, Total	0.021	0.010	mg/l	1	08/25/14	JD	HACH8190/SM4500P-B/E
Solids, Total Dissolved	338	10	mg/l	1	08/25/14	BF	SM 2540C-2011
Specific Conductivity	406	1.0	umhos/cm	1	08/26/14	JD	SM 2510B-2011
Sulfate	3.5	0.50	mg/l	1	08/22/14 13:46	JB	EPA 300.0/SW846 9056

(a) Calculated as: (Nitrogen, Nitrate) + (Nitrogen, Nitrite)

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	SPRING 01	Date Sampled:	08/21/14
Lab Sample ID:	D61331-1A	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

SAR Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	< 2.0	2.0	mg/l	1	08/25/14	08/25/14 KV	SW846 6010C ¹	SW846 3010A/M ²
Magnesium	< 1.0	1.0	mg/l	1	08/25/14	08/25/14 KV	SW846 6010C ¹	SW846 3010A/M ²
Sodium	129	2.0	mg/l	1	08/25/14	08/25/14 KV	SW846 6010C ¹	SW846 3010A/M ²

(1) Instrument QC Batch: MA5159

(2) Prep QC Batch: MP13810

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	SPRING 01	Date Sampled:	08/21/14
Lab Sample ID:	D61331-1A	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Sodium Adsorption Ratio ^a	25.0		ratio	1	08/25/14 18:47	KV	USDA HANDBOOK 60

(a) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+ (Mg meq/L)/2]

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	SPRING 01	Date Sampled:	08/21/14
Lab Sample ID:	D61331-1B	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Iron Reducing Bacteria	< 25	25	CFU/ml	1	08/25/14	MM	HACH IRB-BART
Slime Forming Bacteria	< 500	500	CFU/ml	1	08/25/14	MM	HACH SLYM-BART
Sulfate Reducing Bacteria	< 200	200	CFU/ml	1	08/25/14	MM	HACH SRB-BART

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	SPRING 01	Date Sampled:	08/21/14
Lab Sample ID:	D61331-1F	Date Received:	08/22/14
Matrix:	AQ - Groundwater Filtered	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

Dissolved Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	1410	400	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Iron	< 10	10	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Magnesium	349	200	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Manganese	6.3	5.0	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Potassium	< 1000	1000	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Selenium	< 0.80	0.80	ug/l	2	08/23/14	08/27/14 JB	EPA 200.8 ²	EPA 200.8 ³
Sodium	129000	400	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴

- (1) Instrument QC Batch: MA5155
 (2) Instrument QC Batch: MA5168
 (3) Prep QC Batch: MP13802
 (4) Prep QC Batch: MP13804

RL = Reporting Limit



Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

Accutest Laboratories Mountain States
4036 Youngfield Street Wheat Ridge, Co 80033
TEL. 303-425-6021 877-737-4521
FAX 303-425-6021

Client / Reporting Information				Project Information				Requested Analysis (see TEST CODE sheet)				Matrix Codes		
Company Name LT Environmental Street Address 4600 West 60th Ave City Denver State CO Zip 80003 Project Contact Dan Moir dmoir@ltew.com Phone # 303-433-9788 Fax # Sample(s) Name(s) Devin Hencman				Project Name Rule 608 Street City Project# 012914005 Client PO# Attention: Dan Moir				Billing Information (if different from Report to) Company Name Street Address City State Zip 						
Accutest Sample #	Field ID / Point of Collection	MEGHDID Vial #	Collection			# of bottles	Number of preserved Bottles					Baseline	X See Attached	Dw - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Tip Blank
			Date	Time	Sampled by		HCl	NaOH	HNO3	H2SO4	NONE			
1	Spring 01	8/21/14	904	DH	GW	10							01	
												LAB USE ONLY		
Turnaround Time (Business days) <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> Std. 5 Business Days (By Contract only) <input type="checkbox"/> 5 Day R/F SH <input type="checkbox"/> 3 Day EMERGENC <input type="checkbox"/> 2 Day EMERGENC <input type="checkbox"/> 1 Day EMERGENC Emergency & Rush T/A data available VIA LabLink				Approved By (Accutest PM): / Date: <hr/> <hr/> <hr/> <hr/>				<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> Commercial "B" +Narrative <input type="checkbox"/> FULLT1 (Level 3+4) Commercial "A" = Results Only Commercial "B" = Results + QC Summary				<input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format _____ <input type="checkbox"/> PDF		
Data Deliverable Information												we need EDD's Log cc, XTC, LTC Formats		
Comments / Special Instructions <hr/> <hr/> <hr/> <hr/>														
Relinquished By Sampler: 1				Date Time: 8/21/14 1637		Received By: 1		Relinquished By: 2		Date Time: UDT		Received By: 2		
Relinquished By Sampler: 3				Date Time:		Received By: 3		Relinquished By: 4		Date Time:		Received By: 4		
Relinquished by: 5				Date Time:		Received By: 5		Custody Seal #		<input checked="" type="checkbox"/> Intact <input type="checkbox"/> Not intact		Preserved where applicable /		
												On Ice B Cooler Temp 40		

D61331: Chain of Custody



GC Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method Blank Summary

Page 1 of 1

Job Number: D61331

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB558-MB	FB11947.D	1	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61331-1

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	ND	0.00080	0.00040	mg/l	

Blank Spike Summary

Page 1 of 1

Job Number: D61331

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB558-BS	FB11948.D	10	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61331-1

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
74-82-8	Methane	0.51	0.603	118	70-130

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D61331

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D61416-1MS ^a	FB11950.D	10	08/26/14	JJ	n/a	n/a	GFB558
D61416-1MSD ^a	FB11952.D	10	08/26/14	JJ	n/a	n/a	GFB558
D61416-1 ^a	FB11949.D	1	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61331-1

CAS No.	Compound	D61416-1		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		mg/l	Q	mg/l	mg/l	%	mg/l	mg/l	%		
74-82-8	Methane	ND		0.51	0.576	113	0.51	0.592	116	3	51-155/30

(a) The pH of the sample was > 2 at time of analysis.

* = Outside of Control Limits.



Metals Analysis

QC Data Summaries

7

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
Matrix Type: AQUEOUS

Methods: EPA 200.8
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	50	1.1	2		
Antimony	0.40	.0022	.011		
Arsenic	0.20	.017	.044		
Barium	2.0	.016	.079		
Beryllium	0.20	.016	.069		
Boron	40	.49	2.1		
Cadmium	0.10	.036	.042		
Calcium	400	5.6	12		
Chromium	2.0	.053	.053		
Cobalt	0.20	.0049	.015		
Copper	2.0	.06	.13		
Iron	10	3.5	4.6		
Lead	0.50	.0079	.008		
Magnesium	100	1.3	1.3		
Manganese	1.0	.12	.13		
Molybdenum	1.0	.049	.029		
Nickel	2.0	.0088	.027		
Phosphorus	60	2.6	4.3		
Potassium	200	2.9	2.9		
Selenium	0.40	.06	.21	-0.066	<0.40
Silver	0.10	.0019	.008		
Sodium	500	4.9	4.9		
Strontium	20	.01	.015		
Thallium	0.20	.0024	.005		
Tin	10	.063	1.3		
Titanium	2.0	.059	.092		
Uranium	0.20	.0017	.002		
Vanadium	1.0	.037	.2		
Zinc	10	.21	.96		

Associated samples MP13802: D61331-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date: 08/23/14

Metal	D61331-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper	anr			
Iron				
Lead				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium	0.0	195	200	97.5 70-130
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13802: D61331-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date:

08/23/14

Metal	D61331-1F Original	MSD ICPALL2	Spikelot % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium					
Chromium					
Cobalt					
Copper	anr				
Iron					
Lead					
Magnesium					
Manganese	anr				
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium	0.0	195	200	97.5	0.0
Silver					20
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13802: D61331-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date:

08/23/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper	anr			
Iron				
Lead				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium	205	200	102.5	85-115
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13802: D61331-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	100	11	11		
Antimony	30	2.1	21		
Arsenic	25	3.8	9		
Barium	10	.2	1.4		
Beryllium	10	.9	1.7		
Boron	50	.8	6.6		
Cadmium	10	.2	.36		
Calcium	400	2.4	66	8.5	<400
Chromium	10	.3	1.4		
Cobalt	5.0	.5	.51		
Copper	10	.8	1.5		
Iron	10	1.5	3.2	176	* (a)
Lead	50	2.1	4.1		
Lithium	5.0	.4	1.9		
Magnesium	200	6.8	29	14.0	<200
Manganese	5.0	.5	.29	1.6	<5.0
Molybdenum	10	.4	1.1		
Nickel	30	.5	.87		
Phosphorus	100	15	24		
Potassium	1000	99	230	12.9	<1000
Selenium	50	7.1	9.3		
Silicon	50	4.7	5.6		
Silver	30	.3	.4		
Sodium	400	7.3	36	19.9	<400
Strontium	5.0	.01	.12		
Thallium	10	1.8	4.9		
Tin	50	12	13		
Titanium	10	.1	.43		
Uranium	50	2.9	3.9		
Vanadium	10	.4	.39		
Zinc	30	.4	1.9		

Associated samples MP13804: D61331-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested

(a) All sample results >10x method blank concentration or <RL.

7.2.1
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/23/14

Metal	D61281-1F Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	74400	101000	25000	106.4
Chromium				
Cobalt				
Copper				
Iron	0.0	5190	5000	103.8
Lead				
Lithium				
Magnesium	39200	65800	25000	106.4
Manganese	0.0	497	500	99.4
Molybdenum				
Nickel				
Phosphorus				
Potassium	2990	30000	25000	108.0
Selenium				
Silicon	anr			
Silver				
Sodium	34100	60300	25000	104.8
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13804: D61331-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.2.2
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron	anr				
Cadmium					
Calcium	74400	103000	25000	114.4	2.0
Chromium					
Cobalt					
Copper					
Iron	0.0	5170	5000	103.4	0.4
Lead					
Lithium					
Magnesium	39200	66700	25000	110.0	1.4
Manganese	0.0	500	500	1000.0	0.6
Molybdenum					
Nickel					
Phosphorus					
Potassium	2990	30100	25000	108.4	0.3
Selenium					
Silicon	anr				
Silver					
Sodium	34100	61400	25000	109.2	1.8
Strontium	anr				
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13804: D61331-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.2.2
7

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/23/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	26400	25000	105.6	85-115
Chromium				
Cobalt				
Copper				
Iron	5210	5000	104.2	85-115
Lead				
Lithium				
Magnesium	26800	25000	107.2	85-115
Manganese	498	500	99.6	85-115
Molybdenum				
Nickel				
Phosphorus				
Potassium	26600	25000	106.4	85-115
Selenium				
Silicon	anr			
Silver				
Sodium	26200	25000	104.8	85-115
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13804: D61331-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date: 08/23/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

7.2.3
7

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	500	55	210		
Antimony	150	11	95		
Arsenic	130	19	28		
Barium	50	1	7		
Beryllium	50	4.5	6		
Boron	250	4	33		
Cadmium	50	1	1.8		
Calcium	2000	12	210	-25	<2000
Chromium	50	1.5	2		
Cobalt	25	2.5	2.9		
Copper	50	4	9.5		
Iron	350	7.5	48		
Lead	250	11	110		
Lithium	25	2	14		
Magnesium	1000	34	95	41.0	<1000
Manganese	25	2.5	2.3		
Molybdenum	50	2	4.2		
Nickel	150	2.5	4.4		
Phosphorus	500	75	100		
Potassium	5000	500	1400		
Selenium	250	36	55		
Silicon	250	24	26		
Silver	150	1.5	3		
Sodium	2000	37	850	-65	<2000
Strontium	25	.05	.6		
Thallium	50	9	20		
Tin	250	60	80		
Titanium	50	.5	11		
Uranium	250	15	28		
Vanadium	50	2	2		
Zinc	150	2	16		

Associated samples MP13810: D61331-1A

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61331

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested

7.3.1
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	1400	130000	125000	102.9
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	376	125000	125000	99.7
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	129000	250000	125000	96.8
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13810: D61331-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	D61331-1A Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.3.2
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium	1400	129000	125000	102.1	0.8
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Lithium					
Magnesium	376	123000	125000	98.1	1.6
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silicon					
Silver					
Sodium	129000	255000	125000	100.8	2.0
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13810: D61331-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	D61331-1A Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.3.2
7

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	128000	125000	102.4	80-120
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	120000	125000	96.0	80-120
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	122000	125000	97.6	80-120
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13810: D61331-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61331

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

7.3.3
7

SERIAL DILUTION RESULTS SUMMARY

Login Number: D61331
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A	Original	SDL 1:5	%DIF	QC Limits
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium	280	267		4.7	0-10
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Lithium					
Magnesium	75.2	104		37.6 (a)	0-10
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silicon					
Silver					
Sodium	25800	26000		0.9	0-10
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13810: D61331-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SERIAL DILUTION RESULTS SUMMARY

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	D61331-1A Original SDL 1:5	%DIF	QC Limits
-------	-------------------------------	------	--------------

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

7.3.4
7



General Chemistry

QC Data Summaries

∞

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Bromide	GP13355/GN26155	0.050	0.0	mg/l	0.5	0.514	102.8	90-110%
Chloride	GP13355/GN26155	0.50	0.0	mg/l	5	4.90	98.0	90-110%
Fluoride	GP13355/GN26155	0.10	0.0	mg/l	1	0.990	99.0	90-110%
Iron Reducing Bacteria	MB415	25	<25	CFU/ml				
Nitrogen, Nitrate	GP13355/GN26155	0.010	0.0	mg/l	0.1	0.103	103.0	90-110%
Nitrogen, Nitrite	GP13355/GN26155	0.0040	0.0	mg/l	0.05	0.0463	92.6	90-110%
Phosphorus, Total	GP13364/GN26169	0.010	0.0	mg/l	0.38	0.37	98.0	80-120%
Slime Forming Bacteria	MB416	500	<500	CFU/ml				
Solids, Total Dissolved	GN26162	10	0.0	mg/l	400	404	101.0	90-110%
Specific Conductivity	GP13377/GN26180			umhos/cm	98.1	107	108.6	90-110%
Sulfate	GP13355/GN26155	0.50	0.0	mg/l	5	5.00	100.0	90-110%
Sulfate Reducing Bacteria	MB417	200	<200	CFU/ml				

Associated Samples:

Batch MB415: D61331-1B
Batch MB416: D61331-1B

Batch MB417: D61331-1B

Batch GN26162: D61331-1

Batch GP13355: D61331-1

Batch GP13364: D61331-1

Batch GP13377: D61331-1

(*) Outside of QC limits

8.1
8

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Phosphorus, Total	GP13364/GN26169	D61053-1	mg/l	0.050	0.050	0.0	0-20%
Solids, Total Dissolved	GN26162	D61281-2	mg/l	605	618	2.1	0-20%
Specific Conductivity	GP13377/GN26180	D61319-1	umhos/cm	2020	2040	1.0	0-20%

Associated Samples:
Batch GN26162: D61331-1
Batch GP13364: D61331-1
Batch GP13377: D61331-1
(*) Outside of QC limits

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Bromide	GP13355/GN26155	D61331-1	mg/l	0.049	0.5	0.55	100.2	80-120%
Chloride	GP13355/GN26155	D61331-1	mg/l	3.7	5	8.7	100.0	80-120%
Fluoride	GP13355/GN26155	D61331-1	mg/l	1.0	1	2.1	110.0	80-120%
Nitrogen, Nitrate	GP13355/GN26155	D61331-1	mg/l	0.0	0.1	0.10	100.0	80-120%
Nitrogen, Nitrite	GP13355/GN26155	D61331-1	mg/l	0.0	0.05	0.051	102.0	80-120%
Phosphorus, Total	GP13364/GN26169	D61319-1	mg/l	0.41	.40	0.76	87.2	80-120%
Sulfate	GP13355/GN26155	D61331-1	mg/l	3.5	5	8.5	100.0	80-120%

Associated Samples:

Batch GP13355: D61331-1

Batch GP13364: D61331-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61331
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Bromide	GP13355/GN26155	D61331-1	mg/l	0.049	0.5	0.57	3.6	20%
Chloride	GP13355/GN26155	D61331-1	mg/l	3.7	5	9.4	7.7	20%
Fluoride	GP13355/GN26155	D61331-1	mg/l	1.0	1	2.2	4.7	20%
Nitrogen, Nitrate	GP13355/GN26155	D61331-1	mg/l	0.0	0.1	0.11	9.5	20%
Nitrogen, Nitrite	GP13355/GN26155	D61331-1	mg/l	0.0	0.05	0.048	6.1	20%
Phosphorus, Total	GP13364/GN26169	D61319-1	mg/l	0.41	.40	0.76	0.2	20%
Sulfate	GP13355/GN26155	D61331-1	mg/l	3.5	5	8.6	1.2	20%

Associated Samples:

Batch GP13355: D61331-1

Batch GP13364: D61331-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

48
8



08/29/14

Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61334X

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **8**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Subcontract Lab Data	4
Section 3: Misc. Forms	7
3.1: Chain of Custody	8



Sample Summary

LT Environmental

Job No: D61334X

Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
D61334-1X	08/21/14	13:50 DH	08/22/14	AQ	Ground Water CHAVEZ 01



Subcontract Lab Data

Report of Analysis



INDUSTRIAL LABORATORIES

Industrial Laboratories is your independent,
third-party analytical testing laboratory

2

To: Accutest Mountain States (AMS)
4036 Youngfield St.

Wheat Ridge CO 80033

Attn: Renea Jackson

TEST REPORT

ACCUTEST - M

Date Received: 8/22/2014

Date Reported: 8/26/2014

PO Number: D61334X

Note: Sample test procedures conform to EPA 40CFR136 requirements.

Lab No.	Sample Description	Test Method	Result	Units	MDL	Analysis Date/By
140822008-01A	D61334X-1, 08/21/14, 1:50 PM	* Total Coliforms MPN	<2 fecal; 80 total	MPN/100mL		KM 8/22/2014

SM 9221 B


Department Manager

Samples received in good condition unless otherwise noted in case narrative.

* = Scope Analysis

= Subcontracted Analysis

MDL = Method Detection Limit

ND = Not Detected at the Method Detection Limit

Page: 1 of 1

4046 Youngfield Street • Wheat Ridge, Colorado 80033 • (303) 287-9691 • (303) 287-0964 FAX • www.industriallabs.net

Receipt of analysis acknowledges the terms and conditions, which can be found at www.industriallabs.net
This report is not to be reproduced in whole or in part for advertising purposes without obtaining prior written authorization.



ACCUTEST®

4036 Youngfield St., Wheat Ridge, CO 80033
303-425-6021 FAX: 303-425-6854

Accutest Job #: D61334X
Accutest Quote #: 0
AMS P.O. #: _____
Project No.: _____

Client Information		Subcontract Laboratory Information												Analytical Information			
Name	Name	Name	Industrial Lab:			4046 Youngfield St.			Wheat Ridge			Total Coliform MPN			Comments		
Accutest Mountain States (AMS)		Address		City	State	Zip	City	State	Zip	City	State	Zip	None	H2SO4	HNO3	HCl	Preservation
4036 Youngfield St.	Field ID / Point of Collection	Date	TIME	Matrix	# of bottles	AQ	1						X				
D61334X -1	140822008	8/21/14	1:50 PM														
Turnaround Information												Data Deliverable Information					
<input checked="" type="checkbox"/> 10 Business Day Standard <input type="checkbox"/> Other _____ (Days)		Approved By:		<input type="checkbox"/> Commercial "A" <input type="checkbox"/> Commercial "B" <input type="checkbox"/> Commercial "BN"		<input type="checkbox"/> PDF <input type="checkbox"/> Compact Disk Deliverable <input type="checkbox"/> Electronic Delivery: <input type="checkbox"/> Reduced Tier 1 <input type="checkbox"/> Full Tier 1 <input type="checkbox"/> Other (Specify) _____											
A 10 Day Turnaround Hardcopy, RUSH is FAX Data unless previously approved. Sample Custody must be documented below each time samples change possession; including courier delivery.																	
Relinquished by:		Received By:		Date & Time:		Date & Time:		Received By:		Date & Time:		Date & Time:		Received By:		Date & Time:	
1 <i>[Signature]</i>		1 <i>[Signature]</i>		1 8/22/14 12:15		2		2		2		3		3		On Ice	
Relinquished by:		Received By:		Date & Time:		Date & Time:		Received By:		Date & Time:		Date & Time:		Received By:		Date & Time:	
2																	
3																	
For SubContract Laboratory Use Only Seal #: <i>[Signature]</i> 12:15 Headspace: Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/> Preserved where applicable: <input type="checkbox"/>																	



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

D61334X: Chain of Custody
Page 1 of 1



09/10/14



Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61334R

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **14**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	5
Section 4: Sample Results	6
4.1: D61334-1R: CHAVEZ 01	7
Section 5: Misc. Forms	8
5.1: Chain of Custody	9
Section 6: General Chemistry - QC Data Summaries	10
6.1: Method Blank and Spike Results Summary	11
6.2: Duplicate Results Summary	12
6.3: Matrix Spike Results Summary	13
6.4: Matrix Spike Duplicate Results Summary	14



Sample Summary

LT Environmental

Job No: D61334R

Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
D61334-1R	08/21/14	13:50 DH	08/22/14	AQ	Ground Water CHAVEZ 01



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: LT Environmental

Job No D61334R

Site: Colo Rule 608 Compliance Raton Basin CO

Report Date 9/10/2014 12:22:19 P

On 08/22/2014, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D61334R was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Wet Chemistry By Method SM 2320B-2011

Matrix: AQ

Batch ID: GN26358

- All method blanks for this batch meet method specific criteria.
- Sample(s) D61757-1DUP, D61757-2MS, D61757-2MSD were used as the QC samples for the Alkalinity, Total as CaCO₃ analysis.
- The following samples were run outside of holding time for method SM 2320B-2011: D61334-1R

Matrix: AQ

Batch ID: GN26359

- All method blanks for this batch meet method specific criteria.
- The following samples were run outside of holding time for method SM 2320B-2011: D61334-1R

Matrix: AQ

Batch ID: GN26360

- All method blanks for this batch meet method specific criteria.
- The following samples were run outside of holding time for method SM 2320B-2011: D61334-1R

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 1

Job Number: D61334R
Account: LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO
Collected: 08/21/14

3

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Analyte						

D61334-1R CHAVEZ 01

Alkalinity, Bicarbonate as CaCO3	141	5.0		mg/l	SM 2320B-2011
Alkalinity, Total as CaCO3	140	5.0		mg/l	SM 2320B-2011



4

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 01	Date Sampled:	08/21/14
Lab Sample ID:	D61334-1R	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Alkalinity, Bicarbonate as CaC	141	5.0	mg/l	1	09/09/14	JD	SM 2320B-2011
Alkalinity, Carbonate	< 5.0	5.0	mg/l	1	09/09/14	JD	SM 2320B-2011
Alkalinity, Total as CaCO ₃	140	5.0	mg/l	1	09/08/14	JD	SM 2320B-2011

RL = Reporting Limit



Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

D61334R: Chain of Custody



General Chemistry

QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries



METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61334R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Alkalinity, Bicarbonate as CaC	GN26359	5.0	0.0	mg/l	100	99.3	99.3	90-110%
Alkalinity, Carbonate	GN26360	5.0	0.0	mg/l	100	99.3	99.3	80-120%
Alkalinity, Total as CaCO ₃	GN26358	5.0	0.57	mg/l	100	99	99.3	90-110%

Associated Samples:

Batch GN26358: D61334-1R

Batch GN26359: D61334-1R

Batch GN26360: D61334-1R

(*) Outside of QC limits

6.1
6

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61334R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Alkalinity, Total as CaCO ₃	GN26358	D61757-1	mg/l	320	300	6.5	0-20%

Associated Samples:

Batch GN26358: D61334-1R
(*) Outside of QC limits

6.2
6

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61334R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Alkalinity, Total as CaCO3	GN26358	D61757-2	mg/l	240	100	330	90.5	80-120%

Associated Samples:

Batch GN26358: D61334-1R

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

6.3

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61334R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Alkalinity, Total as CaCO ₃	GN26358	D61757-2	mg/l	240	100	340	0.1	20%

Associated Samples:

Batch GN26358: D61334-1R

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

6.4
6



09/08/14

Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61334

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **48**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	7
Section 4: Sample Results	8
4.1: D61334-1: CHAVEZ 01	9
4.2: D61334-1A: CHAVEZ 01	11
4.3: D61334-1B: CHAVEZ 01	13
4.4: D61334-1F: CHAVEZ 01	14
Section 5: Misc. Forms	15
5.1: Chain of Custody	16
Section 6: GC Volatiles - QC Data Summaries	17
6.1: Method Blank Summary	18
6.2: Blank Spike Summary	19
6.3: Matrix Spike/Matrix Spike Duplicate Summary	20
Section 7: Metals Analysis - QC Data Summaries	21
7.1: Prep QC MP13802: Se	22
7.2: Prep QC MP13804: Ca,Fe,Mg,Mn,K,Na	26
7.3: Prep QC MP13835: Ca,Mg,Na,Sodium Adsorption Ratio	34
Section 8: General Chemistry - QC Data Summaries	44
8.1: Method Blank and Spike Results Summary	45
8.2: Duplicate Results Summary	46
8.3: Matrix Spike Results Summary	47
8.4: Matrix Spike Duplicate Results Summary	48



Sample Summary

LT Environmental

Job No: D61334Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
D61334-1	08/21/14	13:50 DH	08/22/14	AQ	Ground Water	CHAVEZ 01
D61334-1A	08/21/14	13:50 DH	08/22/14	AQ	Ground Water	CHAVEZ 01
D61334-1B	08/21/14	13:50 DH	08/22/14	AQ	Ground Water	CHAVEZ 01
D61334-1F	08/21/14	13:50 DH	08/22/14	AQ	Groundwater Filtered	CHAVEZ 01



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: LT Environmental

Job No D61334

Site: Colo Rule 608 Compliance Raton Basin CO

Report Date 9/6/2014 2:09:54 PM

On 08/22/2014, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D61334 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GC By Method RSK175 MOD

Matrix: AQ

Batch ID: GFB558

- All samples were analyzed within the recommended method holding time.
- Sample(s) D61416-1MS, D61416-1MSD were used as the QC samples indicated.
- All method blanks for this batch meet method specific criteria.
- D61416-1MS, -1MSD: The pH of the sample was >2 at time of analysis.

Metals By Method EPA 200.7

Matrix: AQ

Batch ID: MP13804

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61281-1FMS, D61281-1FMSD were used as the QC samples for the metals analysis.
- MP13804-MB1 for Iron: All sample results >10x method blank concentration or <RL.

Metals By Method EPA 200.8

Matrix: AQ

Batch ID: MP13802

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1FMS, D61331-1FMSD were used as the QC samples for the metals analysis.

Metals By Method SW846 6010C

Matrix: AQ

Batch ID: MP13835

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61280-1AMS, D61280-1AMSD, D61280-1ASDL were used as the QC samples for the metals analysis.
- MP13835-SD1 for Calcium, Sodium: Serial dilution indicates possible matrix interference.

Wet Chemistry By Method EPA 300.0/SW846 9056

Matrix: AQ

Batch ID: GP13355

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1MS, D61331-1MSD were used as the QC samples for the Bromide, Chloride, Fluoride, Nitrogen, Nitrate, Nitrogen, Nitrite, Sulfate analysis.

Matrix: AQ

Batch ID: R23298

- The data for EPA 300.0/SW846 9056 meets quality control requirements.
- D61334-1 for Nitrogen, Nitrate + Nitrite: Calculated as: (Nitrogen, Nitrate) + (Nitrogen, Nitrite)

Wet Chemistry By Method HACH IRB-BART

Matrix: AQ

Batch ID: MB415

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SLYM-BART

Matrix: AQ

Batch ID: MB416

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SRB-BART

Matrix: AQ

Batch ID: MB417

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH8190/SM4500P-B/E

Matrix: AQ

Batch ID: GP13368

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61270-1DUP, D61279-1MS, D61279-1MSD were used as the QC samples for the Phosphorus, Total analysis.

Wet Chemistry By Method SM 2510B-2011

Matrix: AQ

Batch ID: GP13377

- Sample(s) D61319-1DUP were used as the QC samples for the Specific Conductivity analysis.

Wet Chemistry By Method SM 2540C-2011

Matrix: AQ

Batch ID: GN26162

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61281-2DUP were used as the QC samples for the Solids, Total Dissolved analysis.

Wet Chemistry By Method USDA HANDBOOK 60

Matrix: AQ

Batch ID: MP13835

- D61334-1A for Sodium Adsorption Ratio: Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+(Mg meq/L)/2]

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 1

Job Number: D61334
Account: LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO
Collected: 08/21/14

3

Lab Sample ID	Client Sample ID	Result/ Analyte	Qual	RL	MDL	Units	Method
---------------	------------------	--------------------	------	----	-----	-------	--------

D61334-1 CHAVEZ 01

Methane	0.0035	0.00080	0.00040	mg/l	RSK175 MOD
Chloride	5.1	0.50		mg/l	EPA 300.0/SW846 9056
Fluoride	0.23	0.10		mg/l	EPA 300.0/SW846 9056
Phosphorus, Total	0.012	0.010		mg/l	HACH8190/SM4500P-B/E
Solids, Total Dissolved	210	10		mg/l	SM 2540C-2011
Specific Conductivity	278	1.0		umhos/cm	SM 2510B-2011
Sulfate	21.6	0.50		mg/l	EPA 300.0/SW846 9056

D61334-1A CHAVEZ 01

Calcium	47.5	2.0	mg/l	SW846 6010C
Magnesium	8.12	1.0	mg/l	SW846 6010C
Sodium	13.9	2.0	mg/l	SW846 6010C
Sodium Adsorption Ratio ^a	0.490		ratio	USDA HANDBOOK 60

D61334-1B CHAVEZ 01

Iron Reducing Bacteria	9000	25	CFU/ml	HACH IRB-BART
Slime Forming Bacteria	66500	500	CFU/ml	HACH SLYM-BART
Sulfate Reducing Bacteria	700	200	CFU/ml	HACH SRB-BART

D61334-1F CHAVEZ 01

Calcium	49800	400	ug/l	EPA 200.7
Magnesium	8920	200	ug/l	EPA 200.7
Potassium	1230	1000	ug/l	EPA 200.7
Sodium	15000	400	ug/l	EPA 200.7

(a) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+(Mg meq/L)/2]



4

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

Client Sample ID: CHAVEZ 01
Lab Sample ID: D61334-1
Matrix: AQ - Ground Water
Method: RSK175 MOD
Project: Colo Rule 608 Compliance Raton Basin CO

Date Sampled: 08/21/14
Date Received: 08/22/14
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FB11964.D	1	08/26/14	JJ	n/a	n/a	GFB558
Run #2							

	Initial Volume	Headspace Volume	Volume Injected	Temperature
Run #1	39.0 ml	4.0 ml	500 ul	21.0 Deg. C
Run #2				

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	0.0035	0.00080	0.00040	mg/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 01	Date Sampled:	08/21/14
Lab Sample ID:	D61334-1	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Bromide	< 0.050	0.050	mg/l	1	08/22/14 14:28	JB	EPA 300.0/SW846 9056
Chloride	5.1	0.50	mg/l	1	08/22/14 14:28	JB	EPA 300.0/SW846 9056
Fluoride	0.23	0.10	mg/l	1	08/22/14 14:28	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrate	< 0.010	0.010	mg/l	1	08/22/14 14:28	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrate + Nitrite ^a	< 0.014	0.014	mg/l	1	08/22/14 14:28	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrite	< 0.0040	0.0040	mg/l	1	08/22/14 14:28	JB	EPA 300.0/SW846 9056
Phosphorus, Total	0.012	0.010	mg/l	1	08/25/14	JD	HACH8190/SM4500P-B/E
Solids, Total Dissolved	210	10	mg/l	1	08/25/14	BF	SM 2540C-2011
Specific Conductivity	278	1.0	umhos/cm	1	08/26/14	JD	SM 2510B-2011
Sulfate	21.6	0.50	mg/l	1	08/22/14 14:28	JB	EPA 300.0/SW846 9056

(a) Calculated as: (Nitrogen, Nitrate) + (Nitrogen, Nitrite)

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 01	Date Sampled:	08/21/14
Lab Sample ID:	D61334-1A	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

SAR Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	47.5	2.0	mg/l	1	08/27/14	08/27/14 KV	SW846 6010C ¹	SW846 3010A/M ²
Magnesium	8.12	1.0	mg/l	1	08/27/14	08/27/14 KV	SW846 6010C ¹	SW846 3010A/M ²
Sodium	13.9	2.0	mg/l	1	08/27/14	08/27/14 KV	SW846 6010C ¹	SW846 3010A/M ²

(1) Instrument QC Batch: MA5170

(2) Prep QC Batch: MP13835

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 01	Date Sampled:	08/21/14
Lab Sample ID:	D61334-1A	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Sodium Adsorption Ratio ^a	0.490		ratio	1	08/27/14 16:22	KV	USDA HANDBOOK 60

(a) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+ (Mg meq/L)/2]

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 01	Date Sampled:	08/21/14
Lab Sample ID:	D61334-1B	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Iron Reducing Bacteria	9000	25	CFU/ml	1	08/25/14	MM	HACH IRB-BART
Slime Forming Bacteria	66500	500	CFU/ml	1	08/25/14	MM	HACH SLYM-BART
Sulfate Reducing Bacteria	700	200	CFU/ml	1	08/25/14	MM	HACH SRB-BART

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 01	Date Sampled:	08/21/14
Lab Sample ID:	D61334-1F	Date Received:	08/22/14
Matrix:	AQ - Groundwater Filtered	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

Dissolved Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	49800	400	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Iron	< 10	10	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Magnesium	8920	200	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Manganese	< 5.0	5.0	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Potassium	1230	1000	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴
Selenium	< 0.80	0.80	ug/l	2	08/23/14	08/27/14 JB	EPA 200.8 ²	EPA 200.8 ³
Sodium	15000	400	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁴

- (1) Instrument QC Batch: MA5155
- (2) Instrument QC Batch: MA5168
- (3) Prep QC Batch: MP13802
- (4) Prep QC Batch: MP13804

RL = Reporting Limit



Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

D61334: Chain of Custody
Page 1 of 1



GC Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method Blank Summary

Page 1 of 1

Job Number: D61334

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB558-MB	FB11947.D	1	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61334-1

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	ND	0.00080	0.00040	mg/l	

Blank Spike Summary

Page 1 of 1

Job Number: D61334

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB558-BS	FB11948.D	10	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61334-1

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
74-82-8	Methane	0.51	0.603	118	70-130

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D61334

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D61416-1MS ^a	FB11950.D	10	08/26/14	JJ	n/a	n/a	GFB558
D61416-1MSD ^a	FB11952.D	10	08/26/14	JJ	n/a	n/a	GFB558
D61416-1 ^a	FB11949.D	1	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61334-1

CAS No.	Compound	D61416-1		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		mg/l	Q	mg/l	mg/l	%	mg/l	mg/l	%		
74-82-8	Methane	ND		0.51	0.576	113	0.51	0.592	116	3	51-155/30

(a) The pH of the sample was > 2 at time of analysis.

* = Outside of Control Limits.



Metals Analysis

QC Data Summaries

7

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
Matrix Type: AQUEOUS

Methods: EPA 200.8
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	50	1.1	2		
Antimony	0.40	.0022	.011		
Arsenic	0.20	.017	.044		
Barium	2.0	.016	.079		
Beryllium	0.20	.016	.069		
Boron	40	.49	2.1		
Cadmium	0.10	.036	.042		
Calcium	400	5.6	12		
Chromium	2.0	.053	.053		
Cobalt	0.20	.0049	.015		
Copper	2.0	.06	.13		
Iron	10	3.5	4.6		
Lead	0.50	.0079	.008		
Magnesium	100	1.3	1.3		
Manganese	1.0	.12	.13		
Molybdenum	1.0	.049	.029		
Nickel	2.0	.0088	.027		
Phosphorus	60	2.6	4.3		
Potassium	200	2.9	2.9		
Selenium	0.40	.06	.21	-0.066	<0.40
Silver	0.10	.0019	.008		
Sodium	500	4.9	4.9		
Strontium	20	.01	.015		
Thallium	0.20	.0024	.005		
Tin	10	.063	1.3		
Titanium	2.0	.059	.092		
Uranium	0.20	.0017	.002		
Vanadium	1.0	.037	.2		
Zinc	10	.21	.96		

Associated samples MP13802: D61334-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date: 08/23/14

Metal	D61331-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper	anr			
Iron				
Lead				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium	0.0	195	200	97.5 70-130
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13802: D61334-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date:

08/23/14

Metal	D61331-1F Original	MSD ICPALL2	Spikelot % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium					
Chromium					
Cobalt					
Copper	anr				
Iron					
Lead					
Magnesium					
Manganese	anr				
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium	0.0	195	200	97.5	0.0
Silver					20
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13802: D61334-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date:

08/23/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper	anr			
Iron				
Lead				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium	205	200	102.5	85-115
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13802: D61334-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	100	11	11		
Antimony	30	2.1	21		
Arsenic	25	3.8	9		
Barium	10	.2	1.4		
Beryllium	10	.9	1.7		
Boron	50	.8	6.6		
Cadmium	10	.2	.36		
Calcium	400	2.4	66	8.5	<400
Chromium	10	.3	1.4		
Cobalt	5.0	.5	.51		
Copper	10	.8	1.5		
Iron	10	1.5	3.2	176	* (a)
Lead	50	2.1	4.1		
Lithium	5.0	.4	1.9		
Magnesium	200	6.8	29	14.0	<200
Manganese	5.0	.5	.29	1.6	<5.0
Molybdenum	10	.4	1.1		
Nickel	30	.5	.87		
Phosphorus	100	15	24		
Potassium	1000	99	230	12.9	<1000
Selenium	50	7.1	9.3		
Silicon	50	4.7	5.6		
Silver	30	.3	.4		
Sodium	400	7.3	36	19.9	<400
Strontium	5.0	.01	.12		
Thallium	10	1.8	4.9		
Tin	50	12	13		
Titanium	10	.1	.43		
Uranium	50	2.9	3.9		
Vanadium	10	.4	.39		
Zinc	30	.4	1.9		

Associated samples MP13804: D61334-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested

(a) All sample results >10x method blank concentration or <RL.

7.2.1
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/23/14

Metal	D61281-1F Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	74400	101000	25000	106.4
Chromium				
Cobalt				
Copper				
Iron	0.0	5190	5000	103.8
Lead				
Lithium				
Magnesium	39200	65800	25000	106.4
Manganese	0.0	497	500	99.4
Molybdenum				
Nickel				
Phosphorus				
Potassium	2990	30000	25000	108.0
Selenium				
Silicon	anr			
Silver				
Sodium	34100	60300	25000	104.8
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13804: D61334-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.2.2
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron	anr				
Cadmium					
Calcium	74400	103000	25000	114.4	2.0
Chromium					
Cobalt					
Copper					
Iron	0.0	5170	5000	103.4	0.4
Lead					
Lithium					
Magnesium	39200	66700	25000	110.0	1.4
Manganese	0.0	500	500	1000.0	0.6
Molybdenum					
Nickel					
Phosphorus					
Potassium	2990	30100	25000	108.4	0.3
Selenium					
Silicon	anr				
Silver					
Sodium	34100	61400	25000	109.2	1.8
Strontium	anr				
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13804: D61334-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.2.2
7

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/23/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	26400	25000	105.6	85-115
Chromium				
Cobalt				
Copper				
Iron	5210	5000	104.2	85-115
Lead				
Lithium				
Magnesium	26800	25000	107.2	85-115
Manganese	498	500	99.6	85-115
Molybdenum				
Nickel				
Phosphorus				
Potassium	26600	25000	106.4	85-115
Selenium				
Silicon	anr			
Silver				
Sodium	26200	25000	104.8	85-115
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13804: D61334-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date: 08/23/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

7.2.3
7

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/27/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	500	55	210		
Antimony	150	11	95		
Arsenic	130	19	28		
Barium	50	1	7		
Beryllium	50	4.5	6		
Boron	250	4	33		
Cadmium	50	1	1.8		
Calcium	2000	12	210	64.0	<2000
Chromium	50	1.5	2		
Cobalt	25	2.5	2.9		
Copper	50	4	9.5		
Iron	350	7.5	48		
Lead	250	11	110		
Lithium	25	2	14		
Magnesium	1000	34	95	16.0	<1000
Manganese	25	2.5	2.3		
Molybdenum	50	2	4.2		
Nickel	150	2.5	4.4		
Phosphorus	500	75	100		
Potassium	5000	500	1400		
Selenium	250	36	55		
Silicon	250	24	26		
Silver	150	1.5	3		
Sodium	2000	37	850	265	<2000
Strontium	25	.05	.6		
Thallium	50	9	20		
Tin	250	60	80		
Titanium	50	.5	11		
Uranium	250	15	28		
Vanadium	50	2	2		
Zinc	150	2	16		

Associated samples MP13835: D61334-1A

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61334

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/27/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested

7.3.1

7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/27/14

Metal	D61280-1A Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	12700	145000	125000	105.8
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	6290	134000	125000	102.2
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	502000	639000	125000	109.6
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13835: D61334-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/27/14

Metal	D61280-1A Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.3.2
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/27/14

Metal	D61280-1A Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium	12700	145000	125000	105.8	0.0
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Lithium					
Magnesium	6290	134000	125000	102.2	0.0
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silicon					
Silver					
Sodium	502000	556000	125000	43.2 (a)	13.9
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13835: D61334-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61334

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:


08/27/14

Metal	D61280-1A Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits

(anr) Analyte not requested

(a) Spike amount low relative to the sample amount. Refer to lab control or spike blank for recovery information.



7.3.2
7

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/27/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	131000	125000	104.8	80-120
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	126000	125000	100.8	80-120
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	125000	125000	100.0	80-120
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13835: D61334-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61334

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/27/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

7.3.3
7

SERIAL DILUTION RESULTS SUMMARY

Login Number: D61334
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/27/14

Metal	D61280-1A	Original	SDL 1:5	%DIF	QC Limits
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium	2540	2190	13.9*(a)	0-10	
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Lithium					
Magnesium	1260	1150	8.7	0-10	
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silicon					
Silver					
Sodium	100000	89700	10.6*(a)	0-10	
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13835: D61334-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SERIAL DILUTION RESULTS SUMMARY

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13835
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date: 08/27/14

Metal	D61280-1A	Original SDL 1:5	%DIF	QC	Limits
-------	-----------	------------------	------	----	--------

(anr) Analyte not requested
(a) Serial dilution indicates possible matrix interference.

7.3.4
7



General Chemistry

QC Data Summaries

∞

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Bromide	GP13355/GN26155	0.050	0.0	mg/l	0.5	0.514	102.8	90-110%
Chloride	GP13355/GN26155	0.50	0.0	mg/l	5	4.90	98.0	90-110%
Fluoride	GP13355/GN26155	0.10	0.0	mg/l	1	0.990	99.0	90-110%
Iron Reducing Bacteria	MB415	25	<25	CFU/ml				
Nitrogen, Nitrate	GP13355/GN26155	0.010	0.0	mg/l	0.1	0.103	103.0	90-110%
Nitrogen, Nitrite	GP13355/GN26155	0.0040	0.0	mg/l	0.05	0.0463	92.6	90-110%
Phosphorus, Total	GP13368/GN26170	0.010	0.0	mg/l	.38	0.40	105.0	80-120%
Slime Forming Bacteria	MB416	500	<500	CFU/ml				
Solids, Total Dissolved	GN26162	10	0.0	mg/l	400	404	101.0	90-110%
Specific Conductivity	GP13377/GN26180			umhos/cm	98.1	107	108.6	90-110%
Sulfate	GP13355/GN26155	0.50	0.0	mg/l	5	5.00	100.0	90-110%
Sulfate Reducing Bacteria	MB417	200	<200	CFU/ml				

Associated Samples:

Batch MB415: D61334-1B
Batch MB416: D61334-1B

Batch MB417: D61334-1B

Batch GN26162: D61334-1

Batch GP13355: D61334-1

Batch GP13368: D61334-1

Batch GP13377: D61334-1

(*) Outside of QC limits

8.1
8

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Phosphorus, Total	GP13368/GN26170	D61270-1	mg/l	0.57	0.55	5.1	0-20%
Solids, Total Dissolved	GN26162	D61281-2	mg/l	605	618	2.1	0-20%
Specific Conductivity	GP13377/GN26180	D61319-1	umhos/cm	2020	2040	1.0	0-20%

Associated Samples:
Batch GN26162: D61334-1
Batch GP13368: D61334-1
Batch GP13377: D61334-1
(*) Outside of QC limits

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Bromide	GP13355/GN26155	D61331-1	mg/l	0.049	0.5	0.55	100.2	80-120%
Chloride	GP13355/GN26155	D61331-1	mg/l	3.7	5	8.7	100.0	80-120%
Fluoride	GP13355/GN26155	D61331-1	mg/l	1.0	1	2.1	110.0	80-120%
Nitrogen, Nitrate	GP13355/GN26155	D61331-1	mg/l	0.0	0.1	0.10	100.0	80-120%
Nitrogen, Nitrite	GP13355/GN26155	D61331-1	mg/l	0.0	0.05	0.051	102.0	80-120%
Phosphorus, Total	GP13368/GN26170	D61279-1	mg/l	0.43	.40	0.43	97.2	80-120%
Sulfate	GP13355/GN26155	D61331-1	mg/l	3.5	5	8.5	100.0	80-120%

Associated Samples:

Batch GP13355: D61334-1

Batch GP13368: D61334-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61334
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Bromide	GP13355/GN26155	D61331-1	mg/l	0.049	0.5	0.57	3.6	20%
Chloride	GP13355/GN26155	D61331-1	mg/l	3.7	5	9.4	7.7	20%
Fluoride	GP13355/GN26155	D61331-1	mg/l	1.0	1	2.2	4.7	20%
Nitrogen, Nitrate	GP13355/GN26155	D61331-1	mg/l	0.0	0.1	0.11	9.5	20%
Nitrogen, Nitrite	GP13355/GN26155	D61331-1	mg/l	0.0	0.05	0.048	6.1	20%
Phosphorus, Total	GP13368/GN26170	D61279-1	mg/l	0.43	.40	0.46	6.4	20%
Sulfate	GP13355/GN26155	D61331-1	mg/l	3.5	5	8.6	1.2	20%

Associated Samples:

Batch GP13355: D61334-1

Batch GP13368: D61334-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

48
8



08/29/14



Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61333X

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **8**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Subcontract Lab Data	4
Section 3: Misc. Forms	7
3.1: Chain of Custody	8



Sample Summary

LT Environmental

Job No: D61333X

Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
D61333-1X	08/21/14	14:59 DH	08/22/14	AQ	Ground Water CHAVEZ 03



Subcontract Lab Data

Report of Analysis



INDUSTRIAL LABORATORIES

Industrial Laboratories is your independent,
third-party analytical testing laboratory

2

To: Accutest Mountain States (AMS)
4036 Youngfield St.

Wheat Ridge CO 80033

Attn: Renea Jackson

TEST REPORT

ACCUTEST - M

Date Received: 8/22/2014

Date Reported: 8/26/2014

PO Number: D61333X

Note: Sample test procedures conform to EPA 40CFR136 requirements.

Lab No.	Sample Description	Test Method	Result	Units	MDL	Analysis Date/By
140822007-01A	D61333X-1, 08/21/14, 2:59 PM	* Total Coliforms MPN	130 fecal; >1600 total	MPN/100mL	KM	8/22/2014



Wiley M. Jackson
Department Manager

Samples received in good condition unless otherwise noted in case narrative.

* = Scope Analysis

= Subcontracted Analysis

MDL = Method Detection Limit

ND = Not Detected at the Method Detection Limit

Page: 1 of 1

4046 Youngfield Street • Wheat Ridge, Colorado 80033 • (303) 287-9691 • (303) 287-0964 FAX • www.industriallabs.net

Receipt of analysis acknowledges the terms and conditions, which can be found at www.industriallabs.net
This report is not to be reproduced in whole or in part for advertising purposes without obtaining prior written authorization.



ACCUTEST CHAIN OF CUSTODY

4036 Youngfield St., Wheat Ridge, CO 80033
303-425-6021 FAX: 303-425-6854

Accutest Job #: D61333X
Accutest Quote #: 0
AMS P.O. #: 1
Project No.: 1

Client Information		Subcontract Laboratory Information										Analytical Information													
Name	Native Name	Name	Industrial Lab																						
Accutest Mountain States (AMS)		Address		4046 Youngfield St.																					
City	State	City	Zip	State	Zip																				
Wheat Ridge,	CO	Wheat Ridge	80033	CO	80033																				
Send Report to:	Scott Heideman	Contact:	Sample Management										Comments												
Any questions contact:	Renna Rooks	Phone:	(303) 287-9691																						
Phone/Fax #:	(303) 425-6021; (303)425-6854	Phone:																							
140822007		Date	TIME	Matrix	# of bottles	HCl	NaOH	H2O3	H2SO4	None	X														
Field ID / Point of Collection		8/21/14	2:59 PM	AQ	1																				
D61333X -1																									
Turnaround Information		Data Deliverable Information										Comments / Remarks													
<input checked="" type="checkbox"/> 10 Business Day Standard	Approved By:	<input type="checkbox"/> Commercial "A"		<input type="checkbox"/> PDF												Please use Colorado regulations and RLs.									
<input type="checkbox"/> Other _____ (Days)	Received By:	<input type="checkbox"/> Commercial "B"		<input type="checkbox"/> Compact Disk Deliverable																					
		<input type="checkbox"/> Commercial "BN"		<input type="checkbox"/> Electronic Delivery:																					
		<input type="checkbox"/> Reduced Tier 1		<input type="checkbox"/> State Forms																					
		<input type="checkbox"/> Full Tier 1		<input type="checkbox"/> Other (Specify) _____																					
10 Day Turnaround Hardcopy, RUSH is FAX Data unless previously approved.		Sample-Custody must be documented below each time samples change possession, including courier delivery.										For Subcontract Laboratory Use Only													
Relinquished by: 1 Jacob Donar	Date & Time: 8/22/14 12:15	Received By: 1	Date & Time: 1 8/22/14 12:15	Received By: 1	Date & Time: 1 8/22/14 12:15	Received By: 2	Date & Time: 2	Received By: 2	Date & Time: 2	Received By: 3	Date & Time: 3	Temperature °C _____	On Ice	Preserved where applicable:	Seal #:	Headspace:	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	Comments							
Relinquished by: 2	Date & Time:	Received By:	Date & Time:	Received By:	Date & Time:	Received By:	Date & Time:	Received By:	Date & Time:	Received By:	Date & Time:	Temperature °C _____	On Ice	Preserved where applicable:	Seal #:	Headspace:	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	Comments							
Relinquished by: 3	Date & Time:	Received By:	Date & Time:	Received By:	Date & Time:	Received By:	Date & Time:	Received By:	Date & Time:	Received By:	Date & Time:	Temperature °C _____	On Ice	Preserved where applicable:	Seal #:	Headspace:	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	Comments							



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

Accutest Laboratories Mountain States
4036 Youngfield Street, Wheat Ridge, CO 80033
TEL: 303-425-6021 FAX: 303-425-6021

FED-EX Tracking #	Boile Order Control #
Accutest Quote #	Accutest Job # D61333


Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes	
Company Name LT Environmental	Project Name Rule 608	Street: 4600 West 60th Ave	Billing Information (if different from Report to) City: Denver CO 80003	Company Name		DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OT - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank	
Street Address 4600 West 60th Ave	City: Denver CO 80003	Project# 012914005	Street Address				
City Denver CO 80003	State CO	Zip 80003	City	State	Zip		
Project Contact Dan Moir dmoir@ltenv.com	E-mail dmoir@ltenv.com	Phone # 303-433-9788	Fax #	Client POF	Attention: DAN MOIR	PO#	
Sampler(s) Name(s) DAVIN HENCMANN	Phone #	Project Manager					
Accutest Sample # chavez203		Collection		Number of preserved bottles			
		MEOH/DI Viol #	Date 8/21/14	Time 1459	Sampled by DH	Matrix GW	# of bottles 10
<i>✓ See Attached</i>							
LAB USE ONLY 01							
10-02 082214							
Turnaround Time (Business days)		Approved By (Accutest PMS) Date:		Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> Commercial "B" - Narrative <input type="checkbox"/> FULLT1 (Level 3+4)		State Forms <input type="checkbox"/> EDD Format <input type="checkbox"/> PDF	
<input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> Std. 5 Business Days (By Contract only) <input type="checkbox"/> 5 Day N/S <input type="checkbox"/> 3 Day EMERGENC <input type="checkbox"/> 2 Day EMERGENC <input type="checkbox"/> 1 Day EMERGENC						We need EDPS Y TU, COGCC, & LTC Format	
Comments / Special Instructions							
Emergency & Rush T/A data available via link							
Sample Custody must be documented below each time samples change possession, including courier delivery.							
Relinquished by Sampler: 1	Date Time: 8/21/14 1637	Received By: 1	Relinquished By: 2	Date Time: 8/22/14 0730	Received By: 3	Preserved where applicable <input type="checkbox"/> Inject <input checked="" type="checkbox"/> Not Injected	On Ice 4
Relinquished by Sampler: 3	Date Time: 	Received By: 3	Relinquished By: 4	Date Time: 	Received By: 4		
Relinquished by: 5	Date Time: 	Received By: 5	Custody Seal #				Cooler Temp. 41°
1186							

D61333X: Chain of Custody

Page 1 of 1



09/10/14



Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61333R

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **14**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	5
Section 4: Sample Results	6
4.1: D61333-1R: CHAVEZ 03	7
Section 5: Misc. Forms	8
5.1: Chain of Custody	9
Section 6: General Chemistry - QC Data Summaries	10
6.1: Method Blank and Spike Results Summary	11
6.2: Duplicate Results Summary	12
6.3: Matrix Spike Results Summary	13
6.4: Matrix Spike Duplicate Results Summary	14



Sample Summary

LT Environmental

Job No: D61333R

Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
D61333-1R	08/21/14	14:59 DH	08/22/14	AQ	Ground Water CHAVEZ 03



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: LT Environmental

Job No D61333R

Site: Colo Rule 608 Compliance Raton Basin CO

Report Date 9/10/2014 12:20:09 P

On 08/22/2014, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D61333R was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Wet Chemistry By Method SM 2320B-2011

Matrix: AQ

Batch ID: GN26358

- All method blanks for this batch meet method specific criteria.
- Sample(s) D61757-1DUP, D61757-2MS, D61757-2MSD were used as the QC samples for the Alkalinity, Total as CaCO₃ analysis.
- The following samples were run outside of holding time for method SM 2320B-2011: D61333-1R

Matrix: AQ

Batch ID: GN26359

- All method blanks for this batch meet method specific criteria.
- The following samples were run outside of holding time for method SM 2320B-2011: D61333-1R

Matrix: AQ

Batch ID: GN26360

- All method blanks for this batch meet method specific criteria.
- The following samples were run outside of holding time for method SM 2320B-2011: D61333-1R

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 1

Job Number: D61333R
Account: LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO
Collected: 08/21/14

3

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Analyte						

D61333-1R CHAVEZ 03

Alkalinity, Bicarbonate as CaCO3	539	5.0		mg/l	SM 2320B-2011
Alkalinity, Total as CaCO3	540	5.0		mg/l	SM 2320B-2011



4

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 03	Date Sampled:	08/21/14
Lab Sample ID:	D61333-1R	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Alkalinity, Bicarbonate as CaC	539	5.0	mg/l	1	09/09/14	JD	SM 2320B-2011
Alkalinity, Carbonate	< 5.0	5.0	mg/l	1	09/09/14	JD	SM 2320B-2011
Alkalinity, Total as CaCO ₃	540	5.0	mg/l	1	09/08/14	JD	SM 2320B-2011

RL = Reporting Limit



Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

Accutest Laboratories Mountain States
4036 Youngfield Street, Wheat Ridge, CO 80033
TEL: 303-425-6021 FAX: 303-425-6021

FED-EX Tracking #	Boile Order Control #
Accutest Quote #	Accutest Job # D61333

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes	
Company Name LT Environmental	Project Name Rule 608	Street: 4600 West 60th Ave	Billing Information (if different from Report to) City: Denver CO 80003	Company Name		DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OT - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank	
Street Address 4600 West 60th Ave	City: Denver CO 80003	Project# 012914005	Street Address				
City Denver CO 80003	State CO	Zip 80003	City	State	Zip		
Project Contact Dan Moir dmoir@ltenv.com	E-mail dmoir@ltenv.com	Phone # 303-433-9788	Fax #	Client POF	Attention: DAN MOIR	PO#	
Sampler(s) Name(s) DAVIN HENCMANN	Phone #	Project Manager					
Accutest Sample # chavez203		Collection		Number of preserved bottles			
		MEOH/DI Viol #	Date 8/21/14	Time 1459	Sampled by DH	Matrix GW	# of bottles 10
<i>Y See Attached</i>							
01 10-02 D61333R							
Turnaround Time (Business days)				Approved By (Accutest PM): Date:			
<input type="checkbox"/> Std. 10 Business Days	<input type="checkbox"/> Std. 5 Business Days (By Contract only)	<input type="checkbox"/> 5 Day & SH	<input type="checkbox"/> 3 Day EMERGENC	<input type="checkbox"/> 2 Day EMERGENC	<input type="checkbox"/> 1 Day EMERGENC	<input type="checkbox"/> Commercial "A" (Level 1)	<input type="checkbox"/> State Forms
						<input type="checkbox"/> Commercial "B" (Level 2)	<input type="checkbox"/> EDD Format
						<input type="checkbox"/> Commercial "B" - Narrative	<input type="checkbox"/> PDF
						<input type="checkbox"/> FULLT1 (Level 3+4)	
				Commercial "A" = Results Only Commercial "B" = Results + QC Summary			
Emergency & Rush T/A data available via link							
Sample Custody must be documented below each time samples change possession, including courier delivery.							
Relinquished by Sampler: 1	Date Time: 8/21/14 1637	Received By: 1	Relinquished By: 2	Date Time: UAR	Received By: 2	Received Date: 8/22/14	On Ice ✓
Relinquished by Sampler: 3	Date Time:	Received By: 3	Relinquished By: 4	Date Time:	Received By: 4	Received Date: 8/22/14	Cooler Temp. 41°
Relinquished by: 5	Date Time:	Received By: 5	Custody Seal #	<input type="checkbox"/> Infect <input checked="" type="checkbox"/> Not Infect	Preserved where applicable ✓	On Ice ✓	Cooler Temp. 41°

D61333R: Chain of Custody

Page 1 of 1



General Chemistry

QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries



METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61333R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Alkalinity, Bicarbonate as CaC	GN26359	5.0	0.0	mg/l	100	99.3	99.3	90-110%
Alkalinity, Carbonate	GN26360	5.0	0.0	mg/l	100	99.3	99.3	80-120%
Alkalinity, Total as CaCO ₃	GN26358	5.0	0.57	mg/l	100	99	99.3	90-110%

Associated Samples:

Batch GN26358: D61333-1R

Batch GN26359: D61333-1R

Batch GN26360: D61333-1R

(*) Outside of QC limits

6.1
6

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61333R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Alkalinity, Total as CaCO ₃	GN26358	D61757-1	mg/l	320	300	6.5	0-20%

Associated Samples:

Batch GN26358: D61333-1R
(*) Outside of QC limits

6.2
6

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61333R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Alkalinity, Total as CaCO3	GN26358	D61757-2	mg/l	240	100	330	90.5	80-120%

Associated Samples:

Batch GN26358: D61333-1R

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

6.3

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61333R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Alkalinity, Total as CaCO ₃	GN26358	D61757-2	mg/l	240	100	340	0.1	20%

Associated Samples:

Batch GN26358: D61333-1R

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

6.4
6



09/08/14

Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61333

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **56**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	7
Section 4: Sample Results	8
4.1: D61333-1: CHAVEZ 03	9
4.2: D61333-1A: CHAVEZ 03	11
4.3: D61333-1B: CHAVEZ 03	13
4.4: D61333-1F: CHAVEZ 03	14
Section 5: Misc. Forms	15
5.1: Chain of Custody	16
Section 6: GC Volatiles - QC Data Summaries	17
6.1: Method Blank Summary	18
6.2: Blank Spike Summary	19
6.3: Matrix Spike/Matrix Spike Duplicate Summary	20
Section 7: Metals Analysis - QC Data Summaries	21
7.1: Prep QC MP13802: Se	22
7.2: Prep QC MP13804: Ca,Mg,Mn,K,Na	26
7.3: Prep QC MP13810: Ca,Mg,Na,Sodium Adsorption Ratio	34
7.4: Prep QC MP13838: Fe	44
Section 8: General Chemistry - QC Data Summaries	52
8.1: Method Blank and Spike Results Summary	53
8.2: Duplicate Results Summary	54
8.3: Matrix Spike Results Summary	55
8.4: Matrix Spike Duplicate Results Summary	56



Sample Summary

LT Environmental

Job No: D61333Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID	
D61333-1	08/21/14	14:59 DH	08/22/14	AQ	Ground Water	CHAVEZ 03
D61333-1A	08/21/14	14:59 DH	08/22/14	AQ	Ground Water	CHAVEZ 03
D61333-1B	08/21/14	14:59 DH	08/22/14	AQ	Ground Water	CHAVEZ 03
D61333-1F	08/21/14	14:59 DH	08/22/14	AQ	Groundwater Filtered	CHAVEZ 03



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: LT Environmental

Job No D61333

Site: Colo Rule 608 Compliance Raton Basin CO

Report Date 9/8/2014 4:13:23 PM

On 08/22/2014, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D61333 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GC By Method RSK175 MOD

Matrix: AQ

Batch ID: GFB558

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61416-1MS, D61416-1MSD were used as the QC samples indicated.
- D61416-1MS, -1MSD: The pH of the sample was >2 at time of analysis.

Metals By Method EPA 200.7

Matrix: AQ

Batch ID: MP13804

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61281-1FMS, D61281-1FMSD were used as the QC samples for the metals analysis.

Matrix: AQ

Batch ID: MP13838

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61422-1FMS, D61422-1FMSD were used as the QC samples for the metals analysis.

Metals By Method EPA 200.8

Matrix: AQ

Batch ID: MP13802

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1FMS, D61331-1FMSD were used as the QC samples for the metals analysis.

Metals By Method SW846 6010C

Matrix: AQ

Batch ID: MP13810

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1AMS, D61331-1AMSD, D61331-1ASDL were used as the QC samples for the metals analysis.
- The serial dilution RPD(s) for Magnesium are outside control limits for sample MP13810-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

Wet Chemistry By Method EPA 300.0/SW846 9056

Matrix: AQ

Batch ID: GP13355

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1MS, D61331-1MSD were used as the QC samples for the Bromide, Chloride, Fluoride, Nitrogen, Nitrate, Nitrogen, Nitrite, Sulfate analysis.
- D61333-1 for Fluoride: Elevated detection limit due to matrix interference.
- D61333-1 for Nitrogen, Nitrite: Elevated detection limit due to matrix interference.

Matrix: AQ

Batch ID: R23297

- The data for EPA 300.0/SW846 9056 meets quality control requirements.
- D61333-1 for Nitrogen, Nitrate + Nitrite: Calculated as: (Nitrogen, Nitrate) + (Nitrogen, Nitrite)

Wet Chemistry By Method HACH IRB-BART

Matrix: AQ

Batch ID: MB415

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SLYM-BART

Matrix: AQ

Batch ID: MB416

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SRB-BART

Matrix: AQ

Batch ID: MB417

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH8190/SM4500P-B/E

Matrix: AQ

Batch ID: GP13368

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61270-1DUP, D61279-1MS, D61279-1MSD were used as the QC samples for the Phosphorus, Total analysis.

Wet Chemistry By Method SM 2510B-2011

Matrix: AQ

Batch ID: GP13377

- Sample(s) D61319-1DUP were used as the QC samples for the Specific Conductivity analysis.

Wet Chemistry By Method SM 2540C-2011

Matrix: AQ

Batch ID: GN26162

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61281-2DUP were used as the QC samples for the Solids, Total Dissolved analysis.

Wet Chemistry By Method USDA HANDBOOK 60**Matrix:** AQ**Batch ID:** MP13810

- D61333-1A for Sodium Adsorption Ratio: Calculated as: $(\text{Na meq/L}) / \sqrt{[(\text{Ca meq/L}) + (\text{Mg meq/L})] / 2}$

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 1

Job Number: D61333
Account: LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO
Collected: 08/21/14

3

Lab Sample ID	Client Sample ID	Result/ Analyte	Qual	RL	MDL	Units	Method
---------------	------------------	--------------------	------	----	-----	-------	--------

D61333-1 CHAVEZ 03

Methane	0.0285	0.00080	0.00040	mg/l	RSK175 MOD
Bromide	2.7	0.25		mg/l	EPA 300.0/SW846 9056
Chloride	342	13		mg/l	EPA 300.0/SW846 9056
Nitrogen, Nitrate	0.063	0.050		mg/l	EPA 300.0/SW846 9056
Phosphorus, Total	0.63	0.010		mg/l	HACH8190/SM4500P-B/E
Solids, Total Dissolved	1160	10		mg/l	SM 2540C-2011
Specific Conductivity	1660	1.0		umhos/cm	SM 2510B-2011
Sulfate	42.5	2.5		mg/l	EPA 300.0/SW846 9056

D61333-1A CHAVEZ 03

Calcium	179	2.0	mg/l	SW846 6010C
Magnesium	67.2	1.0	mg/l	SW846 6010C
Sodium	261	2.0	mg/l	SW846 6010C
Sodium Adsorption Ratio ^a	4.22		ratio	USDA HANDBOOK 60

D61333-1B CHAVEZ 03

Iron Reducing Bacteria	2300	25	CFU/ml	HACH IRB-BART
Slime Forming Bacteria	66500	500	CFU/ml	HACH SLYM-BART
Sulfate Reducing Bacteria	359000	200	CFU/ml	HACH SRB-BART

D61333-1F CHAVEZ 03

Calcium	117000	400	ug/l	EPA 200.7
Iron	122	10	ug/l	EPA 200.7
Magnesium	53300	200	ug/l	EPA 200.7
Manganese	373	5.0	ug/l	EPA 200.7
Potassium	5810	1000	ug/l	EPA 200.7
Sodium	241000	400	ug/l	EPA 200.7

(a) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+ (Mg meq/L)/2]



4

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

Client Sample ID: CHAVEZ 03
Lab Sample ID: D61333-1
Matrix: AQ - Ground Water
Method: RSK175 MOD
Project: Colo Rule 608 Compliance Raton Basin CO

Date Sampled: 08/21/14
Date Received: 08/22/14
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FB11963.D	1	08/26/14	JJ	n/a	n/a	GFB558
Run #2							

	Initial Volume	Headspace Volume	Volume Injected	Temperature
Run #1	39.0 ml	4.0 ml	500 ul	21.0 Deg. C
Run #2				

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	0.0285	0.00080	0.00040	mg/l	

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 03	Date Sampled:	08/21/14
Lab Sample ID:	D61333-1	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Bromide	2.7	0.25	mg/l	5	08/22/14 14:14	JB	EPA 300.0/SW846 9056
Chloride	342	13	mg/l	25	08/22/14 20:21	JB	EPA 300.0/SW846 9056
Fluoride ^a	< 0.50	0.50	mg/l	5	08/22/14 14:14	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrate	0.063	0.050	mg/l	5	08/22/14 14:14	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrate + Nitrite ^b	< 0.070	0.070	mg/l	1	08/22/14 14:14	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrite ^a	< 0.020	0.020	mg/l	5	08/22/14 14:14	JB	EPA 300.0/SW846 9056
Phosphorus, Total	0.63	0.010	mg/l	1	08/25/14	JD	HACH8190/SM4500P-B/E
Solids, Total Dissolved	1160	10	mg/l	1	08/25/14	BF	SM 2540C-2011
Specific Conductivity	1660	1.0	umhos/cm	1	08/26/14	JD	SM 2510B-2011
Sulfate	42.5	2.5	mg/l	5	08/22/14 14:14	JB	EPA 300.0/SW846 9056

(a) Elevated detection limit due to matrix interference.

(b) Calculated as: (Nitrogen, Nitrate) + (Nitrogen, Nitrite)

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 03	Date Sampled:	08/21/14
Lab Sample ID:	D61333-1A	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

SAR Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	179	2.0	mg/l	1	08/25/14	08/25/14 KV	SW846 6010C ¹	SW846 3010A/M ²
Magnesium	67.2	1.0	mg/l	1	08/25/14	08/25/14 KV	SW846 6010C ¹	SW846 3010A/M ²
Sodium	261	2.0	mg/l	1	08/25/14	08/25/14 KV	SW846 6010C ¹	SW846 3010A/M ²

(1) Instrument QC Batch: MA5159

(2) Prep QC Batch: MP13810

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 03	Date Sampled:	08/21/14
Lab Sample ID:	D61333-1A	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Sodium Adsorption Ratio ^a	4.22		ratio	1	08/25/14 19:22	KV	USDA HANDBOOK 60

(a) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+ (Mg meq/L)/2]

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 03	Date Sampled:	08/21/14
Lab Sample ID:	D61333-1B	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Iron Reducing Bacteria	2300	25	CFU/ml	1	08/25/14	MM	HACH IRB-BART
Slime Forming Bacteria	66500	500	CFU/ml	1	08/25/14	MM	HACH SLYM-BART
Sulfate Reducing Bacteria	359000	200	CFU/ml	1	08/25/14	MM	HACH SRB-BART

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 03	Date Sampled:	08/21/14
Lab Sample ID:	D61333-1F	Date Received:	08/22/14
Matrix:	AQ - Groundwater Filtered	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

Dissolved Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	117000	400	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵
Iron	122	10	ug/l	1	08/27/14	08/27/14 KV	EPA 200.7 ³	EPA 200.7 ⁶
Magnesium	53300	200	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵
Manganese	373	5.0	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵
Potassium	5810	1000	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵
Selenium	< 0.80	0.80	ug/l	2	08/23/14	08/27/14 JB	EPA 200.8 ²	EPA 200.8 ⁴
Sodium	241000	400	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵

- (1) Instrument QC Batch: MA5155
- (2) Instrument QC Batch: MA5168
- (3) Instrument QC Batch: MA5171
- (4) Prep QC Batch: MP13802
- (5) Prep QC Batch: MP13804
- (6) Prep QC Batch: MP13838

RL = Reporting Limit



Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

Accutest Laboratories Mountain States
4036 Youngfield Street, Wheat Ridge, CO 80033
TEL: 303-425-6021 FAX: 303-425-6021

FED-EX Tracking #	Bottle Order Control #
Accutest Quote #	Accutest Job # D61333

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes	
Company Name LT Environmental	Project Name Rule 608	Street: 4600 West 60th Ave	Billing Information (if different from Report to) City: Denver CO 80003	Company Name		DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OT - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank	
Street Address 4600 West 60th Ave	City: Denver CO 80003	Project# 012914005	Street Address				
City Denver CO 80003	State CO	Zip 80003	City	State	Zip		
Project Contact Dan Moir dmoir@ltenv.com	E-mail dmoir@ltenv.com	Phone # 303-433-9788	Fax #	Client POF	Attention: DAN MOIR	PO#	
Sampler(s) Name(s) DAVIN HENCMANN	Phone #	Project Manager					
Accutest Sample # chavez203		Collection		Number of preserved bottles			
		MEOH/DI Viol #	Date 8/21/14	Time 1459	Sampled by DH	Matrix GW	# of bottles 10
<i>Y See Attached</i>							
01 10-02 D61333							
Date Delays/Reasons Information							
Turnaround Time (Business days)		Approved By (Accutest PM): Date:	<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> State Forms <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> EDD Format <input type="checkbox"/> Commercial "B" - Narrative <input type="checkbox"/> PDF <input type="checkbox"/> FULLT1 (Level 3+4)				Comments / Special Instructions We need EDPS Y TU, COGCC, & LTC Format
Commercial "A" = Results Only Commercial "B" = Results + QC Summary							
Emergency & Rush T/A data available via link							
Sample Custody must be documented below each time samples change possession, including courier delivery.							
Relinquished by Sampler: 1	Date Time: 8/21/14 1637	Received By: 1	Relinquished By: 2	Date Time: 8/22/14 0730	Received By: 2		
Relinquished by Sampler: 3	Date Time:	Received By:	Relinquished By:	Date Time:	Received By:		
Relinquished by: 5	Date Time:	Received By: 5	Custody Seal #	Preserved where applicable <input checked="" type="checkbox"/> Not Preserved	On Ice 4	Cooler Temp. 41.0	
7176							

D61333: Chain of Custody
Page 1 of 1



GC Volatiles

QC Data Summaries

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries



Method Blank Summary

Page 1 of 1

Job Number: D61333

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB558-MB	FB11947.D	1	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61333-1

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	ND	0.00080	0.00040	mg/l	

Blank Spike Summary

Page 1 of 1

Job Number: D61333

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB558-BS	FB11948.D	10	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61333-1

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
74-82-8	Methane	0.51	0.603	118	70-130

* = Outside of Control Limits.

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D61333

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D61416-1MS ^a	FB11950.D	10	08/26/14	JJ	n/a	n/a	GFB558
D61416-1MSD ^a	FB11952.D	10	08/26/14	JJ	n/a	n/a	GFB558
D61416-1 ^a	FB11949.D	1	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61333-1

CAS No.	Compound	D61416-1		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		mg/l	Q	mg/l	mg/l	%	mg/l	mg/l	%		
74-82-8	Methane	ND		0.51	0.576	113	0.51	0.592	116	3	51-155/30

(a) The pH of the sample was > 2 at time of analysis.

* = Outside of Control Limits.



Metals Analysis

QC Data Summaries

7

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
Matrix Type: AQUEOUS

Methods: EPA 200.8
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	50	1.1	2		
Antimony	0.40	.0022	.011		
Arsenic	0.20	.017	.044		
Barium	2.0	.016	.079		
Beryllium	0.20	.016	.069		
Boron	40	.49	2.1		
Cadmium	0.10	.036	.042		
Calcium	400	5.6	12		
Chromium	2.0	.053	.053		
Cobalt	0.20	.0049	.015		
Copper	2.0	.06	.13		
Iron	10	3.5	4.6		
Lead	0.50	.0079	.008		
Magnesium	100	1.3	1.3		
Manganese	1.0	.12	.13		
Molybdenum	1.0	.049	.029		
Nickel	2.0	.0088	.027		
Phosphorus	60	2.6	4.3		
Potassium	200	2.9	2.9		
Selenium	0.40	.06	.21	-0.066	<0.40
Silver	0.10	.0019	.008		
Sodium	500	4.9	4.9		
Strontium	20	.01	.015		
Thallium	0.20	.0024	.005		
Tin	10	.063	1.3		
Titanium	2.0	.059	.092		
Uranium	0.20	.0017	.002		
Vanadium	1.0	.037	.2		
Zinc	10	.21	.96		

Associated samples MP13802: D61333-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date: 08/23/14

Metal	D61331-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper	anr			
Iron				
Lead				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium	0.0	195	200	97.5 70-130
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13802: D61333-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date:

08/23/14

Metal	D61331-1F Original	MSD ICPALL2	Spikelot % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium					
Chromium					
Cobalt					
Copper	anr				
Iron					
Lead					
Magnesium					
Manganese	anr				
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium	0.0	195	200	97.5	0.0
Silver					20
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13802: D61333-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date:

08/23/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper	anr			
Iron				
Lead				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium	205	200	102.5	85-115
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13802: D61333-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	100	11	11		
Antimony	30	2.1	21		
Arsenic	25	3.8	9		
Barium	10	.2	1.4		
Beryllium	10	.9	1.7		
Boron	50	.8	6.6		
Cadmium	10	.2	.36		
Calcium	400	2.4	66	8.5	<400
Chromium	10	.3	1.4		
Cobalt	5.0	.5	.51		
Copper	10	.8	1.5		
Iron	10	1.5	3.2		
Lead	50	2.1	4.1		
Lithium	5.0	.4	1.9		
Magnesium	200	6.8	29	14.0	<200
Manganese	5.0	.5	.29	1.6	<5.0
Molybdenum	10	.4	1.1		
Nickel	30	.5	.87		
Phosphorus	100	15	24		
Potassium	1000	99	230	12.9	<1000
Selenium	50	7.1	9.3		
Silicon	50	4.7	5.6		
Silver	30	.3	.4		
Sodium	400	7.3	36	19.9	<400
Strontium	5.0	.01	.12		
Thallium	10	1.8	4.9		
Tin	50	12	13		
Titanium	10	.1	.43		
Uranium	50	2.9	3.9		
Vanadium	10	.4	.39		
Zinc	30	.4	1.9		

Associated samples MP13804: D61333-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested

7.2.1
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/23/14

Metal	D61281-1F Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	74400	101000	25000	106.4
Chromium				
Cobalt				
Copper				
Iron	anr			
Lead				
Lithium				
Magnesium	39200	65800	25000	106.4
Manganese	0.0	497	500	99.4
Molybdenum				
Nickel				
Phosphorus				
Potassium	2990	30000	25000	108.0
Selenium				
Silicon	anr			
Silver				
Sodium	34100	60300	25000	104.8
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13804: D61333-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.2.2
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron	anr				
Cadmium					
Calcium	74400	103000	25000	114.4	2.0
Chromium					
Cobalt					
Copper					
Iron	anr				
Lead					
Lithium					
Magnesium	39200	66700	25000	110.0	1.4
Manganese	0.0	500	500	1000.0	0.6
Molybdenum					
Nickel					
Phosphorus					
Potassium	2990	30100	25000	108.4	0.3
Selenium					
Silicon	anr				
Silver					
Sodium	34100	61400	25000	109.2	1.8
Strontium	anr				
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13804: D61333-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.2.2
7

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/23/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	26400	25000	105.6	85-115
Chromium				
Cobalt				
Copper				
Iron	anr			
Lead				
Lithium				
Magnesium	26800	25000	107.2	85-115
Manganese	498	500	99.6	85-115
Molybdenum				
Nickel				
Phosphorus				
Potassium	26600	25000	106.4	85-115
Selenium				
Silicon	anr			
Silver				
Sodium	26200	25000	104.8	85-115
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13804: D61333-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

7.2.3
7

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	500	55	210		
Antimony	150	11	95		
Arsenic	130	19	28		
Barium	50	1	7		
Beryllium	50	4.5	6		
Boron	250	4	33		
Cadmium	50	1	1.8		
Calcium	2000	12	210	-25	<2000
Chromium	50	1.5	2		
Cobalt	25	2.5	2.9		
Copper	50	4	9.5		
Iron	350	7.5	48		
Lead	250	11	110		
Lithium	25	2	14		
Magnesium	1000	34	95	41.0	<1000
Manganese	25	2.5	2.3		
Molybdenum	50	2	4.2		
Nickel	150	2.5	4.4		
Phosphorus	500	75	100		
Potassium	5000	500	1400		
Selenium	250	36	55		
Silicon	250	24	26		
Silver	150	1.5	3		
Sodium	2000	37	850	-65	<2000
Strontium	25	.05	.6		
Thallium	50	9	20		
Tin	250	60	80		
Titanium	50	.5	11		
Uranium	250	15	28		
Vanadium	50	2	2		
Zinc	150	2	16		

Associated samples MP13810: D61333-1A

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61333

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested

7.3.1

7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	1400	130000	125000	102.9
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	376	125000	125000	99.7
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	129000	250000	125000	96.8
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13810: D61333-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	D61331-1A Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.3.2
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium	1400	129000	125000	102.1	0.8
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Lithium					
Magnesium	376	123000	125000	98.1	1.6
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silicon					
Silver					
Sodium	129000	255000	125000	100.8	2.0
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13810: D61333-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	D61331-1A Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.3.2
7

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	128000	125000	102.4	80-120
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	120000	125000	96.0	80-120
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	122000	125000	97.6	80-120
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13810: D61333-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61333

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

7.3.3
7

SERIAL DILUTION RESULTS SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date:

08/25/14

Metal	D61331-1A	Original	SDL 1:5	%DIF	QC Limits
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium	280	267		4.7	0-10
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Lithium					
Magnesium	75.2	104		37.6 (a)	0-10
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silicon					
Silver					
Sodium	25800	26000		0.9	0-10
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13810: D61333-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SERIAL DILUTION RESULTS SUMMARY

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A Original SDL 1:5	%DIF	QC Limits
-------	-------------------------------	------	--------------

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

7.3.4
7

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/27/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	100	8.6	11		
Antimony	30	3.2	21		
Arsenic	25	5.2	9		
Barium	10	1.4	1.4		
Beryllium	10	.8	1.7		
Boron	50	6.7	6.6		
Cadmium	10	.4	.36		
Calcium	400	2.2	66		
Chromium	10	.4	1.4		
Cobalt	5.0	.4	.51		
Copper	10	1.2	1.5		
Iron	10	2.2	3.2	-0.30	<10
Lead	50	3.6	4.1		
Lithium	5.0	1.9	1.9		
Magnesium	200	14	29		
Manganese	5.0	.01	.29		
Molybdenum	10	.8	1.1		
Nickel	30	.9	.87		
Phosphorus	100	15	24		
Potassium	1000	130	230		
Selenium	50	8.8	9.3		
Silicon	50	5.2	5.6		
Silver	30	.4	.4		
Sodium	400	4.9	36		
Strontium	5.0	.01	.12		
Thallium	10	2.9	4.9		
Tin	50	13	13		
Titanium	10	.15	.43		
Uranium	50	3.7	3.9		
Vanadium	10	.4	.39		
Zinc	30	.6	1.9		

Associated samples MP13838: D61333-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS


Methods: EPA 200.7
Units: ug/l

Prep Date:

08/27/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/27/14

Metal	D61422-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

Aluminum				
Antimony				
Arsenic	anr			
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	anr			
Chromium				
Cobalt				
Copper				
Iron	11.2	4800	5000	95.8 70-130
Lead				
Lithium				
Magnesium	anr			
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium	anr			
Selenium				
Silicon				
Silver				
Sodium	anr			
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13838: D61333-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/27/14

Metal	D61422-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.4.2
7

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date:

08/27/14

Metal	D61422-1F Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
-------	---------------------------	---------------------	--------------	------------	-------------

Aluminum					
Antimony					
Arsenic	anr				
Barium					
Beryllium					
Boron	anr				
Cadmium					
Calcium	anr				
Chromium					
Cobalt					
Copper					
Iron	11.2	4800	5000	95.8	0.0
Lead					20
Lithium					
Magnesium	anr				
Manganese	anr				
Molybdenum					
Nickel					
Phosphorus					
Potassium	anr				
Selenium					
Silicon					
Silver					
Sodium	anr				
Strontium	anr				
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13838: D61333-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/27/14

Metal	D61422-1F Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

7.4.2
7

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61333
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date:

08/27/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	anr			
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	anr			
Chromium				
Cobalt				
Copper				
Iron	4810	5000	96.2	85-115
Lead				
Lithium				
Magnesium	anr			
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium	anr			
Selenium				
Silicon				
Silver				
Sodium	anr			
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13838: D61333-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/27/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

7.4.3
7



General Chemistry

QC Data Summaries

∞

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Bromide	GP13355/GN26155	0.050	0.0	mg/l	0.5	0.514	102.8	90-110%
Chloride	GP13355/GN26155	0.50	0.0	mg/l	5	4.90	98.0	90-110%
Fluoride	GP13355/GN26155	0.10	0.0	mg/l	1	0.990	99.0	90-110%
Iron Reducing Bacteria	MB415	25	<25	CFU/ml				
Nitrogen, Nitrate	GP13355/GN26155	0.010	0.0	mg/l	0.1	0.103	103.0	90-110%
Nitrogen, Nitrite	GP13355/GN26155	0.0040	0.0	mg/l	0.05	0.0463	92.6	90-110%
Phosphorus, Total	GP13368/GN26170	0.010	0.0	mg/l	.38	0.40	105.0	80-120%
Slime Forming Bacteria	MB416	500	<500	CFU/ml				
Solids, Total Dissolved	GN26162	10	0.0	mg/l	400	404	101.0	90-110%
Specific Conductivity	GP13377/GN26180			umhos/cm	98.1	107	108.6	90-110%
Sulfate	GP13355/GN26155	0.50	0.0	mg/l	5	5.00	100.0	90-110%
Sulfate Reducing Bacteria	MB417	200	<200	CFU/ml				

Associated Samples:

Batch MB415: D61333-1B

Batch MB416: D61333-1B

Batch MB417: D61333-1B

Batch GN26162: D61333-1

Batch GP13355: D61333-1

Batch GP13368: D61333-1

Batch GP13377: D61333-1

(*) Outside of QC limits

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Phosphorus, Total	GP13368/GN26170	D61270-1	mg/l	0.57	0.55	5.1	0-20%
Solids, Total Dissolved	GN26162	D61281-2	mg/l	605	618	2.1	0-20%
Specific Conductivity	GP13377/GN26180	D61319-1	umhos/cm	2020	2040	1.0	0-20%

Associated Samples:
Batch GN26162: D61333-1
Batch GP13368: D61333-1
Batch GP13377: D61333-1
(*) Outside of QC limits

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Bromide	GP13355/GN26155	D61331-1	mg/l	0.049	0.5	0.55	100.2	80-120%
Chloride	GP13355/GN26155	D61331-1	mg/l	3.7	5	8.7	100.0	80-120%
Fluoride	GP13355/GN26155	D61331-1	mg/l	1.0	1	2.1	110.0	80-120%
Nitrogen, Nitrate	GP13355/GN26155	D61331-1	mg/l	0.0	0.1	0.10	100.0	80-120%
Nitrogen, Nitrite	GP13355/GN26155	D61331-1	mg/l	0.0	0.05	0.051	102.0	80-120%
Phosphorus, Total	GP13368/GN26170	D61279-1	mg/l	0.43	.40	0.43	97.2	80-120%
Sulfate	GP13355/GN26155	D61331-1	mg/l	3.5	5	8.5	100.0	80-120%

Associated Samples:

Batch GP13355: D61333-1

Batch GP13368: D61333-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61333
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Bromide	GP13355/GN26155	D61331-1	mg/l	0.049	0.5	0.57	3.6	20%
Chloride	GP13355/GN26155	D61331-1	mg/l	3.7	5	9.4	7.7	20%
Fluoride	GP13355/GN26155	D61331-1	mg/l	1.0	1	2.2	4.7	20%
Nitrogen, Nitrate	GP13355/GN26155	D61331-1	mg/l	0.0	0.1	0.11	9.5	20%
Nitrogen, Nitrite	GP13355/GN26155	D61331-1	mg/l	0.0	0.05	0.048	6.1	20%
Phosphorus, Total	GP13368/GN26170	D61279-1	mg/l	0.43	.40	0.46	6.4	20%
Sulfate	GP13355/GN26155	D61331-1	mg/l	3.5	5	8.6	1.2	20%

Associated Samples:

Batch GP13355: D61333-1

Batch GP13368: D61333-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

56
48



08/29/14

Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61332X

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **8**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Subcontract Lab Data	4
Section 3: Misc. Forms	7
3.1: Chain of Custody	8



Sample Summary

LT Environmental

Job No: D61332X

Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
D61332-1X	08/21/14	14:26 DH	08/22/14	AQ	Ground Water CHAVEZ 02



Subcontract Lab Data

Report of Analysis



INDUSTRIAL LABORATORIES

Industrial Laboratories is your independent,
third-party analytical testing laboratory

2

To: Accutest Mountain States (AMS)
4036 Youngfield St.

Wheat Ridge CO 80033

Attn: Renea Jackson

TEST REPORT

ACCUTEST - M

Date Received: 8/22/2014

Date Reported: 8/26/2014

PO Number: D61332X

Note: Sample test procedures conform to EPA 40CFR136 requirements.

Lab No.	Sample Description	Test Method	Result	Units	MDL	Analysis Date/By
140822006-01A	D61332X-1, 08/21/14, 2:26 PM	* Total Coliforms MPN	<2 fecal; 13 total	MPN/100mL		KM 8/22/2014

Shirley Wren
Department Manager

Samples received in good condition unless otherwise noted in case narrative.

* = Scope Analysis

= Subcontracted Analysis

MDL = Method Detection Limit

ND = Not Detected at the Method Detection Limit

Page: 1 of 1

4046 Youngfield Street • Wheat Ridge, Colorado 80033 • (303) 287-9691 • (303) 287-0964 FAX • www.industriallabs.net

Receipt of analysis acknowledges the terms and conditions, which can be found at www.industriallabs.net
This report is not to be reproduced in whole or in part for advertising purposes without obtaining prior written authorization.



ACCUTEST®

CHAIN OF CUSTODY

4036 Youngfield St., Wheat Ridge, CO 80033
303-425-6021 FAX: 303-425-6854

Accutest Job #: D61332X
Accutest Quote #: 0
AMS P.O. #: _____
Project No.: _____

Client Information		Subcontract Laboratory Information										Analytical Information								
Name	Address	Name	Industrial Lab																	
Accutest Mountain States (AMS)			4046 Youngfield St.																	
4036 Youngfield St.		Address	4046 Youngfield St.																	
City	State	City	Wheat Ridge	State	CO	Zip	80033													
Wheat Ridge,	CO																			
Send Report to:	Scott Heideman	Contact:	Sample Management										Comments							
Any questions contact:	Renea Rooks	Phone:	(303) 287-9691																	
Phone/Fax #:	(303) 425-6021; (303)425-6854	Phone:																		
140822006	Field ID / Point of Collection	Date	TIME	Matrix	# of bottles	HCl	NaOH	NH3	NaOAc	H2SO4	None									
D61332X -1		8/21/14	2:26 PM	AQ	1						X									
Turnaround Information													Data Deliverable Information	Comments / Remarks						
<input checked="" type="checkbox"/> 10 Business Day Standard		Approved By:	<input type="checkbox"/> Commercial "A"		<input type="checkbox"/> PDF		<input type="checkbox"/> Commercial "B"		<input type="checkbox"/> Compact Disk Deliverable		<input type="checkbox"/> Electronic Delivery:		<input type="checkbox"/> State Forms							
<input type="checkbox"/> Other _____ (Days)			<input type="checkbox"/> Commercial "BN"		<input type="checkbox"/> Reduced Tier 1		<input type="checkbox"/> Full Tier 1		<input type="checkbox"/> Other (Specify) _____											
10 Day Turnaround Hardcopy, RUSH is FAX Data unless previously approved.															Please use Colorado regulations and RLs.					
Sample Custody must be documented below each time samples change possession, including courier delivery.															For Subcontract Laboratory Use Only					
Relinquished by:	1	Jacob Paine	Date & Time:	3/22/14 12:51	Received By:	1	Date & Time:	18/22/14 12:15	Received By:	1	Date & Time:	18/22/14 12:15	Received By:	1	Seal #:	NA	Headspace:	Yes <input type="checkbox"/> No <input type="checkbox"/> NA <input type="checkbox"/>	Preserved where applicable:	<input type="checkbox"/>
Relinquished by:	2		Date & Time:	2	Received By:	2	Date & Time:	2	Received By:	2	Date & Time:	2	Received By:	2						
Relinquished by:	3		Date & Time:	3	Received By:	3	Date & Time:	3	Received By:	3	Date & Time:	3	Received By:	3	Temperature °C	_____	On Ice	_____		



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE / OF /

Accutest Laboratories Mountain States
4036 Youngfield Street Wheat Ridge, Co 80033
TEL. 303-425-6021 877-737-4521
FAX 303-425-6021

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Motix Codes	
Company Name LT Environmental Street Address 4600 West 60th Ave City State Zip Denver Co 80003 Project Contact Email Dan Moir dmoir@ltenv.com Phone # Fax # 303-433-9788		Project Name Rule 608 Street Billing Information (If different from Report to) Company Name Street Address City State Zip Client PO# Attn/Bon: PO# DAN HENCMANN Dan Moir					
						DW - Drinking Water GW - Ground Water WO - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank	
						LAB USE ONLY 01 70-02 <i>[Signature]</i>	
Accoumt Sample #		Collection		Number of preserved Bottles			
		MECH/DI Vial #	Date	Time	Sampled by	Motix # of bottles	ICL NSH NHD3 H2050 NONE DNHR MECH ENCORE BOTTLE
Field ID / Point of Collection		Chavez 202	8/21/14 1426	DI	GW	10	
Data Deliverable Information							
Turnaround Time (Business days)		Approved By (Accustest PM) / Date:		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> Commercial "B" +Narrative <input type="checkbox"/> FULLT1 (Level 3+4)		<input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input type="checkbox"/> PDF	
<input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> Std. 5 Business Days (By Contract only) <input type="checkbox"/> 5 Day R/SH <input type="checkbox"/> 3 Day EMERGENC <input type="checkbox"/> 2 Day EMERGENC <input type="checkbox"/> 1 Day EMERGENC						we need EDPS for COGL, LTC & XTO Formats	
Comments / Special Instructions							
Emergency & Rush T/A data available VIA Laplink Sample Custody must be documented below each time samples change possession, including courier delivery.							
Relinquished by Sampler:		Date Time:	Received By:	Relinquished By:	VPS	Date Time:	Received By:
<i>1</i>		8/21/14	1	2			<i>2</i> 8/22/14
Relinquished by Sampler:		Date Time:	Received By:	Relinquished By:		Date Time:	Received By:
<i>3</i>			3	4			<i>4</i> 103
Relinquished by:		Date Time:	Received By:	Custody Seal #	Intact	Preserved where applicable	On Ice
<i>5</i>			5		<input type="checkbox"/> Intact <input type="checkbox"/> Not intact		Cooler Temp. 40

۳۱



09/10/14

Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61332R

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **14**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	5
Section 4: Sample Results	6
4.1: D61332-1R: CHAVEZ 02	7
Section 5: Misc. Forms	8
5.1: Chain of Custody	9
Section 6: General Chemistry - QC Data Summaries	10
6.1: Method Blank and Spike Results Summary	11
6.2: Duplicate Results Summary	12
6.3: Matrix Spike Results Summary	13
6.4: Matrix Spike Duplicate Results Summary	14

1
2
3
4
5
6



Sample Summary

LT Environmental

Job No: D61332R

Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
D61332-1R	08/21/14	14:26 DH	08/22/14	AQ	Ground Water CHAVEZ 02



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: LT Environmental

Job No D61332R

Site: Colo Rule 608 Compliance Raton Basin CO

Report Date 9/10/2014 12:18:40 P

On 08/22/2014, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D61332R was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Wet Chemistry By Method SM 2320B-2011

Matrix: AQ

Batch ID: GN26358

- All method blanks for this batch meet method specific criteria.
- Sample(s) D61757-1DUP, D61757-2MS, D61757-2MSD were used as the QC samples for the Alkalinity, Total as CaCO₃ analysis.
- The following samples were run outside of holding time for method SM 2320B-2011: D61332-1R

Matrix: AQ

Batch ID: GN26359

- All method blanks for this batch meet method specific criteria.
- The following samples were run outside of holding time for method SM 2320B-2011: D61332-1R

Matrix: AQ

Batch ID: GN26360

- All method blanks for this batch meet method specific criteria.
- The following samples were run outside of holding time for method SM 2320B-2011: D61332-1R

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 1

Job Number: D61332R
Account: LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO
Collected: 08/21/14

3

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Analyte						

D61332-1R CHAVEZ 02

Alkalinity, Bicarbonate as CaCO3	167	5.0		mg/l	SM 2320B-2011
Alkalinity, Total as CaCO3	170	5.0		mg/l	SM 2320B-2011



4

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 02	Date Sampled:	08/21/14
Lab Sample ID:	D61332-1R	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Alkalinity, Bicarbonate as CaC	167	5.0	mg/l	1	09/09/14	JD	SM 2320B-2011
Alkalinity, Carbonate	< 5.0	5.0	mg/l	1	09/09/14	JD	SM 2320B-2011
Alkalinity, Total as CaCO ₃	170	5.0	mg/l	1	09/08/14	JD	SM 2320B-2011

RL = Reporting Limit



Misc. Forms

5

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE 1 OF 1

Accutest Laboratories Mountain States
4036 Youngfield Street, Wheat Ridge, CO 80033
TEL: 303-425-6024 FAX: 303-425-6021

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes													
Company Name LT Environmental	Project Name Rule 608	Billing Information (If different from Report to)				DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OR - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank													
Street Address 4000 West 60th Ave	Street:	City: Denver CO 80003		Company Name															
City Denver State CO Zip 80003																			
Project Contact Dan Moir	E-mail Dan.Moir@ltenv.com	Project# 02914005	Street Address																
Phone # 303-433-9788	Fax #	Client PO#	City Denver State CO Zip																
Sampler(s) Name(s) DEVIN Henemann	Phone #	Project Manager Dan Moir	Attention: Dan Moir		PO#														
Accutest Sample # Chavez02		Collection		Number of preserved bottles															
		Date 8/21/14	Time 1426	Sampled by DH	Multik GW	# of Bottles 10	HCl <input checked="" type="checkbox"/>	NaOH <input type="checkbox"/>	HNO3 <input type="checkbox"/>	HFSO4 <input type="checkbox"/>	NONE <input type="checkbox"/>	DI Water <input type="checkbox"/>	MEOH <input type="checkbox"/>	ENCLOS <input type="checkbox"/>	Bottle <input type="checkbox"/>				
								X See Attached											
								01											
								70-02											
								JP 372											
Data Deliverable Information										Comments / Special Instructions									
Turnaround Time (Business days)					Approved By (Accutest PM) / Date:					<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> Commercial "B" +Narrative <input type="checkbox"/> FULLT1 (Level 3+4)				<input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format <input type="checkbox"/> PDF		we need EDD's for CAGC, LTC & XTO formats			
Emergency & Rush T/A data available via link										Sample Custody must be documented below each time samples change possession, including courier delivery.									
Relinquished by Sampler: 1	Date Time: 8/21/14	Received By: 1	Relinquished By: 2	Date Time: 8/22/14	Received By: 2	Relinquished By: 3	Date Time: 8/22/14	Received By: 3	Relinquished By: 4	Date Time: 8/22/14	Received By: 4	Relinquished by: 5	Date Time: 8/22/14	Received By: 5	Custody Seal # VPS	<input type="checkbox"/> Intact <input type="checkbox"/> Not intact	Preserved where applicable ✓	On Ice ✓	Cooler Temp. 4.0

D61332R: Chain of Custody
Page 1 of 1

5.1



General Chemistry

QC Data Summaries

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries



METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61332R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Alkalinity, Bicarbonate as CaC	GN26359	5.0	0.0	mg/l	100	99.3	99.3	90-110%
Alkalinity, Carbonate	GN26360	5.0	0.0	mg/l	100	99.3	99.3	80-120%
Alkalinity, Total as CaCO ₃	GN26358	5.0	0.57	mg/l	100	99	99.3	90-110%

Associated Samples:

Batch GN26358: D61332-1R

Batch GN26359: D61332-1R

Batch GN26360: D61332-1R

(*) Outside of QC limits

6.1
6

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61332R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Alkalinity, Total as CaCO ₃	GN26358	D61757-1	mg/l	320	300	6.5	0-20%

Associated Samples:

Batch GN26358: D61332-1R
(*) Outside of QC limits

6.2
6

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61332R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Alkalinity, Total as CaCO3	GN26358	D61757-2	mg/l	240	100	330	90.5	80-120%

Associated Samples:

Batch GN26358: D61332-1R

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

6.3

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61332R
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Alkalinity, Total as CaCO ₃	GN26358	D61757-2	mg/l	240	100	340	0.1	20%

Associated Samples:

Batch GN26358: D61332-1R

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

6.4
6



09/03/14

Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61332

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: **59**



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Case Narrative/Conformance Summary	4
Section 3: Summary of Hits	7
Section 4: Sample Results	8
4.1: D61332-1: CHAVEZ 02	9
4.2: D61332-1A: CHAVEZ 02	11
4.3: D61332-1B: CHAVEZ 02	13
4.4: D61332-1F: CHAVEZ 02	14
Section 5: Subcontract Lab Data	15
Section 6: Misc. Forms	18
6.1: Chain of Custody	19
Section 7: GC Volatiles - QC Data Summaries	20
7.1: Method Blank Summary	21
7.2: Blank Spike Summary	22
7.3: Matrix Spike/Matrix Spike Duplicate Summary	23
Section 8: Metals Analysis - QC Data Summaries	24
8.1: Prep QC MP13802: Se	25
8.2: Prep QC MP13804: Ca,Mg,Mn,K,Na	29
8.3: Prep QC MP13810: Ca,Mg,Na,Sodium Adsorption Ratio	37
8.4: Prep QC MP13838: Fe	47
Section 9: General Chemistry - QC Data Summaries	55
9.1: Method Blank and Spike Results Summary	56
9.2: Duplicate Results Summary	57
9.3: Matrix Spike Results Summary	58
9.4: Matrix Spike Duplicate Results Summary	59

1

2

3

4

5

6

7

8

9



Sample Summary

LT Environmental

Job No: D61332Colo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Received	Matrix Code	Type	Client Sample ID
D61332-1	08/21/14	14:26 DH	08/22/14	AQ	Ground Water	CHAVEZ 02
D61332-1A	08/21/14	14:26 DH	08/22/14	AQ	Ground Water	CHAVEZ 02
D61332-1B	08/21/14	14:26 DH	08/22/14	AQ	Ground Water	CHAVEZ 02
D61332-1F	08/21/14	14:26 DH	08/22/14	AQ	Groundwater Filtered	CHAVEZ 02



CASE NARRATIVE / CONFORMANCE SUMMARY

Client: LT Environmental

Job No D61332

Site: Colo Rule 608 Compliance Raton Basin CO

Report Date 9/3/2014 2:39:08 PM

On 08/22/2014, 1 sample(s), 0 Trip Blank(s), and 0 Field Blank(s) were received at Accutest Mountain States (AMS) at a temperature of 4 °C. The samples were intact and properly preserved, unless noted below. An AMS Job Number of D61332 was assigned to the project. The lab sample ID, client sample ID, and date of sample collection are detailed in the report's Results Summary.

Specified quality control criteria were achieved for this job except as noted below. For more information, please refer to the analytical results and QC summary pages.

Volatiles by GC By Method RSK175 MOD

Matrix: AQ

Batch ID: GFB558

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61416-1MS, D61416-1MSD were used as the QC samples indicated.
- D61416-1MS and D61416-1MSD: The pH of the sample was >2 at time of analysis.

Metals By Method EPA 200.7

Matrix: AQ

Batch ID: MP13804

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61281-1FMS, D61281-1FMSD were used as the QC samples for the metals analysis.

Matrix: AQ

Batch ID: MP13838

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61422-1FMS, D61422-1FMSD were used as the QC samples for the metals analysis.

Metals By Method EPA 200.8

Matrix: AQ

Batch ID: MP13802

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1FMS, D61331-1FMSD were used as the QC samples for the metals analysis.

Metals By Method SW846 6010C

Matrix: AQ

Batch ID: MP13810

- All samples were digested and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1AMS, D61331-1AMSD, D61331-1ASDL were used as the QC samples for the metals analysis.
- The serial dilution RPD(s) for Magnesium are outside control limits for sample MP13810-SD1. Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

Wet Chemistry By Method EPA 300.0/SW846 9056

Matrix: AQ

Batch ID: GP13355

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61331-1MS, D61331-1MSD were used as the QC samples for the Bromide, Chloride, Fluoride, Nitrogen, Nitrate, Nitrogen, Nitrite, Sulfate, Bromide analysis.

Matrix: AQ

Batch ID: R23296

- The data for EPA 300.0/SW846 9056 meets quality control requirements.
- D61332-1 for Nitrogen, Nitrate + Nitrite: Calculated as: (Nitrogen, Nitrate) + (Nitrogen, Nitrite)

Wet Chemistry By Method HACH IRB-BART

Matrix: AQ

Batch ID: MB415

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SLYM-BART

Matrix: AQ

Batch ID: MB416

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH SRB-BART

Matrix: AQ

Batch ID: MB417

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.

Wet Chemistry By Method HACH8190/SM4500P-B/E

Matrix: AQ

Batch ID: GP13368

- All samples were prepared and analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61270-1DUP, D61279-1MS, D61279-1MSD were used as the QC samples for the Phosphorus, Total analysis.

Wet Chemistry By Method SM 2510B-2011

Matrix: AQ

Batch ID: GP13377

- Sample(s) D61319-1DUP were used as the QC samples for the Specific Conductivity analysis.

Wet Chemistry By Method SM 2540C-2011

Matrix: AQ

Batch ID: GN26162

- All samples were analyzed within the recommended method holding time.
- All method blanks for this batch meet method specific criteria.
- Sample(s) D61281-2DUP were used as the QC samples for the Solids, Total Dissolved analysis.

Wet Chemistry By Method USDA HANDBOOK 60

Matrix: AQ

Batch ID: MP13810

- D61332-1A for Sodium Adsorption Ratio: Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+(Mg meq/L)/2]

AMS certifies that data reported for samples received, listed on the associated custody chain or analytical task order, were produced to specifications meeting AMS's Quality System precision, accuracy and completeness objectives except as noted.

Estimated non-standard method measurement uncertainty data is available on request, based on quality control bias and implicit for standard methods. Acceptable uncertainty requires tested parameter quality control data to meet method criteria.

AMS is not responsible for data quality assumptions if partial reports are used and recommends that this report be used in its entirety. This report is authorized by AMS indicated via signature on the report cover.

Summary of Hits

Page 1 of 1

Job Number: D61332
Account: LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO
Collected: 08/21/14

3

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
Analyte						

D61332-1 CHAVEZ 02

Methane	0.00054 J	0.00080	0.00040	mg/l	RSK175 MOD
Chloride	5.8	0.50	mg/l	EPA 300.0/SW846 9056	
Fluoride	0.29	0.10	mg/l	EPA 300.0/SW846 9056	
Nitrogen, Nitrate	0.40	0.010	mg/l	EPA 300.0/SW846 9056	
Nitrogen, Nitrate + Nitrite ^a	0.40	0.014	mg/l	EPA 300.0/SW846 9056	
Phosphorus, Total	0.019	0.010	mg/l	HACH8190/SM4500P-B/E	
Solids, Total Dissolved	242	10	mg/l	SM 2540C-2011	
Specific Conductivity	318	1.0	umhos/cm	SM 2510B-2011	
Sulfate	24.0	0.50	mg/l	EPA 300.0/SW846 9056	

D61332-1A CHAVEZ 02

Calcium	58.4	2.0	mg/l	SW846 6010C
Magnesium	10.8	1.0	mg/l	SW846 6010C
Sodium	15.5	2.0	mg/l	SW846 6010C
Sodium Adsorption Ratio ^b	0.489		ratio	USDA HANDBOOK 60

D61332-1B CHAVEZ 02

Iron Reducing Bacteria	9000	25	CFU/ml	HACH IRB-BART
Sulfate Reducing Bacteria	5000	200	CFU/ml	HACH SRB-BART

D61332-1F CHAVEZ 02

Calcium	57700	400	ug/l	EPA 200.7
Iron	264	10	ug/l	EPA 200.7
Magnesium	11200	200	ug/l	EPA 200.7
Potassium	1770	1000	ug/l	EPA 200.7
Sodium	15900	400	ug/l	EPA 200.7

(a) Calculated as: (Nitrogen, Nitrate) + (Nitrogen, Nitrite)

(b) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+(Mg meq/L)/2]



4

Sample Results

Report of Analysis

Report of Analysis

Page 1 of 1

Client Sample ID: CHAVEZ 02
Lab Sample ID: D61332-1
Matrix: AQ - Ground Water
Method: RSK175 MOD
Project: Colo Rule 608 Compliance Raton Basin CO

Date Sampled: 08/21/14
Date Received: 08/22/14
Percent Solids: n/a

	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	FB11962.D	1	08/26/14	JJ	n/a	n/a	GFB558
Run #2							

	Initial Volume	Headspace Volume	Volume Injected	Temperature
Run #1	39.0 ml	4.0 ml	500 ul	21.0 Deg. C
Run #2				

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	0.00054	0.00080	0.00040	mg/l	J

ND = Not detected MDL = Method Detection Limit
 RL = Reporting Limit
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 02	Date Sampled:	08/21/14
Lab Sample ID:	D61332-1	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Bromide	< 0.050	0.050	mg/l	1	08/22/14 14:00	JB	EPA 300.0/SW846 9056
Chloride	5.8	0.50	mg/l	1	08/22/14 14:00	JB	EPA 300.0/SW846 9056
Fluoride	0.29	0.10	mg/l	1	08/22/14 14:00	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrate	0.40	0.010	mg/l	1	08/22/14 14:00	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrate + Nitrite ^a	0.40	0.014	mg/l	1	08/22/14 14:00	JB	EPA 300.0/SW846 9056
Nitrogen, Nitrite	< 0.0040	0.0040	mg/l	1	08/22/14 14:00	JB	EPA 300.0/SW846 9056
Phosphorus, Total	0.019	0.010	mg/l	1	08/25/14	JD	HACH8190/SM4500P-B/E
Solids, Total Dissolved	242	10	mg/l	1	08/25/14	BF	SM 2540C-2011
Specific Conductivity	318	1.0	umhos/cm	1	08/26/14	JD	SM 2510B-2011
Sulfate	24.0	0.50	mg/l	1	08/22/14 14:00	JB	EPA 300.0/SW846 9056

(a) Calculated as: (Nitrogen, Nitrate) + (Nitrogen, Nitrite)

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 02	Date Sampled:	08/21/14
Lab Sample ID:	D61332-1A	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

SAR Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	58.4	2.0	mg/l	1	08/25/14	08/25/14 KV	SW846 6010C ¹	SW846 3010A/M ²
Magnesium	10.8	1.0	mg/l	1	08/25/14	08/25/14 KV	SW846 6010C ¹	SW846 3010A/M ²
Sodium	15.5	2.0	mg/l	1	08/25/14	08/25/14 KV	SW846 6010C ¹	SW846 3010A/M ²

(1) Instrument QC Batch: MA5159

(2) Prep QC Batch: MP13810

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 02	Date Sampled:	08/21/14
Lab Sample ID:	D61332-1A	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Sodium Adsorption Ratio ^a	0.489		ratio	1	08/25/14 19:15	KV	USDA HANDBOOK 60

(a) Calculated as: (Na meq/L) / sqrt [(Ca meq/L)+ (Mg meq/L)/2]

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 02	Date Sampled:	08/21/14
Lab Sample ID:	D61332-1B	Date Received:	08/22/14
Matrix:	AQ - Ground Water	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

General Chemistry

Analyte	Result	RL	Units	DF	Analyzed	By	Method
Iron Reducing Bacteria	9000	25	CFU/ml	1	08/25/14	MM	HACH IRB-BART
Slime Forming Bacteria	< 500	500	CFU/ml	1	08/25/14	MM	HACH SLYM-BART
Sulfate Reducing Bacteria	5000	200	CFU/ml	1	08/25/14	MM	HACH SRB-BART

RL = Reporting Limit

Report of Analysis

Page 1 of 1

Client Sample ID:	CHAVEZ 02	Date Sampled:	08/21/14
Lab Sample ID:	D61332-1F	Date Received:	08/22/14
Matrix:	AQ - Groundwater Filtered	Percent Solids:	n/a
Project:	Colo Rule 608 Compliance Raton Basin CO		

Dissolved Metals Analysis

Analyte	Result	RL	Units	DF	Prep	Analyzed By	Method	Prep Method
Calcium	57700	400	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵
Iron	264	10	ug/l	1	08/27/14	08/27/14 KV	EPA 200.7 ³	EPA 200.7 ⁶
Magnesium	11200	200	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵
Manganese	< 5.0	5.0	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵
Potassium	1770	1000	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵
Selenium	< 0.80	0.80	ug/l	2	08/23/14	08/27/14 JB	EPA 200.8 ²	EPA 200.8 ⁴
Sodium	15900	400	ug/l	1	08/23/14	08/25/14 KV	EPA 200.7 ¹	EPA 200.7 ⁵

- (1) Instrument QC Batch: MA5155
- (2) Instrument QC Batch: MA5168
- (3) Instrument QC Batch: MA5171
- (4) Prep QC Batch: MP13802
- (5) Prep QC Batch: MP13804
- (6) Prep QC Batch: MP13838

RL = Reporting Limit



Subcontract Lab Data

5

Report of Analysis



INDUSTRIAL LABORATORIES

Industrial Laboratories is your independent,
third-party analytical testing laboratory

To: Accutest Mountain States (AMS)
4036 Youngfield St.

Wheat Ridge CO 80033

Attn: Renea Jackson

TEST REPORT

ACCUTEST - M

Date Received: 8/22/2014

Date Reported: 8/26/2014

PO Number: D61332X

Note: Sample test procedures conform to EPA 40CFR136 requirements.

Lab No.	Sample Description	Test Method	Result	Units	MDL	Analysis Date/By
140822006-01A	D61332X-1, 08/21/14, 2:26 PM	* Total Coliforms MPN	<2 fecal; 13 total	MPN/100mL		KM 8/22/2014

Shirley Wren
Department Manager

Samples received in good condition unless otherwise noted in case narrative.

* = Scope Analysis

= Subcontracted Analysis

MDL = Method Detection Limit

ND = Not Detected at the Method Detection Limit

Page: 1 of 1

4046 Youngfield Street • Wheat Ridge, Colorado 80033 • (303) 287-9691 • (303) 287-0964 FAX • www.industriallabs.net

Receipt of analysis acknowledges the terms and conditions, which can be found at www.industriallabs.net
This report is not to be reproduced in whole or in part for advertising purposes without obtaining prior written authorization.



ACCUTEST®

CHAIN OF CUSTODY

4036 Youngfield St., Wheat Ridge, CO 80033
303-425-6021 FAX: 303-425-6854

Accutest Job #: D61332X
Accutest Quote #: 0
AMS P.O. #: _____
Project No.: _____

Client Information		Subcontract Laboratory Information										Analytical Information			
Name	Address	Name	Industrial Lab												
Accutest Mountain States (AMS)															
4036 Youngfield St.		4046 Youngfield St.													
City	State	City	State	Zip	Zip										
Wheat Ridge,	CO	Wheat Ridge	CO	80033											
Send Report to:	Scott Heideman	Contact:	Sample Management												
Any questions contact:	Renea Rooks	Phone:	(303) 287-9691												
Phone/Fax #:	(303) 425-6021; (303)425-6854	Phone:													
140822006	Field ID / Point of Collection	Date	TIME	Matrix	# of bottles	HCl	NaOH	NH3	H2SO4	None					
D61332X -1		8/21/14	2:26 PM	AQ	1					X					
Turnaround Information														Data Deliverable Information	
<input checked="" type="checkbox"/> 10 Business Day Standard		Approved By:		<input type="checkbox"/> Commercial "A"		<input type="checkbox"/> PDF									
<input type="checkbox"/> Other _____ (Days)				<input type="checkbox"/> Commercial "B"		<input type="checkbox"/> Compact Disk Deliverable									
				<input type="checkbox"/> Commercial "BN"		<input type="checkbox"/> Electronic Delivery:									
				<input type="checkbox"/> Reduced Tier 1		<input type="checkbox"/> State Forms									
				<input type="checkbox"/> Full Tier 1		<input type="checkbox"/> Other (Specify) _____									
10 Day Turnaround Hardcopy, RUSH is FAX Data unless previously approved.															
Sample Custody must be documented below each time samples change possession, including courier delivery.															
Relinquished by: 1		Received By: Jacob Poirier		Date & Time: 3/22/14 12:15		Received By: 1		Date & Time: 1 8/22/14 12:15		Seal #: 10A		For Subcontract Laboratory Use Only			
Relinquished by: 2				Date & Time:		Received By: 2		Date & Time: 2		Preserved where applicable: <input type="checkbox"/>					
Relinquished by: 3				Date & Time:		Received By: 3		Date & Time: 3		Temperature °C _____					
On Ice <input type="checkbox"/>															



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody





CHAIN OF CUSTODY

PAGE 1 OF 1

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes
Company Name LT Environmental Street Address 4600 West 60th Ave City Denver State CO Zip 80003		Project Name Rule 608 Billing Information (If different from Report to) City: Denver Company Name: LT Environmental				
Project Contact E-mail Dan.moir@ltenv.com Phone # 303-433-9788 Sampler(s) Name(s) DEVIN HENCMANN		Project# 02914005 Client PO# Attention: Dan.moir		Street Address City State Zip 		
						DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OR - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank
Accutest Sample # Chavez02		Collection Date 8/21/14 Time 1426 Sampled by DH Matrix GW # of Bottles 10		Number of preserved bottles HC NAOH HNO3 HFSO4 NONE DI Water MECH ENCORE Baseline		LAB USE ONLY 01 <i>70-02</i> <i>JP 272</i>
Data Deliverable Information Turnaround Time (Business days) <input type="checkbox"/> Std. 10 Business Days _____ <input type="checkbox"/> Std. 5 Business Days (By Contract only) _____ <input type="checkbox"/> 5 Day R/SH _____ <input type="checkbox"/> 3 Day EMERGENCY _____ <input type="checkbox"/> 2 Day EMERGENCY _____ <input type="checkbox"/> 1 Day EMERGENCY _____ Approved By (Accutest PM) / Date: 1 <i>8/21/14</i> Emergency & Rush T/A data available VIA 1-800- Sample Custody must be documented below each time samples change possession, including courier delivery. Relinquished by Sampler: 1 Date Time: 8/21/14 Received By: 1 Relinquished By: 2 VP5 Date Time: 8/22/14 Received By: 2 Relinquished by Sampler: 3 Date Time: Received By: 3 Relinquished By: 4 Date Time: Received By: 4 Relinquished by: 5 Date Time: Received By: 5 Custody Seal # Intact <input checked="" type="checkbox"/> Preserved where applicable <input type="checkbox"/> On Ice <input type="checkbox"/> Cooler Temp. 40 <i>T 70</i>						
Comments / Special Instructions we need EDD's for COGCC LTC & XTO formats						

D61332: Chain of Custody
Page 1 of 1



GC Volatiles

QC Data Summaries

7

Includes the following where applicable:

- Method Blank Summaries
- Blank Spike Summaries
- Matrix Spike and Duplicate Summaries

Method Blank Summary

Page 1 of 1

Job Number: D61332

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB558-MB	FB11947.D	1	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61332-1

CAS No.	Compound	Result	RL	MDL	Units	Q
74-82-8	Methane	ND	0.00080	0.00040	mg/l	

Blank Spike Summary

Page 1 of 1

Job Number: D61332

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
GFB558-BS	FB11948.D	10	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61332-1

CAS No.	Compound	Spike mg/l	BSP mg/l	BSP %	Limits
74-82-8	Methane	0.51	0.603	118	70-130

* = Outside of Control Limits.

7.2.1
7

Matrix Spike/Matrix Spike Duplicate Summary

Page 1 of 1

Job Number: D61332

Account: LTENCODE LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

Sample	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
D61416-1MS ^a	FB11950.D	10	08/26/14	JJ	n/a	n/a	GFB558
D61416-1MSD ^a	FB11952.D	10	08/26/14	JJ	n/a	n/a	GFB558
D61416-1 ^a	FB11949.D	1	08/26/14	JJ	n/a	n/a	GFB558

The QC reported here applies to the following samples:

Method: RSK175 MOD

D61332-1

CAS No.	Compound	D61416-1		Spike	MS	MS	Spike	MSD	MSD	RPD	Limits Rec/RPD
		mg/l	Q	mg/l	mg/l	%	mg/l	mg/l	%		
74-82-8	Methane	ND		0.51	0.576	113	0.51	0.592	116	3	51-155/30

(a) The pH of the sample was > 2 at time of analysis.

* = Outside of Control Limits.

7.3.1

7



Metals Analysis

QC Data Summaries

∞

Includes the following where applicable:

- Method Blank Summaries
- Matrix Spike and Duplicate Summaries
- Blank Spike and Lab Control Sample Summaries
- Serial Dilution Summaries

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
Matrix Type: AQUEOUS

Methods: EPA 200.8
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	50	1.1	2		
Antimony	0.40	.0022	.011		
Arsenic	0.20	.017	.044		
Barium	2.0	.016	.079		
Beryllium	0.20	.016	.069		
Boron	40	.49	2.1		
Cadmium	0.10	.036	.042		
Calcium	400	5.6	12		
Chromium	2.0	.053	.053		
Cobalt	0.20	.0049	.015		
Copper	2.0	.06	.13		
Iron	10	3.5	4.6		
Lead	0.50	.0079	.008		
Magnesium	100	1.3	1.3		
Manganese	1.0	.12	.13		
Molybdenum	1.0	.049	.029		
Nickel	2.0	.0088	.027		
Phosphorus	60	2.6	4.3		
Potassium	200	2.9	2.9		
Selenium	0.40	.06	.21	-0.066	<0.40
Silver	0.10	.0019	.008		
Sodium	500	4.9	4.9		
Strontium	20	.01	.015		
Thallium	0.20	.0024	.005		
Tin	10	.063	1.3		
Titanium	2.0	.059	.092		
Uranium	0.20	.0017	.002		
Vanadium	1.0	.037	.2		
Zinc	10	.21	.96		

Associated samples MP13802: D61332-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date: 08/23/14

Metal	D61331-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper	anr			
Iron				
Lead				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium	0.0	195	200	97.5 70-130
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13802: D61332-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date:

08/23/14

Metal	D61331-1F Original	MSD ICPALL2	Spikelot % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium					
Chromium					
Cobalt					
Copper	anr				
Iron					
Lead					
Magnesium					
Manganese	anr				
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium	0.0	195	200	97.5	0.0
Silver					20
Sodium					
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13802: D61332-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (N) Matrix Spike Rec. outside of QC limits
 (anr) Analyte not requested

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13802
 Matrix Type: AQUEOUS

Methods: EPA 200.8
 Units: ug/l

Prep Date: 08/23/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium				
Chromium				
Cobalt				
Copper	anr			
Iron				
Lead				
Magnesium				
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium	205	200	102.5	85-115
Silver				
Sodium				
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13802: D61332-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits
 (anr) Analyte not requested

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	100	11	11		
Antimony	30	2.1	21		
Arsenic	25	3.8	9		
Barium	10	.2	1.4		
Beryllium	10	.9	1.7		
Boron	50	.8	6.6		
Cadmium	10	.2	.36		
Calcium	400	2.4	66	8.5	<400
Chromium	10	.3	1.4		
Cobalt	5.0	.5	.51		
Copper	10	.8	1.5		
Iron	10	1.5	3.2		
Lead	50	2.1	4.1		
Lithium	5.0	.4	1.9		
Magnesium	200	6.8	29	14.0	<200
Manganese	5.0	.5	.29	1.6	<5.0
Molybdenum	10	.4	1.1		
Nickel	30	.5	.87		
Phosphorus	100	15	24		
Potassium	1000	99	230	12.9	<1000
Selenium	50	7.1	9.3		
Silicon	50	4.7	5.6		
Silver	30	.3	.4		
Sodium	400	7.3	36	19.9	<400
Strontium	5.0	.01	.12		
Thallium	10	1.8	4.9		
Tin	50	12	13		
Titanium	10	.1	.43		
Uranium	50	2.9	3.9		
Vanadium	10	.4	.39		
Zinc	30	.4	1.9		

Associated samples MP13804: D61332-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS


Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested



8.2.1
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/23/14

Metal	D61281-1F Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	74400	101000	25000	106.4
Chromium				
Cobalt				
Copper				
Iron	anr			
Lead				
Lithium				
Magnesium	39200	65800	25000	106.4
Manganese	0.0	497	500	99.4
Molybdenum				
Nickel				
Phosphorus				
Potassium	2990	30000	25000	108.0
Selenium				
Silicon	anr			
Silver				
Sodium	34100	60300	25000	104.8
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13804: D61332-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron	anr				
Cadmium					
Calcium	74400	103000	25000	114.4	2.0
Chromium					
Cobalt					
Copper					
Iron	anr				
Lead					
Lithium					
Magnesium	39200	66700	25000	110.0	1.4
Manganese	0.0	500	500	1000.0	0.6
Molybdenum					
Nickel					
Phosphorus					
Potassium	2990	30100	25000	108.4	0.3
Selenium					
Silicon	anr				
Silver					
Sodium	34100	61400	25000	109.2	1.8
Strontium	anr				
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13804: D61332-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS


Methods: EPA 200.7
Units: ug/l

Prep Date:

08/23/14

Metal	D61281-1F Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/23/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	26400	25000	105.6	85-115
Chromium				
Cobalt				
Copper				
Iron	anr			
Lead				
Lithium				
Magnesium	26800	25000	107.2	85-115
Manganese	498	500	99.6	85-115
Molybdenum				
Nickel				
Phosphorus				
Potassium	26600	25000	106.4	85-115
Selenium				
Silicon	anr			
Silver				
Sodium	26200	25000	104.8	85-115
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13804: D61332-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13804
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date: 08/23/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

8.2.3
8

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date: 08/25/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	500	55	210		
Antimony	150	11	95		
Arsenic	130	19	28		
Barium	50	1	7		
Beryllium	50	4.5	6		
Boron	250	4	33		
Cadmium	50	1	1.8		
Calcium	2000	12	210	-25	<2000
Chromium	50	1.5	2		
Cobalt	25	2.5	2.9		
Copper	50	4	9.5		
Iron	350	7.5	48		
Lead	250	11	110		
Lithium	25	2	14		
Magnesium	1000	34	95	41.0	<1000
Manganese	25	2.5	2.3		
Molybdenum	50	2	4.2		
Nickel	150	2.5	4.4		
Phosphorus	500	75	100		
Potassium	5000	500	1400		
Selenium	250	36	55		
Silicon	250	24	26		
Silver	150	1.5	3		
Sodium	2000	37	850	-65	<2000
Strontium	25	.05	.6		
Thallium	50	9	20		
Tin	250	60	80		
Titanium	50	.5	11		
Uranium	250	15	28		
Vanadium	50	2	2		
Zinc	150	2	16		

Associated samples MP13810: D61332-1A

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS


Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A Original MS	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	1400	130000	125000	102.9
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	376	125000	125000	99.7
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	129000	250000	125000	96.8
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13810: D61332-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	D61331-1A Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium	1400	129000	125000	102.1	0.8
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Lithium					
Magnesium	376	123000	125000	98.1	1.6
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silicon					
Silver					
Sodium	129000	255000	125000	100.8	2.0
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13810: D61332-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS


Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	D61331-1A Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic				
Barium				
Beryllium				
Boron				
Cadmium				
Calcium	128000	125000	102.4	80-120
Chromium				
Cobalt				
Copper				
Iron				
Lead				
Lithium				
Magnesium	120000	125000	96.0	80-120
Manganese				
Molybdenum				
Nickel				
Phosphorus				
Potassium				
Selenium				
Silicon				
Silver				
Sodium	122000	125000	97.6	80-120
Strontium				
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13810: D61332-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61332

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date:

08/25/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

8.3.3
8

SERIAL DILUTION RESULTS SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
 Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
 Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A	Original	SDL 1:5	%DIF	QC Limits
Aluminum					
Antimony					
Arsenic					
Barium					
Beryllium					
Boron					
Cadmium					
Calcium	280	267		4.7	0-10
Chromium					
Cobalt					
Copper					
Iron					
Lead					
Lithium					
Magnesium	75.2	104		37.6 (a)	0-10
Manganese					
Molybdenum					
Nickel					
Phosphorus					
Potassium					
Selenium					
Silicon					
Silver					
Sodium	25800	26000		0.9	0-10
Strontium					
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13810: D61332-1A

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SERIAL DILUTION RESULTS SUMMARY

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13810
Matrix Type: AQUEOUS

Methods: SW846 6010C, USDA HANDBOOK 60
Units: ug/l

Prep Date: 08/25/14

Metal	D61331-1A	Original	SDL 1:5	%DIF	QC	Limits
-------	-----------	----------	---------	------	----	--------

(anr) Analyte not requested

(a) Percent difference acceptable due to low initial sample concentration (< 50 times IDL).

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/27/14

Metal	RL	IDL	MDL	MB raw	final
Aluminum	100	8.6	11		
Antimony	30	3.2	21		
Arsenic	25	5.2	9		
Barium	10	1.4	1.4		
Beryllium	10	.8	1.7		
Boron	50	6.7	6.6		
Cadmium	10	.4	.36		
Calcium	400	2.2	66		
Chromium	10	.4	1.4		
Cobalt	5.0	.4	.51		
Copper	10	1.2	1.5		
Iron	10	2.2	3.2	-0.30	<10
Lead	50	3.6	4.1		
Lithium	5.0	1.9	1.9		
Magnesium	200	14	29		
Manganese	5.0	.01	.29		
Molybdenum	10	.8	1.1		
Nickel	30	.9	.87		
Phosphorus	100	15	24		
Potassium	1000	130	230		
Selenium	50	8.8	9.3		
Silicon	50	5.2	5.6		
Silver	30	.4	.4		
Sodium	400	4.9	36		
Strontium	5.0	.01	.12		
Thallium	10	2.9	4.9		
Tin	50	13	13		
Titanium	10	.15	.43		
Uranium	50	3.7	3.9		
Vanadium	10	.4	.39		
Zinc	30	.6	1.9		

Associated samples MP13838: D61332-1F

Results < IDL are shown as zero for calculation purposes
(*) Outside of QC limits

BLANK RESULTS SUMMARY
Part 2 - Method Blanks

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS


Methods: EPA 200.7
Units: ug/l

Prep Date:

08/27/14

Metal	RL	IDL	MDL	MB raw	final
-------	----	-----	-----	-----------	-------

(anr) Analyte not requested



MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date: 08/27/14

Metal	D61422-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

Aluminum				
Antimony				
Arsenic	anr			
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	anr			
Chromium				
Cobalt				
Copper				
Iron	11.2	4800	5000	95.8
Lead				70-130
Lithium				
Magnesium	anr			
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium	anr			
Selenium				
Silicon				
Silver				
Sodium	anr			
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13838: D61332-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332

Account: LTENCODE - LT Environmental

Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date:

08/27/14

Metal	D61422-1F Original MS	Spikelot ICPALL2	QC % Rec	QC Limits
-------	--------------------------	---------------------	-------------	--------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested

8.4.2
8

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date:

08/27/14

Metal	D61422-1F Original MSD	Spikelot ICPALL2	MSD % Rec	MSD RPD	QC Limit
-------	---------------------------	---------------------	--------------	------------	-------------

Aluminum					
Antimony					
Arsenic	anr				
Barium					
Beryllium					
Boron	anr				
Cadmium					
Calcium	anr				
Chromium					
Cobalt					
Copper					
Iron	11.2	4800	5000	95.8	0.0
Lead					20
Lithium					
Magnesium	anr				
Manganese	anr				
Molybdenum					
Nickel					
Phosphorus					
Potassium	anr				
Selenium					
Silicon					
Silver					
Sodium	anr				
Strontium	anr				
Thallium					
Tin					
Titanium					
Uranium					
Vanadium					
Zinc					

Associated samples MP13838: D61332-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

MATRIX SPIKE AND DUPLICATE RESULTS SUMMARY

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS


Methods: EPA 200.7
Units: ug/l

Prep Date:

08/27/14

Metal	D61422-1F Original MSD	Spikelot ICPALL2	MSD % Rec	RPD	QC Limit
-------	---------------------------	---------------------	--------------	-----	-------------

(N) Matrix Spike Rec. outside of QC limits
(anr) Analyte not requested



SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61332
 Account: LTENCODE - LT Environmental
 Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
 Matrix Type: AQUEOUS

Methods: EPA 200.7
 Units: ug/l

Prep Date:

08/27/14

Metal	BSP Result	Spikelot ICPALL2	% Rec	QC Limits
Aluminum				
Antimony				
Arsenic	anr			
Barium				
Beryllium				
Boron	anr			
Cadmium				
Calcium	anr			
Chromium				
Cobalt				
Copper				
Iron	4810	5000	96.2	85-115
Lead				
Lithium				
Magnesium	anr			
Manganese	anr			
Molybdenum				
Nickel				
Phosphorus				
Potassium	anr			
Selenium				
Silicon				
Silver				
Sodium	anr			
Strontium	anr			
Thallium				
Tin				
Titanium				
Uranium				
Vanadium				
Zinc				

Associated samples MP13838: D61332-1F

Results < IDL are shown as zero for calculation purposes
 (*) Outside of QC limits

SPIKE BLANK AND LAB CONTROL SAMPLE SUMMARY

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

QC Batch ID: MP13838
Matrix Type: AQUEOUS

Methods: EPA 200.7
Units: ug/l

Prep Date: 08/27/14

Metal	BSP Result	Spikelot ICPALL2	QC % Rec	QC Limits
-------	---------------	---------------------	-------------	--------------

(anr) Analyte not requested

8.4.3
8



General Chemistry

QC Data Summaries

6

Includes the following where applicable:

- Method Blank and Blank Spike Summaries
- Duplicate Summaries
- Matrix Spike Summaries

METHOD BLANK AND SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	RL	MB Result	Units	Spike Amount	BSP Result	BSP %Recov	QC Limits
Bromide	GP13355/GN26155	0.050	0.0	mg/l	0.5	0.514	102.8	90-110%
Chloride	GP13355/GN26155	0.50	0.0	mg/l	5	4.90	98.0	90-110%
Fluoride	GP13355/GN26155	0.10	0.0	mg/l	1	0.990	99.0	90-110%
Iron Reducing Bacteria	MB415	25	<25	CFU/ml				
Nitrogen, Nitrate	GP13355/GN26155	0.010	0.0	mg/l	0.1	0.103	103.0	90-110%
Nitrogen, Nitrite	GP13355/GN26155	0.0040	0.0	mg/l	0.05	0.0463	92.6	90-110%
Phosphorus, Total	GP13368/GN26170	0.010	0.0	mg/l	.38	0.40	105.0	80-120%
Slime Forming Bacteria	MB416	500	<500	CFU/ml				
Solids, Total Dissolved	GN26162	10	0.0	mg/l	400	404	101.0	90-110%
Specific Conductivity	GP13377/GN26180			umhos/cm	98.1	107	108.6	90-110%
Sulfate	GP13355/GN26155	0.50	0.0	mg/l	5	5.00	100.0	90-110%
Sulfate Reducing Bacteria	MB417	200	<200	CFU/ml				

Associated Samples:

Batch MB415: D61332-1B

Batch MB416: D61332-1B

Batch MB417: D61332-1B

Batch GN26162: D61332-1

Batch GP13355: D61332-1

Batch GP13368: D61332-1

Batch GP13377: D61332-1

(*) Outside of QC limits

DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	DUP Result	RPD	QC Limits
Phosphorus, Total	GP13368/GN26170	D61270-1	mg/l	0.57	0.55	5.1	0-20%
Solids, Total Dissolved	GN26162	D61281-2	mg/l	605	618	2.1	0-20%
Specific Conductivity	GP13377/GN26180	D61319-1	umhos/cm	2020	2040	1.0	0-20%

Associated Samples:
Batch GN26162: D61332-1
Batch GP13368: D61332-1
Batch GP13377: D61332-1
(*) Outside of QC limits

MATRIX SPIKE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MS Result	%Rec	QC Limits
Bromide	GP13355/GN26155	D61331-1	mg/l	0.049	0.5	0.55	100.2	80-120%
Chloride	GP13355/GN26155	D61331-1	mg/l	3.7	5	8.7	100.0	80-120%
Fluoride	GP13355/GN26155	D61331-1	mg/l	1.0	1	2.1	110.0	80-120%
Nitrogen, Nitrate	GP13355/GN26155	D61331-1	mg/l	0.0	0.1	0.10	100.0	80-120%
Nitrogen, Nitrite	GP13355/GN26155	D61331-1	mg/l	0.0	0.05	0.051	102.0	80-120%
Phosphorus, Total	GP13368/GN26170	D61279-1	mg/l	0.43	.40	0.43	97.2	80-120%
Sulfate	GP13355/GN26155	D61331-1	mg/l	3.5	5	8.5	100.0	80-120%

Associated Samples:

Batch GP13355: D61332-1

Batch GP13368: D61332-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits

9.3

9

MATRIX SPIKE DUPLICATE RESULTS SUMMARY
GENERAL CHEMISTRY

Login Number: D61332
Account: LTENCODE - LT Environmental
Project: Colo Rule 608 Compliance Raton Basin CO

Analyte	Batch ID	QC Sample	Units	Original Result	Spike Amount	MSD Result	RPD	QC Limit
Bromide	GP13355/GN26155	D61331-1	mg/l	0.049	0.5	0.57	3.6	20%
Chloride	GP13355/GN26155	D61331-1	mg/l	3.7	5	9.4	7.7	20%
Fluoride	GP13355/GN26155	D61331-1	mg/l	1.0	1	2.2	4.7	20%
Nitrogen, Nitrate	GP13355/GN26155	D61331-1	mg/l	0.0	0.1	0.11	9.5	20%
Nitrogen, Nitrite	GP13355/GN26155	D61331-1	mg/l	0.0	0.05	0.048	6.1	20%
Phosphorus, Total	GP13368/GN26170	D61279-1	mg/l	0.43	.40	0.46	6.4	20%
Sulfate	GP13355/GN26155	D61331-1	mg/l	3.5	5	8.6	1.2	20%

Associated Samples:

Batch GP13355: D61332-1

Batch GP13368: D61332-1

(*) Outside of QC limits

(N) Matrix Spike Rec. outside of QC limits



08/29/14

Technical Report for

LT Environmental

Colo Rule 608 Compliance Raton Basin CO

012914005

Accutest Job Number: D61331X

Sampling Date: 08/21/14

Report to:

LT Environmental
4600 W 60th Ave
Arvada, CO 80003
dmoir@ltenv.com

ATTN: Dan Moir

Total number of pages in report: 8



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.

A handwritten signature in black ink that appears to read "Scott Heideman".

Scott Heideman
Laboratory Director

Client Service contact: Renea Jackson 303-425-6021

Certifications: CO (CO00049), ID, NE (CO00049), ND (R-027), NJ (CO 0007), OK (D9942), UT (NELAP CO00049), TX (T104704511)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Subcontract Lab Data	4
Section 3: Misc. Forms	7
3.1: Chain of Custody	8



Sample Summary

LT Environmental

Job No: D61331XColo Rule 608 Compliance Raton Basin CO
Project No: 012914005

Sample Number	Collected Date	Time By	Matrix Received	Code Type	Client Sample ID
D61331-1X	08/21/14	09:04 DH	08/22/14	AQ	Ground Water SPRING 01



Subcontract Lab Data

Report of Analysis



Industrial Laboratories is your independent,
third-party analytical testing laboratory

To: Accutest Mountain States (AMS)
4036 Youngfield St.

Wheat Ridge CO 80033

Attn: Renea Jackson

TEST REPORT

ACCUTEST - M

Date Received: 8/22/2014

Date Reported: 8/25/2014

PO Number: D61331X

Note: Sample test procedures conform to EPA 40CFR136 requirements.

Lab No.	Sample Description	Test Method	Result	Units	MDL	Analysis Date/By
140822005-01A	D61331X-1, 08/21/14, 9:04 AM	* Total Coliforms MPN SM 9221 B	<2 fecal; <2 total	MPN/100mL		RJ 8/22/2014

Department Manager

Samples received in good condition unless otherwise noted in case narrative.

* = Scope Analysis

= Subcontracted Analysis

MDL = Method Detection Limit

ND = Not Detected at the Method Detection Limit

Page: 1 of 1



Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody



CHAIN OF CUSTODY

PAGE OF

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)		Matrix Codes	
Company Name LT Environmental Street Address 4600 West 60th Ave City Denver State CO Zip 80003		Project Name Rule 608 Street: 		Billing Information (If different from Report to) Company Name Street Address 			
Project Contact Dan Moire dmoire@new.com Phone # 303-483-9788 Sample(s) Name(s) Devin Hencemann		Project# 012914005 Client PO# 		City State Zip Attention: PO# 			
Accutest Sample # Field ID / Point of Collection Spring 01		Collection MEGHDIV# Date 8/21/14 Time 904 Sampled by DH Matrix GW # of bottles 10		Number of preserved Bottles HCl <input type="checkbox"/> NaOH <input type="checkbox"/> INH3 <input type="checkbox"/> H2SO4 <input type="checkbox"/> NONE <input type="checkbox"/> DI Water <input type="checkbox"/> MECH <input type="checkbox"/> ENCORE <input type="checkbox"/> Isobutane <input type="checkbox"/>		X See Attached	
LAB USE ONLY 01 103-02 <i>Jones</i>							
Turnaround Time (Business days) <input type="checkbox"/> Std. 10 Business Days <input type="checkbox"/> Std. 5 Business Days (By Contract only) <input type="checkbox"/> 5 Day EMERGEN <input type="checkbox"/> 3 Day EMERGEN <input type="checkbox"/> 2 Day EMERGEN <input type="checkbox"/> 1 Day EMERGEN Emergency & Rush T/A data available VIA LabLink		Approved By (Accutest PM): _____ Date: _____		<input type="checkbox"/> Commercial "A" (Level 1) <input type="checkbox"/> Commercial "B" (Level 2) <input type="checkbox"/> Commercial "B" +Narrative <input type="checkbox"/> FULLT1 (Level 3+4)		<input type="checkbox"/> State Forms <input type="checkbox"/> EDD Format _____ <input type="checkbox"/> PDF	
				Commercial "A" = Results Only Commercial "B" = Results + QC Summary		Comments / Special Instructions <i>we need EDD's</i> <i>Cogcc, XTG, LTC Formats</i>	
Sample Custody must be documented below each time samples change possession, including courier delivery.							
Relinquished by Sampler: 1 JL 2		Date Time: 8/21/14 1637 1		Received By: 1 2 3		Relinquished By: 2 4 5 UAT	
Relinquished by Sampler: 3		Date Time: 3		Received By: 4		Date Time: 4	
Relinquished by: 5		Date Time: 5		Received By: 6		Date Time: 6	
Custody Seal # 1 <input type="checkbox"/> Intact <input type="checkbox"/> Not intact Preserved where applicable ✓ <input type="checkbox"/> 1 <input type="checkbox"/> On Ice 2 <input type="checkbox"/> Cooler Temp. 3 <input type="checkbox"/> 40°							

D61331X: Chain of Custody

Page 1 of 1