

270	TT (usec)	170	0	AMP (mV)	100	2	AMPAVG	200	200	VDL	1200 1 Cement Map 8
-9	CCL	1	0	AMPx5 (mV)	20	2	AMPMAX	200			
0	GR (GAPI)	200	1	Bond Index	0	2	AMPMIN	200			

Calibration Report

Database File: keystone log.db
Dataset Pathname: pass8
Dataset Creation: Mon Dec 29 10:13:01 2014 by Log 7.0 D1

Gamma Ray Calibration Report

Type / Serial: Probe275dg / pr051112

SHOP CALIBRATION — Sun Jun 13 13:33:21 1993

	Counts/Sec.	Gain	Offset	Jig	Units
Background	0.0				cps
Calibrator	1.0				cps
		1.0000			GAPI/cps

PRIMARY VERIFICATION

Background	0.0			cps
Calibrator	0.0			cps
Difference			0.0	GAPI

BEFORE SURVEY VERIFICATION

Background	0.0			cps
Calibrator	0.0			cps
Difference			0.0	GAPI

AFTER SURVEY VERIFICATION

Background	0.0			cps
Calibrator	0.0			cps
Difference			0.0	GAPI

Segmented Cement Bond Log Calibration Report

Serial Number: 4.5040904
Tool Model: Probe

Calibration Casing Diameter: 5.500 in
Calibration Depth: 85.225 ft

Master Calibration, performed Mon Dec 29 09:32:37 2014:

	Raw (v)		Calibrated (mv)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
3'	0.001	1.188	1.000	71.921	59.744	0.969
CAL	0.001	1.566				
5'	0.001	1.006	1.000	71.921	70.547	0.948
SUM						
S1	0.001	1.179	0.000	81.000	68.738	-0.034
S2	0.000	1.236	0.000	81.000	65.543	-0.023
S3	0.001	1.239	0.000	81.000	65.423	-0.038
S4	0.001	1.206	0.000	81.000	67.194	-0.039
S5	0.000	1.160	0.000	81.000	69.821	-0.027
S6	0.001	1.128	0.000	81.000	71.840	-0.039
S7	0.001	1.127	0.000	81.000	71.910	-0.046
S8	0.001	1.158	0.000	81.000	69.992	-0.044

Internal Reference Calibration, performed Wed Dec 31 17:00:00 1969:

	Raw (v)		Calibrated (v)		Results	
	Zero	Cal	Zero	Cal	Gain	Offset
CAL	0.000	0.000	0.001	1.566	1.000	0.000

Air Zero Calibration, performed Wed Jul 10 16:38:10 2013:

	Raw (v)	Calibrated (v)	Results
	Zero	Zero	Offset
3'	0.000	0.000	0.000
5'	0.000	0.000	0.000
SUM			
S1	0.000	0.000	0.000
S2	0.000	0.000	0.000
S3	0.000	0.000	0.000
S4	0.000	0.000	0.000
S5	0.000	0.000	0.000
S6	0.000	0.000	0.000
S7	0.000	0.000	0.000
S8	0.000	0.000	0.000