

From: [Julie Webb](#)
To: [Arthur Koepsell - DNR](#)
Subject: Re: Baseline Exception Requests on Hold
Date: Wednesday, March 11, 2015 12:12:34 PM

Thank you Arthur.

This has been submitted, doc # 400807579.

[Julie Webb](#)
[Regulatory Analyst](#)
[Progressive Consulting](#)
[616-813-5063](#)

From: Arthur Koepsell - DNR <Arthur.Koepsell@state.co.us>
Sent: Tuesday, March 10, 2015 3:18 PM
To: Julie Webb
Subject: RE: Baseline Exception Requests on Hold

I see the issue. There should be a Sundry provided for each pad. Since the BURTON K #25-67-1HN (API # 05-123-38366) is on its own pad it should have its own Sundry. Could you please send a Sundry with just that well on it just provide the same information as before. Then we should be all set.

Thanks,

Arthur

Arthur W. Koepsell, P.G.
Environmental Data Analyst



P 303.894.2100 x5148 | F 303.894.2109
1120 Lincoln Street, Suite 801, Denver, CO 80203
arthur_koepsell@state.co.us | www.colorado.gov/cogcc

From: Julie Webb [mailto:jwebb@progressivepcs.net]
Sent: Tuesday, March 10, 2015 3:06 PM
To: Arthur Koepsell - DNR
Subject: Re: Baseline Exception Requests on Hold

Arthur,

We have an approved variance doc # 400710595 (attached).

Thanks,

Julie Webb
Regulatory Analyst
Progressive Consulting
616-813-5063

From: Arthur Koepsell - DNR <Arthur.Koepsell@state.co.us>
Sent: Tuesday, March 10, 2015 2:53 PM
To: Julie Webb
Subject: RE: Baseline Exception Requests on Hold

Julie,

Do you have an information regarding 318A.5 sampling for the BURTON K #25-67-1HN API # 05-123-38366. It does not look like there is a Sundry or sample for this well.

Thanks,

Arthur

Arthur W. Koepsell, P.G.
Environmental Data Analyst



P 303.894.2100 x5148 | F 303.894.2109
1120 Lincoln Street, Suite 801, Denver, CO 80203
arthur_koepsell@state.co.us | www.colorado.gov/cogcc

From: Julie Webb [mailto:jwebb@progressivepcs.net]
Sent: Tuesday, March 10, 2015 1:40 PM
To: Arthur Koepsell - DNR
Subject: Fw: Baseline Exception Requests on Hold

Good Afternoon Arthur,

The Sundry doc # 400626980 and 400627132 show that they are still on hold. Would you please let me know when these are approved?

Thanks,

Julie Webb
Regulatory Analyst
Progressive Consulting
616-813-5063

From: Asher Weinberg <Asher.Weinberg@nblenergy.com>
Sent: Sunday, March 1, 2015 10:40 AM
To: Arthur Koepsell - DNR
Cc: Julie Webb
Subject: RE: Baseline Exception Requests on Hold

Thank you Arthur



From: Arthur Koepsell - DNR [<mailto:Arthur.Koepsell@state.co.us>]
Sent: Friday, February 27, 2015 1:44 PM
To: Asher Weinberg
Subject: EXTERNAL: RE: Baseline Exception Requests on Hold

Asher,

The Sundry doc # 400626980, 400627104, and 400627132 have been updated and past. Sundry doc # 400605277 has been deleted at your request.

Thanks,

Arthur

Arthur W. Koepsell, P.G.
Environmental Data Analyst



P 303.894.2100 x5148 | F 303.894.2109
1120 Lincoln Street, Suite 801, Denver, CO 80203
arthur.koepsell@state.co.us | www.colorado.gov/cogcc

From: Asher Weinberg [mailto:Asher.Weinberg@nblenergy.com]
Sent: Friday, February 27, 2015 11:35 AM
To: Arthur Koepsell
Cc: Julie Webb
Subject: Baseline Exception Requests on Hold

Arthur,

Julie and I were going through eforms and noticed that we have four sundries on hold for baseline exception requests. Please see our comments below and let me know if you need anything else from us to approve these requests.

400626980 Reliance E 23-79HN- Noble sent samples on 4/21 (to the 10 closest water wells) we received access on 4/29. Due to scheduling with the landowner we were unable to sample the well until after the first well was spud. Dinner 9065659 sampled on 6/11/2014, first well spud 5/18/2014. Since Noble received access to sample well(s) we did not send additional access letter request. Attached is Noble's Documentation of access letter request.

400605277 Storis E24-76-1HN This is a duplicate sundry request. The exception request was approved on 7/28. Please delete this form.

400627104 NCLP AA07-69HNA- Comment on Sundry: "A review of data on the COGCC website indicates that there are no potentially available water sources, other than those addressed by the operator, within the governmental quarter section of the proposed oil and gas well or within any unsampled governmental $\frac{1}{4}$ section within a $\frac{1}{2}$ mile radius of the proposed oil and gas well(s)."

400627132 NCLP AA06-67-1AHNA- (NCLP AA06-69HNC PAD) Attached is the documentation of access letters sent.

Thanks,

Asher Weinberg
Environmental Coordinator
direct: 720.587.2198
cell: 970.573.8946
nobleenergyinc.com

