

Cement Summary

Well Name: Gilbert 17-22

Spud Date: 8-Jul-2014

Hole Depth: 825'

State: Colorado

County: Weld

Section: 15

Township: 7

Range: 67'

Mud Type: WBM

MW: 8.9

Visc: 45

PV:

YP:

Time Cir. (Hr):

Casing Data (From Bottom to Top)

Hole Data

#	Size	Wt	Grade	Coupling	Setting Depth	Hole Size	Hole Depth	T.D. Date
1	8 5/8	24	J-55	ST&C	815	12.25	825	7/8/2014
2								
3								
4								

Reciprocate Casing (Y/N):

Distance:

Returns: None

Time Circulated:

Description	Type	SX	WGT PPG	Yield	Water GPS	CuFt	Bbl	Calculated Pump Time	Actual Pump Time
H2O Spacer	fresh		8.3				10		
Additives	10 bbls fresh								
Cem	TYPE 111	313	14.5	1.41	6.82	437	78		
	Type III + 0.08 lbs/sk Static Free + 2% bwoc CaCl + 0.25 lbs/sk Celloflake + .01 gals./sk FP-6L + 60.5% fresh water								
Displacement	H2O		8.3				49		
Additives									
Additives									
Additives									

Cementing Company: Baker Hughes

Bump Plug: Y

Pressure: 350

Time (Plug Down): 8:22

Float Held: Y

Top Job: N

SX of

Cement to Surface: Y

Volume (Bbl): 7

Estimated Top: 0

Comments