

FORM
5A

Rev
06/12

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203 Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
----	----	----	----

Document Number:

400798003

Date Received:

COMPLETED INTERVAL REPORT

The completed interval Report, Form 5A, shall be submitted within thirty (30) days of completing a formation (successful or not), when a formation is temporarily abandoned or permanently abandoned, for a recompletion, reperforation or restimulation, or when a formation is commingled. Fill out a section for each formation. Attach as many pages as required to fully describe the work. List in order of completion.

1. OGCC Operator Number: 10373
2. Name of Operator: NGL WATER SOLUTIONS DJ LLC
3. Address: 3773 CHERRY CRK NORTH DR #1000
City: DENVER State: CO Zip: 80209
4. Contact Name: Paul Gottlob
Phone: (720) 420-5747
Fax:
Email: paul.gottlob@iptenergyservices.com

5. API Number 05-123-40968-00
6. County: WELD
7. Well Name: NGL Well Number: C6A
8. Location: QtrQtr: SWSE Section: 30 Township: 3N Range: 65W Meridian: 6
9. Field Name: WATTENBERG Field Code: 90750

Completed Interval

FORMATION: ADMIRE Status: SHUT IN Treatment Type:

Treatment Date: End Date: Date of First Production this formation:

Perforations Top: 9948 Bottom: 10050 No. Holes: Hole size:

Provide a brief summary of the formation treatment: Open Hole: ☒

Slotted Liner

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): Max pressure during treatment (psi):

Total gas used in treatment (mcf): Fluid density at initial fracture (lbs/gal):

Type of gas used in treatment: Min frac gradient (psi/ft):

Total acid used in treatment (bbl): Number of staged intervals:

Recycled water used in treatment (bbl): Flowback volume recovered (bbl):

Fresh water used in treatment (bbl): Disposition method for flowback:

Total proppant used (lbs): Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized:

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: Hours: Bbl oil: Mcf Gas: Bbl H2O:

Calculated 24 hour rate: Bbl oil: Mcf Gas: Bbl H2O: GOR:

Test Method: Casing PSI: Tubing PSI: Choke Size:

Gas Disposition: Gas Type: Btu Gas: API Gravity Oil:

Tubing Size: Tubing Setting Depth: Tbg setting date: Packer Depth:

Reason for Non-Production:

Date formation Abandoned: Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt

** Bridge Plug Depth: ** Sacks cement on top: ** Wireline and Cement Job Summary must be attached.

FORMATION: AMAZON		Status: SHUT IN		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: _____	
Perforations	Top: 9748	Bottom: 9792	No. Holes: _____	Hole size: _____	
Provide a brief summary of the formation treatment:			Open Hole: <input checked="" type="checkbox"/>		
Slotted Liner					
This formation is commingled with another formation:			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total fluid used in treatment (bbl): _____			Max pressure during treatment (psi): _____		
Total gas used in treatment (mcf): _____			Fluid density at initial fracture (lbs/gal): _____		
Type of gas used in treatment: _____			Min frac gradient (psi/ft): _____		
Total acid used in treatment (bbl): _____			Number of staged intervals: _____		
Recycled water used in treatment (bbl): _____			Flowback volume recovered (bbl): _____		
Fresh water used in treatment (bbl): _____			Disposition method for flowback: _____		
Total proppant used (lbs): _____			Rule 805 green completion techniques were utilized: <input type="checkbox"/>		
Reason why green completion not utilized: _____					
Fracture stimulations must be reported on FracFocus.org					
<u>Test Information:</u>					
Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____	
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____		
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____		
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____	** Sacks cement on top: _____	** Wireline and Cement Job Summary must be attached.			

FORMATION: ATOKA		Status: SHUT IN		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: _____	
Perforations	Top: 10820	Bottom: 10963	No. Holes: _____	Hole size: _____	
Provide a brief summary of the formation treatment:			Open Hole: <input checked="" type="checkbox"/>		
Slotted Liner					
This formation is commingled with another formation:			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total fluid used in treatment (bbl): _____		Max pressure during treatment (psi): _____			
Total gas used in treatment (mcf): _____		Fluid density at initial fracture (lbs/gal): _____			
Type of gas used in treatment: _____		Min frac gradient (psi/ft): _____			
Total acid used in treatment (bbl): _____		Number of staged intervals: _____			
Recycled water used in treatment (bbl): _____		Flowback volume recovered (bbl): _____			
Fresh water used in treatment (bbl): _____		Disposition method for flowback: _____			
Total proppant used (lbs): _____		Rule 805 green completion techniques were utilized: <input type="checkbox"/>			
Reason why green completion not utilized: _____					
Fracture stimulations must be reported on FracFocus.org					
<u>Test Information:</u>					
Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____	
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____		
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____		
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____	** Sacks cement on top: _____	** Wireline and Cement Job Summary must be attached.			

FORMATION: COUNCIL GROVE Status: SHUT IN Treatment Type: _____
Treatment Date: _____ End Date: _____ Date of First Production this formation: _____
Perforations Top: 9792 Bottom: 9948 No. Holes: _____ Hole size: _____
Provide a brief summary of the formation treatment: _____ Open Hole: ☒

Slotted Liner

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐
Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
Reason for Non-Production: _____
Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: DENVER BASIN COMBINED DISPOSAL ZONE Status: SHUT IN Treatment Type: ACID JOB

Treatment Date: 03/14/2015 End Date: 03/14/2015 Date of First Production this formation: _____
Perforations Top: 9294 Bottom: 10963 No. Holes: _____ Hole size: _____

Provide a brief summary of the formation treatment: Open Hole: ☒

4-1/2" & 7" Csg was perforated in the Lyons Formation f/ 9294'-9320' w/ 4 spf and the remainder 4-1/2" Liner is slotted: Total Prod. Interval is listed above.

Acid Job: MIRU Basic Energy Services - Prime up & pressure test to 5000 psi, start 191 bbl pump-in to establish injection, Pumped 4 Stages 30 bbl each 15% HCL Acid and 3 Stages 24 bbl each Rocksalt, Pumped 519 bbl Flush, Shut down, ISIP 2224 psi, 5 Min = 1500 psi, 10 Min = 1340 psi, 15 Min = 1200 psi., Max Press = 2498.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): 711 Max pressure during treatment (psi): 2498

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): 0.41

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): 120 Number of staged intervals: _____

Recycled water used in treatment (bbl): 591 Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: <u>DES MOINES</u>		Status: <u>SHUT IN</u>		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: _____	
Perforations	Top: <u>10540</u>	Bottom: <u>10820</u>	No. Holes: _____	Hole size: _____	
Provide a brief summary of the formation treatment:			Open Hole: <input checked="" type="checkbox"/>		
Slotted Liner					
This formation is commingled with another formation:			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total fluid used in treatment (bbl): _____			Max pressure during treatment (psi): _____		
Total gas used in treatment (mcf): _____			Fluid density at initial fracture (lbs/gal): _____		
Type of gas used in treatment: _____			Min frac gradient (psi/ft): _____		
Total acid used in treatment (bbl): _____			Number of staged intervals: _____		
Recycled water used in treatment (bbl): _____			Flowback volume recovered (bbl): _____		
Fresh water used in treatment (bbl): _____			Disposition method for flowback: _____		
Total proppant used (lbs): _____			Rule 805 green completion techniques were utilized: <input type="checkbox"/>		
Reason why green completion not utilized: _____					
Fracture stimulations must be reported on FracFocus.org					
<u>Test Information:</u>					
Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____	
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____		
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____		
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____	** Sacks cement on top: _____	** Wireline and Cement Job Summary must be attached.			

FORMATION: FOUNTAIN Status: SHUT IN Treatment Type: _____
Treatment Date: _____ End Date: _____ Date of First Production this formation: _____
Perforations Top: 10270 Bottom: 10540 No. Holes: _____ Hole size: _____
Provide a brief summary of the formation treatment: _____ Open Hole: ☒

Slotted Liner

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
Total acid used in treatment (bbl): _____ Number of staged intervals: _____
Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐
Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: LOWER SATANKA		Status: SHUT IN		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: _____	
Perforations	Top: 9452	Bottom: 9702	No. Holes: _____	Hole size: _____	
Provide a brief summary of the formation treatment:			Open Hole: <input checked="" type="checkbox"/>		
Slotted Liner					
This formation is commingled with another formation:			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total fluid used in treatment (bbl): _____		Max pressure during treatment (psi): _____			
Total gas used in treatment (mcf): _____		Fluid density at initial fracture (lbs/gal): _____			
Type of gas used in treatment: _____		Min frac gradient (psi/ft): _____			
Total acid used in treatment (bbl): _____		Number of staged intervals: _____			
Recycled water used in treatment (bbl): _____		Flowback volume recovered (bbl): _____			
Fresh water used in treatment (bbl): _____		Disposition method for flowback: _____			
Total proppant used (lbs): _____		Rule 805 green completion techniques were utilized: <input type="checkbox"/>			
Reason why green completion not utilized: _____					
Fracture stimulations must be reported on FracFocus.org					
<u>Test Information:</u>					
Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____	
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____		
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____		
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____	** Sacks cement on top: _____	** Wireline and Cement Job Summary must be attached.			

FORMATION: LYONS Status: SHUT IN Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 9294 Bottom: 9320 No. Holes: 104 Hole size: 42/100

Provide a brief summary of the formation treatment: _____ Open Hole: ☒

4-1/2" & 7" Csg was perforated in the Lyons Formation f/ 9294'-9320' w/ 4 spf, shot size 0.42" and the remainder 4-1/2" Liner is slotted. Complete Lyons Formation is from 9294' Top to 9452' Bottom.

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production: _____

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: MISSOURI Status: SHUT IN Treatment Type: _____

Treatment Date: _____ End Date: _____ Date of First Production this formation: _____

Perforations Top: 10218 Bottom: 10270 No. Holes: _____ Hole size: _____

Provide a brief summary of the formation treatment: _____ Open Hole: ☒

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____

Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____

Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____

Total acid used in treatment (bbl): _____ Number of staged intervals: _____

Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____

Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____

Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐

Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____

Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____

Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____

Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____

Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____

Reason for Non-Production:

Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____

** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

FORMATION: VIRGIL		Status: SHUT IN		Treatment Type: _____	
Treatment Date: _____		End Date: _____		Date of First Production this formation: _____	
Perforations	Top: 10050	Bottom: 10218	No. Holes: _____	Hole size: _____	
Provide a brief summary of the formation treatment:			Open Hole: <input checked="" type="checkbox"/>		
Slotted Liner					
This formation is commingled with another formation:			<input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		
Total fluid used in treatment (bbl): _____		Max pressure during treatment (psi): _____			
Total gas used in treatment (mcf): _____		Fluid density at initial fracture (lbs/gal): _____			
Type of gas used in treatment: _____		Min frac gradient (psi/ft): _____			
Total acid used in treatment (bbl): _____		Number of staged intervals: _____			
Recycled water used in treatment (bbl): _____		Flowback volume recovered (bbl): _____			
Fresh water used in treatment (bbl): _____		Disposition method for flowback: _____			
Total proppant used (lbs): _____		Rule 805 green completion techniques were utilized: <input type="checkbox"/>			
Reason why green completion not utilized: _____					
Fracture stimulations must be reported on FracFocus.org					
<u>Test Information:</u>					
Date: _____	Hours: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	
Calculated 24 hour rate: _____	Bbl oil: _____	Mcf Gas: _____	Bbl H2O: _____	GOR: _____	
Test Method: _____	Casing PSI: _____	Tubing PSI: _____	Choke Size: _____		
Gas Disposition: _____	Gas Type: _____	Btu Gas: _____	API Gravity Oil: _____		
Tubing Size: _____	Tubing Setting Depth: _____	Tbg setting date: _____	Packer Depth: _____		
Reason for Non-Production: <div style="border: 1px solid black; height: 20px; width: 100%;"></div>					
Date formation Abandoned: _____	Squeeze: <input type="checkbox"/> Yes <input type="checkbox"/> No	If yes, number of sacks cmt _____			
** Bridge Plug Depth: _____	** Sacks cement on top: _____	** Wireline and Cement Job Summary must be attached.			

FORMATION: WOLFCAMP Status: SHUT IN Treatment Type: _____
 Treatment Date: _____ End Date: _____ Date of First Production this formation: _____
 Perforations Top: 9702 Bottom: 9748 No. Holes: _____ Hole size: _____
 Provide a brief summary of the formation treatment: _____ Open Hole: ☒

Slotted Liner

This formation is commingled with another formation: ☐ Yes ☒ No

Total fluid used in treatment (bbl): _____ Max pressure during treatment (psi): _____
 Total gas used in treatment (mcf): _____ Fluid density at initial fracture (lbs/gal): _____
 Type of gas used in treatment: _____ Min frac gradient (psi/ft): _____
 Total acid used in treatment (bbl): _____ Number of staged intervals: _____
 Recycled water used in treatment (bbl): _____ Flowback volume recovered (bbl): _____
 Fresh water used in treatment (bbl): _____ Disposition method for flowback: _____
 Total proppant used (lbs): _____ Rule 805 green completion techniques were utilized: ☐
 Reason why green completion not utilized: _____

Fracture stimulations must be reported on FracFocus.org

Test Information:

Date: _____ Hours: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____
 Calculated 24 hour rate: _____ Bbl oil: _____ Mcf Gas: _____ Bbl H2O: _____ GOR: _____
 Test Method: _____ Casing PSI: _____ Tubing PSI: _____ Choke Size: _____
 Gas Disposition: _____ Gas Type: _____ Btu Gas: _____ API Gravity Oil: _____
 Tubing Size: _____ Tubing Setting Depth: _____ Tbg setting date: _____ Packer Depth: _____
 Reason for Non-Production: _____
 Date formation Abandoned: _____ Squeeze: ☐ Yes ☐ No If yes, number of sacks cmt _____
 ** Bridge Plug Depth: _____ ** Sacks cement on top: _____ ** Wireline and Cement Job Summary must be attached.

Comment:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Paul Gottlob
 Title: Regulatory & Engin. Tech. Date: _____ Email: paul.gottlob@iptenergyservices.com

Attachment Check List

Att Doc Num	Name
400814305	OPERATIONS SUMMARY
400814353	WELLBORE DIAGRAM
400814538	WIRELINE JOB SUMMARY

Total Attach: 3 Files

General Comments

User Group	Comment	Comment Date

Total: 0 comment(s)