

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES

Inspection Date:

03/27/2015

Document Number:

674701162

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	335961	335961	LONGWORTH, MIKE	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 96850Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLCAddress: 1001 17TH STREET - SUITE #1200City: DENVER State: CO Zip: 80202

- ☒ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Inspection, WPX	970-263-2716	COGCCInspectionReports@wpxenergy.com	WPX Inspection Mail Box

Compliance Summary:QtrQtr: NWSW Sec: 1 Twp: 6S Range: 98W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
08/16/2013	663901495			ACTION REQUIRED	F		No

Inspector Comment:**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
296256	WELL	PR	04/01/2012	GW	045-15971	Chevron TR 12-1-698	PR	<input checked="" type="checkbox"/>
296257	WELL	PR	04/01/2012	GW	045-15972	Chevron TR 412-1-698	PR	<input checked="" type="checkbox"/>
296258	WELL	PR	09/01/2012	GW	045-15973	Chevron TR 11-1-698	PR	<input checked="" type="checkbox"/>

Equipment:**Location Inventory**

Special Purpose Pits: <u>1</u>	Drilling Pits: <u> </u>	Wells: <u>11</u>	Production Pits: <u> </u>
Condensate Tanks: <u> </u>	Water Tanks: <u>2</u>	Separators: <u>3</u>	Electric Motors: <u> </u>
Gas or Diesel Mortors: <u> </u>	Cavity Pumps: <u> </u>	LACT Unit: <u> </u>	Pump Jacks: <u> </u>
Electric Generators: <u> </u>	Gas Pipeline: <u> </u>	Oil Pipeline: <u>1</u>	Water Pipeline: <u>1</u>
Gas Compressors: <u> </u>	VOC Combustor: <u> </u>	Oil Tanks: <u>2</u>	Dehydrator Units: <u> </u>
Multi-Well Pits: <u> </u>	Pigging Station: <u> </u>	Flare: <u> </u>	Fuel Tanks: <u> </u>

Location

Inspector Name: LONGWORTH, MIKE

Signs/Marker:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
WELLHEAD	SATISFACTORY			
CONTAINERS	SATISFACTORY			
BATTERY	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY Corrective Date: _____

Comment: _____

Corrective Action: _____

Spills:				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

Fencing/:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK BATTERY	SATISFACTORY			
SEPARATOR	SATISFACTORY			
WELLHEAD	SATISFACTORY			

Equipment:					
Type	#	Satisfactory/Action Required	Comment	Corrective Action	CA Date
Plunger Lift	3	SATISFACTORY			
Bird Protectors	3	SATISFACTORY			
Ancillary equipment	1	SATISFACTORY	Chemical container at wells		
Horizontal Heated Separator	4	SATISFACTORY			

Facilities:				
<input type="checkbox"/> New Tank		Tank ID: _____		
Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	500 BBLS	STEEL AST	,
S/A/V: SATISFACTORY	Comment: _____			
Corrective Action: _____				Corrective Date: _____

Paint	
Condition	Adequate
Other (Content)	_____
Other (Capacity)	_____
Other (Type)	_____

Berms				
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal				
Corrective Action				Corrective Date

Inspector Name: LONGWORTH, MIKE

Comment				
Facilities:		<input type="checkbox"/> New Tank	Tank ID: _____	
Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	500 BBLS	HEATED STEEL AST	,
S/A/V:	SATISFACTORY		Comment:	
Corrective Action:				Corrective Date:
<u>Paint</u>				
Condition	Adequate			
Other (Content)				
Other (Capacity)				
Other (Type)				
<u>Berms</u>				
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal				
Corrective Action				Corrective Date
Comment				
Facilities:		<input type="checkbox"/> New Tank	Tank ID: _____	
Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	OTHER	HEATED STEEL AST	39.561130,-108.284810
S/A/V:	SATISFACTORY		Comment:	
Corrective Action:				Corrective Date:
<u>Paint</u>				
Condition	Adequate			
Other (Content)				
Other (Capacity)	10,000 bbl			
Other (Type)				
<u>Berms</u>				
Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate
Corrective Action				Corrective Date
Comment				
Facilities:		<input type="checkbox"/> New Tank	Tank ID: _____	
Contents	#	Capacity	Type	SE GPS
METHANOL	1	<50 BBLS	STEEL AST	39.561130,-108.285400
S/A/V:	SATISFACTORY		Comment:	
Corrective Action:				Corrective Date:
<u>Paint</u>				
Condition	Adequate			
Other (Content)				
Other (Capacity)				
Other (Type)				

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action		Corrective Date	
-------------------	--	-----------------	--

Comment	At separators
---------	---------------

Facilities: ☐ New Tank Tank ID: _____

Contents	#	Capacity	Type	SE GPS
PRODUCED WATER	1	400 BBLS	HEATED STEEL AST	,

S/A/V:		Comment:	
--------	--	----------	--

Corrective Action:		Corrective Date:	
--------------------	--	------------------	--

Paint

Condition	
-----------	--

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal				

Corrective Action		Corrective Date	
-------------------	--	-----------------	--

Comment	
---------	--

Venting:	
Yes/No	Comment
YES	Braden open to vent

Flaring:				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 335961

Site Preparation:

Lease Road Adeq.: _____ Pads: _____ Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkod	<p>GENERAL SITE COAs:</p> <p>Reserve pit (or any other pit used to contain/hold fluids) must be lined or a closed loop system must be implemented during drilling.</p> <p>The nearby hillside must be monitored for any day-lighting of drilling fluids throughout the drilling of the surface casing interval.</p> <p>Operator must ensure 110 percent secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.</p> <p>Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.</p> <p>The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, the drill cuttings must also meet the applicable standards of table 910-1.</p> <p>No portion of any pit that will be used to hold liquids shall be constructed on fill material, unless the pit and fill slope are designed and certified by a professional engineer, subject to review and approval by the director prior to construction of the pit. The construction and lining of the pit shall be supervised by a professional engineer or their agent. The entire base of the pit must be in cut.</p> <p>Operator must comply with all provisions of the June 12, 2008 Notice to Operators (NTO) (which Oxy has indicated on the Form 2A) Drilling Wells Within ¼ Mile of the Rim of the Roan Plateau in Garfield County – Pit Design, Construction, and Monitoring Requirements.</p>	07/12/2011

S/A/V: SATISFACTORY**Comment:** Drilling is complete.**CA:****Date:****Wildlife BMPs:**

BMP Type	Comment
Construction	<ul style="list-style-type: none"> Structures for perennial or intermittent stream channel crossings should be constructed using appropriately sized bridges or culverts Design road crossings of streams to allow fish passage at all flows and to minimize the generation of sediment. Design road crossings of streams at right angles to all riparian corridors and streams to minimize the area of disturbance to the extent possible. Construct retention basins and ponds that benefit wildlife

Planning	<p>PLANNING BMP's</p> <ul style="list-style-type: none"> • Share/consolidate corridors for pipeline ROWs to the maximum extent possible. • Maximize the utility of surface facilities by developing multiple wells from a single pad (directional drilling), and by co-locating multipurpose facilities (for example, well pads and compressors) to avoid unnecessary habitat fragmentation and disturbance of additional geographic areas. • Minimize newly planned activities and operations within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river. • Locate roads outside of drainages where possible and outside of riparian habitat. • Avoid constructing any road segment in the channel of an intermittent or perennial stream • Minimize the number, length, and footprint of oil and gas development roads • Use existing roads where possible • Combine utility infrastructure (gas, electric, and water) planning with roadway planning to avoid separate utility corridors • Combine and share roads to minimize habitat fragmentation • Where possible, consolidate pipeline and existing roadways, or roadways that are planned for development • Maximize the use of directional drilling to minimize habitat loss/fragmentation • Maximize use of remote completion/frac operations to minimize traffic • Maximize use of remote telemetry for well monitoring to minimize traffic • Restrict oil and gas activities as practical during critical seasonal periods • In order to minimize impacts to sage-grouse lekking and nesting activities, Williams will avoid conducting drilling and completions activities at this location between March 1st and July 1st of each year
Drilling/Completion Operations	<ul style="list-style-type: none"> • Use centralized hydraulic fracturing operations. • Install and maintain adequate measures to exclude all types of wildlife (e.g., big game, birds, and small rodents) from all fluid pits (e.g., fencing, netting, and other appropriate exclusion measures).
Final Reclamation	<ul style="list-style-type: none"> • Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements. • Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife • Williams will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeded and reclamation of disturbed areas. • Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. • Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors. • Avoid dust suppression activities within 300 feet of the ordinary high water mark of any reservoir, lake, wetland, or natural perennial or seasonally flowing stream or river where possible.

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Inspector Name: LONGWORTH, MIKE

Landman Name: _____	Phone Number: _____
Date Onsite Request Received: _____	Date of Rule 306 Consultation: _____
Request LGD Attendance: _____	
<u>LGD Contact Information:</u>	
Name: _____	Phone Number: _____
Agreed to Attend: _____	
<u>Summary of Landowner Issues:</u>	
<u>Summary of Operator Response to Landowner Issues:</u>	
<u>Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:</u>	

Facility

Facility ID: 296256	Type: WELL	API Number: 045-15971	Status: PR	Insp. Status: PR
Producing Well				
Comment: Producing well				
Facility ID: 296257	Type: WELL	API Number: 045-15972	Status: PR	Insp. Status: PR
Producing Well				
Comment: Producing well				
Facility ID: 296258	Type: WELL	API Number: 045-15973	Status: PR	Insp. Status: PR
Producing Well				
Comment: Producing well				

Environmental

Spills/Releases:

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

DWR Receipt Num: _____ Owner Name: _____ GPS : _____ Lat _____ Long _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Debris removed? Pass CM _____
 CA _____ CA Date _____
 Waste Material Onsite? Pass CM _____
 CA _____ CA Date _____
 Unused or unneeded equipment onsite? Pass CM _____
 CA _____ CA Date _____
 Pit, cellars, rat holes and other bores closed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors removed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors marked? _____ CM _____
 CA _____ CA Date _____

1003b. Area no longer in use? In Production areas stabilized ? Pass

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Inspector Name: LONGWORTH, MIKE

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Ditches	Pass					
		Compaction				
Berms	Pass					
Seeding						
Compaction	Pass					
		Check Dams				
		Gravel				
		Ditches				
		Culverts				
Gravel	Pass					

S/A/V: SATISFACTOR _____ Corrective Date: _____
Y _____

Comment: _____

CA: _____

Pits: ☒ NO SURFACE INDICATION OF PIT

COGCC Comments

Comment	User	Date
Conductors have been closed from last inspection. 08/16/2013 doc # 663901495	longworm	03/27/2015