

# State of Colorado Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <b>400827905</b>			
Date Received:			

## SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>96850</u>	Contact Name <u>Jessie Pahler</u>
Name of Operator: <u>WPX ENERGY ROCKY MOUNTAIN LLC</u>	Phone: <u>(970) 242-0170</u>
Address: <u>1001 17TH STREET - SUITE #1200</u>	Fax: <u>( )</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>jpahler@westernwaterandland.com</u>

Complete the Attachment  
Checklist

OP OGCC

API Number : <u>05-045 22526 00</u>	OGCC Facility ID Number: <u>439486</u>
Well/Facility Name: <u>Federal GM</u>	Well/Facility Number: <u>43-8</u>
Location QtrQtr: <u>NWNW</u> Section: <u>9</u> Township: <u>7S</u> Range: <u>96W</u> Meridian: <u>6</u>	
County: <u>GARFIELD</u> Field Name: <u>GRAND VALLEY</u>	
Federal, Indian or State Lease Number: <u>COC24603</u>	

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

## GROUND WATER SAMPLING

### Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

**NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.**

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a 1/2-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 4 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 4 Number of Water Source Exceptions requested per Rule 609.c.
- 0 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.  
**The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

**COMMENTS**

Four potentially available water sources were located within a 1/2 mile radius of well pad MV 16-9 (Location ID 334717). Access was granted to sample all four locations; however, the water sources could not be located during field reconnaissance, and no water sources were sampled. Please see attached documentation for details. This sundry applies to the following API numbers:

05-045-22526  
05-045-22527  
05-045-22528  
05-045-22529  
05-045-22530  
05-045-22531  
05-045-22532  
05-045-22533  
05-045-22534  
05-045-22535  
05-045-22536

05-045-22526  
05-045-22527  
05-045-22528  
05-045-22529  
05-045-22530  
05-045-22531  
05-045-22532  
05-045-22533  
05-045-22534  
05-045-22535  
05-045-22536

--

Signed: \_\_\_\_\_ Print Name: Jessie Pahler (agent)

Title: Project Scientist Email: jpahler@westernwaterandland.com Date: \_\_\_\_\_

COGCC Approved:	Date:
-----------------	-------

CONDITIONS OF APPROVAL, IF ANY:

<u>General Comments</u>		
<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Total: 0 comment(s)		

<u>Attachment Check List</u>	
<u>Att Doc Num</u>	<u>Name</u>
400827919	WATER ANALYSIS
Total Attach: 1 Files	