

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203

Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <u>400827936</u>			
Date Received: <u>04/20/2015</u>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number:	96850	Contact Name	Jessie Pahler
Name of Operator:	WPX ENERGY ROCKY MOUNTAIN LLC		Phone: (970) 242-0170
Address:	1001 17TH STREET - SUITE #1200		Fax: ()
City:	DENVER	State:	CO Zip: 80202 Email: jpahler@westernwaterandland.com
API Number :	05- 045 22659 00	OGCC Facility ID Number:	440586
Well/Facility Name:	GM	Well/Facility Number:	533-5
Location QtrQtr:	Lot 7	Section:	5 Township: 7S Range: 96W Meridian: 6
County:	GARFIELD	Field Name:	GRAND VALLEY
Federal, Indian or State Lease Number:	COC24603		

Complete the Attachment
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srfc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).
NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

3

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

4

Number of Water Source Exceptions requested per Rule 609.c.

3

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

0

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Three potentially available water sources were located within a 1/2 mile radius of well pad MV 34-5 (Location ID 334816). Access was granted with the exception of water well permit 97408-VE; owners indicated that the location in DWR records was incorrect, and not within the radius. The other two water sources could not be located during field reconnaissance. Please see attached documentation for details. This sundry applies to API numbers:
05-045-22659
05-045-22660
05-045-22661
05-045-22662
05-045-22663
05-045-22664
05-045-22665
05-045-22666
05-045-22667
05-045-22668
05-045-22669
05-045-22670

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Jessie Pahler (agent)
Title: Project Scientist Email: jpahler@westernwaterandland.com Date: 4/20/2015

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 4/24/2015

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental	A review of DWR data on the COGCC website indicates that there are no additional water features, other than those addressed by the operator, that meet the 100 series definition of a water source within ½ mile of the oil and gas well(s).	4/24/2015 9:08:49 AM
Environmental	The number of Water Sources determined to be unsuitable was changed from 1 to 3 with the operators agent consent. The email is included in the attachments.	4/24/2015 8:58:44 AM
Environmental	The number of Water sources determined to be unsuitable should be changed from 1 to 3. An email was sent to the operators agent on 4/24/2015.	4/24/2015 8:52:00 AM

Total: 3 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
2533902	CORRESPONDENCE
400827936	FORM 4 SUBMITTED
400827947	WATER ANALYSIS

Total Attach: 3 Files