

Nelson C1
Subsurface Site Assessment

June 17, 2015

Prepared for:

Whiting Petroleum Corporation

Prepared by:

Talon/LPE
1811 East Mulberry St
Fort Collins, CO 80524



Table of Contents

1	Introduction	1
2	Objective	1
3	Site Characteristics	1
4	Field Investigation Activities	1
5	Conclusions & Recommendations	2

Attachment 1 - Figures

Attachment 2 - Analytical Table

Attachment 3 - Boring Logs

Attachment 4 - Analytical Reports

1 Introduction

Talon/LPE (Talon) was contracted by Whiting Petroleum Corporation (Whiting) to conduct site investigation assessment activities associated with a pipeline release identified at the Nelson C1 site (Site) in Weld County, Colorado. The site is located at the northwest quarter of the southeast quarter of Section 18, Township 10 North, Range 58 West, 6th Principal Meridian at 40°50'10.72"N and 103°54'17.73"W (Attachment 1). The site is identified by the State of Colorado Oil and Gas Conservation Commission (COGCC) as Spill/Release Point Facility ID 441208.

The following document is a chronological assessment of site investigation activities associated with a flowline leak. Activities included excavation, collection of confirmation soil boring samples, and preparation of this summary report.

2 Objective

The primary objective of this investigation is to determine the nature and extent of soil and/or groundwater impacts resulting from a flowline release. The release was discovered and reported on COGCC Form 19 on March 30, 2015.

3 Site Characteristics

3.1 Geography

The site is located in the Pawnee Grasslands in Weld County, which is the northeastern part of Colorado. The Grasslands are part of the Colorado Eastern Plains and are relatively flat with the exception of the Pawnee Creek which drains into the South Platte River.

3.2 Geologic Summary

Surficial geology surrounding the area consists of Tertiary age fluvial deposits of the lower Ogallala Formation. More specifically, these deposits are Miocene in age and are composed of gray to brown and semi-consolidated, ashy sands and silt beds with volcanic ash beds. Deposited material hardened into sandstone and siltstone which are grouped into three formations: White River, Arikaree, and Ogallala.

3.3 Groundwater

Groundwater was not encountered during soil boring activities which reached a total depth of 40 ft bgs. Based on the area topography and regional surface water drainages, the expected groundwater flow is south-southeast. According to the Colorado Division of Water Resources Website, there are no water wells within 1,000 foot radius of the Site.

4 Field Investigation Activities

On March 20, 2015, COGCC Form 19 was submitted which describes a condensate leak which was found on a flowline leading to a treater due to a loose union. The union was tightened to stop the leak. The Form 19 outlines a remedial action plan of excavating impacted soils and placing them on a liner for onsite remediation via soil shredding.

On March 30, 2015, a Supplemental Form 19 was submitted which reports that excavation activities indicated that soil was impacted and the extent of impacts needs to be delineated.

At the request of Whiting, Talon performed this field investigation to delineate the extent of impacts. Between April 1 and 2, 2015, Talon conducted soil boring activities. Borings SB-1 through SB-5 were drilled to a depth of 25 to 40 ft bgs to define vertical and horizontal extent of impacts.

During field drilling activities, soil samples were field screened for volatile organic compounds (VOCs) using a

photoionization detector (PID) to determine any areas of impacts. Based on the PID values, soil samples were collected from the borings from depths ranging between 0-5 ft bgs and 35-40 ft bgs. A total of 17 soil samples were collected and analyzed for Total Petroleum Hydrocarbons (TPH) via Diesel Range Organics (DRO) and Gasoline Range Organics GRO method SW8015 and benzene, toluene, ethylbenzene, and total xylenes (BTEX) and naphthalene via method SW8260 at ALS Environmental (ALS) of Fort Collins, Colorado. Analytical results in soil sample SB-1 at 5-10 ft bgs exhibited a TPH concentration at the COGCC Table 910-1 concentration level of 500 mg/kg. This sample was collected just west of the treater area.

On April 7, 2015, Talon drilled soil borings SB-6 and SB-7 to further delineate the extent of impacts. These borings were drilled to the southeast of the treater location (Attachment 1). A total of six soil samples were collected and analyzed for TPH via DRO and GRO method SW8015 and BTEX and naphthalene via method SW8260 at ALS. Analytical results for benzene in soil sample SB-6 at 20-25 ft bgs (0.93 mg/kg) and analytical results for TPH in soil sample SB-7 at 20-25 ft bgs (870 mg/kg) were above the COGCC Table 910-1 concentration levels. These samples were collected to the southeast of the treater.

On April 22 and 23, 2015, Talon drilled soil borings SB-8 through SB-11 to further delineate the extent of impacts. A total of 16 soil samples were collected and analyzed for TPH via DRO and GRO method SW8015 and BTEX and naphthalene via method SW8260 at ALS. The analytical result for benzene in soil sample SB-8 at 25-30 ft bgs (0.85 mg/kg) was above the COGCC Table 910-1 concentration levels. This sample was collected to the south of the tank battery area.

On June 4, 2015, Talon drilled soil borings SB-12 and SB-13 to further delineate the extent of impacts. A total of nine soil samples were collected and analyzed for TPH via DRO and GRO method SW8015 and BTEX and naphthalene via method SW8260 at ALS. Analytical results for benzene in soil samples SB-12 at 20-25 ft bgs (0.96 mg/kg) and SB-12 at 25-30 ft bgs (0.57 mg/kg) are above the COGCC Table 910-1 concentration levels. These samples were collected to the east of the tank battery area.

Boring logs detailing observed lithology and PID values are included in Attachment 3. A copy of the laboratory reports and chain of custody documentation is included in Attachment 4. At the time of this report, boring logs and figures include borings SB-1 through SB-11. Borings SB-12 and SB-13 will be included in future reports.

4.1 Discussion of Results

Table 1 in Attachment 2 summarizes the laboratory analytical results. Analytical results in soil sample SB-1 at 5-10 ft bgs exhibited a TPH concentration at the COGCC Table 910-1 concentration level of 500 mg/kg. Analytical results for benzene in soil sample SB-6 at 20-25 ft bgs (0.93 mg/kg) and analytical results for TPH in soil sample SB-7 at 20-25 ft bgs (870 mg/kg) were above the COGCC Table 910-1 concentration levels. The analytical result for benzene in soil sample SB-8 at 25-30 ft bgs (0.85 mg/kg) was above the COGCC Table 910-1 concentration levels. Analytical results for benzene in soil samples SB-12 at 20-25 ft bgs (0.96 mg/kg) and SB-12 at 25-30 ft bgs (0.57 mg/kg) are above the COGCC Table 910-1 concentration levels. All other analytical results were below COGCC Table 910-1 concentration levels. Impacted areas include west and southeast of the treater area, and to the south and east of the tank battery area.

5 Conclusions & Recommendations

The objective of this report was to document the nature and extent of the historical impacts from the Nelson C1 flowline release location. Talon has installed 13 borings to assess any remaining soil or groundwater impacts from this release. Analytical results were above COGCC Table 910-1 concentration levels in soil samples SB-1 at 5-10 ft bgs, SB-6 at 20-25 ft bgs, SB-7 at 20-25 ft bgs, SB-8 at 25-30 ft bgs, and SB-12 at 20-30 ft bgs. Analytical results from the soil samples indicate impacts remain and that the extent of impacts is not fully known.

Talon recommends performing two more soil borings to the north and east of the tank battery area to further delineate the horizontal and vertical extent of impacts. Once the site is fully delineated, remedial options can be considered. Talon recommends that soil vapor extraction (SVE), excavation and disposal of impacted soils, or *in-situ* chemical oxidation (ISCO) injections be considered as remedial options. Talon will provide Whiting with a separate proposal and compare the technical and economic feasibility of these options.

Attachment 1
Figures



0 25 50
Scale in Feet




SB-3


SB-2

SB-4

SB-5



SB-9



SB-11


SB-7

SB-10

SB-8

PSB-13

PSB-12




Lease Road

Legend	
	- Sample Location
	- Fence Line
COGCC Levels	
TPH = 500	
B = 0.17	
T = 85	
E = 100	
X = 175	
Naphthalene = 23	



Date: 05/20/2015
Scale: 1" = 50'
Drawn By: TJS

Nelson C-1
Whiting Oil & Gas
Weld County, Colorado
Figure 1 - Site Plan



Date: 05/20/2015
 Scale: 1" = 50'
 Drawn By: TJS

Nelson C-1
 Whiting Oil & Gas
 Weld County, Colorado
 Figure 2 - Soil Concentration Map (04/01-23/2015)



Nelson C-1
Whiting Oil & Gas
Weld County, Colorado
Figure 3 - Topographic Map

Attachment 2
Analytical Table



Table 1 - Soil Analytical Data

**Whiting Oil and Gas Corporation
Nelson C-1
Weld County, Colorado**

Sample ID	Lab ID	Date Sampled	Concentration (mg/kg)							
			Benzene	Toluene	Ethyl-Benzene	Xylenes	Naphthalene	GRO	DRO	TPH
COGCC Table 910-1 Concentration Levels			0.17	85	100	175	23	NA	NA	500
SB-1 - 5-10'	1504124-1	04/01/15	0.0038	0.43	1.3	9.7	1.1	100	400	500
SB-1 - 20-25'	1504124-2	04/01/15	0.0019	0.012	0.0052	0.059	0.055	14	72	86
SB-1 - 25-30'	1504124-3	04/01/15	<0.0068	<0.0068	<0.0068	0.0044	0.0098	2.8	35	37.8
SB-1 - 30-35'	1504124-4	04/01/15	0.001	<0.0074	<0.0074	0.0029	<0.0074	<0.75	<7.8	<7.8
SB-1 - 35-40'	1504124-5	04/01/15	<0.0078	<0.0078	<0.0078	0.0025	<0.0078	<0.64	<8.3	<8.3
SB-2 - 10-15'	1504124-6	04/01/15	<0.0065	<0.0065	<0.0065	<0.005	<0.0065	<0.68	3.7	3.7
SB-2 - 20-25'	1504124-7	04/01/15	0.0092	0.025	0.0067	0.064	0.075	2.3	24	26.3
SB-2 - 25-30'	1504124-8	04/01/15	0.0011	0.003	<0.0073	0.0032	0.0046	<0.51	<7.5	<7.5
SB-3 - 20-25'	1504124-9	04/01/15	<0.0069	<0.0069	<0.0069	0.0027	<0.0069	<0.68	<7.1	<7.1
SB-4 - 10-15'	1504124-10	04/02/15	<0.0067	<0.0067	<0.0067	0.0016	<0.0067	0.092	<7	0.092
SB-4 - 20-25'	1504124-11	04/02/15	0.014	0.13	0.14	1	0.14	12	50	62
SB-4 - 25-30'	1504124-12	04/02/15	0.0012	0.0023	<0.0073	0.0029	0.0025	<0.55	<7.4	<7.4
SB-5 - 15-20'	1504124-13	04/02/15	<0.0068	<0.0068	<0.0068	<0.005	<0.0068	<0.47	<7	<7
SB-5 - 20-25'	1504124-14	04/02/15	0.018	0.084	0.036	0.31	<0.0061	3.5	37	40.5
SB-5 - 25-30'	1504124-15	04/02/15	0.00073	0.0036	<0.0069	0.005	0.005	0.23	4.9	5.13
SB-5 - 30-35'	1504124-16	04/02/15	0.0093	0.047	0.012	0.089	0.013	0.31	8.9	9.21
SB-5 - 35-40'	1504124-17	04/02/15	0.0011	<0.0063	<0.0063	<0.005	<0.0063	<0.65	2.6	2.6
SB-6 - 20-25'	1504197-1	04/07/15	0.93	1.4	0.48	3	0.14	48	36	84
SB-6 - 30-35'	1504197-2	04/07/15	0.067	<0.0075	<0.0075	0.012	0.0091	<0.64	<7.6	<7.6
SB-6 - 35-40'	1504197-3	04/07/15	<0.0058	<0.0058	<0.0058	<0.005	<0.0058	<0.52	<6.1	<6.1
SB-7 - 20-25'	1504197-4	04/07/15	<0.35	6.9	3.8	24	0.87	660	210	870
SB-7 - 30-35'	1504197-5	04/07/15	<0.006	<0.006	<0.006	<0.005	<0.006	<0.53	<6.2	<6.2
SB-7 - 35-40'	1504197-6	04/07/15	<0.0062	<0.0062	<0.0062	<0.005	<0.0062	<0.61	<6.5	<6.5
SB-8 - 15-20'	1504496-1	04/22/15	<0.0064	<0.0064	<0.0064	<0.005	<0.0064	<0.59	<6.7	<6.7
SB-8 - 20-25'	1504496-2	04/22/15	<0.0062	<0.0062	<0.0062	<0.005	<0.0062	<0.66	<7	<7
SB-8 - 25-30'	1504496-3	04/22/15	0.85	1.4	0.2	1.3	<0.061	5.3	16	21.3
SB-8 - 35-40'	1504496-4	04/22/15	<0.0063	<0.0063	<0.0063	<0.005	<0.0063	<0.54	<6.2	<6.2
SB-9 - 10-15'	1504496-5	04/22/15	<0.0072	<0.0072	<0.0072	0.018	<0.0072	1.5	52	53.5
SB-9 - 20-25'	1504496-6	04/22/15	<0.0066	<0.0066	<0.0066	<0.005	<0.0066	3.8	52	55.8
SB-9 - 25-30'	1504496-7	04/22/15	<0.0071	<0.0071	<0.0071	<0.005	<0.0071	<0.67	<7.2	<7.2
SB-9 - 30-35'	1504496-8	04/22/15	<0.0067	<0.0067	<0.0067	<0.005	<0.0067	<0.6	<6.5	<6.5
SB-10 - 10-15'	1504496-9	04/22/15	<0.0068	<0.0068	<0.0068	<0.005	<0.0068	<0.56	<7	<7
SB-10 - 15-20'	1504496-10	04/22/15	<0.0066	<0.0066	<0.0066	<0.005	<0.0066	31	6.8	37.8



Table 1 - Soil Analytical Data

**Whiting Oil and Gas Corporation
Nelson C-1
Weld County, Colorado**

Sample ID	Lab ID	Date Sampled	Concentration (mg/kg)							
			Benzene	Toluene	Ethyl-Benzene	Xylenes	Naphthalene	GRO	DRO	TPH
COGCC Table 910-1 Concentration Levels			0.17	85	100	175	23	NA	NA	500
SB-10 - 20-25'	1504496-11	04/22/15	<0.0069	0.0078	<0.0069	0.041	<0.0069	27	49	76
SB-10 - 25-30'	1504496-12	04/22/15	<0.0071	<0.0071	<0.0071	<0.005	<0.0071	<0.57	<7.1	<7.1
SB-10 - 30-35'	1504496-13	04/22/15	<0.0081	<0.0081	<0.0081	<0.005	<0.0081	<0.66	<8.1	<8.1
SB-11 - 20-25'	1504496-14	04/23/15	<0.0065	<0.0065	<0.0065	<0.005	<0.0065	<0.7	<7	<7
SB-11 - 25-30'	1504496-15	04/23/15	<0.0074	<0.0074	<0.0074	<0.005	<0.0074	<0.69	<7.6	<7.6
SB-11 - 30-35'	1504496-16	04/23/15	<0.0062	<0.0062	<0.0062	<0.005	<0.0062	<0.36	<6.4	<6.7
SB-12 - 20-25'	1506115-1	06/04/15	0.96	1.9	0.44	2.5	0.071	14	9.5	23.5
SB-12 - 25-30'	1506115-2	06/04/15	0.57	0.59	0.07	0.43	<0.047	3.2	<7	<7
SB-13 - 20-25'	1506115-3	06/04/15	<0.0072	<0.0072	<0.0072	<0.005	<0.0072	<0.48	<7.4	<7.4
SB-13 - 35-40'	1506115-4	06/04/15	<0.0061	<0.0061	<0.0061	<0.005	<0.0061	<0.49	<6.3	<6.3
SB-12 - 30-35'	1506115-5	06/04/15	0.076	0.0071	0.0079	0.021	<0.0061	<0.46	<6	<6
SB-13 - 30-35'	1506115-6	06/04/15	0.14	0.096	0.019	0.073	<0.0076	<0.55	<7.6	<7.6
SB-12 - 15-20'	1506115-7	06/04/15	<0.0064	<0.0064	<0.0064	<0.005	<0.0064	<0.59	<6.8	<6.8
SB-13 - 15-20'	1506115-8	06/04/15	<0.0061	<0.0061	<0.0061	<0.005	<0.0061	<0.61	<6.4	<6.4
SB-13 - 25-30'	1506115-9	06/04/15	<0.0062	<0.0062	<0.0062	<0.005	<0.0062	<0.49	<6.6	<6.6

mg/kg - milligrams per kilogram

< - Analytical result is less than the reporting limit

COGCC - Colorado Oil and Gas Conservation Commission

GRO - Gasoline Range Organics

DRO - Diesel Range Organics

TPH - Total Petroleum Hydrocarbons (Combined GRO/DRO)

Attachment 3
Boring Logs

SOIL BORING / MONITORING WELL LOG

PROJECT: Nelson C-1	DRILLING COMPANY: Talon/LPE
PROJECT NUMBER: 701530.020.02	DRILLER: Ronnie Rodriguez
CLIENT: Whiting Oil & Gas Corporation	DRILLING METHOD: Hollow Stem Auger
BORING / WELL NUMBER: SB-1	BORE HOLE DIAMETER: 7 7/8"
TOTAL DEPTH: 40'	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: Colby Sterling	DATE DRILLED: April 1, 2015

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0							Sands & Silty Clay, Damp, Low Plasticity, Loose, Soft, 7.5YR 4/2 Brown	0
			149.9			5'	Sands & Silty Clay, Damp, Low Plasticity, Loose, Soft, Very Stained to 7.5', 7.5YR 4/1 Dark Green	8
8			1,819			10'	Silty Clay, Damp, No Plasticity, Very Dense, Hard, 10YR 6/3 Brown	
			1,429			15'	Silt, Dry, No Plasticity, Very Dense, Hard, 10YR 5/3 Brown	16
16			890			20'	Clayey Silts, Damp, No Plasticity, Very Dense, Hard, 10YR 5/3 Brown	
			612			25'	Silt, Strong Cementation, Non Plastic, Damp, Hard, 10YR 6/3 Pale Brown	24
24			733			30'	Silt, Moderate Cementation, Non Plastic, Damp, Hard, 10YR 6/2 Light Brownish Gray	32
			23.3			35'	Silt, Moderate Cementation, Non Plastic, Damp, Hard, GLEY1 6/5G Greenish Gray	
32			6.9			40'	Bottom of Hole	40
40								
48								48

REMARKS:















THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: <u>Nelson C-1</u>	DRILLING COMPANY: <u>Talon/LPE</u>
PROJECT NUMBER: <u>701530.020.02</u>	DRILLER: <u>Ronnie Rodriguez</u>
CLIENT: <u>Whiting Oil & Gas Corporation</u>	DRILLING METHOD: <u>Hollow Stem Auger</u>
BORING / WELL NUMBER: <u>SB-2</u>	BORE HOLE DIAMETER: <u>7 7/8"</u>
TOTAL DEPTH: <u>30'</u>	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: <u>Colby Sterling</u>	DATE DRILLED: <u>April 1, 2015</u>

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0							Clayey Silty Sands, Medium Dense, Damp, Low Plasticity, 7.5YR 4/2 Brown	0
						5'		
8			1.1				Silty Sand with Little Clay, Medium Dense, Damp, Low Plasticity, 7.5YR 6/3 Light Brown	8
						10'		
			1.0				Silt with Very Little Clay, Very Stiff, Non Plastic, Moderate Cementation, Damp, 10YR 6/4 Light Yellowish Brown	
						15'		
16			8.3				Silt, Very Stiff, Non Plastic, Moderate Cementation, Damp, 10YR 5/3 Brown	16
						20'		
			198				Clayey Silts, Very Stiff, Damp, Non Plastic, Moderate Cementation, GLEY1 7/1 Light Greenish Gray	
24								24
						25'		
			842				Silt, Strong Cementation, Hard, Damp, Non Plastic, GLEY1 6/1 Greenish Gray	
						30'		
32			28.8				Bottom of Hole	32
40								40
48								48

REMARKS:

THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: <u>Nelson C-1</u>	DRILLING COMPANY: <u>Talon/LPE</u>
PROJECT NUMBER: <u>701530.020.02</u>	DRILLER: <u>Ronnie Rodriguez</u>
CLIENT: <u>Whiting Oil & Gas Corporation</u>	DRILLING METHOD: <u>Hollow Stem Auger</u>
BORING / WELL NUMBER: <u>SB-3</u>	BORE HOLE DIAMETER: <u>7 7/8"</u>
TOTAL DEPTH: <u>25'</u>	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: <u>Colby Sterling</u>	DATE DRILLED: <u>April 1, 2015</u>

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0							Silty Sand, Moderately Dense, No Plasticity, Damp, 7.5YR 5/2 Brown	0
			0.2			5'	Silty Sand with Little Clay, Moderately Dense, No Plasticity, Damp, 10YR 7/3 Very Pale Brown	8
8			1.6			10'	Silt with Little Clay, Very Stiff, Non Plastic, Damp, Moderate Cementation, 10YR 7/2 Light Gray	
			1.1			15'	Silt with Little Clay, Very Stiff, Non Plastic, Damp, Moderate Cementation, GLEY1 6/1 Greenish Gray	16
16			15.6			20'	Silt with Little Clay, Very Stiff, Non Plastic, Damp, Strong Cementation, GLEY1 6/1 Greenish Gray	
			27.7			25'	Bottom of Hole	24
24								
32								32
40								40
48								48

REMARKS:

THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: <u>Nelson C-1</u>	DRILLING COMPANY: <u>Talon/LPE</u>
PROJECT NUMBER: <u>701530.020.02</u>	DRILLER: <u>Ronnie Rodriguez</u>
CLIENT: <u>Whiting Oil & Gas Corporation</u>	DRILLING METHOD: <u>Hollow Stem Auger</u>
BORING / WELL NUMBER: <u>SB-4</u>	BORE HOLE DIAMETER: <u>7 7/8"</u>
TOTAL DEPTH: <u>30'</u>	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: <u>Colby Sterling</u>	DATE DRILLED: <u>April 2, 2015</u>

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0							Silty Sand, No Plasticity, Loose, Damp, No Cementation, 7.5YR 7/2 Pinkish Gray	0
						5'		
			0.4				Silty Sand, No Plasticity, Loose, Damp, No Cementation, 7.5YR 6/3 Light Brown	
8						10'		8
			0.8				Silt with Little Clay, Stiff, Damp, Non Plastic, Moderate Cementation, 10YR 6/4 Light Yellowish Brown	
						15'		
16			78.8				Silt with Little Clay, Very Stiff, Damp, Non Plastic, Moderate Cementation, 10YR 6/3 Pale Brown	16
						20'		
			223				Silt with Little Clay, Very Stiff, Damp, Non Plastic, Moderate Cementation, GLEY1 6/1 Greenish Gray	
24						25'		24
			941				Silt with Little Clay, Very Stiff, Damp, Non Plastic, Strong Cementation, GLEY1 6/1 Greenish Gray	
						30'		
			13.2				Bottom of Hole	
32								32
40								40
48								48

REMARKS:

THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: Nelson C-1	DRILLING COMPANY: Talon/LPE
PROJECT NUMBER: 701530.020.02	DRILLER: Ronnie Rodriguez
CLIENT: Whiting Oil & Gas Corporation	DRILLING METHOD: Hollow Stem Auger
BORING / WELL NUMBER: SB-5	BORE HOLE DIAMETER: 7 7/8"
TOTAL DEPTH: 40'	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: Colby Sterling	DATE DRILLED: April 2, 2015

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0							Silty Sand, No Plasticity, Loose, Damp, No Cementation, 7.5YR 7/2 Pinkish Gray	0
			1.3			5'	Silty Sand, No Plasticity, Loose, Damp, No Cementation, 7.5YR 7/3 Very Pale Brown	8
8			0.8			10'	Silt with Little Clay, Stiff, Damp, Non Plastic, Moderate Cementation, 10YR 6/4 Light Yellowish Brown	
			1.3			15'	Silt with Little Clay, Stiff, Damp, Non Plastic, Moderate Cementation, 10YR 6/3 Pale Brown	16
16			14.2			20'	Silt with Little Clay, Stiff, Damp, Non Plastic, Moderate Cementation, GLEY1 6/1 Greenish Gray	
			1,107			25'	Silt with Very Little Clay, Very Stiff, Damp, Non Plastic, Moderate Cementation, GLEY1 6/1 Greenish Gray	24
24			478					
			322			35'	Silt with Very Little Clay, Very Stiff, Damp, Non Plastic, Strong Cementation, GLEY1 6/1 Greenish Gray	32
32						40'	Bottom of Hole	40
40			7.7					
48								48

REMARKS: THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: Nelson C-1	DRILLING COMPANY: Talon/LPE
PROJECT NUMBER: 701530.020.02	DRILLER: Ronnie Rodriguez
CLIENT: Whiting Oil & Gas Corporation	DRILLING METHOD: Hollow Stem Auger
BORING / WELL NUMBER: SB-6	BORE HOLE DIAMETER: 7 7/8"
TOTAL DEPTH: 40'	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: Debbie Duran	DATE DRILLED: April 7, 2015

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0							85% Fine Grained, Poorly Graded Sand, 15% Silt, Soft, No Odor, No Moisture, Low Plasticity, 7YR 4/2 Brown	0
			11.0			5'	90% Silty Sands, Poorly Graded, Few Gravels, No Odor, Soft, No Moisture, Low Plasticity, 10YR 5/6 Yellow Brown	8
8						10'	85% Fine Grained, Poorly Graded Clayey Sand & Silt, Low Odor, 10YR 6/4 Light Yellowish Brown	
			5.6			15'	85% fine Grained, Poorly Graded Clayey Sand & Silt, High Odor, No Moisture, Low Plasticity, Hard, 10YR 6/4 Light Yellowish Brown	16
16			17.0			20'	85% Fine Grained, Poorly Graded Sand & Clayey Silt, High Odor, No Moisture, Low Plasticity, Very Hard, 10YR 7/2 Light Gray with Green Spots	
			1,286			25'	85% Fine Grained, Poorly Graded Clayey Sand & Silt, Very Hard, No Moisture, Moderate Odor, Low Plasticity, GLEY1 7/10Y Light Greenish Gray	24
24			1,755			30'	90% Fine Grained, Poorly Graded clayey Sand & Silt, No Moisture, Moderate Odor, Low Plasticity, Hard Clay, GLEY1 7/5GY Light Green Gray	32
			325			35'	85% Fine Grained, Poorly Graded Clayey Sand & Silt, Very Hard Clay, No Moisture, Low Plasticity, Low Odor, GLEY1 6/10Y Greenish Gray	
32			71.0			40'	Bottom of Hole	40
40			26.0					
48								48

REMARKS:

THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: Nelson C-1	DRILLING COMPANY: Talon/LPE
PROJECT NUMBER: 701530.020.02	DRILLER: Ronnie Rodriguez
CLIENT: Whiting Oil & Gas Corporation	DRILLING METHOD: Hollow Stem Auger
BORING / WELL NUMBER: SB-7	BORE HOLE DIAMETER: 7 7/8"
TOTAL DEPTH: 40'	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: Debbie Duran	DATE DRILLED: April 7, 2015

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0							85% Fine Grained, Poorly Graded Sand, 15% Silt, Soft, No Moisture, No Odor, Low Plasticity, 10YR 7/3 Very Pale Brown	0
			0.3			5'	85% Fine Grained, Poorly Graded Sand, 15% Silt, Soft, No Moisture, No Odor, Low Plasticity, 10YR 6/4 Light Yellowish Brown	8
8			0.1			10'	85%-90% Fine Grained, Poorly Graded Clayey Sand & Silt, No Moisture, Hard Pieces of Clay, No Odor, 10YR 7/3 Very Pale Brown	
			0.4			15'	85% Fine Grained, Poorly Graded Clayey Sand & Silt, No Moisture, Moderate Odor, Hard Clay, GLEY1 7/10Y Light Greenish Gray	16
16			33.0			20'	85% Fine Grained, Poorly Graded Clayey Sand & Silt, No Moisture, High Odor, Hard Clay, Low Plasticity, GLeY1 7/10Y Light Greenish Clay	
			945			25'	75% Fine Grained, Poorly Graded Clayey Sand & Silt, Very Hard Pieces of Clay, No Moisture, Low Plasticity, GLEY1 7/10Y Light Greenish Gray	24
24			1.9			30'	85% Fine Grained, Poorly Graded Clayey Sand & Silt, Hard Clay, No Moisture, Low Plasticity, GLEY1 6/10Y Greenish Gray	32
			309			35'	80% Fine Grained, Poorly Graded Clayey Sand & Silt, Hard Clay, No Moisture, Low Plasticity, No Odor, GLEY1 6/5GY Greenish Gray	
32			13.2			40'	Bottom of Hole	40
40								
48								48

REMARKS:

THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: Nelson C-1	DRILLING COMPANY: Talon/LPE
PROJECT NUMBER: 701530.020.02	DRILLER: Ronnie Rodriguez
CLIENT: Whiting Oil & Gas Corporation	DRILLING METHOD: Hollow Stem Auger
BORING / WELL NUMBER: SB-8	BORE HOLE DIAMETER: 7 7/8"
TOTAL DEPTH: 40'	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: Tyrell Grisel	DATE DRILLED: April 22, 2015

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0					0'-2'6"		Silty Sand, Moisture, Some Clay, Loose, Brown, Fine Grained Sand	0
			0.0		5'-7'6"	5'	Sand, Moisture, Trace Silt, Loose, Tan, Fine Grained Sand	8
8			0.0		10'-13'	10'	Sand, Moisture, Trace Silt, Very Hard, Tan, Fine Grained Sand	
			10.4		15'-19'	15'	Sand, Moisture, Trace Silt, Very Hard, Greenish Gray, Fine Grained Sand	16
16			94.6		20'-24'			
			2,084		25'-29'4"	25'	Sandstone, Wet, Very Hard, Greenish Grey, Fine Grained Sand, Amber Colored Mottling, Grades to Moist	24
24			65.2		30'-34'			
			67.0		35'-39'	35'	Clayey Sand, Moist, Greenish Grey, Fine Grained Sand, Very Stiff	32
32								
			3.4			40'	Bottom of Hole	40
40								
48								48

REMARKS:

THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: Nelson C-1	DRILLING COMPANY: Talon/LPE
PROJECT NUMBER: 701530.020.02	DRILLER: Ronnie Rodriguez
CLIENT: Whiting Oil & Gas Corporation	DRILLING METHOD: Hollow Stem Auger
BORING / WELL NUMBER: SB-9	BORE HOLE DIAMETER: 7 7/8"
TOTAL DEPTH: 35'	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: Tyrell Grisel	DATE DRILLED: April 22, 2015

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0					0'-1'		Silty Sand, Moist, Brown, Fine Grained, Soft, Some Clay	0
8			0.0		5'-6'6"			8
16			0.0		10'-12'	10'	Sand, Moist, Brown, Fine Grained with Silt, Dense	16
24			1,571		15'-17'6"			24
32			1,536		20'-22'			32
40			1,424		25'-30'	25'	Sandstone, Wet, Olive Gray, Fine Grains, Very Dense, Color Change @26' BGS	40
48			25.0		30'-34'			48
			21.1			35'	Bottom of Hole	

REMARKS:

THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: Nelson C-1	DRILLING COMPANY: Talon/LPE
PROJECT NUMBER: 701530.020.02	DRILLER: Ronnie Rodriguez
CLIENT: Whiting Oil & Gas Corporation	DRILLING METHOD: Hollow Stem Auger
BORING / WELL NUMBER: SB-10	BORE HOLE DIAMETER: 7 7/8"
TOTAL DEPTH: 35'	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: Tyrell Grisel	DATE DRILLED: April 22, 2015

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0					0'-1'		Silty Sand, Moist, Fine Grains, Soft, Some Clay	0
8			0.0		5'-7'4"			8
			0.0		10'-12'			
16			12.6		15'-18'	15'	Sand, Moist, Fine Grains, Greenish Grey, Some Silt	16
			1,832		20'-24'	20'	Sandstone, Wet, Fine Grains, Greenish Grey, Some Silt	
24			1,474		25'-30'			24
			881					
32			20.6			35'	Bottom of Hole	32
40								40
48								48

REMARKS:

THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT



SOIL BORING / MONITORING WELL LOG

PROJECT: Nelson C-1	DRILLING COMPANY: Talon/LPE
PROJECT NUMBER: 701530.020.02	DRILLER: Ronnie Rodriguez
CLIENT: Whiting Oil & Gas Corporation	DRILLING METHOD: Hollow Stem Auger
BORING / WELL NUMBER: SB-11	BORE HOLE DIAMETER: 7 7/8"
TOTAL DEPTH: 35'	SCREEN: Diam. _____ Length _____ Slot Size _____
SURFACE ELEVATION: _____	CASING: Diam. _____ Length _____ Type _____
GEOLOGIST: Tyrell Grisel	DATE DRILLED: April 23, 2015

PAGE 1 of 1

Depth (FT.)	Soil Symbol	Well Construction	PID Readings	Samples	Sample Interval	Description Interval	Description of Stratum	Depth (FT.)
0					0'-1"		Silty Sand, Brown, Fine Grains, Moist, Soft, Some Clay, 7.5YR 4/3 Brown	0
			0.0		5'-6'6"	5'	Silty Sand, Brown, Grades to Tan, Fine Grains, Moist, Soft, Grades to Dense, Grades to Trace Clay, 10YR 7/3 Very Pale Brown	8
8			0.0		10'-13'	10'	Silty Sand, Brown, Grades to Tan, Fine Grains, Moist, Soft, Grades to Dense, Grades to Trace Clay, 10YR 6/4 Yellowish Brown	
			0.0		15'-19'	15'	Sandstone, Dense, Moist, GLEY1 6/10Y Greenish-Grey	16
16			0.0		20'-25'			
			0.0		25'-30'	25'	Clayey Sand, Fine Grained Sand, Hard, GLEY1 6/10Y Greenish-Grey	24
24			9.2		30'-35'	30'	Sandstone, Very Dense, Moist, Fine Grained, GLEY1 6/10Y Greenish-Grey	32
			63.7			35'	Bottom of Hole	
32			5.5					
40								40
48								48

REMARKS:


THIS BORING LOG AND WELL DIAGRAM SHOULD NOT BE USED SEPARATE FROM THE ORIGINAL REPORT




KEY TO SYMBOLS


Symbol Description


Strata symbols


 Low plasticity
clay

 Silt


 Clayey sand

 Silty sand


 Poorly graded sand

 Sandstone

Soil Samplers

 Split Spoon sampler

Monitor Well Details

 Concrete Filler

 Plugged soil boring.

Attachment 4
Analytical Reports

Tuesday, April 14, 2015

Colby Sterling
Talon LPE
921 N Bivins
Amarillo, TX 79107

Re: ALS Workorder: 1504124
Project Name: Nelson C-1
Project Number: 701530.020.01

Dear Mr. Sterling:

Seventeen soil samples were received from Talon LPE, on 4/7/2015. The samples were scheduled for the following analyses:

GC/MS Volatiles

Total Extractable Petroleum Hydrocarbons (Diesel)


Total Volatile Petroleum Hydrocarbons (Gasoline)

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,



ALS Environmental
Julie Ellingson
Project Manager

JME/erh
Enclosure(s):

ALS is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Laboratory Certifications	
Accreditation Body	License or Certification Number
Alaska (AK)	UST-086
Alaska (AK)	CO01099
Arizona (AZ)	AZ0742
California (CA)	06251CA
Colorado (CO)	CO01099
Connecticut (CT)	PH-0232
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
L-A-B (DoD ELAP/ISO 170250)	L2257
Maryland (MD)	285
Missouri	175
Nebraska	NE-OS-24-13
Nevada (NV)	CO000782008A
New Jersey (NJ)	CO003
North Dakota (ND)	R-057
Oklahoma	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	2976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington	C1280



1504124

GC/MS Volatiles:

The samples were analyzed using GC/MS following the current revision of SOP 525 based on SW-846 Method 8260C.

All acceptance criteria were met.

GRO:

The samples were analyzed following the current revision of SOP 425 generally based on SW-846 Methods 8000C and 8015D. TVPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C6 to C10.

All acceptance criteria were met with the following exceptions:

The surrogate recovery for sample -1 was above the upper control limit. Examination of the chromatogram shows co-elution of the surrogate peak with target component peaks, biasing the surrogate result high. No further action was taken.

The recoveries for gasoline range organics in the laboratory control sample and laboratory control sample duplicate were within control limits, which suggest the outliers in the matrix spikes may have been due to matrix effects, so no further action was taken.

DRO:

The samples were analyzed following the current revision of SOP 406 generally based on SW-846 Methods 8000C and 8015D. TEPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C10 to C28.

All acceptance criteria were met.

ALS Environmental -- FC

Sample Number(s) Cross-Reference Table

OrderNum: 1504124

Client Name: Talon LPE

Client Project Name: Nelson C-1

Client Project Number: 701530.020.01

Client PO Number:

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
SB-1 5-10'	1504124-1		SOIL	01-Apr-15	11:59
SB-1 20-25'	1504124-2		SOIL	01-Apr-15	12:38
SB-1 25-30'	1504124-3		SOIL	01-Apr-15	12:50
SB-1 30-35'	1504124-4		SOIL	01-Apr-15	13:05
SB-1 35-40'	1504124-5		SOIL	01-Apr-15	13:20
SB-2 10-15'	1504124-6		SOIL	01-Apr-15	15:09
SB-2 20-25'	1504124-7		SOIL	01-Apr-15	15:52
SB-2 25-30'	1504124-8		SOIL	01-Apr-15	16:10
SB-3 20-25'	1504124-9		SOIL	01-Apr-15	17:55
SB-4 10-15'	1504124-10		SOIL	02-Apr-15	12:07
SB-4 20-25'	1504124-11		SOIL	02-Apr-15	12:35
SB-4 25-30'	1504124-12		SOIL	02-Apr-15	12:48
SB-5 15-20'	1504124-13		SOIL	02-Apr-15	14:52
SB-5 20-25'	1504124-14		SOIL	02-Apr-15	15:09
SB-5 25-30'	1504124-15		SOIL	02-Apr-15	15:25
SB-5 30-35'	1504124-16		SOIL	02-Apr-15	16:00
SB-5 35-40'	1504124-17		SOIL	02-Apr-15	16:58



2225 Commerce Drive, Fort Collins, Colorado 80524
TF: (800) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Chain-of-Custody

Form 202r8

*Time Zone (Circle): EST CST PST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

For metals or anions, please detail analytes below.					
Comments: of 33	QC PACKAGE (check below)		SIGNATURE	PRINTED NAME	DATE
		LEVEL II (Standard QC)			
		LEVEL III (Std QC + forms)			
		LEVEL IV (Std QC + forms + raw data)			
Preservative Key: 1-HCl 2-HNO ₃ 3-H ₂ SO ₄ 4-NaOH 5-NaHSO ₄ 7-Other 8-4 degrees C 9-5035	RELINQUISHED BY				
	RECEIVED BY				
	RELINQUISHED BY				
	RECEIVED BY				
	RELINQUISHED BY				
	RECEIVED BY				

of 33

Preservative Key:
1-HCl 2-HNO3 3-H2SO4 4-NaOH 5-NaHSO4 7-Other 8-4 degrees C 9-5035



2225 Commerce Drive, Fort Collins, Colorado 80524
 TF: (800) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Chain-of-Custody

Form 202r8

*Time Zone (Circle): EST CST MST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

For metals or anions, please detail analytes below.									
Comments:	QC PACKAGE (check below)				RELINQUISHED BY	SIGNATURE	PRINTED NAME	DATE	TIME
	LEVEL II (Standard QC)								
	LEVEL III (Std QC + forms)								
	LEVEL IV (Std QC + forms + raw data)								
of 33					RECEIVED BY				
					RELINQUISHED BY				
					RECEIVED BY				
					RELINQUISHED BY				
					RECEIVED BY				
Preservative Key:	1-HCl	2-HNO3	3-H2SO4	4-NaOH	5-NaHSO4	7-Other	8-4 degrees C	9-5035	

of 33



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: Talon

Workorder No: 1504124

Project Manager: JE

Initials: CDT Date: 4-7-15

1. Does this project require any special handling in addition to standard ALS procedures?		YES	<input checked="" type="radio"/> NO
2. Are custody seals on shipping containers intact?	NONE	<input checked="" type="radio"/> YES	NO
3. Are Custody seals on sample containers intact?	<input checked="" type="radio"/> NONE	YES	NO
4. Is there a COC (Chain-of-Custody) present or other representative documents?		<input checked="" type="radio"/> YES	NO
5. Are the COC and bottle labels complete and legible?		<input checked="" type="radio"/> YES	NO
6. Is the COC in agreement with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)		<input checked="" type="radio"/> YES	NO
7. Were airbills / shipping documents present and/or removable?	DROP OFF	<input checked="" type="radio"/> YES	NO
8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles)	<input checked="" type="radio"/> N/A	YES	NO
9. Are all aqueous non-preserved samples pH 4-9?	<input checked="" type="radio"/> N/A	YES	NO
10. Is there sufficient sample for the requested analyses?		<input checked="" type="radio"/> YES	NO
11. Were all samples placed in the proper containers for the requested analyses?		<input checked="" type="radio"/> YES	NO
12. Are all samples within holding times for the requested analyses?		<input checked="" type="radio"/> YES	NO
13. Were all sample containers received intact? (not broken or leaking, etc.)		<input checked="" type="radio"/> YES	NO
14. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: _____ < green pea _____ > green pea	<input checked="" type="radio"/> N/A	YES	NO
15. Do any water samples contain sediment? Amount of sediment: _____ dusting _____ moderate _____ heavy	<input checked="" type="radio"/> N/A	YES	NO
16. Were the samples shipped on ice?		<input checked="" type="radio"/> YES	NO
17. Were cooler temperatures measured at 0.1-6.0°C? IR gun used*: <input checked="" type="radio"/> #2 #4	RAD ONLY	<input checked="" type="radio"/> YES	NO
Cooler #: <u>1</u>			
Temperature (°C): <u>5.6</u>			
No. of custody seals on cooler: <u>1</u>			
External µR/hr reading: <u>11</u>			
Background µR/hr reading: <u>11</u>			
Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? <input checked="" type="radio"/> YES / NO / NA (If no, see Form 008.)			

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

If applicable, was the client contacted? YES / NO ☒ NA Contact: _____ Date/Time: _____

Project Manager Signature / Date: [Signature] 4-7-15

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-1 5-10'
Legal Location:
Collection Date: 4/1/2015 11:59

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-1
Matrix: SOIL
Percent Moisture: 24.2

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	400	4,5,8,H	6.4	MG/KG	1	4/8/2015 18:24
Surr: O-TERPHENYL	86		53-116	%REC	1	4/8/2015 18:24
Gasoline Range Organics						
			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	100	GZ	1.2	MG/KG	1	4/8/2015 11:02
Surr: 2,3,4-TRIFLUOROTOLUENE	135	*	76-126	%REC	1	4/8/2015 11:02
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	0.0038	J	0.0066	MG/KG	1	4/8/2015 15:34
TOLUENE	0.43		0.21	MG/KG	50	4/9/2015 16:16
ETHYLBENZENE	1.3		0.21	MG/KG	50	4/9/2015 16:16
M+P-XYLENE	6.9		0.21	MG/KG	50	4/9/2015 16:16
O-XYLENE	2.8		0.21	MG/KG	50	4/9/2015 16:16
NAPHTHALENE	1.1		0.21	MG/KG	50	4/9/2015 16:16
TOTAL XYLENES	9.7		0.005	MG/KG	1	4/8/2015 15:34
Surr: DIBROMOFLUOROMETHANE	99		61-134	%REC	50	4/9/2015 16:16
Surr: DIBROMOFLUOROMETHANE	116		61-134	%REC	1	4/8/2015 15:34
Surr: TOLUENE-D8	106		57-135	%REC	1	4/8/2015 15:34
Surr: TOLUENE-D8	98		57-135	%REC	50	4/9/2015 16:16
Surr: 4-BROMOFLUOROBENZENE	97		52-151	%REC	50	4/9/2015 16:16
Surr: 4-BROMOFLUOROBENZENE	92		52-151	%REC	1	4/8/2015 15:34

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-1 20-25'
Legal Location:
Collection Date: 4/1/2015 12:38

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-2
Matrix: SOIL
Percent Moisture: 31.7

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	72	4,5,8,H	7.2	MG/KG	1	4/8/2015 19:00
Surr: O-TERPHENYL	83		53-116	%REC	1	4/8/2015 19:00
Gasoline Range Organics			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	14	GZ	1.3	MG/KG	1	4/8/2015 11:44
Surr: 2,3,4-TRIFLUOROTOLUENE	107		76-126	%REC	1	4/8/2015 11:44
GC/MS Volatiles			SW8260		Prep Date: 4/9/2015	PrepBy: SDW
BENZENE	0.0019	J	0.007	MG/KG	1	4/9/2015 17:44
TOLUENE	0.012		0.007	MG/KG	1	4/9/2015 17:44
ETHYLBENZENE	0.0052	J	0.007	MG/KG	1	4/9/2015 17:44
M+P-XYLENE	0.034		0.007	MG/KG	1	4/9/2015 17:44
O-XYLENE	0.025		0.007	MG/KG	1	4/9/2015 17:44
NAPHTHALENE	0.055		0.007	MG/KG	1	4/9/2015 17:44
TOTAL XYLENES	0.059		0.005	MG/KG	1	4/9/2015 17:44
Surr: DIBROMOFLUOROMETHANE	98		61-134	%REC	1	4/9/2015 17:44
Surr: TOLUENE-D8	95		57-135	%REC	1	4/9/2015 17:44
Surr: 4-BROMOFLUOROBENZENE	94		52-151	%REC	1	4/9/2015 17:44

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-1 25-30'
Legal Location:
Collection Date: 4/1/2015 12:50

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-3
Matrix: SOIL
Percent Moisture: 30.5

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	35	4,5,8,H	7	MG/KG	1	4/8/2015 19:36
Surr: O-TERPHENYL	84		53-116	%REC	1	4/8/2015 19:36
Gasoline Range Organics			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	2.8	GZ	1	MG/KG	1	4/8/2015 12:06
Surr: 2,3,4-TRIFLUOROTOLUENE	108		76-126	%REC	1	4/8/2015 12:06
GC/MS Volatiles			SW8260		Prep Date: 4/9/2015	PrepBy: SDW
BENZENE	ND		0.0068	MG/KG	1	4/9/2015 17:00
TOLUENE	ND		0.0068	MG/KG	1	4/9/2015 17:00
ETHYLBENZENE	ND		0.0068	MG/KG	1	4/9/2015 17:00
M+P-XYLENE	0.0023	J	0.0068	MG/KG	1	4/9/2015 17:00
O-XYLENE	0.0021	J	0.0068	MG/KG	1	4/9/2015 17:00
NAPHTHALENE	0.0098		0.0068	MG/KG	1	4/9/2015 17:00
TOTAL XYLENES	0.0044	J	0.005	MG/KG	1	4/9/2015 17:00
Surr: DIBROMOFLUOROMETHANE	101		61-134	%REC	1	4/9/2015 17:00
Surr: TOLUENE-D8	98		57-135	%REC	1	4/9/2015 17:00
Surr: 4-BROMOFLUOROBENZENE	95		52-151	%REC	1	4/9/2015 17:00

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-1 30-35'
Legal Location:
Collection Date: 4/1/2015 13:05

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-4
Matrix: SOIL
Percent Moisture: 36.3

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	ND		7.8	MG/KG	1	4/8/2015 20:13
Surr: O-TERPHENYL	83		53-116	%REC	1	4/8/2015 20:13
Gasoline Range Organics						
			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.75	MG/KG	1	4/8/2015 12:26
Surr: 2,3,4-TRIFLUOROTOLUENE	104		76-126	%REC	1	4/8/2015 12:26
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	0.001	J	0.0074	MG/KG	1	4/8/2015 16:48
TOLUENE	ND		0.0074	MG/KG	1	4/8/2015 16:48
ETHYLBENZENE	ND		0.0074	MG/KG	1	4/8/2015 16:48
M+P-XYLENE	0.0029	J	0.0074	MG/KG	1	4/8/2015 16:48
O-XYLENE	ND		0.0074	MG/KG	1	4/8/2015 16:48
NAPHTHALENE	ND		0.0074	MG/KG	1	4/8/2015 16:48
TOTAL XYLENES	0.0029	J	0.005	MG/KG	1	4/8/2015 16:48
Surr: DIBROMOFLUOROMETHANE	98		61-134	%REC	1	4/8/2015 16:48
Surr: TOLUENE-D8	99		57-135	%REC	1	4/8/2015 16:48
Surr: 4-BROMOFLUOROBENZENE	99		52-151	%REC	1	4/8/2015 16:48

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-1 35-40'
Legal Location:
Collection Date: 4/1/2015 13:20

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-5
Matrix: SOIL
Percent Moisture: 39.7

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	ND		8.3	MG/KG	1	4/8/2015 20:48
Surr: O-TERPHENYL	85		53-116	%REC	1	4/8/2015 20:48
Gasoline Range Organics						
			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.64	MG/KG	1	4/8/2015 12:47
Surr: 2,3,4-TRIFLUOROTOLUENE	102		76-126	%REC	1	4/8/2015 12:47
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	ND		0.0078	MG/KG	1	4/8/2015 17:14
TOLUENE	ND		0.0078	MG/KG	1	4/8/2015 17:14
ETHYLBENZENE	ND		0.0078	MG/KG	1	4/8/2015 17:14
M+P-XYLENE	0.0025	J	0.0078	MG/KG	1	4/8/2015 17:14
O-XYLENE	ND		0.0078	MG/KG	1	4/8/2015 17:14
NAPHTHALENE	ND		0.0078	MG/KG	1	4/8/2015 17:14
TOTAL XYLENES	0.0025	J	0.005	MG/KG	1	4/8/2015 17:14
Surr: DIBROMOFLUOROMETHANE	100		61-134	%REC	1	4/8/2015 17:14
Surr: TOLUENE-D8	96		57-135	%REC	1	4/8/2015 17:14
Surr: 4-BROMOFLUOROBENZENE	98		52-151	%REC	1	4/8/2015 17:14

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-2 10-15'
Legal Location:
Collection Date: 4/1/2015 15:09

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-6
Matrix: SOIL
Percent Moisture: 30.8

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	3.7	J	7.2	MG/KG	1	4/8/2015 21:24
Surr: O-TERPHENYL	85		53-116	%REC	1	4/8/2015 21:24
Gasoline Range Organics			SW8015		Prep Date: 4/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.68	MG/KG	1	4/9/2015 09:50
Surr: 2,3,4-TRIFLUOROTOLUENE	96		76-126	%REC	1	4/9/2015 09:50
GC/MS Volatiles			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	ND		0.0065	MG/KG	1	4/8/2015 17:39
TOLUENE	ND		0.0065	MG/KG	1	4/8/2015 17:39
ETHYLBENZENE	ND		0.0065	MG/KG	1	4/8/2015 17:39
M+P-XYLENE	ND		0.0065	MG/KG	1	4/8/2015 17:39
O-XYLENE	ND		0.0065	MG/KG	1	4/8/2015 17:39
NAPHTHALENE	ND		0.0065	MG/KG	1	4/8/2015 17:39
TOTAL XYLENES	ND		0.005	MG/KG	1	4/8/2015 17:39
Surr: DIBROMOFLUOROMETHANE	102		61-134	%REC	1	4/8/2015 17:39
Surr: TOLUENE-D8	96		57-135	%REC	1	4/8/2015 17:39
Surr: 4-BROMOFLUOROBENZENE	98		52-151	%REC	1	4/8/2015 17:39

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-2 20-25'
Legal Location:
Collection Date: 4/1/2015 15:52

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-7
Matrix: SOIL
Percent Moisture: 31.2

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	24	4,5,8,H	6.9	MG/KG	1	4/8/2015 22:35
Surr: O-TERPHENYL	83		53-116	%REC	1	4/8/2015 22:35
Gasoline Range Organics						
			SW8015		Prep Date: 4/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	2.3	GZ	0.67	MG/KG	1	4/9/2015 10:10
Surr: 2,3,4-TRIFLUOROTOLUENE	105		76-126	%REC	1	4/9/2015 10:10
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	0.0092		0.0069	MG/KG	1	4/8/2015 18:04
TOLUENE	0.025		0.0069	MG/KG	1	4/8/2015 18:04
ETHYLBENZENE	0.0067	J	0.0069	MG/KG	1	4/8/2015 18:04
M+P-XYLENE	0.039		0.0069	MG/KG	1	4/8/2015 18:04
O-XYLENE	0.025		0.0069	MG/KG	1	4/8/2015 18:04
NAPHTHALENE	0.075		0.0069	MG/KG	1	4/8/2015 18:04
TOTAL XYLENES	0.064		0.005	MG/KG	1	4/8/2015 18:04
Surr: DIBROMOFLUOROMETHANE	101		61-134	%REC	1	4/8/2015 18:04
Surr: TOLUENE-D8	97		57-135	%REC	1	4/8/2015 18:04
Surr: 4-BROMOFLUOROBENZENE	97		52-151	%REC	1	4/8/2015 18:04

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-2 25-30'
Legal Location:
Collection Date: 4/1/2015 16:10

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-8
Matrix: SOIL
Percent Moisture: 34.6

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	ND		7.5	MG/KG	1	4/8/2015 23:11
Surr: O-TERPHENYL	81		53-116	%REC	1	4/8/2015 23:11
Gasoline Range Organics						
			SW8015		Prep Date: 4/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.51	MG/KG	1	4/9/2015 10:31
Surr: 2,3,4-TRIFLUOROTOLUENE	100		76-126	%REC	1	4/9/2015 10:31
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	0.0011	J	0.0073	MG/KG	1	4/8/2015 18:27
TOLUENE	0.003	J	0.0073	MG/KG	1	4/8/2015 18:27
ETHYLBENZENE	ND		0.0073	MG/KG	1	4/8/2015 18:27
M+P-XYLENE	0.0032	J	0.0073	MG/KG	1	4/8/2015 18:27
O-XYLENE	ND		0.0073	MG/KG	1	4/8/2015 18:27
NAPHTHALENE	0.0046	J	0.0073	MG/KG	1	4/8/2015 18:27
TOTAL XYLENES	0.0032	J	0.005	MG/KG	1	4/8/2015 18:27
Surr: DIBROMOFLUOROMETHANE	99		61-134	%REC	1	4/8/2015 18:27
Surr: TOLUENE-D8	98		57-135	%REC	1	4/8/2015 18:27
Surr: 4-BROMOFLUOROBENZENE	100		52-151	%REC	1	4/8/2015 18:27

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-3 20-25'
Legal Location:
Collection Date: 4/1/2015 17:55

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-9
Matrix: SOIL
Percent Moisture: 31.7

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	ND		7.1	MG/KG	1	4/8/2015 23:47
Surr: O-TERPHENYL	82		53-116	%REC	1	4/8/2015 23:47
Gasoline Range Organics			SW8015		Prep Date: 4/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.68	MG/KG	1	4/9/2015 10:52
Surr: 2,3,4-TRIFLUOROTOLUENE	93		76-126	%REC	1	4/9/2015 10:52
GC/MS Volatiles			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	ND		0.0069	MG/KG	1	4/8/2015 18:50
TOLUENE	ND		0.0069	MG/KG	1	4/8/2015 18:50
ETHYLBENZENE	ND		0.0069	MG/KG	1	4/8/2015 18:50
M+P-XYLENE	0.0027	J	0.0069	MG/KG	1	4/8/2015 18:50
O-XYLENE	ND		0.0069	MG/KG	1	4/8/2015 18:50
NAPHTHALENE	ND		0.0069	MG/KG	1	4/8/2015 18:50
TOTAL XYLENES	0.0027	J	0.005	MG/KG	1	4/8/2015 18:50
Surr: DIBROMOFLUOROMETHANE	100		61-134	%REC	1	4/8/2015 18:50
Surr: TOLUENE-D8	98		57-135	%REC	1	4/8/2015 18:50
Surr: 4-BROMOFLUOROBENZENE	99		52-151	%REC	1	4/8/2015 18:50

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-4 10-15'
Legal Location:
Collection Date: 4/2/2015 12:07

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-10
Matrix: SOIL
Percent Moisture: 29.7

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	ND		7	MG/KG	1	4/9/2015 00:23
Surr: O-TERPHENYL	86		53-116	%REC	1	4/9/2015 00:23
Gasoline Range Organics			SW8015		Prep Date: 4/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	0.092	J	0.45	MG/KG	1	4/9/2015 11:12
Surr: 2,3,4-TRIFLUOROTOLUENE	100		76-126	%REC	1	4/9/2015 11:12
GC/MS Volatiles			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	ND		0.0067	MG/KG	1	4/8/2015 19:13
TOLUENE	ND		0.0067	MG/KG	1	4/8/2015 19:13
ETHYLBENZENE	ND		0.0067	MG/KG	1	4/8/2015 19:13
M+P-XYLENE	0.0016	J	0.0067	MG/KG	1	4/8/2015 19:13
O-XYLENE	ND		0.0067	MG/KG	1	4/8/2015 19:13
NAPHTHALENE	ND		0.0067	MG/KG	1	4/8/2015 19:13
TOTAL XYLENES	0.0016	J	0.005	MG/KG	1	4/8/2015 19:13
Surr: DIBROMOFLUOROMETHANE	103		61-134	%REC	1	4/8/2015 19:13
Surr: TOLUENE-D8	97		57-135	%REC	1	4/8/2015 19:13
Surr: 4-BROMOFLUOROBENZENE	101		52-151	%REC	1	4/8/2015 19:13

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-4 20-25'
Legal Location:
Collection Date: 4/2/2015 12:35

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-11
Matrix: SOIL
Percent Moisture: 31.6

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	50	4,5,8	7.2	MG/KG	1	4/9/2015 01:00
Surr: O-TERPHENYL	83		53-116	%REC	1	4/9/2015 01:00
Gasoline Range Organics						
			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	12	GZ	0.58	MG/KG	1	4/8/2015 14:54
Surr: 2,3,4-TRIFLUOROTOLUENE	106		76-126	%REC	1	4/8/2015 14:54
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	0.014		0.0069	MG/KG	1	4/8/2015 19:37
TOLUENE	0.13		0.0069	MG/KG	1	4/8/2015 19:37
ETHYLBENZENE	0.14		0.0069	MG/KG	1	4/8/2015 19:37
M+P-XYLENE	0.69		0.23	MG/KG	50	4/9/2015 15:30
O-XYLENE	0.32		0.23	MG/KG	50	4/9/2015 15:30
NAPHTHALENE	0.14		0.0069	MG/KG	1	4/8/2015 19:37
TOTAL XYLENES	1		0.005	MG/KG	1	4/8/2015 19:37
Surr: DIBROMOFLUOROMETHANE	103		61-134	%REC	50	4/9/2015 15:30
Surr: DIBROMOFLUOROMETHANE	106		61-134	%REC	1	4/8/2015 19:37
Surr: TOLUENE-D8	100		57-135	%REC	1	4/8/2015 19:37
Surr: TOLUENE-D8	98		57-135	%REC	50	4/9/2015 15:30
Surr: 4-BROMOFLUOROBENZENE	98		52-151	%REC	50	4/9/2015 15:30
Surr: 4-BROMOFLUOROBENZENE	96		52-151	%REC	1	4/8/2015 19:37

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-4 25-30'
Legal Location:
Collection Date: 4/2/2015 12:48

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-12
Matrix: SOIL
Percent Moisture: 33.7

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	ND		7.4	MG/KG	1	4/9/2015 01:36
Surr: O-TERPHENYL	84		53-116	%REC	1	4/9/2015 01:36
Gasoline Range Organics						
			SW8015		Prep Date: 4/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.55	MG/KG	1	4/9/2015 11:33
Surr: 2,3,4-TRIFLUOROTOLUENE	96		76-126	%REC	1	4/9/2015 11:33
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	0.0012	J	0.0073	MG/KG	1	4/8/2015 20:02
TOLUENE	0.0023	J	0.0073	MG/KG	1	4/8/2015 20:02
ETHYLBENZENE	ND		0.0073	MG/KG	1	4/8/2015 20:02
M+P-XYLENE	0.0029	J	0.0073	MG/KG	1	4/8/2015 20:02
O-XYLENE	ND		0.0073	MG/KG	1	4/8/2015 20:02
NAPHTHALENE	0.0025	J	0.0073	MG/KG	1	4/8/2015 20:02
TOTAL XYLENES	0.0029	J	0.005	MG/KG	1	4/8/2015 20:02
Surr: DIBROMOFLUOROMETHANE	97		61-134	%REC	1	4/8/2015 20:02
Surr: TOLUENE-D8	97		57-135	%REC	1	4/8/2015 20:02
Surr: 4-BROMOFLUOROBENZENE	101		52-151	%REC	1	4/8/2015 20:02

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-5 15-20'
Legal Location:
Collection Date: 4/2/2015 14:52

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-13
Matrix: SOIL
Percent Moisture: 30.3

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	ND		7	MG/KG	1	4/9/2015 16:10
Surr: O-TERPHENYL	84		53-116	%REC	1	4/9/2015 16:10
Gasoline Range Organics						
			SW8015		Prep Date: 4/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.47	MG/KG	1	4/9/2015 11:53
Surr: 2,3,4-TRIFLUOROTOLUENE	95		76-126	%REC	1	4/9/2015 11:53
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	ND		0.0068	MG/KG	1	4/8/2015 20:26
TOLUENE	ND		0.0068	MG/KG	1	4/8/2015 20:26
ETHYLBENZENE	ND		0.0068	MG/KG	1	4/8/2015 20:26
M+P-XYLENE	ND		0.0068	MG/KG	1	4/8/2015 20:26
O-XYLENE	ND		0.0068	MG/KG	1	4/8/2015 20:26
NAPHTHALENE	ND		0.0068	MG/KG	1	4/8/2015 20:26
TOTAL XYLENES	ND		0.005	MG/KG	1	4/8/2015 20:26
Surr: DIBROMOFLUOROMETHANE	97		61-134	%REC	1	4/8/2015 20:26
Surr: TOLUENE-D8	99		57-135	%REC	1	4/8/2015 20:26
Surr: 4-BROMOFLUOROBENZENE	98		52-151	%REC	1	4/8/2015 20:26

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-5 20-25'
Legal Location:
Collection Date: 4/2/2015 15:09

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-14
Matrix: SOIL
Percent Moisture: 28.3

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	37	4,5,8	6.7	MG/KG	1	4/9/2015 02:34
Surr: O-TERPHENYL	83		53-116	%REC	1	4/9/2015 02:34
Gasoline Range Organics						
			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	3.5	GZ	0.61	MG/KG	1	4/8/2015 16:41
Surr: 2,3,4-TRIFLUOROTOLUENE	111		76-126	%REC	1	4/8/2015 16:41
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	0.018		0.0061	MG/KG	1	4/8/2015 20:49
TOLUENE	0.084		0.0061	MG/KG	1	4/8/2015 20:49
ETHYLBENZENE	0.036		0.0061	MG/KG	1	4/8/2015 20:49
M+P-XYLENE	0.19		0.0061	MG/KG	1	4/8/2015 20:49
O-XYLENE	0.12		0.0061	MG/KG	1	4/8/2015 20:49
NAPHTHALENE	ND		0.0061	MG/KG	1	4/8/2015 20:49
TOTAL XYLENES	0.31		0.005	MG/KG	1	4/8/2015 20:49
Surr: DIBROMOFLUOROMETHANE	97		61-134	%REC	1	4/8/2015 20:49
Surr: TOLUENE-D8	101		57-135	%REC	1	4/8/2015 20:49
Surr: 4-BROMOFLUOROBENZENE	99		52-151	%REC	1	4/8/2015 20:49

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-5 25-30'
Legal Location:
Collection Date: 4/2/2015 15:25

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-15
Matrix: SOIL
Percent Moisture: 31.3

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	4.9	J	6.9	MG/KG	1	4/9/2015 03:11
Surr: O-TERPHENYL	84		53-116	%REC	1	4/9/2015 03:11
Gasoline Range Organics						
			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	0.23	J	0.61	MG/KG	1	4/8/2015 17:21
Surr: 2,3,4-TRIFLUOROTOLUENE	105		76-126	%REC	1	4/8/2015 17:21
GC/MS Volatiles						
			SW8260		Prep Date: 4/9/2015	PrepBy: SDW
BENZENE	0.00073	J	0.0069	MG/KG	1	4/9/2015 17:22
TOLUENE	0.0036	J	0.0069	MG/KG	1	4/9/2015 17:22
ETHYLBENZENE	ND		0.0069	MG/KG	1	4/9/2015 17:22
M+P-XYLENE	0.0028	J	0.0069	MG/KG	1	4/9/2015 17:22
O-XYLENE	0.0023	J	0.0069	MG/KG	1	4/9/2015 17:22
NAPHTHALENE	0.005	J	0.0069	MG/KG	1	4/9/2015 17:22
TOTAL XYLENES	0.005	J	0.005	MG/KG	1	4/9/2015 17:22
Surr: DIBROMOFLUOROMETHANE	104		61-134	%REC	1	4/9/2015 17:22
Surr: TOLUENE-D8	97		57-135	%REC	1	4/9/2015 17:22
Surr: 4-BROMOFLUOROBENZENE	99		52-151	%REC	1	4/9/2015 17:22

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-5 30-35'
Legal Location:
Collection Date: 4/2/2015 16:00

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-16
Matrix: SOIL
Percent Moisture: 35.5

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	8.9	4,5,8	7.5	MG/KG	1	4/9/2015 03:47
Surr: O-TERPHENYL	83		53-116	%REC	1	4/9/2015 03:47
Gasoline Range Organics						
			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	0.31	J	0.7	MG/KG	1	4/8/2015 18:03
Surr: 2,3,4-TRIFLUOROTOLUENE	102		76-126	%REC	1	4/8/2015 18:03
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	0.0093		0.0075	MG/KG	1	4/8/2015 21:39
TOLUENE	0.047		0.0075	MG/KG	1	4/8/2015 21:39
ETHYLBENZENE	0.012		0.0075	MG/KG	1	4/8/2015 21:39
M+P-XYLENE	0.055		0.0075	MG/KG	1	4/8/2015 21:39
O-XYLENE	0.033		0.0075	MG/KG	1	4/8/2015 21:39
NAPHTHALENE	0.013		0.0075	MG/KG	1	4/8/2015 21:39
TOTAL XYLENES	0.089		0.005	MG/KG	1	4/8/2015 21:39
Surr: DIBROMOFLUOROMETHANE	101		61-134	%REC	1	4/8/2015 21:39
Surr: TOLUENE-D8	99		57-135	%REC	1	4/8/2015 21:39
Surr: 4-BROMOFLUOROBENZENE	101		52-151	%REC	1	4/8/2015 21:39

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-5 35-40'
Legal Location:
Collection Date: 4/2/2015 16:58

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-17
Matrix: SOIL
Percent Moisture: 29.4

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/8/2015	PrepBy: JFN
Diesel Range Organics	2.6	J	6.8	MG/KG	1	4/9/2015 05:34
Surr: O-TERPHENYL	85		53-116	%REC	1	4/9/2015 05:34
Gasoline Range Organics						
			SW8015		Prep Date: 4/8/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.65	MG/KG	1	4/8/2015 18:45
Surr: 2,3,4-TRIFLUOROTOLUENE	96		76-126	%REC	1	4/8/2015 18:45
GC/MS Volatiles						
			SW8260		Prep Date: 4/8/2015	PrepBy: SDW
BENZENE	0.0011	J	0.0063	MG/KG	1	4/8/2015 22:05
TOLUENE	ND		0.0063	MG/KG	1	4/8/2015 22:05
ETHYLBENZENE	ND		0.0063	MG/KG	1	4/8/2015 22:05
M+P-XYLENE	ND		0.0063	MG/KG	1	4/8/2015 22:05
O-XYLENE	ND		0.0063	MG/KG	1	4/8/2015 22:05
NAPHTHALENE	ND		0.0063	MG/KG	1	4/8/2015 22:05
TOTAL XYLENES	ND		0.005	MG/KG	1	4/8/2015 22:05
Surr: DIBROMOFLUOROMETHANE	102		61-134	%REC	1	4/8/2015 22:05
Surr: TOLUENE-D8	96		57-135	%REC	1	4/8/2015 22:05
Surr: 4-BROMOFLUOROBENZENE	99		52-151	%REC	1	4/8/2015 22:05

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB-5 35-40'
Legal Location:
Collection Date: 4/2/2015 16:58

Date: 14-Apr-15
Work Order: 1504124
Lab ID: 1504124-17
Matrix: SOIL
Percent Moisture: 29.4

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
----------	--------	------	--------------	-------	-----------------	---------------

Explanation of Qualifiers

Radiochemistry:

U or ND - Result is less than the sample specific MDC.
 Y1 - Chemical Yield is in control at 100-110%. Quantitative yield is assumed.
 Y2 - Chemical Yield outside default limits.
 W - DER is greater than Warning Limit of 1.42
 * - Aliquot Basis is 'As Received' while the Report Basis is 'Dry Weight'.
 # - Aliquot Basis is 'Dry Weight' while the Report Basis is 'As Received'.
 G - Sample density differs by more than 15% of LCS density.
 D - DER is greater than Control Limit
 M - Requested MDC not met.
 LT - Result is less than requested MDC but greater than achieved MDC.

M3 - The requested MDC was not met, but the reported activity is greater than the reported MDC.
 L - LCS Recovery below lower control limit.
 H - LCS Recovery above upper control limit.
 P - LCS, Matrix Spike Recovery within control limits.
 N - Matrix Spike Recovery outside control limits
 NC - Not Calculated for duplicate results less than 5 times MDC
 B - Analyte concentration greater than MDC.
 B3 - Analyte concentration greater than MDC but less than Requested MDC.

Inorganics:

B - Result is less than the requested reporting limit but greater than the instrument method detection limit (MDL).
 U or ND - Indicates that the compound was analyzed for but not detected.
 E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
 M - Duplicate injection precision was not met.
 N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
 Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
 * - Duplicate analysis (relative percent difference) not within control limits.
 S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.

Organics:

U or ND - Indicates that the compound was analyzed for but not detected.
 B - Analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user.
 E - Analyte concentration exceeds the upper level of the calibration range.
 J - Estimated value. The result is less than the reporting limit but greater than the instrument method detection limit (MDL).
 A - A tentatively identified compound is a suspected aldol-condensation product.
 X - The analyte was diluted below an accurate quantitation level.
 * - The spike recovery is equal to or outside the control criteria used.
 + - The relative percent difference (RPD) equals or exceeds the control criteria.
 G - A pattern resembling gasoline was detected in this sample.
 D - A pattern resembling diesel was detected in this sample.
 M - A pattern resembling motor oil was detected in this sample.
 C - A pattern resembling crude oil was detected in this sample.
 4 - A pattern resembling JP-4 was detected in this sample.
 5 - A pattern resembling JP-5 was detected in this sample.
 H - Indicates that the fuel pattern was in the heavier end of the retention time window for the analyte of interest.
 L - Indicates that the fuel pattern was in the lighter end of the retention time window for the analyte of interest.
 Z - This flag indicates that a significant fraction of the reported result did not resemble the patterns of any of the following petroleum hydrocarbon products:

- gasoline
- JP-8
- diesel
- mineral spirits
- motor oil
- Stoddard solvent
- bunker C

ALS Environmental -- FC

Date: 4/14/2015 1:04:

Client: Talon LPE

Work Order: 1504124

Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: HC150408-61-1

Instrument ID: FUELS-1

Method: SW8015

LCS	Sample ID: HC150408-61				Units: MG/KG		Analysis Date: 4/8/2015 09:17				
Client ID:	Run ID: HC150408-6A				Prep Date: 4/8/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.35	0.5	2.5		94	79-118				20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.558		0.5		112	76-126					

LCSD	Sample ID: HC150408-61				Units: MG/KG		Analysis Date: 4/8/2015 16:20				
Client ID:	Run ID: HC150408-6A				Prep Date: 4/8/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.5	0.5	2.5		100	79-118		2.35	6	20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.568		0.5		114	76-126			2		

MB	Sample ID: HC150408-61				Units: MG/KG		Analysis Date: 4/8/2015 09:38				
Client ID:		Run ID: HC150408-6A				Prep Date: 4/8/2015			DF: 1		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	ND	0.5									
Surr: 2,3,4-TRIFLUOROTOLUENE	0.504		0.5		101	76-126					

The following samples were analyzed in this batch:

1504124-1	1504124-2	1504124-3
1504124-4	1504124-5	1504124-11
1504124-14	1504124-15	1504124-16
1504124-17		

Client: Talon LPE
Work Order: 1504124
Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **HC150408-100-1** Instrument ID **FUELS-1** Method: **SW8015M**

LCS		Sample ID: HC150408-100			Units: MG/KG			Analysis Date: 4/8/2015 17:49			
Client ID:		Run ID: HC150408-8A			Prep Date: 4/8/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	119	5	125		95	76-124				20	
Surr: O-TERPHENYL	9.06		12.5		73	53-116					

MB		Sample ID: HC150408-100			Units: MG/KG			Analysis Date: 4/8/2015 16:39			
Client ID:		Run ID: HC150408-8A			Prep Date: 4/8/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	ND	5									
Surr: O-TERPHENYL	9.57		12.5		77	53-116					

MS		Sample ID: 1504124-17			Units: MG/KG			Analysis Date: 4/9/2015 04:23			
Client ID: SB-5 35-40'		Run ID: HC150408-8A			Prep Date: 4/8/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	154	7.03	176	2.6	86	76-124				20	
Surr: O-TERPHENYL	14.8		17.6		84	53-116					

MSD		Sample ID: 1504124-17			Units: MG/KG			Analysis Date: 4/9/2015 04:58			
Client ID: SB-5 35-40'		Run ID: HC150408-8A			Prep Date: 4/8/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	146	6.76	169	2.6	85	76-124		154	5	20	
Surr: O-TERPHENYL	14.2		16.9		84	53-116			4		

The following samples were analyzed in this batch:

1504124-1	1504124-2	1504124-3
1504124-4	1504124-5	1504124-6
1504124-7	1504124-8	1504124-9
1504124-10	1504124-11	1504124-12
1504124-14	1504124-15	1504124-16
1504124-17		

Client: Talon LPE
 Work Order: 1504124
 Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **HC150409-61-1** Instrument ID **FUELS-1** Method: **SW8015**

LCS	Sample ID: HC150409-61			Units: MG/KG			Analysis Date: 4/9/2015 08:48				
Client ID:	Run ID: HC150409-6A			Prep Date: 4/9/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.24	0.5	2.5		90	79-118				20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.522		0.5		104	76-126					

LCSD	Sample ID: HC150409-61			Units: MG/KG			Analysis Date: 4/9/2015 12:56				
Client ID:	Run ID: HC150409-6A			Prep Date: 4/9/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.32	0.5	2.5		93	79-118		2.24	3	20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.533		0.5		107	76-126			2		

MB	Sample ID: HC150409-61			Units: MG/KG			Analysis Date: 4/9/2015 09:08				
Client ID:	Run ID: HC150409-6A			Prep Date: 4/9/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	ND	0.5									
Surr: 2,3,4-TRIFLUOROTOLUENE	0.477		0.5		95	76-126					

MS	Sample ID: 1504124-6			Units: MG/KG			Analysis Date: 4/9/2015 12:14				
Client ID: SB-2 10-15'	Run ID: HC150409-6A			Prep Date: 4/9/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.38	0.657	3.29	0.68	72	79-118				40	*
Surr: 2,3,4-TRIFLUOROTOLUENE	0.666		0.657		101	76-126					

MSD	Sample ID: 1504124-6			Units: MG/KG			Analysis Date: 4/9/2015 12:35				
Client ID: SB-2 10-15'	Run ID: HC150409-6A			Prep Date: 4/9/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	1.82	0.539	2.7	0.68	67	79-118		2.38	27	40	*
Surr: 2,3,4-TRIFLUOROTOLUENE	0.552		0.539		102	76-126			19		

The following samples were analyzed in this batch:

1504124-6	1504124-7	1504124-8
1504124-9	1504124-10	1504124-12
1504124-13		

Client: Talon LPE
 Work Order: 1504124
 Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150408-2-2** Instrument ID **HPV1** Method: **SW8260**

LCS	Sample ID: VL150408-2			Units: MG/KG			Analysis Date: 4/8/2015 12:21				
Client ID:	Run ID: VL150408-2A			Prep Date: 4/8/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0369	0.005	0.04		92	73-126				30	
TOLUENE	0.0366	0.005	0.04		91	71-127				30	
ETHYLBENZENE	0.0355	0.005	0.04		89	74-127				30	
M+P-XYLENE	0.0724	0.005	0.08		90	79-126				30	
O-XYLENE	0.0359	0.005	0.04		90	77-125				30	
NAPHTHALENE	0.042	0.005	0.04		105	64-141				30	
Surr: DIBROMOFLUOROMETHANE	0.0513		0.05		103	61-134					
Surr: TOLUENE-D8	0.0491		0.05		98	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0501		0.05		100	52-151					

LCSD	Sample ID: VL150408-2			Units: MG/KG		Analysis Date: 4/8/2015 12:46					
Client ID:	Run ID: VL150408-2A			Prep Date: 4/8/2015				DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0393	0.005	0.04		98	73-126		0.0369	6	30	
TOLUENE	0.0378	0.005	0.04		94	71-127		0.0366	3	30	
ETHYLBENZENE	0.037	0.005	0.04		93	74-127		0.0355	4	30	
M+P-XYLENE	0.0749	0.005	0.08		94	79-126		0.0724	3	30	
O-XYLENE	0.0382	0.005	0.04		96	77-125		0.0359	6	30	
NAPHTHALENE	0.0423	0.005	0.04		106	64-141		0.042	1	30	
Surr: DIBROMOFLUOROMETHANE	0.051		0.05		102	61-134			1		
Surr: TOLUENE-D8	0.0489		0.05		98	57-135			0		
Surr: 4-BROMOFLUOROBENZENE	0.0495		0.05		99	52-151			1		

Client: Talon LPE
Work Order: 1504124
Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150408-2-2** Instrument ID **HPV1** Method: **SW8260**

MB Sample ID: **VL150408-2** Units: **MG/KG** Analysis Date: **4/8/2015 13:12**

Client ID: Run ID: **VL150408-2A** Prep Date: **4/8/2015** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.005									
TOLUENE	ND	0.005									
ETHYLBENZENE	ND	0.005									
M+P-XYLENE	ND	0.005									
O-XYLENE	ND	0.005									
NAPHTHALENE	ND	0.005									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	0.0499		0.05		100	61-134					
Surr: TOLUENE-D8	0.0495		0.05		99	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0498		0.05		100	52-151					

The following samples were analyzed in this batch:

1504124-1	1504124-4	1504124-5
1504124-6	1504124-7	1504124-8
1504124-9	1504124-10	1504124-11
1504124-12	1504124-13	1504124-14
1504124-16	1504124-17	

Client: Talon LPE
 Work Order: 1504124
 Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150409-2-2** Instrument ID **HPV1** Method: **SW8260**

LCS	Sample ID: VL150409-2			Units: MG/KG			Analysis Date: 4/9/2015 13:55				
Client ID:	Run ID: VL150409-2A			Prep Date: 4/9/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0426	0.005	0.04		106	73-126				30	
TOLUENE	0.0424	0.005	0.04		106	71-127				30	
ETHYLBENZENE	0.0414	0.005	0.04		103	74-127				30	
M+P-XYLENE	0.0856	0.005	0.08		107	79-126				30	
O-XYLENE	0.0424	0.005	0.04		106	77-125				30	
NAPHTHALENE	0.0497	0.005	0.04		124	64-141				30	
Surr: DIBROMOFLUOROMETHANE	0.0494		0.05		99	61-134					
Surr: TOLUENE-D8	0.0477		0.05		95	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0494		0.05		99	52-151					

LCSD	Sample ID: VL150409-2			Units: MG/KG		Analysis Date: 4/9/2015 14:17					
Client ID:	Run ID: VL150409-2A			Prep Date: 4/9/2015				DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0439	0.005	0.04		110	73-126		0.0426	3	30	
TOLUENE	0.042	0.005	0.04		105	71-127		0.0424	1	30	
ETHYLBENZENE	0.0422	0.005	0.04		106	74-127		0.0414	2	30	
M+P-XYLENE	0.0856	0.005	0.08		107	79-126		0.0856	0	30	
O-XYLENE	0.0434	0.005	0.04		108	77-125		0.0424	2	30	
NAPHTHALENE	0.0521	0.005	0.04		130	64-141		0.0497	5	30	
Surr: DIBROMOFLUOROMETHANE	0.0514		0.05		103	61-134			4		
Surr: TOLUENE-D8	0.0476		0.05		95	57-135			0		
Surr: 4-BROMOFLUOROBENZENE	0.049		0.05		98	52-151			1		

Client: Talon LPE
Work Order: 1504124
Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150409-2-2** Instrument ID: **HPV1** Method: **SW8260**

MB		Sample ID: VL150409-2			Units: MG/KG			Analysis Date: 4/9/2015 14:42			
Client ID:		Run ID: VL150409-2A			Prep Date: 4/9/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.005									
TOLUENE	ND	0.005									
ETHYLBENZENE	ND	0.005									
M+P-XYLENE	ND	0.005									
O-XYLENE	ND	0.005									
NAPHTHALENE	ND	0.005									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	0.0506		0.05		101	61-134					
Surr: TOLUENE-D8	0.049		0.05		98	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0504		0.05		101	52-151					

MB		Sample ID: VL150409-2M			Units: MG/KG			Analysis Date: 4/9/2015 15:04			
Client ID:		Run ID: VL150409-2A			Prep Date: 4/9/2015			DF: 50			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.25									
TOLUENE	ND	0.25									
ETHYLBENZENE	ND	0.25									
M+P-XYLENE	ND	0.25									
O-XYLENE	ND	0.25									
NAPHTHALENE	ND	0.25									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	2.52		2.5		101	61-134					
Surr: TOLUENE-D8	2.46		2.5		98	57-135					
Surr: 4-BROMOFLUOROBENZENE	2.44		2.5		98	52-151					

The following samples were analyzed in this batch:

1504124-1	1504124-2	1504124-3
1504124-11	1504124-15	

Thursday, April 16, 2015

Colby Sterling
Talon LPE
921 N Bivins
Amarillo, TX 79107

Re: ALS Workorder: 1504197
Project Name: Nelson C-1
Project Number: 701530.020.01

Dear Mr. Sterling:

Six soil samples were received from Talon LPE, on 4/10/2015. The samples were scheduled for the following analyses:

GC/MS Volatiles

Total Extractable Petroleum Hydrocarbons (Diesel)


Total Volatile Petroleum Hydrocarbons (Gasoline)

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,



ALS Environmental
Amy R. Wolf
Project Manager

ARW/erh
Enclosure(s):

ALS is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Laboratory Certifications	
Accreditation Body	License or Certification Number
Alaska (AK)	UST-086
Alaska (AK)	CO01099
Arizona (AZ)	AZ0742
California (CA)	06251CA
Colorado (CO)	CO01099
Connecticut (CT)	PH-0232
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
L-A-B (DoD ELAP/ISO 170250)	L2257
Maryland (MD)	285
Missouri	175
Nebraska	NE-OS-24-13
Nevada (NV)	CO000782008A
New Jersey (NJ)	CO003
North Dakota (ND)	R-057
Oklahoma	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	2976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington	C1280



1504197

GC/MS Volatiles:

The samples were analyzed using GC/MS following the current revision of SOP 525 based on SW-846 Method 8260C.

All acceptance criteria were met.

GRO:

The samples were analyzed following the current revision of SOP 425 generally based on SW-846 Methods 8000C and 8015D. TVPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C6 to C10.

All acceptance criteria were met.

DRO:

The samples were analyzed following the current revision of SOP 406 generally based on SW-846 Methods 8000C and 8015D. TEPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C10 to C28.

All acceptance criteria were met.

ALS Environmental -- FC

Sample Number(s) Cross-Reference Table

OrderNum: 1504197


Client Name: Talon LPE

Client Project Name: Nelson C-1

Client Project Number: 701530.020.01

Client PO Number:

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
SB6 20-25'	1504197-1		SOIL	07-Apr-15	10:55
SB6 30-35'	1504197-2		SOIL	07-Apr-15	11:15
SB6 35-40'	1504197-3		SOIL	07-Apr-15	11:30
SB7 20-25'	1504197-4		SOIL	07-Apr-15	13:25
SB7 30-35'	1504197-5		SOIL	07-Apr-15	13:45
SB7 35-40'	1504197-6		SOIL	07-Apr-15	14:00



ALS Laboratory Group

225 Commerce Drive, Fort Collins, Colorado 80524
TF: (800) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Chain-of-Custody

Form 20218

PROJECT NAME		NELSON C-1		SAMPLER		Tim W. Helm		DATE		4/19/2015		WORKORDER #		1504197	
PROJECT NO.		701530.020.01		SITE ID				TURNAROUND				PAGE		1 of 1	
				EDD FORMAT								DISPOSAL		By Lab or Return to Client	
				PURCHASE ORDER											
COMPANY NAME		Talon LPE		BILL TO COMPANY		SAME									
SEND REPORT TO		Colby Stepling		INVOICE ATTN TO											
ADDRESS		921 N Bivins		ADDRESS											
CITY / STATE / ZIP		Amarillo TX 79107		CITY / STATE / ZIP											
PHONE		806-467-0607		PHONE											
FAX		806-467-0622		FAX											
E-MAIL		CStepling@talonlpe.com		E-MAIL											
Lab ID	Field ID	Matrix	Sample Date	Sample Time	# Bottles	Pres.	QC								
①	SB6 - 20-25'	S	4-7-15	10:55	2	FLC		X	X	X	X				
②	SB6 30-35'	S		11:15	2			X	X	X	X				
③	SB6 35-40'	S		11:30	2			X	X	X	X				
④	SB7 20-25'			13:25	2										
⑤	SB7 30-35'			13:45	2										
⑥	SB7 35-40'			14:00	2										

*Time Zone (Circle): EST CST MST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

Comments:

of 19

QC PACKAGE (check below)			
LEVEL II (Standard QC)		LEVEL III (Std QC + forms)	
LEVEL IV (Std QC + forms + raw data)			
Preservative Key: 1-HCl 2-HNO3 3-H2SO4 4-NaOH 5-NaHSO4 7-Other 8-4 degrees C 9-5035			

RELINQUISHED BY	SIGNATURE	PRINTED NAME	DATE	TIME
RECEIVED BY	Tim W. Helm	Erin Peterson	4/10/15	0845
RELINQUISHED BY				
RECEIVED BY				
RELINQUISHED BY				
RECEIVED BY				



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: Talon

Workorder No: 1504197

Project Manager: _____

Initials: ECP Date: 4/10/15

1. Does this project require any special handling in addition to standard ALS procedures?		YES	<u>NO</u>
2. Are custody seals on shipping containers intact?	<u>NONE</u>	YES	NO
3. Are Custody seals on sample containers intact?	<u>NONE</u>	YES	NO
4. Is there a COC (Chain-of-Custody) present or other representative documents?		<u>YES</u>	NO
5. Are the COC and bottle labels complete and legible?		<u>YES</u>	NO
6. Is the COC in agreement with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)		<u>YES</u>	NO
7. Were airbills / shipping documents present and/or removable?	<u>DROP OFF</u>	YES	NO
8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles)	<u>N/A</u>	YES	NO
9. Are all aqueous non-preserved samples pH 4-9?	<u>N/A</u>	YES	NO
10. Is there sufficient sample for the requested analyses?		<u>YES</u>	NO
11. Were all samples placed in the proper containers for the requested analyses?		<u>YES</u>	NO
12. Are all samples within holding times for the requested analyses?		<u>YES</u>	NO
13. Were all sample containers received intact? (not broken or leaking, etc.)		<u>YES</u>	NO
14. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: ____ < green pea ____ > green pea	<u>N/A</u>	YES	NO
15. Do any water samples contain sediment? Amount Amount of sediment: ____ dusting ____ moderate ____ heavy	<u>N/A</u>	YES	NO
16. Were the samples shipped on ice?		<u>YES</u>	NO
17. Were cooler temperatures measured at 0.1-6.0°C? IR gun used*: #2 <u>#4</u>		<u>YES</u>	NO
Cooler #: <u>1</u>			
Temperature (°C): <u>2.6°</u>			
No. of custody seals on cooler: <u>0</u>			
External µR/hr reading: <u>NA</u>			
Background µR/hr reading: <u>12</u>			
Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? YES / NO / <u>NA</u> (If no, see Form 008.)			

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

If applicable, was the client contacted? YES / NO / NA Contact: _____ Date/Time: _____

Project Manager Signature / Date: [Signature] 4/10/15

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB6 20-25'
Legal Location:
Collection Date: 4/7/2015 10:55

Date: 16-Apr-15
Work Order: 1504197
Lab ID: 1504197-1
Matrix: SOIL
Percent Moisture: 39.2

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/13/2015	PrepBy: JFN
Diesel Range Organics	36	4,5,8,H	7.9	MG/KG	1	4/14/2015 01:40
Surr: O-TERPHENYL	87		53-116	%REC	1	4/14/2015 01:40
Gasoline Range Organics						
			SW8015		Prep Date: 4/13/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	48	GZ	0.79	MG/KG	1	4/13/2015 11:29
Surr: 2,3,4-TRIFLUOROTOLUENE	131	*	76-126	%REC	1	4/13/2015 11:29
GC/MS Volatiles						
			SW8260		Prep Date: 4/14/2015	PrepBy: TWK
BENZENE	0.93		0.075	MG/KG	1	4/14/2015 11:26
TOLUENE	1.4		0.075	MG/KG	1	4/14/2015 11:26
ETHYLBENZENE	0.48		0.075	MG/KG	1	4/14/2015 11:26
M+P-XYLENE	2.1		0.075	MG/KG	1	4/14/2015 11:26
O-XYLENE	0.87		0.075	MG/KG	1	4/14/2015 11:26
NAPHTHALENE	0.14		0.075	MG/KG	1	4/14/2015 11:26
TOTAL XYLENES	3		0.005	MG/KG	1	4/14/2015 11:26
Surr: DIBROMOFLUOROMETHANE	102		61-134	%REC	1	4/14/2015 11:26
Surr: TOLUENE-D8	95		57-135	%REC	1	4/14/2015 11:26
Surr: 4-BROMOFLUOROBENZENE	98		52-151	%REC	1	4/14/2015 11:26

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB6 30-35'
Legal Location:
Collection Date: 4/7/2015 11:15

Date: 16-Apr-15
Work Order: 1504197
Lab ID: 1504197-2
Matrix: SOIL
Percent Moisture: 34.7

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/13/2015	PrepBy: JFN
Diesel Range Organics	ND		7.6	MG/KG	1	4/14/2015 02:16
Surr: O-TERPHENYL	82		53-116	%REC	1	4/14/2015 02:16
Gasoline Range Organics						
			SW8015		Prep Date: 4/13/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.64	MG/KG	1	4/13/2015 12:10
Surr: 2,3,4-TRIFLUOROTOLUENE	101		76-126	%REC	1	4/13/2015 12:10
GC/MS Volatiles						
			SW8260		Prep Date: 4/14/2015	PrepBy: TWK
BENZENE	0.067		0.0075	MG/KG	1	4/14/2015 09:51
TOLUENE	ND		0.0075	MG/KG	1	4/14/2015 09:51
ETHYLBENZENE	ND		0.0075	MG/KG	1	4/14/2015 09:51
M+P-XYLENE	0.012		0.0075	MG/KG	1	4/14/2015 09:51
O-XYLENE	ND		0.0075	MG/KG	1	4/14/2015 09:51
NAPHTHALENE	0.0091		0.0075	MG/KG	1	4/14/2015 09:51
TOTAL XYLENES	0.012		0.005	MG/KG	1	4/14/2015 09:51
Surr: DIBROMOFLUOROMETHANE	99		61-134	%REC	1	4/14/2015 09:51
Surr: TOLUENE-D8	97		57-135	%REC	1	4/14/2015 09:51
Surr: 4-BROMOFLUOROBENZENE	100		52-151	%REC	1	4/14/2015 09:51

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB6 35-40'
Legal Location:
Collection Date: 4/7/2015 11:30

Date: 16-Apr-15
Work Order: 1504197
Lab ID: 1504197-3
Matrix: SOIL
Percent Moisture: 21.3

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/13/2015	PrepBy: JFN
Diesel Range Organics	ND		6.1	MG/KG	1	4/14/2015 02:52
Surr: O-TERPHENYL	83		53-116	%REC	1	4/14/2015 02:52
Gasoline Range Organics			SW8015		Prep Date: 4/13/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.52	MG/KG	1	4/13/2015 12:31
Surr: 2,3,4-TRIFLUOROTOLUENE	103		76-126	%REC	1	4/13/2015 12:31
GC/MS Volatiles			SW8260		Prep Date: 4/14/2015	PrepBy: TWK
BENZENE	ND		0.0058	MG/KG	1	4/14/2015 10:15
TOLUENE	ND		0.0058	MG/KG	1	4/14/2015 10:15
ETHYLBENZENE	ND		0.0058	MG/KG	1	4/14/2015 10:15
M+P-XYLENE	ND		0.0058	MG/KG	1	4/14/2015 10:15
O-XYLENE	ND		0.0058	MG/KG	1	4/14/2015 10:15
NAPHTHALENE	ND		0.0058	MG/KG	1	4/14/2015 10:15
TOTAL XYLENES	ND		0.005	MG/KG	1	4/14/2015 10:15
Surr: DIBROMOFLUOROMETHANE	103		61-134	%REC	1	4/14/2015 10:15
Surr: TOLUENE-D8	94		57-135	%REC	1	4/14/2015 10:15
Surr: 4-BROMOFLUOROBENZENE	100		52-151	%REC	1	4/14/2015 10:15

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB7 20-25'
Legal Location:
Collection Date: 4/7/2015 13:25

Date: 16-Apr-15
Work Order: 1504197
Lab ID: 1504197-4
Matrix: SOIL
Percent Moisture: 29.8

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/13/2015	PrepBy: JFN
Diesel Range Organics	210	4,5,8,H	6.9	MG/KG	1	4/14/2015 03:28
Surr: O-TERPHENYL	86		53-116	%REC	1	4/14/2015 03:28
Gasoline Range Organics						
			SW8015		Prep Date: 4/13/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	660	GZ	14	MG/KG	100	4/13/2015 17:23
Surr: 2,3,4-TRIFLUOROTOLUENE	127	*	76-126	%REC	100	4/13/2015 17:23
GC/MS Volatiles						
			SW8260		Prep Date: 4/14/2015	PrepBy: TWK
BENZENE	ND		0.35	MG/KG	50	4/14/2015 09:01
TOLUENE	6.9		0.35	MG/KG	50	4/14/2015 09:01
ETHYLBENZENE	3.8		0.35	MG/KG	50	4/14/2015 09:01
M+P-XYLENE	17		0.35	MG/KG	50	4/14/2015 09:01
O-XYLENE	6.4		0.35	MG/KG	50	4/14/2015 09:01
NAPHTHALENE	0.87		0.35	MG/KG	50	4/14/2015 09:01
TOTAL XYLENES	24		0.005	MG/KG	1	4/14/2015 09:01
Surr: DIBROMOFLUOROMETHANE	103		61-134	%REC	50	4/14/2015 09:01
Surr: TOLUENE-D8	96		57-135	%REC	50	4/14/2015 09:01
Surr: 4-BROMOFLUOROBENZENE	97		52-151	%REC	50	4/14/2015 09:01

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB7 30-35'
Legal Location:
Collection Date: 4/7/2015 13:45

Date: 16-Apr-15
Work Order: 1504197
Lab ID: 1504197-5
Matrix: SOIL
Percent Moisture: 19.9

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/13/2015	PrepBy: JFN
Diesel Range Organics	ND		6.2	MG/KG	1	4/14/2015 04:04
Surr: O-TERPHENYL	85		53-116	%REC	1	4/14/2015 04:04
Gasoline Range Organics						
			SW8015		Prep Date: 4/13/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.53	MG/KG	1	4/13/2015 13:12
Surr: 2,3,4-TRIFLUOROTOLUENE	108		76-126	%REC	1	4/13/2015 13:12
GC/MS Volatiles						
			SW8260		Prep Date: 4/14/2015	PrepBy: TWK
BENZENE	ND		0.006	MG/KG	1	4/14/2015 11:03
TOLUENE	ND		0.006	MG/KG	1	4/14/2015 11:03
ETHYLBENZENE	ND		0.006	MG/KG	1	4/14/2015 11:03
M+P-XYLENE	ND		0.006	MG/KG	1	4/14/2015 11:03
O-XYLENE	ND		0.006	MG/KG	1	4/14/2015 11:03
NAPHTHALENE	ND		0.006	MG/KG	1	4/14/2015 11:03
TOTAL XYLENES	ND		0.005	MG/KG	1	4/14/2015 11:03
Surr: DIBROMOFLUOROMETHANE	102		61-134	%REC	1	4/14/2015 11:03
Surr: TOLUENE-D8	98		57-135	%REC	1	4/14/2015 11:03
Surr: 4-BROMOFLUOROBENZENE	100		52-151	%REC	1	4/14/2015 11:03

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB7 35-40'
Legal Location:
Collection Date: 4/7/2015 14:00

Date: 16-Apr-15
Work Order: 1504197
Lab ID: 1504197-6
Matrix: SOIL
Percent Moisture: 23.9

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/13/2015	PrepBy: JFN
Diesel Range Organics	ND		6.5	MG/KG	1	4/14/2015 04:40
Surr: O-TERPHENYL	87		53-116	%REC	1	4/14/2015 04:40
Gasoline Range Organics						
			SW8015		Prep Date: 4/13/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.61	MG/KG	1	4/13/2015 14:01
Surr: 2,3,4-TRIFLUOROTOLUENE	130	*	76-126	%REC	1	4/13/2015 14:01
GC/MS Volatiles						
			SW8260		Prep Date: 4/14/2015	PrepBy: TWK
BENZENE	ND		0.0062	MG/KG	1	4/14/2015 11:50
TOLUENE	ND		0.0062	MG/KG	1	4/14/2015 11:50
ETHYLBENZENE	ND		0.0062	MG/KG	1	4/14/2015 11:50
M+P-XYLENE	ND		0.0062	MG/KG	1	4/14/2015 11:50
O-XYLENE	ND		0.0062	MG/KG	1	4/14/2015 11:50
NAPHTHALENE	ND		0.0062	MG/KG	1	4/14/2015 11:50
TOTAL XYLENES	ND		0.005	MG/KG	1	4/14/2015 11:50
Surr: DIBROMOFLUOROMETHANE	99		61-134	%REC	1	4/14/2015 11:50
Surr: TOLUENE-D8	99		57-135	%REC	1	4/14/2015 11:50
Surr: 4-BROMOFLUOROBENZENE	101		52-151	%REC	1	4/14/2015 11:50

Client: Talon LPE
Project: 701530.020.01 Nelson C-1
Sample ID: SB7 35-40'
Legal Location:
Collection Date: 4/7/2015 14:00

Date: 16-Apr-15
Work Order: 1504197
Lab ID: 1504197-6
Matrix: SOIL
Percent Moisture: 23.9

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
----------	--------	------	--------------	-------	-----------------	---------------

Explanation of Qualifiers

Radiochemistry:

U or ND - Result is less than the sample specific MDC.
 Y1 - Chemical Yield is in control at 100-110%. Quantitative yield is assumed.
 Y2 - Chemical Yield outside default limits.
 W - DER is greater than Warning Limit of 1.42
 * - Aliquot Basis is 'As Received' while the Report Basis is 'Dry Weight'.
 # - Aliquot Basis is 'Dry Weight' while the Report Basis is 'As Received'.
 G - Sample density differs by more than 15% of LCS density.
 D - DER is greater than Control Limit
 M - Requested MDC not met.
 LT - Result is less than requested MDC but greater than achieved MDC.

M3 - The requested MDC was not met, but the reported activity is greater than the reported MDC.
 L - LCS Recovery below lower control limit.
 H - LCS Recovery above upper control limit.
 P - LCS, Matrix Spike Recovery within control limits.
 N - Matrix Spike Recovery outside control limits
 NC - Not Calculated for duplicate results less than 5 times MDC
 B - Analyte concentration greater than MDC.
 B3 - Analyte concentration greater than MDC but less than Requested MDC.

Inorganics:

B - Result is less than the requested reporting limit but greater than the instrument method detection limit (MDL).
 U or ND - Indicates that the compound was analyzed for but not detected.
 E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
 M - Duplicate injection precision was not met.
 N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
 Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
 * - Duplicate analysis (relative percent difference) not within control limits.
 S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.

Organics:

U or ND - Indicates that the compound was analyzed for but not detected.
 B - Analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user.
 E - Analyte concentration exceeds the upper level of the calibration range.
 J - Estimated value. The result is less than the reporting limit but greater than the instrument method detection limit (MDL).
 A - A tentatively identified compound is a suspected aldol-condensation product.
 X - The analyte was diluted below an accurate quantitation level.
 * - The spike recovery is equal to or outside the control criteria used.
 + - The relative percent difference (RPD) equals or exceeds the control criteria.
 G - A pattern resembling gasoline was detected in this sample.
 D - A pattern resembling diesel was detected in this sample.
 M - A pattern resembling motor oil was detected in this sample.
 C - A pattern resembling crude oil was detected in this sample.
 4 - A pattern resembling JP-4 was detected in this sample.
 5 - A pattern resembling JP-5 was detected in this sample.
 H - Indicates that the fuel pattern was in the heavier end of the retention time window for the analyte of interest.
 L - Indicates that the fuel pattern was in the lighter end of the retention time window for the analyte of interest.
 Z - This flag indicates that a significant fraction of the reported result did not resemble the patterns of any of the following petroleum hydrocarbon products:

- gasoline
- JP-8
- diesel
- mineral spirits
- motor oil
- Stoddard solvent
- bunker C

ALS Environmental -- FC

Date: 4/16/2015 2:03:

Client: Talon LPE

QC BATCH REPORT

Work Order: 1504197

Project: 701530.020.01 Nelson C-1

Batch ID: HC150413-61-1

Instrument ID: FUELS-1

Method: SW8015

LCS	Sample ID: HC150413-61				Units: MG/KG		Analysis Date: 4/13/2015 10:26				
Client ID:	Run ID: HC150413-6A				Prep Date: 4/13/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.29	0.5	2.5		92	79-118				20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.565		0.5		113	76-126					

LCSD	Sample ID: HC150413-61			Units: MG/KG			Analysis Date: 4/13/2015 18:48				
Client ID:	Run ID: HC150413-6A			Prep Date: 4/13/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.26	0.5	2.5		90	79-118		2.29	1	20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.556		0.5		111	76-126			2		

MB	Sample ID: HC150413-61				Units: MG/KG		Analysis Date: 4/13/2015 11:50				
Client ID:	Run ID: HC150413-6A				Prep Date: 4/13/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	ND	0.5									
Surr: 2,3,4-TRIFLUOROTOLUENE	0.489		0.5		98	76-126					

MB		Sample ID: HC150413-61M				Units: MG/KG		Analysis Date: 4/13/2015 10:47				
Client ID:		Run ID: HC150413-6A				Prep Date: 4/13/2015				DF: 50		
Analyte		Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS		ND	5									
Surr: 2,3,4-TRIFLUOROTOLUENE		5.29		5		106	76-126					

MS	Sample ID: 1504197-6				Units: MG/KG		Analysis Date: 4/13/2015 18:05				
Client ID: SB7 35-40'			Run ID: HC150413-6A			Prep Date: 4/13/2015			DF: 1		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	1.83	0.447	2.23	0.61	82	79-118				40	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.472		0.447		106	76-126					

Client: Talon LPE
Work Order: 1504197
Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **HC150413-61-1** Instrument ID **FUELS-1** Method: **SW8015**

MSD Sample ID: **1504197-6** Units: **MG/KG** Analysis Date: **4/13/2015 18:27**

Client ID: **SB7 35-40'** Run ID: **HC150413-6A** Prep Date: **4/13/2015** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.43	0.538	2.69	0.61	90	79-118		1.83	29	40	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.607		0.538		113	76-126			25		

The following samples were analyzed in this batch:

1504197-1	1504197-2	1504197-3
1504197-4	1504197-5	1504197-6

Client: Talon LPE
Work Order: 1504197
Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **HC150413-100-1** Instrument ID **FUELS-1** Method: **SW8015M**

LCS	Sample ID: HC150413-100			Units: MG/KG			Analysis Date: 4/13/2015 18:32				
Client ID:		Run ID: HC150413-81A			Prep Date: 4/13/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	115	5	125		92	76-124				20	
Surr: O-TERPHENYL	8.93		12.5		71	53-116					

MB		Sample ID: HC150413-100				Units: MG/KG		Analysis Date: 4/13/2015 17:21			
Client ID:		Run ID: HC150413-81A				Prep Date: 4/13/2015		DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	ND	5									
Surr: O-TERPHENYL	9.37		12.5		75	53-116					

The following samples were analyzed in this batch:

Client: Talon LPE
Work Order: 1504197
Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **HC150413-100-1** Instrument ID **FUELS-1** Method: **SW8015M**

MS		Sample ID: 1504197-6			Units: MG/KG			Analysis Date: 4/14/2015 05:15			
Client ID: SB7 35-40'		Run ID: HC150413-82A			Prep Date: 4/13/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	135	6.24	156	6.5	86	76-124				20	
Surr: O-TERPHENYL	13.3		15.6		85	53-116					

MSD		Sample ID: 1504197-6			Units: MG/KG			Analysis Date: 4/14/2015 05:52			
Client ID: SB7 35-40'		Run ID: HC150413-82A			Prep Date: 4/13/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	140	6.44	161	6.5	87	76-124		135	4	20	
Surr: O-TERPHENYL	13.5		16.1		84	53-116			2		

The following samples were analyzed in this batch:

1504197-1	1504197-2	1504197-3
1504197-4	1504197-5	1504197-6

Client: Talon LPE
 Work Order: 1504197
 Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150414-2-2** Instrument ID **HPV1** Method: **SW8260**

LCS	Sample ID: VL150414-2			Units: MG/KG			Analysis Date: 4/14/2015 07:23				
Client ID:	Run ID: VL150414-2A			Prep Date: 4/14/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0394	0.005	0.04		99	73-126				30	
TOLUENE	0.0374	0.005	0.04		94	71-127				30	
ETHYLBENZENE	0.0361	0.005	0.04		90	74-127				30	
M+P-XYLENE	0.0754	0.005	0.08		94	79-126				30	
O-XYLENE	0.037	0.005	0.04		93	77-125				30	
NAPHTHALENE	0.0416	0.005	0.04		104	64-141				30	
Surr: DIBROMOFLUOROMETHANE	0.0521		0.05		104	61-134					
Surr: TOLUENE-D8	0.0486		0.05		97	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.05		0.05		100	52-151					

LCSD	Sample ID: VL150414-2			Units: MG/KG		Analysis Date: 4/14/2015 07:47					
Client ID:	Run ID: VL150414-2A					Prep Date: 4/14/2015			DF: 1		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0396	0.005	0.04		99	73-126		0.0394	0	30	
TOLUENE	0.0378	0.005	0.04		95	71-127		0.0374	1	30	
ETHYLBENZENE	0.037	0.005	0.04		92	74-127		0.0361	2	30	
M+P-XYLENE	0.0769	0.005	0.08		96	79-126		0.0754	2	30	
O-XYLENE	0.0379	0.005	0.04		95	77-125		0.037	2	30	
NAPHTHALENE	0.0432	0.005	0.04		108	64-141		0.0416	4	30	
Surr: DIBROMOFLUOROMETHANE	0.052		0.05		104	61-134			0		
Surr: TOLUENE-D8	0.0498		0.05		100	57-135			2		
Surr: 4-BROMOFLUOROBENZENE	0.0506		0.05		101	52-151			1		

Client: Talon LPE
 Work Order: 1504197
 Project: 701530.020.01 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150414-2-2** Instrument ID **HPV1** Method: **SW8260**

MB		Sample ID: VL150414-2			Units: MG/KG		Analysis Date: 4/14/2015 08:13				
Client ID:		Run ID: VL150414-2A			Prep Date: 4/14/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.005									
TOLUENE	ND	0.005									
ETHYLBENZENE	ND	0.005									
M+P-XYLENE	ND	0.005									
O-XYLENE	ND	0.005									
NAPHTHALENE	ND	0.005									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	0.0524		0.05		105	61-134					
Surr: TOLUENE-D8	0.048		0.05		96	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0497		0.05		99	52-151					

MB		Sample ID: VL150414-2M				Units: MG/KG		Analysis Date: 4/14/2015 08:39			
Client ID:		Run ID: VL150414-2A				Prep Date: 4/14/2015			DF: 50		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.25									
TOLUENE	ND	0.25									
ETHYLBENZENE	ND	0.25									
M+P-XYLENE	ND	0.25									
O-XYLENE	ND	0.25									
NAPHTHALENE	ND	0.25									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	2.53		2.5		101	61-134					
Surr: TOLUENE-D8	2.48		2.5		99	57-135					
Surr: 4-BROMOFLUOROBENZENE	2.49		2.5		100	52-151					

The following samples were analyzed in this batch:

1504197-1	1504197-2	1504197-3
1504197-4	1504197-5	1504197-6

Thursday, April 30, 2015

Colby Sterling
Talon LPE
921 N Bivins
Amarillo, TX 79107

Re: ALS Workorder: 1504496
Project Name: Nelson C-1
Project Number: 701530.020.02

Dear Mr. Sterling:

Sixteen soil samples were received from Talon LPE, on 4/24/2015. The samples were scheduled for the following analyses:

GC/MS Volatiles

Total Extractable Petroleum Hydrocarbons (Diesel)


Total Volatile Petroleum Hydrocarbons (Gasoline)

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,



ALS Environmental
Amy R. Wolf
Project Manager

ALS Environmental – Fort Collins is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Environmental – Fort Collins	
Accreditation Body	License or Certification Number
Alaska (AK)	UST-086
Alaska (AK)	CO01099
Arizona (AZ)	AZ0742
California (CA)	06251CA
Colorado (CO)	CO01099
Connecticut (CT)	PH-0232
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
L-A-B (DoD ELAP/ISO 170250)	L2257
Maryland (MD)	285
Missouri (MO)	175
Nebraska(NE)	NE-OS-24-13
Nevada (NV)	CO000782008A
New Jersey (NJ)	CO003
New York (NY)	12036
North Dakota (ND)	R-057
Oklahoma (OK)	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	2976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington (WA)	C1280



1504496

GC/MS Volatiles:

The samples were analyzed using GC/MS following the current revision of SOP 525 based on SW-846 Method 8260C.

All acceptance criteria were met.

GRO:

The samples were analyzed following the current revision of SOP 425 generally based on SW-846 Methods 8000C and 8015D. TVPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C6 to C10.

All matrix spike and matrix spike duplicate recoveries and RPDs were within the acceptance criteria with the following exceptions:

Spiked Compound	QC Sample	Direction
Gasoline range organics	MS/MSD	Low

The recoveries for gasoline range organics in the laboratory control sample and laboratory control sample duplicate were within control limits, which suggest the outlier in the matrix spikes may have been due to matrix effects. No further action was taken. Laboratory control sample and laboratory control sample duplicate results have been included.

All remaining acceptance criteria were met.

DRO:

The samples were analyzed following the current revision of SOP 406 generally based on SW-846 Methods 8000C and 8015D. TEPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C10 to C28.

All acceptance criteria were met.

ALS Environmental -- FC

Sample Number(s) Cross-Reference Table

OrderNum: 1504496


Client Name: Talon LPE

Client Project Name: Nelson C-1

Client Project Number: 701530.020.02

Client PO Number:

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
SB-8 15-20	1504496-1		SOIL	22-Apr-15	9:12
SB-8 20-25	1504496-2		SOIL	22-Apr-15	9:30
SB-8 25-30	1504496-3		SOIL	22-Apr-15	9:40
SB-8 35-40	1504496-4		SOIL	22-Apr-15	10:10
SB-9 10-15	1504496-5		SOIL	22-Apr-15	11:14
SB-9 20-25	1504496-6		SOIL	22-Apr-15	11:32
SB-9 25-30	1504496-7		SOIL	22-Apr-15	11:42
SB-9 30-35	1504496-8		SOIL	22-Apr-15	11:52
SB-10 10-15	1504496-9		SOIL	22-Apr-15	15:40
SB-10 15-20	1504496-10		SOIL	22-Apr-15	15:50
SB-10 20-25	1504496-11		SOIL	22-Apr-15	16:00
SB-10 25-30	1504496-12		SOIL	22-Apr-15	16:10
SB-10 30-35	1504496-13		SOIL	22-Apr-15	16:20
SB-11 20-25	1504496-14		SOIL	23-Apr-15	9:40
SB-11 25-30	1504496-15		SOIL	23-Apr-15	9:58
SB-11 30-35	1504496-16		SOIL	23-Apr-15	10:15



ALS Laboratory Group

225 Commerce Drive, Fort Collins, Colorado 80524
TF: (800) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Chain-of-Custody

Form 202r8

PROJECT NAME	Nelson C-1	SAMPLER	TI Grisel	DATE	4-24-15	WORKORDER #	1504496
PROJECT No.	701530.020.02	SITE ID		TURNAROUND	Standard	PAGE	1 of 2
COMPANY NAME	Talen/LPE	EDD FORMAT				DISPOSAL	
SEND REPORT TO	Celby Sterling	PURCHASE ORDER					
ADDRESS	921 N. Bivins	BILL TO COMPANY	Whiting				
CITY / STATE / ZIP	Americillo, TX 79107	INVOICE ATTN TO	Kyle Waggoner				
PHONE	806-467-0622	ADDRESS					
FAX	806-467-0622	CITY / STATE / ZIP					
E-MAIL	sterling@talenlpe.com	PHONE					
		FAX					
		E-MAIL	Kyle.waggoner@whiting.com				
Lab ID	Field ID	Matrix	Sample Date	Sample Time	# Bottles	Pres.	QC
① SR-8	15-20	Soil	4-22-15	0912	2	NA	
②	20-25			0930			
③	25-30			0940			
④	35-40			1010			
⑤ SR-9	10-15			1114			
⑥	20-25			1132			
⑦	25-30			1142			
⑧	30-35			1152			
⑨ SB-10	10-15			1540			
⑩ SB-10	15-20			1550			

*Time Zone (Circle): EST CST MST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

Comments: of 31	QC PACKAGE (check below)
	LEVEL II (Standard QC)
	LEVEL III (Std QC + forms)
	LEVEL IV (Std QC + forms + raw data)
Preservative Key:	1-HCl 2-HNO3 3-H2SO4 4-NaOH 5-NaHSO4 7-Other 8-4 degrees C 9-5035

RELINQUISHED BY	SIGNATURE	PRINTED NAME	DATE	TIME
RECEIVED BY		TIGRIS	4-24-15	1525
RELINQUISHED BY		Amy Wolf	4/24/15	1525
RECEIVED BY				
RELINQUISHED BY				
RECEIVED BY				



ALS Laboratory Group

225 Commerce Drive, Fort Collins, Colorado 80524
TF: (800) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Chain-of-Custody

Form 202r8

WORKORDER # 1504496									
PAGE 2 of 2									
DATE 4-24-15									
TURNAROUND Standard									
By Lab or Return to Client									
PROJECT NAME Nelson C-1									
PROJECT No. 761530.020.02									
COMPANY NAME Telen/PE									
SEND REPORT TO Colby Stedias									
ADDRESS 921 W. Buins									
CITY / STATE / ZIP Amarillo, TX 79107									
PHONE 806-467-0607									
FAX 806-467-0622									
E-MAIL csterling@telenpc.com									
SAMPLER T. Grisel									
SITE ID									
EDD FORMAT									
PURCHASE ORDER									
BILL TO COMPANY									
INVOICE ATTN TO Whiting									
ADDRESS Kyle Waggoner									
CITY / STATE / ZIP									
PHONE									
FAX									
E-MAIL kyle.waggoner@whiting.com									
Lab ID									
Field ID									
Matrix									
Sample Date									
Sample Time									
# Bottles									
Pres. QC									
GRO 8015									
DRO 8015									
BETA 8260									
Naphthalene									

*Time Zone (Circle): EST CST MST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

Comments:

of 31

QC PACKAGE (check below)

LEVEL II (Standard QC)

LEVEL III (Std QC + forms)

LEVEL IV (Std QC + forms + raw data)

Preservative Key: 1-HCl 2-HNO3 3-H2SO4 4-NaOH 5-NaHSO4 7-Other 8-4 degrees C 9-5035

RELINQUISHED BY	SIGNATURE	PRINTED NAME	DATE	TIME
RECEIVED BY	T. Grisel	T. Grisel	4-24-15	1525
RELINQUISHED BY	G. W. Wolf	Amy Wolf	4/24/15	1525
RECEIVED BY				
RELINQUISHED BY				
RECEIVED BY				



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: Talon / LPE
Project Manager: ARW

Workorder No: 1504496
Initials: SDM Date: 04-24-2015

1. Does this project require any special handling in addition to standard ALS procedures?		YES	<u>NO</u>
2. Are custody seals on shipping containers intact?	<u>NONE</u>	YES	NO
3. Are Custody seals on sample containers intact?	<u>NONE</u>	YES	NO
4. Is there a COC (Chain-of-Custody) present or other representative documents?		<u>YES</u>	NO
5. Are the COC and bottle labels complete and legible?		<u>YES</u>	NO
6. Is the COC in agreement with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)		YES	NO
7. Were airbills / shipping documents present and/or removable?	<u>DROP OFF</u>	YES	NO
8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles)	<u>N/A</u>	YES	NO
9. Are all aqueous non-preserved samples pH 4-9?	<u>N/A</u>	YES	NO
10. Is there sufficient sample for the requested analyses?		<u>YES</u>	NO
11. Were all samples placed in the proper containers for the requested analyses?		<u>YES</u>	NO
12. Are all samples within holding times for the requested analyses?		<u>YES</u>	NO
13. Were all sample containers received intact? (not broken or leaking, etc.)		<u>YES</u>	NO
14. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: <u> </u> < green pea <u> </u> > green pea	<u>N/A</u>	YES	NO
15. Do any water samples contain sediment? Amount of sediment: <u> </u> dusting <u> </u> moderate <u> </u> heavy	<u>N/A</u>	YES	NO
16. Were the samples shipped on ice?		<u>YES</u>	NO
17. Were cooler temperatures measured at 0.1-6.0°C? IR gun used*: #2 <u>#4</u>		<u>YES</u>	NO
Cooler #: <u>1</u> <u>2</u>			
Temperature (°C): <u>5.6</u> <u>5.0</u>			
No. of custody seals on cooler: <u>0</u> <u>0</u>			
External µR/hr reading: <u>N/A</u> <u>N/A</u>			
Background µR/hr reading: <u>N/A</u>			
Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? YES / NO / <u>NA</u> (If no, see Form 008.)			

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

If applicable, was the client contacted? YES / NO / NA Contact: Date/Time:

Project Manager Signature / Date: 4/24/15

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-8 15-20
Legal Location:
Collection Date: 4/22/2015 09:12

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-1
Matrix: SOIL
Percent Moisture: 26.5

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		6.7	MG/KG	1	4/28/2015 23:57
Surr: O-TERPHENYL	87		53-116	%REC	1	4/28/2015 23:57
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.59	MG/KG	1	4/27/2015 11:32
Surr: 2,3,4-TRIFLUOROTOLUENE	97		76-126	%REC	1	4/27/2015 11:32
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0064	MG/KG	1	4/29/2015 20:54
TOLUENE	ND		0.0064	MG/KG	1	4/29/2015 20:54
ETHYLBENZENE	ND		0.0064	MG/KG	1	4/29/2015 20:54
M+P-XYLENE	ND		0.0064	MG/KG	1	4/29/2015 20:54
O-XYLENE	ND		0.0064	MG/KG	1	4/29/2015 20:54
NAPHTHALENE	ND		0.0064	MG/KG	1	4/29/2015 20:54
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 20:54
Surr: DIBROMOFLUOROMETHANE	108		61-134	%REC	1	4/29/2015 20:54
Surr: TOLUENE-D8	94		57-135	%REC	1	4/29/2015 20:54
Surr: 4-BROMOFLUOROBENZENE	106		52-151	%REC	1	4/29/2015 20:54

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-8 20-25
Legal Location:
Collection Date: 4/22/2015 09:30

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-2
Matrix: SOIL
Percent Moisture: 29.0

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		7	MG/KG	1	4/29/2015 00:33
Surr: O-TERPHENYL	85		53-116	%REC	1	4/29/2015 00:33
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.66	MG/KG	1	4/27/2015 11:52
Surr: 2,3,4-TRIFLUOROTOLUENE	98		76-126	%REC	1	4/27/2015 11:52
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0062	MG/KG	1	4/29/2015 23:07
TOLUENE	ND		0.0062	MG/KG	1	4/29/2015 23:07
ETHYLBENZENE	ND		0.0062	MG/KG	1	4/29/2015 23:07
M+P-XYLENE	ND		0.0062	MG/KG	1	4/29/2015 23:07
O-XYLENE	ND		0.0062	MG/KG	1	4/29/2015 23:07
NAPHTHALENE	ND		0.0062	MG/KG	1	4/29/2015 23:07
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 23:07
Surr: DIBROMOFLUOROMETHANE	104		61-134	%REC	1	4/29/2015 23:07
Surr: TOLUENE-D8	92		57-135	%REC	1	4/29/2015 23:07
Surr: 4-BROMOFLUOROBENZENE	103		52-151	%REC	1	4/29/2015 23:07

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-8 25-30
Legal Location:
Collection Date: 4/22/2015 09:40

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-3
Matrix: SOIL
Percent Moisture: 30.1

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
Diesel Range Organics	16	D,M	7	MG/KG	1	4/29/2015 01:09
Surr: O-TERPHENYL	87		53-116	%REC	1	4/29/2015 01:09
Gasoline Range Organics						
GASOLINE RANGE ORGANICS	5.3	GZ	1.3	MG/KG	1	4/27/2015 12:13
Surr: 2,3,4-TRIFLUOROTOLUENE	100		76-126	%REC	1	4/27/2015 12:13
GC/MS Volatiles						
BENZENE	0.85		0.061	MG/KG	1	4/30/2015 12:07
TOLUENE	1.4		0.061	MG/KG	1	4/30/2015 12:07
ETHYLBENZENE	0.2		0.061	MG/KG	1	4/30/2015 12:07
M+P-XYLENE	0.85		0.061	MG/KG	1	4/30/2015 12:07
O-XYLENE	0.4		0.061	MG/KG	1	4/30/2015 12:07
NAPHTHALENE	ND		0.061	MG/KG	1	4/30/2015 12:07
TOTAL XYLENES	1.3		0.005	MG/KG	1	4/30/2015 12:07
Surr: DIBROMOFLUOROMETHANE	105		61-134	%REC	1	4/30/2015 12:07
Surr: TOLUENE-D8	93		57-135	%REC	1	4/30/2015 12:07
Surr: 4-BROMOFLUOROBENZENE	100		52-151	%REC	1	4/30/2015 12:07

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-8 35-40
Legal Location:
Collection Date: 4/22/2015 10:10

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-4
Matrix: SOIL
Percent Moisture: 24.7

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		6.2	MG/KG	1	4/29/2015 01:44
Surr: O-TERPHENYL	88		53-116	%REC	1	4/29/2015 01:44
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.54	MG/KG	1	4/27/2015 12:54
Surr: 2,3,4-TRIFLUOROTOLUENE	98		76-126	%REC	1	4/27/2015 12:54
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0063	MG/KG	1	4/29/2015 21:17
TOLUENE	ND		0.0063	MG/KG	1	4/29/2015 21:17
ETHYLBENZENE	ND		0.0063	MG/KG	1	4/29/2015 21:17
M+P-XYLENE	ND		0.0063	MG/KG	1	4/29/2015 21:17
O-XYLENE	ND		0.0063	MG/KG	1	4/29/2015 21:17
NAPHTHALENE	ND		0.0063	MG/KG	1	4/29/2015 21:17
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 21:17
Surr: DIBROMOFLUOROMETHANE	106		61-134	%REC	1	4/29/2015 21:17
Surr: TOLUENE-D8	90		57-135	%REC	1	4/29/2015 21:17
Surr: 4-BROMOFLUOROBENZENE	105		52-151	%REC	1	4/29/2015 21:17

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-9 10-15
Legal Location:
Collection Date: 4/22/2015 11:14

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-5
Matrix: SOIL
Percent Moisture: 33.7

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	52	4,5,8,M	6.9	MG/KG	1	4/29/2015 02:56
Surr: O-TERPHENYL	88		53-116	%REC	1	4/29/2015 02:56
Gasoline Range Organics						
			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	1.5	G	0.64	MG/KG	1	4/27/2015 13:15
Surr: 2,3,4-TRIFLUOROTOLUENE	104		76-126	%REC	1	4/27/2015 13:15
GC/MS Volatiles						
			SW8260		Prep Date: 4/30/2015	PrepBy: TWK
BENZENE	ND		0.0072	MG/KG	1	4/30/2015 12:29
TOLUENE	ND		0.0072	MG/KG	1	4/30/2015 12:29
ETHYLBENZENE	ND		0.0072	MG/KG	1	4/30/2015 12:29
M+P-XYLENE	ND		0.0072	MG/KG	1	4/30/2015 12:29
O-XYLENE	0.018		0.0072	MG/KG	1	4/30/2015 12:29
NAPHTHALENE	ND		0.0072	MG/KG	1	4/30/2015 12:29
TOTAL XYLENES	0.018		0.005	MG/KG	1	4/30/2015 12:29
Surr: DIBROMOFLUOROMETHANE	108		61-134	%REC	1	4/30/2015 12:29
Surr: TOLUENE-D8	92		57-135	%REC	1	4/30/2015 12:29
Surr: 4-BROMOFLUOROBENZENE	103		52-151	%REC	1	4/30/2015 12:29

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-9 20-25
Legal Location:
Collection Date: 4/22/2015 11:32

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-6
Matrix: SOIL
Percent Moisture: 29.4

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	52	4,5,8,M	6.9	MG/KG	1	4/29/2015 03:31
<i>Surr: O-TERPHENYL</i>	88		53-116	%REC	1	4/29/2015 03:31
Gasoline Range Organics						
			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	3.8	Z	0.54	MG/KG	1	4/27/2015 13:36
<i>Surr: 2,3,4-TRIFLUOROTOLUENE</i>	101		76-126	%REC	1	4/27/2015 13:36
GC/MS Volatiles						
			SW8260		Prep Date: 4/30/2015	PrepBy: TWK
BENZENE	ND		0.0066	MG/KG	1	4/30/2015 12:51
TOLUENE	ND		0.0066	MG/KG	1	4/30/2015 12:51
ETHYLBENZENE	ND		0.0066	MG/KG	1	4/30/2015 12:51
M+P-XYLENE	ND		0.0066	MG/KG	1	4/30/2015 12:51
O-XYLENE	ND		0.0066	MG/KG	1	4/30/2015 12:51
NAPHTHALENE	ND		0.0066	MG/KG	1	4/30/2015 12:51
TOTAL XYLENES	ND		0.005	MG/KG	1	4/30/2015 12:51
<i>Surr: DIBROMOFLUOROMETHANE</i>	103		61-134	%REC	1	4/30/2015 12:51
<i>Surr: TOLUENE-D8</i>	95		57-135	%REC	1	4/30/2015 12:51
<i>Surr: 4-BROMOFLUOROBENZENE</i>	101		52-151	%REC	1	4/30/2015 12:51

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-9 25-30
Legal Location:
Collection Date: 4/22/2015 11:42

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-7
Matrix: SOIL
Percent Moisture: 32.4

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		7.2	MG/KG	1	4/29/2015 04:07
Surr: O-TERPHENYL	86		53-116	%REC	1	4/29/2015 04:07
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.67	MG/KG	1	4/27/2015 13:57
Surr: 2,3,4-TRIFLUOROTOLUENE	100		76-126	%REC	1	4/27/2015 13:57
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0071	MG/KG	1	4/29/2015 22:23
TOLUENE	ND		0.0071	MG/KG	1	4/29/2015 22:23
ETHYLBENZENE	ND		0.0071	MG/KG	1	4/29/2015 22:23
M+P-XYLENE	ND		0.0071	MG/KG	1	4/29/2015 22:23
O-XYLENE	ND		0.0071	MG/KG	1	4/29/2015 22:23
NAPHTHALENE	ND		0.0071	MG/KG	1	4/29/2015 22:23
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 22:23
Surr: DIBROMOFLUOROMETHANE	105		61-134	%REC	1	4/29/2015 22:23
Surr: TOLUENE-D8	94		57-135	%REC	1	4/29/2015 22:23
Surr: 4-BROMOFLUOROBENZENE	104		52-151	%REC	1	4/29/2015 22:23

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-9 30-35
Legal Location:
Collection Date: 4/22/2015 11:52

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-8
Matrix: SOIL
Percent Moisture: 29.0

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		6.5	MG/KG	1	4/29/2015 04:43
Surr: O-TERPHENYL	86		53-116	%REC	1	4/29/2015 04:43
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.6	MG/KG	1	4/27/2015 14:37
Surr: 2,3,4-TRIFLUOROTOLUENE	94		76-126	%REC	1	4/27/2015 14:37
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0067	MG/KG	1	4/29/2015 22:45
TOLUENE	ND		0.0067	MG/KG	1	4/29/2015 22:45
ETHYLBENZENE	ND		0.0067	MG/KG	1	4/29/2015 22:45
M+P-XYLENE	ND		0.0067	MG/KG	1	4/29/2015 22:45
O-XYLENE	ND		0.0067	MG/KG	1	4/29/2015 22:45
NAPHTHALENE	ND		0.0067	MG/KG	1	4/29/2015 22:45
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 22:45
Surr: DIBROMOFLUOROMETHANE	106		61-134	%REC	1	4/29/2015 22:45
Surr: TOLUENE-D8	93		57-135	%REC	1	4/29/2015 22:45
Surr: 4-BROMOFLUOROBENZENE	101		52-151	%REC	1	4/29/2015 22:45

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-10 10-15
Legal Location:
Collection Date: 4/22/2015 15:40

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-9
Matrix: SOIL
Percent Moisture: 30.2

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		7	MG/KG	1	4/29/2015 05:54
Surr: O-TERPHENYL	89		53-116	%REC	1	4/29/2015 05:54
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.56	MG/KG	1	4/27/2015 14:58
Surr: 2,3,4-TRIFLUOROTOLUENE	95		76-126	%REC	1	4/27/2015 14:58
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0068	MG/KG	1	4/29/2015 16:52
TOLUENE	ND		0.0068	MG/KG	1	4/29/2015 16:52
ETHYLBENZENE	ND		0.0068	MG/KG	1	4/29/2015 16:52
M+P-XYLENE	ND		0.0068	MG/KG	1	4/29/2015 16:52
O-XYLENE	ND		0.0068	MG/KG	1	4/29/2015 16:52
NAPHTHALENE	ND		0.0068	MG/KG	1	4/29/2015 16:52
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 16:52
Surr: DIBROMOFLUOROMETHANE	102		61-134	%REC	1	4/29/2015 16:52
Surr: TOLUENE-D8	93		57-135	%REC	1	4/29/2015 16:52
Surr: 4-BROMOFLUOROBENZENE	98		52-151	%REC	1	4/29/2015 16:52

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-10 15-20
Legal Location:
Collection Date: 4/22/2015 15:50

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-10
Matrix: SOIL
Percent Moisture: 28.5

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	6.8	4	6.6	MG/KG	1	4/29/2015 06:30
<i>Surr: O-TERPHENYL</i>	87		53-116	%REC	1	4/29/2015 06:30
Gasoline Range Organics						
			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	31	Z	0.67	MG/KG	1	4/27/2015 16:00
<i>Surr: 2,3,4-TRIFLUOROTOLUENE</i>	113		76-126	%REC	1	4/27/2015 16:00
GC/MS Volatiles						
			SW8260		Prep Date: 4/30/2015	PrepBy: TWK
BENZENE	ND		0.0066	MG/KG	1	4/30/2015 13:13
TOLUENE	ND		0.0066	MG/KG	1	4/30/2015 13:13
ETHYLBENZENE	ND		0.0066	MG/KG	1	4/30/2015 13:13
M+P-XYLENE	ND		0.0066	MG/KG	1	4/30/2015 13:13
O-XYLENE	ND		0.0066	MG/KG	1	4/30/2015 13:13
NAPHTHALENE	ND		0.0066	MG/KG	1	4/30/2015 13:13
TOTAL XYLENES	ND		0.005	MG/KG	1	4/30/2015 13:13
<i>Surr: DIBROMOFLUOROMETHANE</i>	105		61-134	%REC	1	4/30/2015 13:13
<i>Surr: TOLUENE-D8</i>	93		57-135	%REC	1	4/30/2015 13:13
<i>Surr: 4-BROMOFLUOROBENZENE</i>	102		52-151	%REC	1	4/30/2015 13:13

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-10 20-25
Legal Location:
Collection Date: 4/22/2015 16:00

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-11
Matrix: SOIL
Percent Moisture: 29.6

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	49	4,5,8,M	6.8	MG/KG	1	4/29/2015 07:06
Surr: O-TERPHENYL	87		53-116	%REC	1	4/29/2015 07:06
Gasoline Range Organics						
			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	27	Z	0.58	MG/KG	1	4/27/2015 16:40
Surr: 2,3,4-TRIFLUOROTOLUENE	107		76-126	%REC	1	4/27/2015 16:40
GC/MS Volatiles						
			SW8260		Prep Date: 4/30/2015	PrepBy: TWK
BENZENE	ND		0.0069	MG/KG	1	4/30/2015 13:35
TOLUENE	0.0078		0.0069	MG/KG	1	4/30/2015 13:35
ETHYLBENZENE	ND		0.0069	MG/KG	1	4/30/2015 13:35
M+P-XYLENE	0.026		0.0069	MG/KG	1	4/30/2015 13:35
O-XYLENE	0.015		0.0069	MG/KG	1	4/30/2015 13:35
NAPHTHALENE	ND		0.0069	MG/KG	1	4/30/2015 13:35
TOTAL XYLENES	0.041		0.005	MG/KG	1	4/30/2015 13:35
Surr: DIBROMOFLUOROMETHANE	105		61-134	%REC	1	4/30/2015 13:35
Surr: TOLUENE-D8	95		57-135	%REC	1	4/30/2015 13:35
Surr: 4-BROMOFLUOROBENZENE	101		52-151	%REC	1	4/30/2015 13:35

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-10 25-30
Legal Location:
Collection Date: 4/22/2015 16:10

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-12
Matrix: SOIL
Percent Moisture: 30.1

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		7.1	MG/KG	1	4/29/2015 07:41
Surr: O-TERPHENYL	86		53-116	%REC	1	4/29/2015 07:41
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.57	MG/KG	1	4/27/2015 17:22
Surr: 2,3,4-TRIFLUOROTOLUENE	97		76-126	%REC	1	4/27/2015 17:22
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0071	MG/KG	1	4/29/2015 23:51
TOLUENE	ND		0.0071	MG/KG	1	4/29/2015 23:51
ETHYLBENZENE	ND		0.0071	MG/KG	1	4/29/2015 23:51
M+P-XYLENE	ND		0.0071	MG/KG	1	4/29/2015 23:51
O-XYLENE	ND		0.0071	MG/KG	1	4/29/2015 23:51
NAPHTHALENE	ND		0.0071	MG/KG	1	4/29/2015 23:51
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 23:51
Surr: DIBROMOFLUOROMETHANE	103		61-134	%REC	1	4/29/2015 23:51
Surr: TOLUENE-D8	95		57-135	%REC	1	4/29/2015 23:51
Surr: 4-BROMOFLUOROBENZENE	101		52-151	%REC	1	4/29/2015 23:51

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-10 30-35
Legal Location:
Collection Date: 4/22/2015 16:20

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-13
Matrix: SOIL
Percent Moisture: 39.0

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		8.1	MG/KG	1	4/29/2015 08:16
Surr: O-TERPHENYL	88		53-116	%REC	1	4/29/2015 08:16
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.66	MG/KG	1	4/27/2015 17:43
Surr: 2,3,4-TRIFLUOROTOLUENE	92		76-126	%REC	1	4/27/2015 17:43
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0081	MG/KG	1	4/29/2015 20:33
TOLUENE	ND		0.0081	MG/KG	1	4/29/2015 20:33
ETHYLBENZENE	ND		0.0081	MG/KG	1	4/29/2015 20:33
M+P-XYLENE	ND		0.0081	MG/KG	1	4/29/2015 20:33
O-XYLENE	ND		0.0081	MG/KG	1	4/29/2015 20:33
NAPHTHALENE	ND		0.0081	MG/KG	1	4/29/2015 20:33
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 20:33
Surr: DIBROMOFLUOROMETHANE	108		61-134	%REC	1	4/29/2015 20:33
Surr: TOLUENE-D8	92		57-135	%REC	1	4/29/2015 20:33
Surr: 4-BROMOFLUOROBENZENE	106		52-151	%REC	1	4/29/2015 20:33

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-11 20-25
Legal Location:
Collection Date: 4/23/2015 09:40

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-14
Matrix: SOIL
Percent Moisture: 30.2

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		7	MG/KG	1	4/29/2015 08:52
Surr: O-TERPHENYL	85		53-116	%REC	1	4/29/2015 08:52
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.7	MG/KG	1	4/27/2015 18:04
Surr: 2,3,4-TRIFLUOROTOLUENE	89		76-126	%REC	1	4/27/2015 18:04
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0065	MG/KG	1	4/29/2015 21:39
TOLUENE	ND		0.0065	MG/KG	1	4/29/2015 21:39
ETHYLBENZENE	ND		0.0065	MG/KG	1	4/29/2015 21:39
M+P-XYLENE	ND		0.0065	MG/KG	1	4/29/2015 21:39
O-XYLENE	ND		0.0065	MG/KG	1	4/29/2015 21:39
NAPHTHALENE	ND		0.0065	MG/KG	1	4/29/2015 21:39
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 21:39
Surr: DIBROMOFLUOROMETHANE	105		61-134	%REC	1	4/29/2015 21:39
Surr: TOLUENE-D8	92		57-135	%REC	1	4/29/2015 21:39
Surr: 4-BROMOFLUOROBENZENE	100		52-151	%REC	1	4/29/2015 21:39

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-11 25-30
Legal Location:
Collection Date: 4/23/2015 09:58

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-15
Matrix: SOIL
Percent Moisture: 36.3

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		7.6	MG/KG	1	4/29/2015 09:27
Surr: O-TERPHENYL	87		53-116	%REC	1	4/29/2015 09:27
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.69	MG/KG	1	4/27/2015 18:24
Surr: 2,3,4-TRIFLUOROTOLUENE	89		76-126	%REC	1	4/27/2015 18:24
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0074	MG/KG	1	4/29/2015 23:29
TOLUENE	ND		0.0074	MG/KG	1	4/29/2015 23:29
ETHYLBENZENE	ND		0.0074	MG/KG	1	4/29/2015 23:29
M+P-XYLENE	ND		0.0074	MG/KG	1	4/29/2015 23:29
O-XYLENE	ND		0.0074	MG/KG	1	4/29/2015 23:29
NAPHTHALENE	ND		0.0074	MG/KG	1	4/29/2015 23:29
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 23:29
Surr: DIBROMOFLUOROMETHANE	107		61-134	%REC	1	4/29/2015 23:29
Surr: TOLUENE-D8	93		57-135	%REC	1	4/29/2015 23:29
Surr: 4-BROMOFLUOROBENZENE	102		52-151	%REC	1	4/29/2015 23:29

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-11 30-35
Legal Location:
Collection Date: 4/23/2015 10:15

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-16
Matrix: SOIL
Percent Moisture: 22.4

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 4/28/2015	PrepBy: JFN
Diesel Range Organics	ND		6.4	MG/KG	1	4/29/2015 10:37
Surr: O-TERPHENYL	86		53-116	%REC	1	4/29/2015 10:37
Gasoline Range Organics			SW8015		Prep Date: 4/27/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.36	MG/KG	1	4/27/2015 18:45
Surr: 2,3,4-TRIFLUOROTOLUENE	88		76-126	%REC	1	4/27/2015 18:45
GC/MS Volatiles			SW8260		Prep Date: 4/29/2015	PrepBy: SDW
BENZENE	ND		0.0062	MG/KG	1	4/29/2015 22:01
TOLUENE	ND		0.0062	MG/KG	1	4/29/2015 22:01
ETHYLBENZENE	ND		0.0062	MG/KG	1	4/29/2015 22:01
M+P-XYLENE	ND		0.0062	MG/KG	1	4/29/2015 22:01
O-XYLENE	ND		0.0062	MG/KG	1	4/29/2015 22:01
NAPHTHALENE	ND		0.0062	MG/KG	1	4/29/2015 22:01
TOTAL XYLENES	ND		0.005	MG/KG	1	4/29/2015 22:01
Surr: DIBROMOFLUOROMETHANE	105		61-134	%REC	1	4/29/2015 22:01
Surr: TOLUENE-D8	92		57-135	%REC	1	4/29/2015 22:01
Surr: 4-BROMOFLUOROBENZENE	103		52-151	%REC	1	4/29/2015 22:01

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-11 30-35
Legal Location:
Collection Date: 4/23/2015 10:15

Date: 30-Apr-15
Work Order: 1504496
Lab ID: 1504496-16
Matrix: SOIL
Percent Moisture: 22.4

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
----------	--------	------	--------------	-------	-----------------	---------------

Explanation of Qualifiers

Radiochemistry:

U or ND - Result is less than the sample specific MDC.
Y1 - Chemical Yield is in control at 100-110%. Quantitative yield is assumed.
Y2 - Chemical Yield outside default limits.
W - DER is greater than Warning Limit of 1.42
* - Aliquot Basis is 'As Received' while the Report Basis is 'Dry Weight'.
- Aliquot Basis is 'Dry Weight' while the Report Basis is 'As Received'.
G - Sample density differs by more than 15% of LCS density.
D - DER is greater than Control Limit
M - Requested MDC not met.
LT - Result is less than requested MDC but greater than achieved MDC.

M3 - The requested MDC was not met, but the reported activity is greater than the reported MDC.
L - LCS Recovery below lower control limit.
H - LCS Recovery above upper control limit.
P - LCS, Matrix Spike Recovery within control limits.
N - Matrix Spike Recovery outside control limits
NC - Not Calculated for duplicate results less than 5 times MDC
B - Analyte concentration greater than MDC.
B3 - Analyte concentration greater than MDC but less than Requested MDC.

Inorganics:

B - Result is less than the requested reporting limit but greater than the instrument method detection limit (MDL).
U or ND - Indicates that the compound was analyzed for but not detected.
E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
M - Duplicate injection precision was not met.
N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
* - Duplicate analysis (relative percent difference) not within control limits.
S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.

Organics:

U or ND - Indicates that the compound was analyzed for but not detected.
B - Analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user.
E - Analyte concentration exceeds the upper level of the calibration range.
J - Estimated value. The result is less than the reporting limit but greater than the instrument method detection limit (MDL).
A - A tentatively identified compound is a suspected aldol-condensation product.
X - The analyte was diluted below an accurate quantitation level.
* - The spike recovery is equal to or outside the control criteria used.
+ - The relative percent difference (RPD) equals or exceeds the control criteria.
G - A pattern resembling gasoline was detected in this sample.
D - A pattern resembling diesel was detected in this sample.
M - A pattern resembling motor oil was detected in this sample.
C - A pattern resembling crude oil was detected in this sample.
4 - A pattern resembling JP-4 was detected in this sample.
5 - A pattern resembling JP-5 was detected in this sample.
H - Indicates that the fuel pattern was in the heavier end of the retention time window for the analyte of interest.
L - Indicates that the fuel pattern was in the lighter end of the retention time window for the analyte of interest.
Z - This flag indicates that a significant fraction of the reported result did not resemble the patterns of any of the following petroleum hydrocarbon products:
- gasoline
- JP-8
- diesel
- mineral spirits
- motor oil
- Stoddard solvent
- bunker C

ALS Environmental -- FC

Date: 4/30/2015 3:27:

Client: Talon LPE

QC BATCH REPORT

Work Order: 1504496

Project: 701530.020.02 Nelson C-1

Batch ID: HC150427-61-1

Instrument ID: FUELS-1

Method: SW8015

LCS	Sample ID: HC150427-61				Units: MG/KG		Analysis Date: 4/27/2015 09:07				
Client ID:	Run ID: HC150427-61				Prep Date: 4/27/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.19	0.5	2.5		88	79-118				20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.52		0.5		104	76-126					

LCSD	Sample ID: HC150427-61			Units: MG/KG			Analysis Date: 4/27/2015 14:17				
Client ID:	Run ID: HC150427-61			Prep Date: 4/27/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.28	0.5	2.5		91	79-118		2.19	4	20	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.523		0.5		105	76-126			1		

MB	Sample ID: HC150427-61				Units: MG/KG		Analysis Date: 4/27/2015 09:28				
Client ID:	Run ID: HC150427-61				Prep Date: 4/27/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	ND	0.5									
Surr: 2,3,4-TRIFLUOROTOLUENE	0.476		0.5		95	76-126					

MB	Sample ID: HC150427-61M				Units: MG/KG		Analysis Date: 4/27/2015 10:08				
Client ID:		Run ID: HC150427-61				Prep Date: 4/27/2015			DF: 50		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	ND	5									
Surr: 2,3,4-TRIFLUOROTOLUENE	5.06		5		101	76-126					

MS	Sample ID: 1504496-9				Units: MG/KG		Analysis Date: 4/27/2015 15:18				
Client ID: SB-10 10-15			Run ID: HC150427-61			Prep Date: 4/27/2015			DF: 1		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	1.45	0.426	2.13	0.56	68	79-118				40	*
Surr: 2,3,4-TRIFLUOROTOLUENE	0.429		0.426		101	76-126					

Client: Talon LPE
Work Order: 1504496
Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **HC150427-61-1** Instrument ID **FUELS-1** Method: **SW8015**

MSD Sample ID: **1504496-9** Units: **MG/KG** Analysis Date: **4/27/2015 15:39**

Client ID: **SB-10 10-15** Run ID: **HC150427-61** Prep Date: **4/27/2015** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
GASOLINE RANGE ORGANICS	2.18	0.592	2.96	0.56	74	79-118		1.45	40	40	*
Surr: 2,3,4-TRIFLUOROTOLUENE	0.595		0.592		101	76-126			32		

The following samples were analyzed in this batch:

1504496-1	1504496-2	1504496-3
1504496-4	1504496-5	1504496-6
1504496-7	1504496-8	1504496-9
1504496-10	1504496-11	1504496-12
1504496-13	1504496-14	1504496-15
1504496-16		

Client: Talon LPE
 Work Order: 1504496
 Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **HC150428-101-1** Instrument ID **FUELS-1** Method: **SW8015M**

DUP	Sample ID: 1504496-8				Units: MG/KG		Analysis Date: 4/29/2015 05:19				
Client ID: SB-9 30-35			Run ID: HC150428-8A			Prep Date: 4/28/2015			DF: 1		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	ND	6.88						6.5		30	
Surr: O-TERPHENYL	14.6		17.2		85	53-116					

LCS	Sample ID: HC150428-101				Units: MG/KG		Analysis Date: 4/28/2015 20:59				
Client ID:	Run ID: HC150428-8A				Prep Date: 4/28/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	122	5	125		97	76-124				20	
Surr: O-TERPHENYL	8.93		12.5		71	53-116					

MB	Sample ID: HC150428-101				Units: MG/KG		Analysis Date: 4/28/2015 21:34				
Client ID:	Run ID: HC150428-8A				Prep Date: 4/28/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	ND	5									
Surr: O-TERPHENYL	9.47		12.5		76	53-116					

MS				Sample ID: 1504496-15				Units: MG/KG				Analysis Date: 4/29/2015 10:02			
Client ID: SB-11 25-30				Run ID: HC150428-8A				Prep Date: 4/28/2015				DF: 1			
Analyte		Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual			
Diesel Range Organics		171	7.59	190	7.6	90	76-124				20				
Surr: O-TERPHENYL		16.3		19		86	53-116								

The following samples were analyzed in this batch:

1504496-1	1504496-2	1504496-3
1504496-4	1504496-5	1504496-6
1504496-7	1504496-8	1504496-9
1504496-10	1504496-11	1504496-12
1504496-13	1504496-14	1504496-15
1504496-16		

Client: Talon LPE
 Work Order: 1504496
 Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150429-2-3** Instrument ID **HPV1** Method: **SW8260**

LCS	Sample ID: VL150429-2			Units: MG/KG			Analysis Date: 4/29/2015 12:56				
Client ID:	Run ID: VL150429-2A			Prep Date: 4/29/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0456	0.005	0.04		114	73-126				30	
TOLUENE	0.0418	0.005	0.04		104	71-127				30	
ETHYLBENZENE	0.0414	0.005	0.04		104	74-127				30	
M+P-XYLENE	0.0857	0.005	0.08		107	79-126				30	
O-XYLENE	0.0439	0.005	0.04		110	77-125				30	
NAPHTHALENE	0.0515	0.005	0.04		129	64-141				30	
Surr: DIBROMOFLUOROMETHANE	0.0531		0.05		106	61-134					
Surr: TOLUENE-D8	0.0454		0.05		91	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0519		0.05		104	52-151					

LCSD	Sample ID: VL150429-2			Units: MG/KG		Analysis Date: 4/29/2015 13:20					
Client ID:	Run ID: VL150429-2A			Prep Date: 4/29/2015				DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0398	0.005	0.04		99	73-126		0.0456	14	30	
TOLUENE	0.0365	0.005	0.04		91	71-127		0.0418	14	30	
ETHYLBENZENE	0.0368	0.005	0.04		92	74-127		0.0414	12	30	
M+P-XYLENE	0.0755	0.005	0.08		94	79-126		0.0857	13	30	
O-XYLENE	0.0386	0.005	0.04		97	77-125		0.0439	13	30	
NAPHTHALENE	0.0426	0.005	0.04		106	64-141		0.0515	19	30	
Surr: DIBROMOFLUOROMETHANE	0.0538		0.05		108	61-134			1		
Surr: TOLUENE-D8	0.0452		0.05		90	57-135			0		
Surr: 4-BROMOFLUOROBENZENE	0.0516		0.05		103	52-151			1		

Client: Talon LPE
 Work Order: 1504496
 Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150429-2-3** Instrument ID **HPV1** Method: **SW8260**

MB		Sample ID: VL150429-2			Units: MG/KG		Analysis Date: 4/29/2015 13:45				
Client ID:		Run ID: VL150429-2A			Prep Date: 4/29/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.005									
TOLUENE	ND	0.005									
ETHYLBENZENE	ND	0.005									
M+P-XYLENE	ND	0.005									
O-XYLENE	ND	0.005									
NAPHTHALENE	ND	0.005									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	0.0496		0.05		99	61-134					
Surr: TOLUENE-D8	0.047		0.05		94	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0501		0.05		100	52-151					

MSD	Sample ID: 1504496-9			Units: MG/KG			Analysis Date: 4/29/2015 20:11				
Client ID: SB-10 10-15			Run ID: VL150429-2A			Prep Date: 4/29/2015			DF: 1		
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0534	0.00704	0.0563	0.0068	95	73-126				30	
TOLUENE	0.0491	0.00704	0.0563	0.0068	87	71-127				30	
ETHYLBENZENE	0.0422	0.00704	0.0563	0.0068	75	74-127				30	
M+P-XYLENE	0.106	0.00704	0.113	0.0068	94	79-126				30	
O-XYLENE	0.0598	0.00704	0.0563	0.0068	106	77-125				30	
NAPHTHALENE	0.0523	0.00704	0.0563	0.0068	93	64-141				30	
Surr: DIBROMOFLUOROMETHANE	0.0775		0.0704		110	61-134					
Surr: TOLUENE-D8	0.0637		0.0704		91	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0824		0.0704		117	52-151					

The following samples were analyzed in this batch:

1504496-1	1504496-2	1504496-4
1504496-7	1504496-8	1504496-9
1504496-12	1504496-13	1504496-14
1504496-15	1504496-16	

Client: Talon LPE
 Work Order: 1504496
 Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150430-2-1** Instrument ID **HPV1** Method: **SW8260**

LCS	Sample ID: VL150430-2			Units: MG/KG		Analysis Date: 4/30/2015 10:37					
Client ID:	Run ID: VL150430-2A			Prep Date: 4/30/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0406	0.005	0.04		102	73-126				30	
TOLUENE	0.0349	0.005	0.04		87	71-127				30	
ETHYLBENZENE	0.0341	0.005	0.04		85	74-127				30	
M+P-XYLENE	0.0705	0.005	0.08		88	79-126				30	
O-XYLENE	0.0355	0.005	0.04		89	77-125				30	
NAPHTHALENE	0.0372	0.005	0.04		93	64-141				30	
Surr: DIBROMOFLUOROMETHANE	0.0534		0.05		107	61-134					
Surr: TOLUENE-D8	0.0462		0.05		92	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0516		0.05		103	52-151					

LCSD	Sample ID: VL150430-2			Units: MG/KG		Analysis Date: 4/30/2015 10:59					
Client ID:	Run ID: VL150430-2A			Prep Date: 4/30/2015				DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0396	0.005	0.04		99	73-126		0.0406	3	30	
TOLUENE	0.0343	0.005	0.04		86	71-127		0.0349	2	30	
ETHYLBENZENE	0.033	0.005	0.04		82	74-127		0.0341	3	30	
M+P-XYLENE	0.0693	0.005	0.08		87	79-126		0.0705	2	30	
O-XYLENE	0.0341	0.005	0.04		85	77-125		0.0355	4	30	
NAPHTHALENE	0.0387	0.005	0.04		97	64-141		0.0372	4	30	
Surr: DIBROMOFLUOROMETHANE	0.0513		0.05		103	61-134			4		
Surr: TOLUENE-D8	0.0459		0.05		92	57-135			1		
Surr: 4-BROMOFLUOROBENZENE	0.0505		0.05		101	52-151			2		

Client: Talon LPE
Work Order: 1504496
Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150430-2-1** Instrument ID **HPV1** Method: **SW8260**

MB Sample ID: **VL150430-2** Units: **MG/KG** Analysis Date: **4/30/2015 11:21**

Client ID: Run ID: **VL150430-2A** Prep Date: **4/30/2015** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.005									
TOLUENE	ND	0.005									
ETHYLBENZENE	ND	0.005									
M+P-XYLENE	ND	0.005									
O-XYLENE	ND	0.005									
NAPHTHALENE	ND	0.005									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	0.0531		0.05		106	61-134					
Surr: TOLUENE-D8	0.0457		0.05		91	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0512		0.05		102	52-151					

The following samples were analyzed in this batch:

1504496-3	1504496-5	1504496-6
1504496-10	1504496-11	

Friday, June 12, 2015

Colby Sterling
Talon LPE
921 N Bivins
Amarillo, TX 79107

Re: ALS Workorder: 1506115
Project Name: Nelson C-1
Project Number: 701530.020.02

Dear Mr. Sterling:

Nine soil samples were received from Talon LPE, on 6/5/2015. The samples were scheduled for the following analyses:

GC/MS Volatiles

Total Extractable Petroleum Hydrocarbons (Diesel)


Total Volatile Petroleum Hydrocarbons (Gasoline)

The results for these analyses are contained in the enclosed reports.

The data contained in the following report have been reviewed and approved by the personnel listed below. In addition, ALS certifies that the analyses reported herein are true, complete and correct within the limits of the methods employed.

Thank you for your confidence in ALS Environmental. Should you have any questions, please call.

Sincerely,



ALS Environmental
Amy R. Wolf
Project Manager

ALS Environmental – Fort Collins is accredited by the following accreditation bodies for various testing scopes in accordance with requirements of each accreditation body. All testing is performed under the laboratory management system, which is maintained to meet these requirement and regulations. Please contact the laboratory or accreditation body for the current scope testing parameters.

ALS Environmental – Fort Collins	
Accreditation Body	License or Certification Number
Alaska (AK)	UST-086
Alaska (AK)	CO01099
Arizona (AZ)	AZ0742
California (CA)	06251CA
Colorado (CO)	CO01099
Connecticut (CT)	PH-0232
Florida (FL)	E87914
Idaho (ID)	CO01099
Kansas (KS)	E-10381
Kentucky (KY)	90137
L-A-B (DoD ELAP/ISO 170250)	L2257
Maryland (MD)	285
Missouri (MO)	175
Nebraska(NE)	NE-OS-24-13
Nevada (NV)	CO000782008A
New Jersey (NJ)	CO003
New York (NY)	12036
North Dakota (ND)	R-057
Oklahoma (OK)	1301
Pennsylvania (PA)	68-03116
Tennessee (TN)	2976
Texas (TX)	T104704241
Utah (UT)	CO01099
Washington (WA)	C1280



1506115

GC/MS Volatiles:

The samples were analyzed using GC/MS following the current revision of SOP 525 based on SW-846 Method 8260C.

All acceptance criteria were met.

GRO:

The samples were analyzed following the current revision of SOP 425 generally based on SW-846 Methods 8000C and 8015D. TVPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C6 to C10.

All matrix spike and matrix spike duplicate recoveries and RPDs were within the acceptance criteria with the following exceptions:

Spiked Compound	QC Sample	Direction
Gasoline range organics	MSD	Low

The recoveries for gasoline range organics in the laboratory control sample and laboratory control sample duplicate were within control limits, which suggest the outlier in the matrix spikes may have been due to matrix effects. No further action was taken. Laboratory control sample and laboratory control sample duplicate results have been included.

All remaining acceptance criteria were met.

DRO:

The samples were analyzed following the current revision of SOP 406 generally based on SW-846 Methods 8000C and 8015D. TEPH is a multicomponent mixture and is quantitated by summing the entire carbon range, rather than individual peaks. The carbon range integrated in this test extends from C10 to C28.

All acceptance criteria were met.

ALS Environmental -- FC

Sample Number(s) Cross-Reference Table

OrderNum: 1506115

Client Name: Talon LPE

Client Project Name: Nelson C-1

Client Project Number: 701530.020.02

Client PO Number:

Client Sample Number	Lab Sample Number	COC Number	Matrix	Date Collected	Time Collected
SB-12 20-25	1506115-1		SOIL	04-Jun-15	15:10
SB-12 25-30	1506115-2		SOIL	04-Jun-15	15:18
SB-13 20-25	1506115-3		SOIL	04-Jun-15	11:12
SB-13 35-40	1506115-4		SOIL	04-Jun-15	11:45
SB-12-30-35	1506115-5		SOIL	04-Jun-15	15:28
SB-13 30-35	1506115-6		SOIL	04-Jun-15	11:35
SB-12 15-20	1506115-7		SOIL	04-Jun-15	15:00
SB-13 15-20	1506115-8		SOIL	04-Jun-15	11:00
SB-13 25-30	1506115-9		SOIL	04-Jun-15	11:20



ALS Laboratory Group

225 Commerce Drive, Fort Collins, Colorado 80524
TF: (970) 443-1511 PH: (970) 490-1511 FX: (970) 490-1522

Chain-of-Custody

Form 202/8

PROJECT NAME	Nelson C-1	SAMPLER	TI Grisel	DATE	6-5-15	WORKORDER #	1506115
PROJECT NO.	701530.020.02	SITE ID		TURNAROUND	Standard	PAGE	1 of 1
COMPANY NAME	Talon LPE	EDD FORMAT				DISPOSAL	
SEND REPORT TO	Colby Sterling	PURCHASE ORDER					
ADDRESS	1801 E. Mulberry	BILL TO COMPANY	Whiting				
CITY / STATE / ZIP	FT Collins, CO 80524	INVOICE ATTN TO	Kyle Whiting				
PHONE	970-818-5330	ADDRESS					
FAX		CITY / STATE / ZIP					
E-MAIL	Csterling@talonlpe.com	PHONE					
		FAX					
		E-MAIL	Kyle.WWhiting@whiting.com				
Lab ID	Field ID	Matrix	Sample Date	Sample Time	# Bottles	Pres.	QC
1	SB-12 20-25	Soil	6-4-15	1510	1	NA	NA
2	SB-12 25-30	Soil	6-4-15	1514	1	NA	NA
3	SB-13 20-25	Soil	6-4-15	1112	1	NA	NA
4	SB-13 35-40	Soil	6-4-15	1145	1	NA	NA
5	SB-12 30-35	Soil	6-4-15	1528	1	NA	NA
6	SB-13 30-35	Soil	6-4-15	1135	1	NA	NA
7	SB-12 15-20	Soil	6-4-15	1500	1	NA	NA
8	SB-13 15-20	Soil	6-4-15	1100	1	NA	NA
9	SB-13 25-30	Soil	6-4-15	1120	1	NA	NA
10	diff 6.5-15						

*Time Zone (Circle): EST CST MST PST Matrix: O = oil S = soil NS = non-soil solid W = water L = liquid E = extract F = filter

For metals or anions, please detail analytes below.

Comments:	QC PACKAGE (check below)	RELINQUISHED BY	SIGNATURE	PRINTED NAME	DATE	TIME
	LEVEL II (Standard QC)	RECEIVED BY	Whiting	TI Grisel	6-5-15	1215
	LEVEL III (Std QC + forms)	RELINQUISHED BY	Colby Sterling	Erin Peterson	6/5/15	1215
	LEVEL IV (Std QC + forms + raw data)	RECEIVED BY				
		RELINQUISHED BY				
		RECEIVED BY				



ALS Environmental - Fort Collins
CONDITION OF SAMPLE UPON RECEIPT FORM

Client: TALON

Workorder No: 1506115

Project Manager: ARW

Initials: SDM Date: 06-05-15

1. Does this project require any special handling in addition to standard ALS procedures?		YES	<input checked="" type="radio"/> NO
2. Are custody seals on shipping containers intact?	<input checked="" type="radio"/> NONE	YES	NO
3. Are Custody seals on sample containers intact?	<input checked="" type="radio"/> NONE	YES	NO
4. Is there a COC (Chain-of-Custody) present or other representative documents?		<input checked="" type="radio"/> YES	NO
5. Are the COC and bottle labels complete and legible?		<input checked="" type="radio"/> YES	NO
6. Is the COC in agreement with samples received? (IDs, dates, times, no. of samples, no. of containers, matrix, requested analyses, etc.)	<u>SDM</u> <u>06-05-15</u>	<input checked="" type="radio"/> YES	<input checked="" type="radio"/> NO
7. Were airbills / shipping documents present and/or removable?	<input checked="" type="radio"/> DROP OFF	YES	NO
8. Are all aqueous samples requiring preservation preserved correctly? (excluding volatiles)	<input checked="" type="radio"/> N/A	YES	NO
9. Are all aqueous non-preserved samples pH 4-9?	<input checked="" type="radio"/> N/A	YES	NO
10. Is there sufficient sample for the requested analyses?		<input checked="" type="radio"/> YES	NO
11. Were all samples placed in the proper containers for the requested analyses?		<input checked="" type="radio"/> YES	NO
12. Are all samples within holding times for the requested analyses?		<input checked="" type="radio"/> YES	NO
13. Were all sample containers received intact? (not broken or leaking, etc.)		<input checked="" type="radio"/> YES	NO
14. Are all samples requiring no headspace (VOC, GRO, RSK/MEE, Rx CN/S, radon) headspace free? Size of bubble: ____ < green pea ____ > green pea	<input checked="" type="radio"/> N/A	YES	NO
15. Do any water samples contain sediment? Amount Amount of sediment: ____ dusting ____ moderate ____ heavy	<input checked="" type="radio"/> N/A	YES	NO
16. Were the samples shipped on ice?		<input checked="" type="radio"/> YES	NO
17. Were cooler temperatures measured at 0.1-6.0°C? IR gun used*: #2 <input checked="" type="radio"/> #4		<input checked="" type="radio"/> YES	NO
Cooler #: <u>1</u>			
Temperature (°C): <u>1.4</u>			
No. of custody seals on cooler: <u>0</u>			
DOT Survey/ Acceptance Information	External µR/hr reading: <u>NA</u>		
	Background µR/hr reading: <u>12</u>		
Were external µR/hr readings ≤ two times background and within DOT acceptance criteria? YES / NO / <input checked="" type="radio"/> NA (If no, see Form 008.)			

Additional Information: PROVIDE DETAILS BELOW FOR A NO RESPONSE TO ANY QUESTION ABOVE, EXCEPT #1 AND #16.

SB-12 15-20 rec'd 2 4oz jars; COC states 1 bottle

* Sample 5 (SB-12 30-35) reads "SB-12 30-35" on the label.
Date + Sample time match the COC for Sample 5.

↳ matching by time is the correct course of action.
Log using COC ID. on 6/8/15

If applicable, was the client contacted? ☒ YES / NO / NA Contact: Colby Sterling Date/Time: 6/8/15

Project Manager Signature / Date: [Signature] 6/8/15

*IR Gun #2: Oakton, SN 29922500201-0066

*IR Gun #4: Oakton, SN 2372220101-0002

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-12 20-25
Legal Location:
Collection Date: 6/4/2015 15:10

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-1
Matrix: SOIL
Percent Moisture: 28.0

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 6/9/2015	PrepBy: JFN
Diesel Range Organics	9.5	ZL	6.6	MG/KG	1	6/10/2015 19:39
Surr: O-TERPHENYL	86		53-116	%REC	1	6/10/2015 19:39
Gasoline Range Organics			SW8015		Prep Date: 6/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	14	GZ	1.4	MG/KG	1	6/9/2015 14:06
Surr: 2,3,4-TRIFLUOROTOLUENE	120		76-126	%REC	1	6/9/2015 14:06
GC/MS Volatiles			SW8260		Prep Date: 6/9/2015	PrepBy: TWK
BENZENE	0.96		0.29	MG/KG	50	6/9/2015 16:14
TOLUENE	1.9		0.29	MG/KG	50	6/9/2015 16:14
ETHYLBENZENE	0.44		0.035	MG/KG	1	6/8/2015 18:36
M+P-XYLENE	1.8		0.035	MG/KG	1	6/8/2015 18:36
O-XYLENE	0.71		0.035	MG/KG	1	6/8/2015 18:36
NAPHTHALENE	0.071		0.035	MG/KG	1	6/8/2015 18:36
TOTAL XYLENES	2.5		0.005	MG/KG	1	6/9/2015 16:14
Surr: DIBROMOFLUOROMETHANE	95		61-134	%REC	50	6/9/2015 16:14
Surr: DIBROMOFLUOROMETHANE	97		61-134	%REC	1	6/8/2015 18:36
Surr: TOLUENE-D8	96		57-135	%REC	1	6/8/2015 18:36
Surr: TOLUENE-D8	91		57-135	%REC	50	6/9/2015 16:14
Surr: 4-BROMOFLUOROBENZENE	97		52-151	%REC	50	6/9/2015 16:14
Surr: 4-BROMOFLUOROBENZENE	96		52-151	%REC	1	6/8/2015 18:36

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-12 25-30
Legal Location:
Collection Date: 6/4/2015 15:18

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-2
Matrix: SOIL
Percent Moisture: 29.0

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 6/9/2015	PrepBy: JFN
Diesel Range Organics	ND		7	MG/KG	1	6/10/2015 20:10
Surr: O-TERPHENYL	94		53-116	%REC	1	6/10/2015 20:10
Gasoline Range Organics						
			SW8015		Prep Date: 6/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	3.2	GZ	1.3	MG/KG	1	6/9/2015 14:27
Surr: 2,3,4-TRIFLUOROTOLUENE	108		76-126	%REC	1	6/9/2015 14:27
GC/MS Volatiles						
			SW8260		Prep Date: 6/8/2015	PrepBy: TWK
BENZENE	0.57		0.047	MG/KG	1	6/8/2015 19:02
TOLUENE	0.59		0.047	MG/KG	1	6/8/2015 19:02
ETHYLBENZENE	0.07		0.047	MG/KG	1	6/8/2015 19:02
M+P-XYLENE	0.3		0.047	MG/KG	1	6/8/2015 19:02
O-XYLENE	0.13		0.047	MG/KG	1	6/8/2015 19:02
NAPHTHALENE	ND		0.047	MG/KG	1	6/8/2015 19:02
TOTAL XYLENES	0.43		0.005	MG/KG	1	6/8/2015 19:02
Surr: DIBROMOFLUOROMETHANE	97		61-134	%REC	1	6/8/2015 19:02
Surr: TOLUENE-D8	93		57-135	%REC	1	6/8/2015 19:02
Surr: 4-BROMOFLUOROBENZENE	94		52-151	%REC	1	6/8/2015 19:02

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-13 20-25
Legal Location:
Collection Date: 6/4/2015 11:12

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-3
Matrix: SOIL
Percent Moisture: 33.0

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 6/9/2015	PrepBy: JFN
Diesel Range Organics	ND		7.4	MG/KG	1	6/10/2015 20:41
Surr: O-TERPHENYL	94		53-116	%REC	1	6/10/2015 20:41
Gasoline Range Organics			SW8015		Prep Date: 6/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.48	MG/KG	1	6/9/2015 14:48
Surr: 2,3,4-TRIFLUOROTOLUENE	95		76-126	%REC	1	6/9/2015 14:48
GC/MS Volatiles			SW8260		Prep Date: 6/8/2015	PrepBy: TWK
BENZENE	ND		0.0072	MG/KG	1	6/8/2015 19:24
TOLUENE	ND		0.0072	MG/KG	1	6/8/2015 19:24
ETHYLBENZENE	ND		0.0072	MG/KG	1	6/8/2015 19:24
M+P-XYLENE	ND		0.0072	MG/KG	1	6/8/2015 19:24
O-XYLENE	ND		0.0072	MG/KG	1	6/8/2015 19:24
NAPHTHALENE	ND		0.0072	MG/KG	1	6/8/2015 19:24
TOTAL XYLENES	ND		0.005	MG/KG	1	6/8/2015 19:24
Surr: DIBROMOFLUOROMETHANE	99		61-134	%REC	1	6/8/2015 19:24
Surr: TOLUENE-D8	94		57-135	%REC	1	6/8/2015 19:24
Surr: 4-BROMOFLUOROBENZENE	96		52-151	%REC	1	6/8/2015 19:24

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-13 35-40
Legal Location:
Collection Date: 6/4/2015 11:45

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-4
Matrix: SOIL
Percent Moisture: 23.3

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 6/9/2015	PrepBy: JFN
Diesel Range Organics	ND		6.3	MG/KG	1	6/10/2015 21:12
Surr: O-TERPHENYL	98		53-116	%REC	1	6/10/2015 21:12
Gasoline Range Organics			SW8015		Prep Date: 6/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.49	MG/KG	1	6/9/2015 15:09
Surr: 2,3,4-TRIFLUOROTOLUENE	99		76-126	%REC	1	6/9/2015 15:09
GC/MS Volatiles			SW8260		Prep Date: 6/8/2015	PrepBy: TWK
BENZENE	ND		0.0061	MG/KG	1	6/8/2015 19:49
TOLUENE	ND		0.0061	MG/KG	1	6/8/2015 19:49
ETHYLBENZENE	ND		0.0061	MG/KG	1	6/8/2015 19:49
M+P-XYLENE	ND		0.0061	MG/KG	1	6/8/2015 19:49
O-XYLENE	ND		0.0061	MG/KG	1	6/8/2015 19:49
NAPHTHALENE	ND		0.0061	MG/KG	1	6/8/2015 19:49
TOTAL XYLENES	ND		0.005	MG/KG	1	6/8/2015 19:49
Surr: DIBROMOFLUOROMETHANE	96		61-134	%REC	1	6/8/2015 19:49
Surr: TOLUENE-D8	95		57-135	%REC	1	6/8/2015 19:49
Surr: 4-BROMOFLUOROBENZENE	95		52-151	%REC	1	6/8/2015 19:49

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-12-30-35
Legal Location:
Collection Date: 6/4/2015 15:28

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-5
Matrix: SOIL
Percent Moisture: 24.1

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 6/9/2015	PrepBy: JFN
Diesel Range Organics	ND		6	MG/KG	1	6/10/2015 21:43
Surr: O-TERPHENYL	100		53-116	%REC	1	6/10/2015 21:43
Gasoline Range Organics						
			SW8015		Prep Date: 6/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.46	MG/KG	1	6/9/2015 15:29
Surr: 2,3,4-TRIFLUOROTOLUENE	97		76-126	%REC	1	6/9/2015 15:29
GC/MS Volatiles						
			SW8260		Prep Date: 6/8/2015	PrepBy: TWK
BENZENE	0.076		0.0061	MG/KG	1	6/8/2015 20:15
TOLUENE	0.0071		0.0061	MG/KG	1	6/8/2015 20:15
ETHYLBENZENE	0.0079		0.0061	MG/KG	1	6/8/2015 20:15
M+P-XYLENE	0.021		0.0061	MG/KG	1	6/8/2015 20:15
O-XYLENE	ND		0.0061	MG/KG	1	6/8/2015 20:15
NAPHTHALENE	ND		0.0061	MG/KG	1	6/8/2015 20:15
TOTAL XYLENES	0.021		0.005	MG/KG	1	6/8/2015 20:15
Surr: DIBROMOFLUOROMETHANE	97		61-134	%REC	1	6/8/2015 20:15
Surr: TOLUENE-D8	96		57-135	%REC	1	6/8/2015 20:15
Surr: 4-BROMOFLUOROBENZENE	97		52-151	%REC	1	6/8/2015 20:15

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-13 30-35
Legal Location:
Collection Date: 6/4/2015 11:35

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-6
Matrix: SOIL
Percent Moisture: 36.7

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 6/9/2015	PrepBy: JFN
Diesel Range Organics	ND		7.6	MG/KG	1	6/10/2015 22:13
Surr: O-TERPHENYL	97		53-116	%REC	1	6/10/2015 22:13
Gasoline Range Organics			SW8015		Prep Date: 6/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.55	MG/KG	1	6/9/2015 15:49
Surr: 2,3,4-TRIFLUOROTOLUENE	99		76-126	%REC	1	6/9/2015 15:49
GC/MS Volatiles			SW8260		Prep Date: 6/8/2015	PrepBy: TWK
BENZENE	0.14		0.0076	MG/KG	1	6/8/2015 20:40
TOLUENE	0.096		0.0076	MG/KG	1	6/8/2015 20:40
ETHYLBENZENE	0.019		0.0076	MG/KG	1	6/8/2015 20:40
M+P-XYLENE	0.056		0.0076	MG/KG	1	6/8/2015 20:40
O-XYLENE	0.017		0.0076	MG/KG	1	6/8/2015 20:40
NAPHTHALENE	ND		0.0076	MG/KG	1	6/8/2015 20:40
TOTAL XYLENES	0.073		0.005	MG/KG	1	6/8/2015 20:40
Surr: DIBROMOFLUOROMETHANE	99		61-134	%REC	1	6/8/2015 20:40
Surr: TOLUENE-D8	94		57-135	%REC	1	6/8/2015 20:40
Surr: 4-BROMOFLUOROBENZENE	96		52-151	%REC	1	6/8/2015 20:40

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-12 15-20
Legal Location:
Collection Date: 6/4/2015 15:00

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-7
Matrix: SOIL
Percent Moisture: 29.2

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 6/9/2015	PrepBy: JFN
Diesel Range Organics	ND		6.8	MG/KG	1	6/10/2015 22:44
Surr: O-TERPHENYL	95		53-116	%REC	1	6/10/2015 22:44
Gasoline Range Organics						
			SW8015		Prep Date: 6/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.59	MG/KG	1	6/9/2015 16:11
Surr: 2,3,4-TRIFLUOROTOLUENE	96		76-126	%REC	1	6/9/2015 16:11
GC/MS Volatiles						
			SW8260		Prep Date: 6/8/2015	PrepBy: TWK
BENZENE	ND		0.0064	MG/KG	1	6/8/2015 21:06
TOLUENE	ND		0.0064	MG/KG	1	6/8/2015 21:06
ETHYLBENZENE	ND		0.0064	MG/KG	1	6/8/2015 21:06
M+P-XYLENE	ND		0.0064	MG/KG	1	6/8/2015 21:06
O-XYLENE	ND		0.0064	MG/KG	1	6/8/2015 21:06
NAPHTHALENE	ND		0.0064	MG/KG	1	6/8/2015 21:06
TOTAL XYLENES	ND		0.005	MG/KG	1	6/8/2015 21:06
Surr: DIBROMOFLUOROMETHANE	98		61-134	%REC	1	6/8/2015 21:06
Surr: TOLUENE-D8	93		57-135	%REC	1	6/8/2015 21:06
Surr: 4-BROMOFLUOROBENZENE	97		52-151	%REC	1	6/8/2015 21:06

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-13 15-20
Legal Location:
Collection Date: 6/4/2015 11:00

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-8
Matrix: SOIL
Percent Moisture: 23.0

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics			SW8015M		Prep Date: 6/9/2015	PrepBy: JFN
Diesel Range Organics	ND		6.4	MG/KG	1	6/10/2015 23:15
Surr: O-TERPHENYL	94		53-116	%REC	1	6/10/2015 23:15
Gasoline Range Organics			SW8015		Prep Date: 6/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.61	MG/KG	1	6/9/2015 16:32
Surr: 2,3,4-TRIFLUOROTOLUENE	93		76-126	%REC	1	6/9/2015 16:32
GC/MS Volatiles			SW8260		Prep Date: 6/8/2015	PrepBy: TWK
BENZENE	ND		0.0061	MG/KG	1	6/8/2015 21:32
TOLUENE	ND		0.0061	MG/KG	1	6/8/2015 21:32
ETHYLBENZENE	ND		0.0061	MG/KG	1	6/8/2015 21:32
M+P-XYLENE	ND		0.0061	MG/KG	1	6/8/2015 21:32
O-XYLENE	ND		0.0061	MG/KG	1	6/8/2015 21:32
NAPHTHALENE	ND		0.0061	MG/KG	1	6/8/2015 21:32
TOTAL XYLENES	ND		0.005	MG/KG	1	6/8/2015 21:32
Surr: DIBROMOFLUOROMETHANE	99		61-134	%REC	1	6/8/2015 21:32
Surr: TOLUENE-D8	93		57-135	%REC	1	6/8/2015 21:32
Surr: 4-BROMOFLUOROBENZENE	98		52-151	%REC	1	6/8/2015 21:32

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-13 25-30
Legal Location:
Collection Date: 6/4/2015 11:20

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-9
Matrix: SOIL
Percent Moisture: 25.6

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Diesel Range Organics						
			SW8015M		Prep Date: 6/9/2015	PrepBy: JFN
Diesel Range Organics	ND		6.6	MG/KG	1	6/10/2015 23:46
Surr: O-TERPHENYL	94		53-116	%REC	1	6/10/2015 23:46
Gasoline Range Organics						
			SW8015		Prep Date: 6/9/2015	PrepBy: JFN
GASOLINE RANGE ORGANICS	ND		0.49	MG/KG	1	6/9/2015 17:34
Surr: 2,3,4-TRIFLUOROTOLUENE	94		76-126	%REC	1	6/9/2015 17:34
GC/MS Volatiles						
			SW8260		Prep Date: 6/8/2015	PrepBy: TWK
BENZENE	ND		0.0062	MG/KG	1	6/8/2015 21:58
TOLUENE	ND		0.0062	MG/KG	1	6/8/2015 21:58
ETHYLBENZENE	ND		0.0062	MG/KG	1	6/8/2015 21:58
M+P-XYLENE	ND		0.0062	MG/KG	1	6/8/2015 21:58
O-XYLENE	ND		0.0062	MG/KG	1	6/8/2015 21:58
NAPHTHALENE	ND		0.0062	MG/KG	1	6/8/2015 21:58
TOTAL XYLENES	ND		0.005	MG/KG	1	6/8/2015 21:58
Surr: DIBROMOFLUOROMETHANE	98		61-134	%REC	1	6/8/2015 21:58
Surr: TOLUENE-D8	94		57-135	%REC	1	6/8/2015 21:58
Surr: 4-BROMOFLUOROBENZENE	96		52-151	%REC	1	6/8/2015 21:58

Client: Talon LPE
Project: 701530.020.02 Nelson C-1
Sample ID: SB-13 25-30
Legal Location:
Collection Date: 6/4/2015 11:20

Date: 12-Jun-15
Work Order: 1506115
Lab ID: 1506115-9
Matrix: SOIL
Percent Moisture: 25.6

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
----------	--------	------	--------------	-------	-----------------	---------------

Explanation of Qualifiers

Radiochemistry:

U or ND - Result is less than the sample specific MDC.
 Y1 - Chemical Yield is in control at 100-110%. Quantitative yield is assumed.
 Y2 - Chemical Yield outside default limits.
 W - DER is greater than Warning Limit of 1.42
 * - Aliquot Basis is 'As Received' while the Report Basis is 'Dry Weight'.
 # - Aliquot Basis is 'Dry Weight' while the Report Basis is 'As Received'.
 G - Sample density differs by more than 15% of LCS density.
 D - DER is greater than Control Limit
 M - Requested MDC not met.
 LT - Result is less than requested MDC but greater than achieved MDC.

M3 - The requested MDC was not met, but the reported activity is greater than the reported MDC.
 L - LCS Recovery below lower control limit.
 H - LCS Recovery above upper control limit.
 P - LCS, Matrix Spike Recovery within control limits.
 N - Matrix Spike Recovery outside control limits
 NC - Not Calculated for duplicate results less than 5 times MDC
 B - Analyte concentration greater than MDC.
 B3 - Analyte concentration greater than MDC but less than Requested MDC.

Inorganics:

B - Result is less than the requested reporting limit but greater than the instrument method detection limit (MDL).
 U or ND - Indicates that the compound was analyzed for but not detected.
 E - The reported value is estimated because of the presence of interference. An explanatory note may be included in the narrative.
 M - Duplicate injection precision was not met.
 N - Spiked sample recovery not within control limits. A post spike is analyzed for all ICP analyses when the matrix spike and or spike duplicate fail and the native sample concentration is less than four times the spike added concentration.
 Z - Spiked recovery not within control limits. An explanatory note may be included in the narrative.
 * - Duplicate analysis (relative percent difference) not within control limits.
 S - SAR value is estimated as one or more analytes used in the calculation were not detected above the detection limit.

Organics:

U or ND - Indicates that the compound was analyzed for but not detected.
 B - Analyte is detected in the associated method blank as well as in the sample. It indicates probable blank contamination and warns the data user.
 E - Analyte concentration exceeds the upper level of the calibration range.
 J - Estimated value. The result is less than the reporting limit but greater than the instrument method detection limit (MDL).
 A - A tentatively identified compound is a suspected aldol-condensation product.
 X - The analyte was diluted below an accurate quantitation level.
 * - The spike recovery is equal to or outside the control criteria used.
 + - The relative percent difference (RPD) equals or exceeds the control criteria.
 G - A pattern resembling gasoline was detected in this sample.
 D - A pattern resembling diesel was detected in this sample.
 M - A pattern resembling motor oil was detected in this sample.
 C - A pattern resembling crude oil was detected in this sample.
 4 - A pattern resembling JP-4 was detected in this sample.
 5 - A pattern resembling JP-5 was detected in this sample.
 H - Indicates that the fuel pattern was in the heavier end of the retention time window for the analyte of interest.
 L - Indicates that the fuel pattern was in the lighter end of the retention time window for the analyte of interest.
 Z - This flag indicates that a significant fraction of the reported result did not resemble the patterns of any of the following petroleum hydrocarbon products:

- gasoline
- JP-8
- diesel
- mineral spirits
- motor oil
- Stoddard solvent
- bunker C

ALS Environmental -- FC

Date: 6/12/2015 11:09

Client: Talon LPE

QC BATCH REPORT

Work Order: 1506115

Project: 701530.020.02 Nelson C-1

Batch ID: HC150609-61-1

Instrument ID: FUELS-1

Method: SW8015

LCS	Sample ID: HC150609-61			Units: MG/KG			Analysis Date: 6/9/2015 08:57					
Client ID:	Run ID: HC150609-6A			Prep Date: 6/9/2015			DF: 1					
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual	
GASOLINE RANGE ORGANICS	2.53	0.5	2.5		101	79-118				20		
Surr: 2,3,4-TRIFLUOROTOLUENE	0.518		0.5		104	76-126						

LCSD	Sample ID: HC150609-61			Units: MG/KG			Analysis Date: 6/9/2015 13:04					
Client ID:	Run ID: HC150609-6A			Prep Date: 6/9/2015			DF: 1					
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual	
GASOLINE RANGE ORGANICS	2.63	0.5	2.5		105	79-118		2.53	4	20		
Surr: 2,3,4-TRIFLUOROTOLUENE	0.5		0.5		100	76-126			3			

MB	Sample ID: HC150609-61			Units: MG/KG			Analysis Date: 6/9/2015 09:17					
Client ID:	Run ID: HC150609-6A			Prep Date: 6/9/2015			DF: 1					
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual	
GASOLINE RANGE ORGANICS	ND	0.5										
Surr: 2,3,4-TRIFLUOROTOLUENE	0.468		0.5		94	76-126						

MS	Sample ID: 1506115-8			Units: MG/KG			Analysis Date: 6/9/2015 16:53					
Client ID: SB-13 15-20	Run ID: HC150609-6A			Prep Date: 6/9/2015			DF: 1					
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual	
GASOLINE RANGE ORGANICS	2.54	0.618	3.09	0.61	82	79-118				40		
Surr: 2,3,4-TRIFLUOROTOLUENE	0.662		0.618		107	76-126						

MSD	Sample ID: 1506115-8			Units: MG/KG			Analysis Date: 6/9/2015 17:14					
Client ID: SB-13 15-20	Run ID: HC150609-6A			Prep Date: 6/9/2015			DF: 1					
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual	
GASOLINE RANGE ORGANICS	2.1	0.546	2.73	0.61	77	79-118		2.54	19	40	*	
Surr: 2,3,4-TRIFLUOROTOLUENE	0.55		0.546		101	76-126			18			

The following samples were analyzed in this batch:

1506115-1	1506115-2	1506115-3
1506115-4	1506115-5	1506115-6
1506115-7	1506115-8	1506115-9

Client: Talon LPE
Work Order: 1506115
Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **HC150609-101-1** Instrument ID **FUELS-1** Method: **SW8015M**

LCS		Sample ID: HC150609-101			Units: MG/KG			Analysis Date: 6/10/2015 10:55			
Client ID:		Run ID: HC150610-7A			Prep Date: 6/9/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	126	5	125		100	76-124				20	
Surr: O-TERPHENYL	9.79		12.5		78	53-116					

MB		Sample ID: HC150609-101			Units: MG/KG			Analysis Date: 6/10/2015 10:25			
Client ID:		Run ID: HC150610-7A			Prep Date: 6/9/2015			DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
Diesel Range Organics	ND	5									
Surr: O-TERPHENYL	10.3		12.5		82	53-116					

The following samples were analyzed in this batch:

1506115-1	1506115-2	1506115-3
1506115-4	1506115-5	1506115-6
1506115-7	1506115-8	1506115-9

Client: Talon LPE
 Work Order: 1506115
 Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150608-2-3** Instrument ID **HPV1** Method: **SW8260**

LCS	Sample ID: VL150608-2			Units: MG/KG			Analysis Date: 6/8/2015 11:34				
Client ID:	Run ID: VL150608-2A			Prep Date: 6/8/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0373	0.005	0.04		93	73-126				30	
TOLUENE	0.035	0.005	0.04		87	71-127				30	
ETHYLBENZENE	0.0349	0.005	0.04		87	74-127				30	
M+P-XYLENE	0.072	0.005	0.08		90	79-126				30	
O-XYLENE	0.036	0.005	0.04		90	77-125				30	
NAPHTHALENE	0.0387	0.005	0.04		97	64-141				30	
Surr: DIBROMOFLUOROMETHANE	0.0494		0.05		99	61-134					
Surr: TOLUENE-D8	0.046		0.05		92	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0508		0.05		102	52-151					

LCSD	Sample ID: VL150608-2			Units: MG/KG			Analysis Date: 6/8/2015 11:59				
Client ID:	Run ID: VL150608-2A			Prep Date: 6/8/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0391	0.005	0.04		98	73-126		0.0373	5	30	
TOLUENE	0.0377	0.005	0.04		94	71-127		0.035	7	30	
ETHYLBENZENE	0.037	0.005	0.04		93	74-127		0.0349	6	30	
M+P-XYLENE	0.0761	0.005	0.08		95	79-126		0.072	6	30	
O-XYLENE	0.038	0.005	0.04		95	77-125		0.036	5	30	
NAPHTHALENE	0.0399	0.005	0.04		100	64-141		0.0387	3	30	
Surr: DIBROMOFLUOROMETHANE	0.0491		0.05		98	61-134			1		
Surr: TOLUENE-D8	0.0472		0.05		94	57-135			3		
Surr: 4-BROMOFLUOROBENZENE	0.0497		0.05		99	52-151			2		

Client: Talon LPE
Work Order: 1506115
Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150608-2-3** Instrument ID **HPV1** Method: **SW8260**

MB Sample ID: **VL150608-2** Units: **MG/KG** Analysis Date: **6/8/2015 12:27**

Client ID: Run ID: **VL150608-2A** Prep Date: **6/8/2015** DF: **1**

Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.005									
TOLUENE	ND	0.005									
ETHYLBENZENE	ND	0.005									
M+P-XYLENE	ND	0.005									
O-XYLENE	ND	0.005									
NAPHTHALENE	ND	0.005									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	0.0501		0.05		100	61-134					
Surr: TOLUENE-D8	0.0466		0.05		93	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0487		0.05		97	52-151					

The following samples were analyzed in this batch:

1506115-1	1506115-2	1506115-3
1506115-4	1506115-5	1506115-6
1506115-7	1506115-8	1506115-9

Client: Talon LPE
 Work Order: 1506115
 Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150609-2-3** Instrument ID **HPV1** Method: **SW8260**

LCS	Sample ID: VL150609-2			Units: MG/KG		Analysis Date: 6/9/2015 09:59					
Client ID:	Run ID: VL150609-2A			Prep Date: 6/9/2015				DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0418	0.005	0.04		105	73-126				30	
TOLUENE	0.0395	0.005	0.04		99	71-127				30	
ETHYLBENZENE	0.0383	0.005	0.04		96	74-127				30	
M+P-XYLENE	0.079	0.005	0.08		99	79-126				30	
O-XYLENE	0.0394	0.005	0.04		98	77-125				30	
NAPHTHALENE	0.0428	0.005	0.04		107	64-141				30	
Surr: DIBROMOFLUOROMETHANE	0.0488		0.05		98	61-134					
Surr: TOLUENE-D8	0.048		0.05		96	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0497		0.05		99	52-151					

LCSD	Sample ID: VL150609-2			Units: MG/KG		Analysis Date: 6/9/2015 10:22					
Client ID:	Run ID: VL150609-2A			Prep Date: 6/9/2015				DF: 1			
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	0.0411	0.005	0.04		103	73-126		0.0418	2	30	
TOLUENE	0.0394	0.005	0.04		98	71-127		0.0395	0	30	
ETHYLBENZENE	0.0378	0.005	0.04		95	74-127		0.0383	1	30	
M+P-XYLENE	0.0784	0.005	0.08		98	79-126		0.079	1	30	
O-XYLENE	0.0387	0.005	0.04		97	77-125		0.0394	2	30	
NAPHTHALENE	0.0411	0.005	0.04		103	64-141		0.0428	4	30	
Surr: DIBROMOFLUOROMETHANE	0.0502		0.05		100	61-134			3		
Surr: TOLUENE-D8	0.047		0.05		94	57-135			2		
Surr: 4-BROMOFLUOROBENZENE	0.049		0.05		98	52-151			1		

Client: Talon LPE
Work Order: 1506115
Project: 701530.020.02 Nelson C-1

QC BATCH REPORT

Batch ID: **VL150609-2-3** Instrument ID: **HPV1** Method: **SW8260**

MB	Sample ID: VL150609-2			Units: MG/KG			Analysis Date: 6/9/2015 12:27				
Client ID:	Run ID: VL150609-2A			Prep Date: 6/9/2015			DF: 1				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.005									
TOLUENE	ND	0.005									
ETHYLBENZENE	ND	0.005									
M+P-XYLENE	ND	0.005									
O-XYLENE	ND	0.005									
NAPHTHALENE	ND	0.005									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	0.0494		0.05		99	61-134					
Surr: TOLUENE-D8	0.0466		0.05		93	57-135					
Surr: 4-BROMOFLUOROBENZENE	0.0484		0.05		97	52-151					

MB	Sample ID: VL150609-2M			Units: MG/KG			Analysis Date: 6/9/2015 12:53				
Client ID:	Run ID: VL150609-2A			Prep Date: 6/9/2015			DF: 50				
Analyte	Result	ReportLimit	SPK Val	SPK Ref Value	%REC	Control Limit	Decision Level	RPD Ref	RPD	RPD Limit	Qual
BENZENE	ND	0.25									
TOLUENE	ND	0.25									
ETHYLBENZENE	ND	0.25									
M+P-XYLENE	ND	0.25									
O-XYLENE	ND	0.25									
NAPHTHALENE	ND	0.25									
TOTAL XYLENES	ND	0.005									
Surr: DIBROMOFLUOROMETHANE	2.45		2.5		98	61-134					
Surr: TOLUENE-D8	2.38		2.5		95	57-135					
Surr: 4-BROMOFLUOROBENZENE	2.44		2.5		98	52-151					

The following samples were analyzed in this batch:

1506115-1