



Ursa Operating Company, LLC

Rockies Region

Monument Ridge B

Monument Ridge B 32D-08-07-95

Wellbore #1

Plan: Design #1

Standard Planning Report

12 June, 2015



Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Monument Ridge B 32D-08-07-95
Company:	Ursa Operating Company, LLC	TVD Reference:	Monument Ridge B 32D-08-07-95 @ 5718.8usft (PLAN KB)
Project:	Rockies Region	MD Reference:	Monument Ridge B 32D-08-07-95 @ 5718.8usft (PLAN KB)
Site:	Monument Ridge B	North Reference:	True
Well:	Monument Ridge B 32D-08-07-95	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Project	Rockies Region		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Central Zone		

Site		Monument Ridge B			
Site Position:		Northing:	1,596,716.55 usft	Latitude:	39° 26' 40.501 N
From:	Lat/Long	Easting:	2,287,433.43 usft	Longitude:	108° 1' 24.665 W
Position Uncertainty:	0.0 usft	Slot Radius:	13-3/16 "	Grid Convergence:	-1.59 °

Well	Monument Ridge B 32D-08-07-95, SHL: 39.447873959 -108.012356034					
Well Position	+N/-S	1,198.6 usft	Northing:	1,597,827.16 usft	Latitude:	39° 26' 52.346 N
	+E/-W	3,152.1 usft	Easting:	2,290,617.60 usft	Longitude:	108° 0' 44.482 W
Position Uncertainty		0.0 usft	Wellhead Elevation:	5,718.8 usft	Ground Level:	5,701.8 usft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	6/7/2015	9.84	65.59	51,823

Design	Design #1			
Audit Notes:				
Version:	Phase:	PROTOTYPE	Tie On Depth:	0.0
Vertical Section:	Depth From (TVD) (usft)	+N/-S (usft)	+E/-W (usft)	Direction (°)
	0.0	0.0	0.0	311.67

Plan Sections										
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)	TFO (°)	Target
0.0	0.00	0.00	0.0	0.0	0.0	0.00	0.00	0.00	0.00	
300.0	0.00	0.00	300.0	0.0	0.0	0.00	0.00	0.00	0.00	
1,317.6	35.61	311.67	1,253.3	203.6	-228.7	3.50	3.50	0.00	311.67	
4,470.5	35.61	311.67	3,816.5	1,424.2	-1,600.3	0.00	0.00	0.00	0.00	
5,488.1	0.00	0.00	4,769.8	1,627.7	-1,829.1	3.50	-3.50	0.00	180.00	Monument Ridge B 3;
7,790.1	0.00	0.00	7,071.8	1,627.7	-1,829.1	0.00	0.00	0.00	0.00	

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Monument Ridge B 32D-08-07-95
Company:	Ursa Operating Company, LLC	TVD Reference:	Monument Ridge B 32D-08-07-95 @ 5718.8usft (PLAN KB)
Project:	Rockies Region	MD Reference:	Monument Ridge B 32D-08-07-95 @ 5718.8usft (PLAN KB)
Site:	Monument Ridge B	North Reference:	True
Well:	Monument Ridge B 32D-08-07-95	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey									
Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
0.0	0.00	0.00	0.0	0.0	0.0	0.0	0.00	0.00	0.00
0.1	0.00	0.00	0.1	0.0	0.0	0.0	0.00	0.00	0.00
SHL: 39.447873959, -108.012356034									
100.0	0.00	0.00	100.0	0.0	0.0	0.0	0.00	0.00	0.00
200.0	0.00	0.00	200.0	0.0	0.0	0.0	0.00	0.00	0.00
300.0	0.00	0.00	300.0	0.0	0.0	0.0	0.00	0.00	0.00
Start Build 3.50									
400.0	3.50	311.67	399.9	2.0	-2.3	3.1	3.50	3.50	0.00
500.0	7.00	311.67	499.5	8.1	-9.1	12.2	3.50	3.50	0.00
600.0	10.50	311.67	598.3	18.2	-20.5	27.4	3.50	3.50	0.00
700.0	14.00	311.67	696.0	32.3	-36.3	48.6	3.50	3.50	0.00
800.0	17.50	311.67	792.3	50.4	-56.6	75.8	3.50	3.50	0.00
900.0	21.00	311.67	886.7	72.3	-81.2	108.7	3.50	3.50	0.00
1,000.0	24.50	311.67	978.9	98.0	-110.1	147.4	3.50	3.50	0.00
1,100.0	28.00	311.67	1,068.5	127.4	-143.1	191.6	3.50	3.50	0.00
1,200.0	31.50	311.67	1,155.3	160.4	-180.2	241.2	3.50	3.50	0.00
1,300.0	35.00	311.67	1,239.0	196.8	-221.2	296.1	3.50	3.50	0.00
1,317.6	35.61	311.67	1,253.3	203.6	-228.7	306.2	3.50	3.50	0.00
Start 3153.0 hold at 1317.6 MD									
1,400.0	35.61	311.67	1,320.3	235.5	-264.6	354.2	0.00	0.00	0.00
1,500.0	35.61	311.67	1,401.6	274.2	-308.1	412.4	0.00	0.00	0.00
1,600.0	35.61	311.67	1,482.9	312.9	-351.6	470.7	0.00	0.00	0.00
1,700.0	35.61	311.67	1,564.2	351.6	-395.1	528.9	0.00	0.00	0.00
1,800.0	35.61	311.67	1,645.5	390.3	-438.6	587.1	0.00	0.00	0.00
1,867.1	35.61	311.67	1,700.0	416.3	-467.8	626.2	0.00	0.00	0.00
Surface Casing									
1,900.0	35.61	311.67	1,726.8	429.0	-482.1	645.4	0.00	0.00	0.00
2,000.0	35.61	311.67	1,808.1	467.8	-525.6	703.6	0.00	0.00	0.00
2,100.0	35.61	311.67	1,889.4	506.5	-569.1	761.8	0.00	0.00	0.00
2,200.0	35.61	311.67	1,970.7	545.2	-612.6	820.1	0.00	0.00	0.00
2,300.0	35.61	311.67	2,052.0	583.9	-656.1	878.3	0.00	0.00	0.00
2,400.0	35.61	311.67	2,133.3	622.6	-699.6	936.5	0.00	0.00	0.00
2,500.0	35.61	311.67	2,214.6	661.3	-743.1	994.8	0.00	0.00	0.00
2,600.0	35.61	311.67	2,295.8	700.0	-786.6	1,053.0	0.00	0.00	0.00
2,700.0	35.61	311.67	2,377.1	738.7	-830.1	1,111.2	0.00	0.00	0.00
2,800.0	35.61	311.67	2,458.4	777.5	-873.6	1,169.5	0.00	0.00	0.00
2,900.0	35.61	311.67	2,539.7	816.2	-917.1	1,227.7	0.00	0.00	0.00
3,000.0	35.61	311.67	2,621.0	854.9	-960.6	1,285.9	0.00	0.00	0.00
3,100.0	35.61	311.67	2,702.3	893.6	-1,004.1	1,344.2	0.00	0.00	0.00
3,200.0	35.61	311.67	2,783.6	932.3	-1,047.6	1,402.4	0.00	0.00	0.00
3,300.0	35.61	311.67	2,864.9	971.0	-1,091.1	1,460.6	0.00	0.00	0.00
3,400.0	35.61	311.67	2,946.2	1,009.7	-1,134.6	1,518.9	0.00	0.00	0.00
3,500.0	35.61	311.67	3,027.5	1,048.5	-1,178.1	1,577.1	0.00	0.00	0.00
3,600.0	35.61	311.67	3,108.8	1,087.2	-1,221.6	1,635.3	0.00	0.00	0.00
3,700.0	35.61	311.67	3,190.1	1,125.9	-1,265.1	1,693.6	0.00	0.00	0.00
3,800.0	35.61	311.67	3,271.4	1,164.6	-1,308.6	1,751.8	0.00	0.00	0.00
3,900.0	35.61	311.67	3,352.7	1,203.3	-1,352.1	1,810.0	0.00	0.00	0.00
4,000.0	35.61	311.67	3,434.0	1,242.0	-1,395.6	1,868.3	0.00	0.00	0.00
4,100.0	35.61	311.67	3,515.3	1,280.7	-1,439.1	1,926.5	0.00	0.00	0.00
4,200.0	35.61	311.67	3,596.6	1,319.4	-1,482.6	1,984.7	0.00	0.00	0.00
4,300.0	35.61	311.67	3,677.9	1,358.2	-1,526.1	2,043.0	0.00	0.00	0.00
4,317.1	35.61	311.67	3,691.8	1,364.8	-1,533.6	2,052.9	0.00	0.00	0.00

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Monument Ridge B 32D-08-07-95
Company:	Ursa Operating Company, LLC	TVD Reference:	Monument Ridge B 32D-08-07-95 @ 5718.8usft (PLAN KB)
Project:	Rockies Region	MD Reference:	Monument Ridge B 32D-08-07-95 @ 5718.8usft (PLAN KB)
Site:	Monument Ridge B	North Reference:	True
Well:	Monument Ridge B 32D-08-07-95	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Planned Survey

Measured Depth (usft)	Inclination (°)	Azimuth (°)	Vertical Depth (usft)	+N/-S (usft)	+E/-W (usft)	Vertical Section (usft)	Dogleg Rate (°/100usft)	Build Rate (°/100usft)	Turn Rate (°/100usft)
Williams Fork									
4,400.0	35.61	311.67	3,759.2	1,396.9	-1,569.6	2,101.2	0.00	0.00	0.00
4,470.5	35.61	311.67	3,816.5	1,424.2	-1,600.3	2,142.3	0.00	0.00	0.00
Start Drop -3.50									
4,500.0	34.58	311.67	3,840.6	1,435.4	-1,613.0	2,159.2	3.50	-3.50	0.00
4,600.0	31.08	311.67	3,924.6	1,471.5	-1,653.5	2,213.4	3.50	-3.50	0.00
4,700.0	27.58	311.67	4,011.8	1,504.0	-1,690.1	2,262.4	3.50	-3.50	0.00
4,800.0	24.08	311.67	4,101.8	1,533.0	-1,722.6	2,306.0	3.50	-3.50	0.00
4,900.0	20.58	311.67	4,194.3	1,558.3	-1,751.0	2,344.0	3.50	-3.50	0.00
5,000.0	17.08	311.67	4,288.9	1,579.7	-1,775.1	2,376.3	3.50	-3.50	0.00
5,100.0	13.58	311.67	4,385.3	1,597.3	-1,794.9	2,402.7	3.50	-3.50	0.00
5,200.0	10.08	311.67	4,483.2	1,610.9	-1,810.2	2,423.2	3.50	-3.50	0.00
5,300.0	6.58	311.67	4,582.1	1,620.6	-1,821.0	2,437.7	3.50	-3.50	0.00
5,400.0	3.08	311.67	4,681.7	1,626.2	-1,827.3	2,446.1	3.50	-3.50	0.00
5,488.1	0.00	0.00	4,769.8	1,627.7	-1,829.1	2,448.5	3.50	-3.50	0.00
Back to Vertical - Start 2302.0 hold at 5488.1 MD - Top of gas									
5,500.0	0.00	0.00	4,781.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
5,600.0	0.00	0.00	4,881.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
5,700.0	0.00	0.00	4,981.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
5,800.0	0.00	0.00	5,081.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
5,900.0	0.00	0.00	5,181.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,000.0	0.00	0.00	5,281.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,100.0	0.00	0.00	5,381.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,200.0	0.00	0.00	5,481.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,300.0	0.00	0.00	5,581.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,400.0	0.00	0.00	5,681.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,500.0	0.00	0.00	5,781.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,600.0	0.00	0.00	5,881.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,700.0	0.00	0.00	5,981.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,790.1	0.00	0.00	6,071.8	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
Cameo									
6,800.0	0.00	0.00	6,081.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
6,900.0	0.00	0.00	6,181.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
7,000.0	0.00	0.00	6,281.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
7,100.0	0.00	0.00	6,381.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
7,200.0	0.00	0.00	6,481.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
7,300.0	0.00	0.00	6,581.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
7,400.0	0.00	0.00	6,681.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
7,490.1	0.00	0.00	6,771.8	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
Rollins									
7,500.0	0.00	0.00	6,781.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
7,600.0	0.00	0.00	6,881.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
7,700.0	0.00	0.00	6,981.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
7,790.0	0.00	0.00	7,071.7	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
BHL: 39.4523427, -108.0188335									
7,790.1	0.00	0.00	7,071.8	1,627.7	-1,829.1	2,448.5	0.00	0.00	0.00
TD at 7790.1 - TD									

Database:	EDM 5000.1 Single User Db	Local Co-ordinate Reference:	Well Monument Ridge B 32D-08-07-95
Company:	Ursa Operating Company, LLC	TVD Reference:	Monument Ridge B 32D-08-07-95 @ 5718.8usft (PLAN KB)
Project:	Rockies Region	MD Reference:	Monument Ridge B 32D-08-07-95 @ 5718.8usft (PLAN KB)
Site:	Monument Ridge B	North Reference:	True
Well:	Monument Ridge B 32D-08-07-95	Survey Calculation Method:	Minimum Curvature
Wellbore:	Wellbore #1		
Design:	Design #1		

Design Targets

Target Name

- hit/miss target	Dip Angle (°)	Dip Dir. (°)	TVD (usft)	+N/-S (usft)	+E/-W (usft)	Northing (usft)	Easting (usft)	Latitude	Longitude
- Shape									
Monument Ridge B 32D- - plan hits target center - Rectangle (sides W100.0 H40.0 D2,302.0)	0.00	0.00	4,769.8	1,627.7	-1,829.1	1,599,504.85	2,288,834.23	39° 27' 8.434 N	108° 1' 7.801 W

Formations

Measured Depth (usft)	Vertical Depth (usft)	Name	Lithology	Dip (°)	Dip Direction (°)
4,317.1	3,691.8	Williams Fork		0.00	
5,488.1	4,769.8	Top of gas		0.00	
6,790.1	6,071.8	Cameo		0.00	
7,490.1	6,771.8	Rollins		0.00	
7,790.1	7,071.8	TD		0.00	

Plan Annotations

Measured Depth (usft)	Vertical Depth (usft)	Local Coordinates		Comment
		+N/-S (usft)	+E/-W (usft)	
0.1	0.1	0.0	0.0	SHL: 39.447873959, -108.012356034
300.0	300.0	0.0	0.0	Start Build 3.50
1,317.6	1,253.3	203.6	-228.7	Start 3153.0 hold at 1317.6 MD
1,867.1	1,700.0	416.3	-467.8	Surface Casing
4,470.5	3,816.5	1,424.2	-1,600.3	Start Drop -3.50
5,488.1	4,769.8	1,627.7	-1,829.1	Back to Vertical
5,488.1	4,769.8	1,627.7	-1,829.1	Start 2302.0 hold at 5488.1 MD
7,790.0	7,071.7	1,627.7	-1,829.1	BHL: 39.4523427, -108.0188335
7,790.1	7,071.8	1,627.7	-1,829.1	TD at 7790.1

