

FORM
2
Rev
08/13

State of Colorado
Oil and Gas Conservation Commission
1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:
400856796

APPLICATION FOR PERMIT TO:

Drill Deepen Re-enter Recomplete and Operate

Date Received:
06/23/2015

TYPE OF WELL OIL GAS COALBED OTHER Lateral #1
ZONE TYPE SINGLE ZONE MULTIPLE ZONES COMMINGLE ZONES

Refilling
Sidetrack

Well Name: Elsa 34-6-19 Well Number: 1
Name of Operator: CATAMOUNT ENERGY PARTNERS LLC COGCC Operator Number: 10464
Address: 1801 BROADWAY #1000
City: DENVER State: CO Zip: 80202
Contact Name: Nolan Redmond Phone: (720)484-2344 Fax: (720)484-2363
Email: nredmond@catamountep.com

RECLAMATION FINANCIAL ASSURANCE

Plugging and Abandonment Bond Surety ID: 20130096

WELL LOCATION INFORMATION

QtrQtr: SESE Sec: 19 Twp: 34N Rng: 6W Meridian: M
Latitude: 37.172630 Longitude: -107.533730

Footage at Surface: FNL/FSL FEL/FWL
1292 feet FSL 311 feet FEL

Field Name: IGNACIO BLANCO Field Number: 38300
Ground Elevation: 6971 County: LA PLATA

GPS Data:
Date of Measurement: 04/28/2015 PDOP Reading: 2.0 Instrument Operator's Name: Nelson Ross

If well is Directional Horizontal (highly deviated) **submit deviated drilling plan.**

Footage at Top of Prod Zone: FNL/FSL FEL/FWL Bottom Hole: FNL/FSL FEL/FWL
1903 FSL 939 FWL 1972 FSL 681 FEL
Sec: 20 Twp: 34N Rng: 6W Sec: 20 Twp: 34N Rng: 6W

LOCATION SURFACE & MINERALS & RIGHT TO CONSTRUCT

Surface Ownership: Fee State Federal Indian

The Surface Owner is: is the mineral owner beneath the location.
(check all that apply) is committed to an Oil and Gas Lease.
 has signed the Oil and Gas Lease.
 is the applicant.

The Mineral Owner beneath this Oil and Gas Location is: Fee State Federal Indian

The Minerals beneath this Oil and Gas Location will be developed by this Well: No

The right to construct the Oil and Gas Location is granted by: Surface Use Agreement

Surface damage assurance if no agreement is in place: _____ Surface Surety ID: _____

LEASE INFORMATION

Using standard QtrQtr, Sec, Twp, Rng format, describe one entire mineral lease that will be produced by this well (Describe lease beneath surface location if produced. Attach separate description page or map if necessary.)

N/2SW/4 S20U T34N R6W

Total Acres in Described Lease: 80 Described Mineral Lease is: Fee State Federal Indian

Federal or State Lease # _____

Distance from Completed Portion of Wellbore to Nearest Lease Line of described lease: 0 Feet

CULTURAL DISTANCE INFORMATION

Distance to nearest:

Building: 1796 Feet

Building Unit: 1876 Feet

High Occupancy Building Unit: 5280 Feet

Designated Outside Activity Area: 5280 Feet

Public Road: 4210 Feet

Above Ground Utility: 1800 Feet

Railroad: 5280 Feet

Property Line: 311 Feet

INSTRUCTIONS:

- All measurements shall be provided from center of the Proposed Well to nearest of each cultural feature as described in Rule 303.a.(5).

- Enter 5280 for distance greater than 1 mile.

- Building - nearest building of any type. If nearest Building is a Building Unit, enter same distance for both.

- Building Unit, High Occupancy Building Unit, and Designated Outside Activity Area - as defined in 100-Series Rules.

DESIGNATED SETBACK LOCATION INFORMATION

Check all that apply. This location is within a: Buffer Zone
 Exception Zone
 Urban Mitigation Area

- Buffer Zone – as described in Rule 604.a.(2), within 1,000' of a Building Unit

- Exception Zone - as described in Rule 604.a.(1), within 500' of a Building Unit.

- Urban Mitigation Area - as defined in 100-Series Rules.

Pre-application Notifications (required if location is within 1,000 feet of a building unit):

Date of Rule 305.a.(1) Urban Mitigation Area Notification to Local Government: _____

Date of Rule 305.a.(2) Buffer Zone Notification to Building Unit Owners: _____

SPACING and UNIT INFORMATION

Distance from Completed Portion of Wellbore to Nearest Wellbore Permitted or Completed in the same formation: 1904 Feet

Distance from Completed Portion of Wellbore to Nearest Unit Boundary 681 Feet (Enter 5280 for distance greater than 1 mile.)

Federal or State Unit Name (if appl): _____ Unit Number: _____

SPACING & FORMATIONS COMMENTS

OBJECTIVE FORMATIONS

Objective Formation(s)	Formation Code	Spacing Order Number(s)	Unit Acreage Assigned to Well	Unit Configuration (N/2, SE/4, etc.)
FRUITLAND COAL	FRLDC	112-215	320	S/2

DRILLING PROGRAM

Proposed Total Measured Depth: 7045 Feet

Distance to nearest permitted or existing wellbore penetrating objective formation: 1904 Feet (Including plugged wells)

Will a closed-loop drilling system be used? Yes

Is H₂S gas reasonably expected to be encountered during drilling operations at concentrations greater than or equal to 100 ppm? No (If Yes, attach an H₂S Drilling Operations Plan)

Will salt sections be encountered during drilling? No

Will salt based (>15,000 ppm Cl) drilling fluids be used? Yes

Will oil based drilling fluids be used? No

BOP Equipment Type: Annular Preventor Double Ram Rotating Head None

GROUNDWATER BASELINE SAMPLING AND MONITORING AND WATER WELL SAMPLING

Water well sampling required per Rule 608

DRILLING WASTE MANAGEMENT PROGRAM

Drilling Fluids Disposal: OFFSITE Drilling Fluids Disposal Methods: Commercial Disposal

Cuttings Disposal: OFFSITE Cuttings Disposal Method: Commercial Disposal

Other Disposal Description:

Beneficial reuse or land application plan submitted?

Reuse Facility ID: or Document Number:

CASING PROGRAM

Casing Type	Size of Hole	Size of Casing	Wt/Ft	Csg/Liner Top	Setting Depth	Sacks Cmt	Cmt Btm	Cmt Top
SURF	12+1/4	9+5/8	36	0	482	270	482	0
1ST	8+3/4	7	23	0	3503	310	3503	324
1ST LINER	6+1/8	2+7/8	6.5	3500	7039			

Conductor Casing is NOT planned

DESIGNATED SETBACK LOCATION EXCEPTIONS

Check all that apply:

- Rule 604.a.(1)A. Exception Zone (within 500' of Building Unit)
- Rule 604.b.(1)A. Exception Location (existing or approved Oil & Gas Location now within a Designated Setback as a result of Rule 604.a.)
- Rule 604.b.(1)B. Exception Location (existing or approved Oil & Gas Location is within a Designated Setback due to Building Unit construction after Location approval)
- Rule 604.b.(2) Exception Location (SUA or site-specific development plan executed on or before August 1, 2013)
- Rule 604.b.(3) Exception Location (Building Units constructed after August 1, 2013 within setback per an SUA or site-specific development plan)

GREATER WATTENBERG AREA LOCATION EXCEPTIONS

Check all that apply:

- Rule 318A.a. Exception Location (GWA Windows).
- Rule 318A.c. Exception Location (GWA Twinning).

RULE 502.b VARIANCE REQUEST

Rule 502.b. Variance Request from COGCC Rule or Spacing Order Number

OTHER LOCATION EXCEPTIONS

Check all that apply:

- Rule 318.c. Exception Location from Rule or Spacing Order Number
- Rule 603.a.(2) Exception Location (Property Line Setback).

ALL exceptions and variances require attached Request Letter(s). Refer to applicable rule for additional required attachments (e.g. waivers, certifications, SUAs).

OPERATOR COMMENTS AND SUBMITTAL

Comments This application is for Lateral #1 of the re-entry of the Elsa 34-6-19 #1.

This application is in a Comprehensive Drilling Plan _____ CDP #: _____

Location ID: 440174

Is this application being submitted with an Oil and Gas Location Assessment application? No

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Nolan Redmond

Title: Geo/Eng Tech Date: 6/23/2015 Email: nredmond@catamountep.com

Operator must have a valid water right or permit allowing for industrial use or purchased water from a seller that has a valid water right or permit allowing for industrial use, otherwise an application for a change in type of use is required under Colorado law. Operator must also use the water in the location set forth in the water right decree or well permit, otherwise an application for a change in place of use is required under Colorado law. Section 37-92-103(5), C.R.S. (2011).

Based on the information provided herein, this Application for Permit-to-Drill complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: Matthew Lee Director of COGCC Date: 7/22/2015

Expiration Date: 07/21/2017

API NUMBER
05 067 09922 01

Conditions Of Approval

All representations, stipulations and conditions of approval stated in the Form 2A for this location shall constitute representations, stipulations and conditions of approval for this Form 2 Permit-to-Drill and are enforceable to the same extent as all other representations, stipulations and conditions of approval stated in this Permit-to-Drill.

COA Type	Description
	1) Provide 48 hrs Notice of Spud via COGCC eform 42 2) Sample and test two closest water wells within a 1/4 mile of that portion of the wellbore pathway that cuts through the Fruitland Coal (Horizontal dimension – Top to bottom of pay) (Rule 608) (see Policy-Ignacio Blanco Field – Notice to Operators 7/10/2009 and revised on 2/17/2011). 3) Operators are required to obtain a bottom hole pressure utilizing a bottom hole gauge after a minimum 48 hour shut-in period following completion and prior to sales (Rule 608) 4) Borehole problems encountered while drilling that require an unplanned sidetrack: Contact, discuss & receive approval within 24 hrs of occurrence from COGCC Regional Engineer – Mark Weems 970-259-4587 off 970-749-0624 cell mark.weems@state.co.us 5) Contact COGCC Regional Engineer – Mark Weems when encountering a well control issue, unexpected water flows, and unexpected Hydrogen Sulfide.

Best Management Practices

No	BMP/COA Type	Description
1	Wildlife	Catamount agrees not to commence surface disturbing activities, construction activities, drilling, or non-emergency workover activities if there is one (1) foot of snow or greater on the ground of the Well Pad without obtaining permission of the surface owner. Catamount will consult with the Surface Owner before activities occurring when snow is present. Catamount will consult with the surface owner regarding the composition of the seed mix prior to interim or final reclamation and will use CPW's recommended seed mix if the surface owner is agreeable.
2	Material Handling and Spill Prevention	Drilling mud or brine will be contained in above ground steel tanks. Drill cuttings and solids that have been separated from the drilling fluid by the shale shakers, mud cleaner or centrifuge will be captured in above ground portable steel cuttings bins and hauled to a 3rd party disposal site that is permitted as required by applicable State and Federal rules and regulations. Excess drilling fluid will be stored in above ground portable steel tanks and will be transferred to the active circulating system as needed. At the completion of drilling activity remaining drilling fluid will be used on another well or disposed of as allowed by Local, State and Federal law. The well pad has a secondary containment berm to prevent spills, releases, and pollution. The berm is capable of containing 110% of the fluids stored on location.
3	Drilling/Completion Operations	A closed loop system will be used during drilling operations so a pit will be unnecessary.
4	Final Reclamation	Equipment will be painted with dull, non reflective paint slightly darker than the surrounding landscape. Noxious weeds will be controlled onsite by herbicide application based on recommendations from the La Plata County weed control technician and will be applied by a professional.

Total: 4 comment(s)

Applicable Policies and Notices to Operators

Notice Concerning Operating Requirements for Wildlife Protection.

Attachment Check List

Att Doc Num	Name
400856796	FORM 2 SUBMITTED
400856921	DIRECTIONAL DATA
400856923	DEVIATED DRILLING PLAN
400857572	MULTI-WELL PLAN
400857590	WELL LOCATION PLAT
400857598	OTHER
400857770	WELLBORE DIAGRAM

Total Attach: 7 Files

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Permit	<p>Per phone conversation with operator, 7/21/2015:</p> <p>1) Selected permit to drill.</p> <p>2) Corrected spacing order to 112-215, per Form 4 Doc: 400871762.</p> <p>3) This well is the 1st lateral well of a pilot-lateral drilling plan and will be drilled first, therefore the API designation of -01 has been applied to this Form 2.</p> <p>Final Review Completed. No LGD or public comment received.</p>	7/21/2015 2:18:54 PM
Engineer	<p>This APD pertains just to the Coal Bed Methane (CBM) lateral portion of the well located north of the pilot well and depicted as the E-3 coal (see attached WBD). Both the surface and production casings were previously assessed and approved in the angled straight line pilot well and have been carried forward with this permit for reference purposes. Initial drilling on all laterals will commence at a depth near the bottom end of the production casing depicted in the pilot well (API ex "00"). The casing in this lateral will be a slotted liner and will not be cemented in place. These laterals will be completed naturally and will not be fracture stimulated. The Statewide HZ Offset Well Policy does not apply to horizontal wells not being fracture stimulated in the pay zone.</p>	7/15/2015 2:12:54 PM
Permit	Surface Use Agreement in well file (see doc: 400687545).	7/14/2015 9:35:57 AM
Permit	<p>Should be permit to drill, not permit to reenter, as this permit is proposing to drill a sidetrack.</p> <p>Spacing order should be 112-215, not 112-214.</p> <p>Needs sidetrack API designation.</p>	7/14/2015 9:21:20 AM
Permit	<p>Passed completeness.</p> <p>Corrected the name of the attachment PLAT to Well Location Plat.</p> <p>Corrected Proposed Total Measured Depth from "7044" to "7045".</p>	6/29/2015 6:51:40 AM

Total: 5 comment(s)