







[illegible]


All interpretations are opinions based on inferences from electrical or other measurements and we cannot, and do not guarantee the accuracy or correctness of any interpretations, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions as set out in our current price schedule.



ANADARKO E&P ONSHORE LLC
 BANE 28N2-9HZ
 WATTENBERG FIELD
 WELD COUNTY, COLORADO
 05-123-41306

Gamma Ray (GR) <hr style="border: 0; border-top: 1px solid green; margin: 2px 0;"/> 0 Unit = aapi 150	MEASURED DEPTH 1:240 (ft)	Rate of Penetration (ROP) <hr style="border: 0; border-top: 1px dashed black; margin: 2px 0;"/> 1000 Unit = ft/hr 0	Tool Temperature (T-TEMP) <hr style="border: 0; border-top: 1px dashed red; margin: 2px 0;"/> 50 Unit = °F 300	Comments
				













S: 35 MD: 2425.00 ft
Inc: 17.73 deg Az:
231.31 deg TVD:
2349.50 ft



S: 36 MD: 2519.00 ft
Inc: 17.27 deg Az:
231.10 deg TVD:
2439.15 ft













S: 47 MD: 3559.00 ft
Inc: 18.67 deg Az:
227.12 deg TVD:
3423.89 ft

S: 48 MD: 3654.00 ft
Inc: 19.08 deg Az:
230.41 deg TVD:
3513.78 ft

S: 49 MD: 3748.00 ft
Inc: 17.80 deg Az:
224.71 deg TVD:
3602.96 ft






4050

4100

4150


4200



S: 52 MD: 4032.00 ft
Inc: 17.40 deg Az:
226.79 deg TVD:
3874.23 ft


S: 53 MD: 4126.00 ft
Inc: 17.77 deg Az:
232.03 deg TVD:
3963.84 ft



S: 54 MD: 4221.00 ft
Inc: 16.05 deg Az:
230.47 deg TVD:
4054.73 ft



S: 55 MD: 4315.00 ft
Inc: 13.80 deg Az:
226.56 deg TVD:
4145.55 ft


S: 56 MD: 4410.00 ft
Inc: 13.79 deg Az:
229.26 deg TVD:
4237.82 ft







S: 60 MD: 4788.00 ft
Inc: 6.47 deg Az:
235.97 deg TVD:
4609.35 ft


S: 61 MD: 4882.00 ft
Inc: 4.70 deg Az:
243.76 deg TVD:
4702.90 ft







S: 65 MD: 5260.00 ft
Inc: 0.93 deg Az: 60.78
deg TVD: 5080.72 ft

S: 66 MD: 5355.00 ft
Inc: 1.27 deg Az: 80.45
deg TVD: 5175.71 ft







5900

5950

6000


6050


6100



S: 72 MD: 5921.00 ft
Inc: 0.40 deg Az: 78.83
deg TVD: 5741.61 ft

S: 73 MD: 6016.00 ft
Inc: 0.37 deg Az:
332.56 deg TVD:
5836.61 ft

S: 74 MD: 6110.00 ft










S: 79 MD: 6583.00 ft
Inc: 1.25 deg Az:
329.37 deg TVD:
6403.48 ft


S: 80 MD: 6677.00 ft
Inc: 1.02 deg Az:
315.59 deg TVD:
6497.46 ft

S: 81 MD: 6771.00 ft
Inc: 9.94 deg Az:
340.22 deg TVD:
6590.94 ft









7550

7600


7650


7700


S: 89 MD: 7528.00 ft
Inc: 73.23 deg Az: 2.60
deg TVD: 7139.08 ft

S: 90 MD: 7622.00 ft
Inc: 81.85 deg Az: 0.87
deg TVD: 7159.34 ft

S: 91 MD: 7717.00 ft
Inc: 87.15 deg Az: 359.18 deg
deg TVD: 7168.44 ft











S: 97 MD: 8283.00 ft
Inc: 88.96 deg Az:
359.67 deg TVD:
7170.02 ft


S: 98 MD: 8378.00 ft
Inc: 89.03 deg Az: 0.53
deg TVD: 7171.69 ft





























Inc: 89.70 deg Az:
359.66 deg TVD:
7169.23 ft


S: 122 MD: 10647.00 ft
Inc: 90.07 deg Az:
359.71 deg TVD:
7169.42 ft


S: 123 MD: 10742.00 ft
Inc: 90.50 deg Az:
358.14 deg TVD:
7168.95 ft

















Scientific Drilling

GAMMA RAY

5" = 100' FEET MD