

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203

Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: <div>400903979</div>			
Date Received: <div>09/23/2015</div>			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: 10459	Contact Name Kristi McRedmond	Complete the Attachment Checklist
Name of Operator: EXTRACTION OIL & GAS LLC	Phone: (303) 928-7128	
Address: 370 17TH STREET SUITE 5300	Fax: (303) 218-5678	
City: DENVER State: CO Zip: 80202 Email: kmcredmond@petro-fs.com		
API Number : 05- 123 41667 00	OGCC Facility ID Number: 442100	Survey Plat
Well/Facility Name: Fairview	Well/Facility Number: 1	Directional Survey
Location QtrQtr: NWSW Section: 5 Township: 2N Range: 68W Meridian: 6		Srhc Eqpmt Diagram
County: WELD Field Name: WATTENBERG		Technical Info Page
Federal, Indian or State Lease Number:		Other

OP OGCC

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling. **The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.**
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose

COMMENTS

Extraction is submitting a Form 4 Sundry based on the fact that there are no wells that we can sample both do to no permission from landowner and water well not functional.

Water Well, Permit #134176 - we sent a certified letter (5/8/2015) to landowner trying to obtain permission and tried to call (5/7/2015, 5/20/2015, & 7/10/2015) and numerous times with no return call. Landowner did not grant permission to sample well.

Water Well, Permit #78, #36153, #36152, #36151 - Sent certified letter to landowner on 7/17/2015. We spoke with Shirli on 7/21/15. She told me that her well has been dry for over 20 years. Due to well being dry and not functional, we cannot collect a baseline sample at this location.

Water Well, Permit #49094 - Sent a certified letter to landowner on 7/17/2015. Landowner did not give permission for us to collect sample at this location.

Water Well, Permit #43821 - This is a monitoring well and we do not have the ability to sample this location.

Water Well, Permit #43822 - This is a monitoring well and we do not have the ability to sample this location.

Due to all the available water well locations being unfunctional or not able to obtain permission to collect a baseline sample.

Please forward to Arthur Koepsell.

Operator Comments:

Please forward to Arthur Koepsell.

This sundry applies to the Fairview 5-I Pad located 2N68W5.

The well API #'s associated with this sundry are:

Fairview 1 - 05-123-41667

Fairview 2 - 05-123-41666

Fairview 3 - 05-123-41522

Fairview 4 - 05-123-41523

Fairview 5 - 05-123-41521

Fairview 6 - 05-123-41519

Fairview 7 - 05-123-41518

Fairview 8 - 05-123-41525

Fairview 9 - 05-123-41520

Fairview 10 - 05-123-41517

Fairview 11 - 05-123-41524

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Kristi McRedmond

Title: Environmental Specialist Email: kmcredmond@petro-fs.com Date: 9/23/2015

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOEPSSELL, ARTHUR Date: 9/24/2015

CONDITIONS OF APPROVAL, IF ANY:**COA Type****Description**

--	--

General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Environmental Data	Additional details regarding attempts to gain permission to access water wells is included in the attachments.	9/24/2015 12:27:42 PM
Environmental Data	A review of data on the COGCC website indicates that there are no potentially available water sources, other than those addressed by the operator, within the governmental quarter section of the proposed oil and gas well or within any unsampled governmental ¼ section within a ½ mile radius of the proposed oil and gas well(s).	9/24/2015 12:26:49 PM

Total: 2 comment(s)

Attachment Check List

<u>Att Doc Num</u>	<u>Name</u>
400904944	OTHER
400904945	CORRESPONDENCE

Total Attach: 2 Files