



Bison Oil Well Cementing Single Cement Surface Pipe

Date: 6/21/2015

Invoice # 80095

API#

Foreman: Kirk Kallhoff

Customer: Anadarko Petroleum Corporation

Well Name: fehrn 38n-32hz

County: Weld

State: Colorado

Sec: 32

Twp: 2n

Range: 66w

Consultant: bryan

Rig Name & Number: pinn 4

Distance To Location: 19

Units On Location: 3103-3104-3203

Time Requested: 600 am

Time Arrived On Location: 430 am

Time Left Location: 12:30 pm

WELL DATA

Casing Size OD (in) : 9.625
Casing Weight (lb) : 36.00
Casing Depth (ft) : 1,843
Total Depth (ft) : 1853
Open Hole Diameter (in.) : 13.50
Conductor Length (ft) : 45
Conductor ID : 16
Shoe Joint Length (ft) : 42
Landing Joint (ft) : 10

Max Rate:

Max Pressure:

Cement Data

Cement Name: BFN III
Cement Density (lb/gal) : 14.2
Cement Yield (cuft) : 1.49
Gallons Per Sack: 7.48
% Excess: 20%
Displacement Fluid lb/gal: 8.3
BBL to Pit:
Fluid Ahead (bbls): 30.0
H2O Wash Up (bbls): 10.0

Spacer Ahead Makeup

Casing ID

8.921

Casing Grade

J-55 only used

Calculated Results

cuft of Shoe 18.23 cuft

(Casing ID Squared) X (.005454) X (Shoe Joint ft)

cuft of Conductor 40.09 cuft

(Conductor Width Squared) - (Casing Size OD Squared) X (.005454) X (Conductor Length ft)

cuft of Casing 1054.48 cuft

(Open Hole Squared) - (Casing Size Squared) X (.005454) X (Casing Depth - Conductor Length)

Total Slurry Volume 1112.81 cuft

(cuft of Shoe) + (cuft of Conductor) + (cuft of Casing)

bbls of Slurry 198.19 bbls

(Total Slurry Volume) X (.1781)

Sacks Needed 747 sk

(Total Slurry Volume) ÷ (Cement Yield) X (% Excess Cement)

Mix Water 133.01 bbls

(Sacks Needed) X (Gallons Per Sack) ÷ 42

Displacement: 140.01 bbls
(Casing ID Squared) X (.0009714) X (Casing Depth + Landing Joint - Shoe Joint)

Pressure of cement in annulus

Hydrostatic Pressure: 1359.58 PSI

Pressure of the fluids inside casing

Displacement: 776.56 psi

Shoe Joint: 30.98 psi


Total 807.54 psi

Differential Pressure: 552.04 psi

Collapse PSI: 2020.00 psi

Burst PSI: 3520.00 psi

Total Water Needed: 313.02 bbls

X 
Authorization To Proceed

Date _____

M/D TOTCO 2000 SERIES

