

State of Colorado
Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109



DE	ET	OE	ES
Document Number: 400919306			
Date Received: 10/16/2015			

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

OGCC Operator Number: <u>10456</u>	Contact Name <u>Jake Janicek</u>
Name of Operator: <u>CAERUS PICEANCE LLC</u>	Phone: <u>(970) 285-9606</u>
Address: <u>600 17TH STREET #1600N</u>	Fax: <u>()</u>
City: <u>DENVER</u> State: <u>CO</u> Zip: <u>80202</u>	Email: <u>jjanicek@caerusoilandgas.com</u>

API Number : 05- <u>045</u> <u>17786</u> <u>00</u>	OGCC Facility ID Number: <u>299919</u>
Well/Facility Name: <u>Puckett</u>	Well/Facility Number: <u>11B-12</u>
Location QtrQtr: <u>SESE</u> Section: <u>2</u> Township: <u>7S</u> Range: <u>97W</u> Meridian: <u>6</u>	
County: <u>GARFIELD</u> Field Name: <u>GRAND VALLEY</u>	
Federal, Indian or State Lease Number: _____	

Complete the Attachment
Checklist

OP OGCC

Survey Plat		
Directional Survey		
Srvc Eqpmt Diagram		
Technical Info Page		
Other		

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).

NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☐ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4): There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☒ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.
- 2 Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- 3 Number of Water Source Exceptions requested per Rule 609.c.
- 1 Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**
- 0 Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☒ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Pre_Drill Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

Sample ID	Facility ID	Sample Date	Sample Purpose
545493	753920	12/10/2014	609Pre
545493			
545493	753920	12/10/2014	609Pre
540521	753920	12/10/2014	609Pre
540521	753920	12/10/2014	609Pre

540521	753920	12/10/2014	609Pre
--------	--------	------------	--------

COMMENTS

The Facility ID for Sample 545493 is 753920. Sample ID 545493 is the laboratory data and Sample ID 540521 is the field data for the Facility ID 753920 collected 12/10/2014.

Caerus conducted research to verify the presence of a representative well sample (attached). DWR receipt 48146 is a monitoring well without a working pump and is therefore not a representative well.

A previous spring sample (545493 and 540521) was collected within the appropriate timeframe. No other available water sources were identified within the 1/2 mile radius of the proposed oil and gas well.

Operator Comments:

This exemption request includes the following wells:

05-045-17786 Puckett 11B-12
 05-045-17787 Puckett 43C-2
 05-045-17788 Puckett 43D-2
 05-045-17789 Puckett 44A-2
 05-045-17790 Puckett 44B-2
 05-045-17791 Puckett 44C-2
 05-045-17792 Puckett 44D-2
 05-045-17793 Puckett 14B-1
 05-045-17794 Puckett 14C-1
 05-045-17795 Puckett 14D-1
 05-045-17796 Puckett 11A-12
 05-045-22613 Puckett 24C-1
 05-045-22614 Puckett 24D-1
 05-045-22615 Puckett 13D-1
 05-045-22616 Puckett 14A-1
 05-045-22617 Puckett 24A-1

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Chris McKisson
 Title: Project Env Scientist Email: cmckisson@ltenv.com Date: 10/16/2015

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOESELL, ARTHUR Date: 10/19/2015

CONDITIONS OF APPROVAL, IF ANY:

COA Type

Description

--	--

General Comments

User Group	Comment	Comment Date
Environmental Data	A review of DWR data on the COGCC website indicates that there are no additional water features, other than those addressed by the operator, that meet the 100 series definition of a water source within ½ mile of the oil and gas well(s).	10/19/2015 10:55:57 AM
Environmental Data	The COENV database has been updated with the operators substitution request.	10/19/2015 10:37:25 AM

Total: 2 comment(s)

Attachment Check List

Att Doc Num	Name
400919306	FORM 4 SUBMITTED
400919350	TOPO MAP
400920112	CORRESPONDENCE

Total Attach: 3 Files