

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

10/27/2015

Document Number:

675202176

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	311692	311692	CONKLIN, CURTIS	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 100185Name of Operator: ENCANA OIL & GAS (USA) INCAddress: 370 17TH ST STE 1700City: DENVER State: CO Zip: 80202-

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
Encana,		cogcc.inspections@encana.com	All Inspections

Compliance Summary:QtrQtr: Lot 3 Sec: 28 Twp: 7S Range: 95W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
07/08/2014	675100213			SATISFACTORY			No

Inspector Comment:**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
290492	WELL	PR	01/01/2013	GW	045-14125	GARDNER FEDERAL 21-15(PC28)	PR	<input checked="" type="checkbox"/>
290493	WELL	PR	01/29/2013	GW	045-14124	GARDNER 21-13(PC28)	PR	<input checked="" type="checkbox"/>
426547	WELL	PR	10/16/2012	GW	045-21184	Gardner Federal 28-1C (PC-28)	PR	<input checked="" type="checkbox"/>
426550	WELL	PR	12/06/2012	GW	045-21185	Gardner Federal 28-2A (PC-28)	PR	<input checked="" type="checkbox"/>
426551	WELL	PR	02/20/2013	GW	045-21186	Gardner Federal 28-2B (PC-28)	PR	<input checked="" type="checkbox"/>
426552	WELL	PR	02/20/2013	GW	045-21187	Gardner 28-4A (PC-28)	PR	<input checked="" type="checkbox"/>
426553	WELL	DA	05/08/2012	GW	045-21188	Gardner 28-3D (PC-28)	DA	<input type="checkbox"/>
426562	WELL	PR	10/09/2012	GW	045-21189	Gardner 21-14C (PC-28)	PR	<input checked="" type="checkbox"/>
426563	WELL	PR	10/08/2012	GW	045-21190	Gardner Federal 28-1 (PC-28)	PR	<input checked="" type="checkbox"/>
426564	WELL	PR	12/06/2012	GW	045-21191	Gardner 21-14 (PC-28)	PR	<input checked="" type="checkbox"/>

Inspector Name: CONKLIN, CURTIS

426565	WELL	PR	12/09/2012	GW	045-21192	Gardner Federal 28-2D (PC-28)	PR	<input checked="" type="checkbox"/>
426623	WELL	PR	12/06/2012	GW	045-21193	Gardner 28-3B (PC-28)	PR	<input checked="" type="checkbox"/>
429141	WELL	PR	12/20/2012	GW	045-21498	Gardner 28-3DD (PC-28)	PR	<input checked="" type="checkbox"/>

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>12</u>	Production Pits: _____
Condensate Tanks: <u>4</u>	Water Tanks: _____	Separators: <u>12</u>	Electric Motors: _____
Gas or Diesel Mortors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: <u>1</u>	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: <u>1</u>	Flare: _____	Fuel Tanks: _____

Location**Lease Road:**

Type	Satisfactory/Action Required	comment	Corrective Action	Date
Access	SATISFACTORY			

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
TANK LABELS/PLACARDS	SATISFACTORY			
WELLHEAD	SATISFACTORY			

Emergency Contact Number (S/A/V): SATISFACTORY

Corrective Date: _____

Comment: 285-2615

Corrective Action: _____

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?**Fencing/:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
LOCATION	SATISFACTORY			

Facilities:☐ New Tank

Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	1	300 BBLS	STEEL AST	,
S/A/V: SATISFACTORY	Comment: _____			
Corrective Action:	_____			Corrective Date: _____

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance

Corrective Action		Corrective Date	
-------------------	--	-----------------	--

Comment

Same

Facilities:☐ New Tank

Tank ID: _____

Contents	#	Capacity	Type	SE GPS
CONDENSATE	5	500 BBLS	STEEL AST	,

S/A/V: SATISFACTORY	Comment:	
---------------------	----------	--

Corrective Action:		Corrective Date:	
--------------------	--	------------------	--

Paint

Condition	Adequate
-----------	----------

Other (Content) _____

Other (Capacity) _____

Other (Type) _____

Berms

Type	Capacity	Permeability (Wall)	Permeability (Base)	Maintenance
Metal	Adequate	Walls Sufficient	Base Sufficient	Adequate

Corrective Action		Corrective Date	
-------------------	--	-----------------	--

Comment	
---------	--

Venting:

Yes/No	Comment
NO	

Flaring:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Predrill

Location ID: 311692

Site Preparation:

Lease Road Adeq.: _____

Pads: _____

Soil Stockpile: _____

S/A/V: _____

Corrective Action: _____ Date: _____ CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczko	<p>PROJECT RULISON COAs:</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines.</p> <p>Comply with all DOE Office of Legacy Management requests for sampling and analysis of natural gas and other materials associated with drilling and production.</p> <p>The nearby hillside must be monitored for any day-lighting of drilling fluids</p>	10/27/2011

throughout the drilling of the surface casing interval.

Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.

Flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline or pit located on the well pad or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

Berms or other containment devices shall be constructed to be sufficiently impervious to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.

Produced water from this location may not be transported to or re-used at another location without specific written approval from COGCC and only after analysis confirms compliance with the Rulison Sampling and Analysis Plan (SAP).

Drill solids and cuttings from this location may not be transported to, disposed of or re-used at another location without specific written approval from COGCC and only after analysis confirms compliance with the Rulison Sampling and Analysis Plan (SAP).

A closed loop mud system shall be utilized to ensure containment of all materials that have been in contact with downhole strata and fluids. All cuttings and fresh make up water storage pits shall be lined to ensure containment. Contour features, french drains and other stormwater BMPs as necessary shall be employed to ensure site integrity.

No individual operator shall utilize more than one rig within one mile of the Project Rulison blast site at any given time and no individual operator shall utilize more than two rigs within a three mile radius of the site at any given time. The total number of rigs allowed by all operators within three miles of the site shall be limited to five at any given time.

Operator shall comply with all provisions of the most recent COGCC approved revision of the Rulison Sampling and Analysis Plan (SAP). In addition to the produced water sampling and analysis outlined in section 5.8 of the plan the operators shall also obtain and analyze produced water samples on wells described in the plan for constituents listed in the plan using the specified method where applicable.

The moisture content of any drill cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts.

Operator will conduct regular inspections of equipment for leaks and equipment problems with appropriate documentation retained in the operator's office. All equipment deficiencies shall be corrected. Monitoring should end approximately 30 days after well completion and/or after production has been stabilized; however, timely inspections should continue during the production phase.

Operator will use adequately sized containment devices for all chemicals and/or hazardous materials stored or used on location.

Strategically apply fugitive dust control measures, including enforcing established

Inspector Name: CONKLIN, CURTIS

speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.

S/A/V: _____ **Comment:** Secondary containment in place around fluids.

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Wildlife	All wildlife stipulations and best mangement practices that apply, are applicable and that have been agreed to with the BLM and are presented in our approved South Parachute Geographic Area Plan for Oil & Gas Development (EA#COC140-2006-050) will be followed.

S/A/V: _____ **Comment:** _____

CA: _____ **Date:** _____

Stormwater:

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 290492 Type: WELL API Number: 045-14125 Status: PR Insp. Status: PR

Facility ID: 290493 Type: WELL API Number: 045-14124 Status: PR Insp. Status: PR

Facility ID: 426547 Type: WELL API Number: 045-21184 Status: PR Insp. Status: PR

Facility ID: 426550 Type: WELL API Number: 045-21185 Status: PR Insp. Status: PR

Facility ID: 426551 Type: WELL API Number: 045-21186 Status: PR Insp. Status: PR

Facility ID: 426552 Type: WELL API Number: 045-21187 Status: PR Insp. Status: PR

Facility ID: 426562 Type: WELL API Number: 045-21189 Status: PR Insp. Status: PR

Facility ID: 426563	Type: WELL	API Number: 045-21190	Status: PR	Insp. Status: PR
Facility ID: 426564	Type: WELL	API Number: 045-21191	Status: PR	Insp. Status: PR
Facility ID: 426565	Type: WELL	API Number: 045-21192	Status: PR	Insp. Status: PR
Facility ID: 426623	Type: WELL	API Number: 045-21193	Status: PR	Insp. Status: PR
Facility ID: 429141	Type: WELL	API Number: 045-21498	Status: PR	Insp. Status: PR

Environmental**Spills/Releases:**

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____
 Comment: _____
 Corrective Action: _____ Date: _____
 Reportable: _____ GPS: Lat _____ Long _____
 Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____
 DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit**Interim Reclamation:**

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Debris removed? _____ CM _____
 CA _____ CA Date _____
 Waste Material Onsite? _____ CM _____
 CA _____ CA Date _____
 Unused or unneeded equipment onsite? _____ CM _____
 CA _____ CA Date _____
 Pit, cellars, rat holes and other bores closed? _____ CM _____
 CA _____ CA Date _____
 Guy line anchors removed? _____ CM _____

CA _____ CA Date _____

Guy line anchors marked? _____ CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized ? _____

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? _____ Segregated soils have been replaced? _____

RESTORATION AND REVEGETATIONCropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? _____

Comment: _____

Overall Interim Reclamation

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND _____

Reminder: _____

Comment: _____

Well plugged _____ Pit mouse/rat holes, cellars backfilled _____

Debris removed _____ No disturbance /Location never built _____

Access Roads _____ Regraded _____ Contoured _____ Culverts removed _____

Gravel removed _____

Location and associated production facilities reclaimed _____ Locations, facilities, roads, recontoured _____

Compaction alleviation _____ Dust and erosion control _____

Non cropland: Revegetated 80% _____ Cropland: perennial forage _____

Weeds present _____ Subsidence _____

Comment: _____

Corrective Action: _____ Date _____

Overall Final Reclamation _____ Well Release on Active Location ☐ Multi-Well Location ☐**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Gravel	Pass	Culverts	Pass			
Compaction	Pass	Compaction	Pass			
Berms	Pass	Check Dams	Pass			
Seeding	Pass					

Inspector Name: CONKLIN, CURTIS

Retention Ponds	Pass	Gravel	Pass			
-----------------	------	--------	------	--	--	--

S/A/V: SATISFACTOR Corrective Date: _____
Y _____

Comment: Check dams being installed on access road at time of inspection.

CA: _____

Pits: ☒ NO SURFACE INDICATION OF PIT