




Directional Survey Certification

2948 I-70 Business Loop
Grand Junction, CO 81504
(970)-245-9447 Fax (970)-245-9454

Operator	<u>WPX Energy Rocky Mountain, LLC.</u>
Well Name & No.	<u>GM 313-21</u>
County & State	<u>Garfield County, CO</u>
SDI Job No.	<u>420115DEFK246561</u>
Rig	<u>Cyclone 17</u>

I, Mel Mireles Jr., having personal knowledge of all the facts, hereby certify that the attached directional survey run from a measured depth of 0 feet to a measured depth of 8,167 feet is true and correct as determined from all available records.


Signature

30-Jan-15
Date

Mel Mireles Jr.
Grand Junction Assistant Well Planner
Scientific Drilling - Colorado District

Company:	WPX Energy Rocky Mountain, LLC	Local Co-ordinate Reference:	Well GM 313-21 - Slot B6
Project:	Garfield County, CO NAD83	TVD Reference:	KELLY BUSHING @ 5626.01ft (Cyclone 17 (22' RKB) kjs)
Site:	GM 11-28 Pad	MD Reference:	KELLY BUSHING @ 5626.01ft (Cyclone 17 (22' RKB) kjs)
Well:	GM 313-21	North Reference:	True
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	Grand Junction District

Project	Garfield County, CO NAD83		
Map System:	US State Plane 1983	System Datum:	Mean Sea Level
Geo Datum:	North American Datum 1983		
Map Zone:	Colorado Central Zone		

Site	GM 11-28 Pad				
Site Position:		Northing:	1,617,299.30 usft	Latitude:	39° 29' 56.450 N
From:	Map	Easting:	2,260,967.51 usft	Longitude:	108° 7' 9.465 W
Position Uncertainty:	0.00 ft	Slot Radius:	13.200 in	Grid Convergence:	-1.65 °

Well	GM 313-21 - Slot B6					
Well Position	+N/-S	0.00 ft	Northing:	1,617,277.36 usft	Latitude:	39° 29' 56.224 N
	+E/-W	0.00 ft	Easting:	2,260,937.12 usft	Longitude:	108° 7' 9.845 W
Position Uncertainty		0.00 ft	Wellhead Elevation:	ft	Ground Level:	5,604.01 ft

Wellbore	Wellbore #1				
Magnetics	Model Name	Sample Date	Declination (°)	Dip Angle (°)	Field Strength (nT)
	IGRF2010	6/14/2013	10.15	65.66	52,037

Design	Wellbore #1				
Audit Notes:					
Version:	1.0	Phase:	ACTUAL	Tie On Depth:	0.00
Vertical Section:	Depth From (TVD) (ft)	+N/-S (ft)	+E/-W (ft)	Direction (°)	
	0.00	0.00	0.00	2.75	

Survey Program	Date	1/30/2015			
From (ft)	To (ft)	Survey (Wellbore)	Tool Name	Description	
75.00	800.00	Survey #1 - Gyro MWD (Wellbore #1)	SDI Gyro MWD 104	SDI Gyro MWD Error Model Ver 1.0.4	
871.00	1,305.00	Survey #2 - Surface MWD (Wellbore #1)	MWD SDI	MWD - Standard ver 1.0.1	
1,398.00	8,167.00	Survey #3 - Production MWD (Wellbore #1)	MWD SDI	MWD - Standard ver 1.0.1	

Survey										
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)	
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	
75.00	0.26	270.18	75.00	0.00	-0.17	-0.01	0.35	0.35	0.00	
First SDI Gyro MWD Survey										
165.00	1.58	2.90	164.99	1.24	-0.31	1.22	1.79	1.47	103.02	
256.00	4.40	7.65	255.86	5.95	0.22	5.96	3.11	3.10	5.22	
346.00	8.27	4.75	345.29	15.83	1.21	15.87	4.31	4.30	-3.22	
437.00	12.58	3.52	434.77	32.25	2.36	32.33	4.74	4.74	-1.35	

Company:	WPX Energy Rocky Mountain, LLC	Local Co-ordinate Reference:	Well GM 313-21 - Slot B6
Project:	Garfield County, CO NAD83	TVD Reference:	KELLY BUSHING @ 5626.01ft (Cyclone 17 (22' RKB) kjs)
Site:	GM 11-28 Pad	MD Reference:	KELLY BUSHING @ 5626.01ft (Cyclone 17 (22' RKB) kjs)
Well:	GM 313-21	North Reference:	True
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	Grand Junction District

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
528.00	16.36	0.53	522.86	54.97	3.09	55.05	4.23	4.15	-3.29
618.00	19.71	0.62	608.43	82.82	3.37	82.89	3.72	3.72	0.10
709.00	22.35	1.41	693.36	115.47	3.96	115.53	2.92	2.90	0.87
800.00	26.04	4.31	776.36	152.70	5.89	152.81	4.26	4.05	3.19
Last SDI Gyro MWD Survey									
871.00	29.31	3.58	839.23	185.59	8.15	185.77	4.63	4.61	-1.03
First SDI Surface MWD Survey									
961.00	33.13	3.88	916.18	232.14	11.19	232.41	4.25	4.24	0.33
1,056.00	35.91	2.78	994.44	285.87	14.30	286.23	3.00	2.93	-1.16
1,151.00	39.87	2.79	1,069.40	344.14	17.13	344.56	4.17	4.17	0.01
1,245.00	43.41	1.76	1,139.64	406.54	19.59	407.01	3.84	3.77	-1.10
1,305.00	44.85	1.50	1,182.71	448.30	20.78	448.78	2.42	2.40	-0.43
Last SDI Surface MWD Survey									
1,398.00	45.85	1.81	1,248.06	514.43	22.69	514.92	1.10	1.08	0.33
First SDI Production MWD Survey									
1,430.00	45.98	1.80	1,270.33	537.40	23.42	537.91	0.41	0.41	-0.03
1,524.00	45.66	1.72	1,335.84	604.78	25.49	605.31	0.35	-0.34	-0.09
1,619.00	45.29	3.35	1,402.45	672.44	28.48	673.03	1.28	-0.39	1.72
1,714.00	44.83	2.39	1,469.56	739.60	31.85	740.28	0.86	-0.48	-1.01
1,808.00	44.99	4.92	1,536.14	805.82	36.08	806.62	1.91	0.17	2.69
1,901.00	44.20	4.42	1,602.36	870.90	41.40	871.88	0.93	-0.85	-0.54
1,995.00	44.15	5.40	1,669.78	936.16	47.00	937.33	0.73	-0.05	1.04
2,088.00	44.62	4.02	1,736.24	1,000.99	52.34	1,002.34	1.15	0.51	-1.48
2,181.00	43.37	3.01	1,803.15	1,065.46	56.31	1,066.93	1.54	-1.34	-1.09
2,274.00	43.74	2.92	1,870.55	1,129.45	59.62	1,131.01	0.40	0.40	-0.10
2,367.00	43.98	2.81	1,937.60	1,193.81	62.84	1,195.45	0.27	0.26	-0.12
2,461.00	43.93	3.08	2,005.27	1,258.97	66.20	1,260.70	0.21	-0.05	0.29
2,554.00	43.01	1.57	2,072.77	1,322.90	68.80	1,324.67	1.49	-0.99	-1.62
2,649.00	43.34	1.87	2,142.05	1,387.87	70.75	1,389.66	0.41	0.35	0.32
2,742.00	43.32	1.56	2,209.70	1,451.66	72.66	1,453.47	0.23	-0.02	-0.33
2,836.00	42.82	1.20	2,278.37	1,515.83	74.21	1,517.64	0.59	-0.53	-0.38
2,931.00	43.17	1.28	2,347.85	1,580.60	75.61	1,582.41	0.37	0.37	0.08
3,024.00	44.36	3.06	2,415.01	1,644.87	78.06	1,646.72	1.84	1.28	1.91
3,119.00	42.85	2.80	2,483.80	1,710.31	81.41	1,712.24	1.60	-1.59	-0.27
3,213.00	42.51	4.31	2,552.91	1,773.90	85.35	1,775.95	1.15	-0.36	1.61
3,306.00	42.70	4.36	2,621.36	1,836.68	90.11	1,838.89	0.21	0.20	0.05
3,399.00	43.53	5.59	2,689.25	1,900.00	95.63	1,902.40	1.27	0.89	1.32
3,493.00	43.19	3.82	2,757.59	1,964.31	100.93	1,966.89	1.34	-0.36	-1.88
3,587.00	43.43	2.36	2,826.00	2,028.69	104.40	2,031.37	1.10	0.26	-1.55
3,681.00	44.63	2.57	2,893.58	2,093.96	107.21	2,096.70	1.29	1.28	0.22
3,776.00	43.88	2.03	2,961.62	2,160.21	109.87	2,162.99	0.88	-0.79	-0.57
3,871.00	43.35	1.15	3,030.40	2,225.71	111.69	2,228.51	0.85	-0.56	-0.93
3,965.00	43.16	0.84	3,098.86	2,290.11	112.81	2,292.89	0.30	-0.20	-0.33

Company:	WPX Energy Rocky Mountain, LLC	Local Co-ordinate Reference:	Well GM 313-21 - Slot B6
Project:	Garfield County, CO NAD83	TVD Reference:	KELLY BUSHING @ 5626.01ft (Cyclone 17 (22' RKB) kjs)
Site:	GM 11-28 Pad	MD Reference:	KELLY BUSHING @ 5626.01ft (Cyclone 17 (22' RKB) kjs)
Well:	GM 313-21	North Reference:	True
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	Grand Junction District

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
4,060.00	42.22	2.90	3,168.69	2,354.49	114.91	2,357.29	1.77	-0.99	2.17
4,154.00	41.40	1.77	3,238.76	2,417.10	117.46	2,419.95	1.18	-0.87	-1.20
4,249.00	40.03	1.81	3,310.76	2,479.03	119.40	2,481.91	1.44	-1.44	0.04
4,342.00	37.71	1.96	3,383.16	2,537.36	121.32	2,540.26	2.50	-2.49	0.16
4,436.00	36.48	3.14	3,458.14	2,594.00	123.83	2,596.95	1.51	-1.31	1.26
4,531.00	35.47	3.48	3,535.02	2,649.71	127.05	2,652.75	1.08	-1.06	0.36
4,624.00	34.01	3.96	3,611.44	2,702.59	130.48	2,705.74	1.60	-1.57	0.52
4,718.00	32.66	2.83	3,689.98	2,754.15	133.55	2,757.39	1.58	-1.44	-1.20
4,812.00	30.11	3.52	3,770.22	2,803.03	136.25	2,806.34	2.74	-2.71	0.73
4,907.00	29.08	3.08	3,852.82	2,849.87	138.96	2,853.25	1.11	-1.08	-0.46
5,001.00	27.37	2.78	3,935.64	2,894.26	141.23	2,897.71	1.83	-1.82	-0.32
5,095.00	25.36	2.25	4,019.86	2,935.96	143.07	2,939.45	2.15	-2.14	-0.56
5,190.00	24.69	1.60	4,105.94	2,976.13	144.42	2,979.63	0.76	-0.71	-0.68
5,284.00	22.69	359.92	4,192.02	3,013.89	144.95	3,017.37	2.25	-2.13	-1.79
5,378.00	22.34	1.68	4,278.85	3,049.87	145.44	3,053.34	0.81	-0.37	1.87
5,472.00	21.30	0.82	4,366.12	3,084.80	146.21	3,088.26	1.16	-1.11	-0.91
5,566.00	20.75	3.88	4,453.86	3,118.49	147.58	3,121.98	1.31	-0.59	3.26
5,660.00	18.11	5.08	4,542.50	3,149.66	150.00	3,153.23	2.84	-2.81	1.28
5,754.00	15.92	6.88	4,632.38	3,177.01	152.84	3,180.69	2.40	-2.33	1.91
5,848.00	14.24	5.50	4,723.14	3,201.32	155.50	3,205.10	1.83	-1.79	-1.47
5,942.00	13.67	5.10	4,814.37	3,223.89	157.59	3,227.74	0.62	-0.61	-0.43
6,036.00	12.64	4.16	4,905.90	3,245.22	159.32	3,249.12	1.12	-1.10	-1.00
6,130.00	10.82	4.58	4,997.93	3,264.27	160.78	3,268.22	1.94	-1.94	0.45
6,224.00	9.21	7.44	5,090.50	3,280.53	162.45	3,284.54	1.79	-1.71	3.04
6,317.00	7.24	8.83	5,182.53	3,293.70	164.32	3,297.79	2.13	-2.12	1.49
6,411.00	6.37	6.02	5,275.87	3,304.74	165.77	3,308.88	0.99	-0.93	-2.99
6,506.00	5.09	8.81	5,370.40	3,314.14	166.97	3,318.34	1.38	-1.35	2.94
6,600.00	4.57	10.23	5,464.06	3,321.95	168.28	3,326.20	0.57	-0.55	1.51
6,691.00	3.47	12.94	5,554.84	3,328.20	169.54	3,332.50	1.23	-1.21	2.98
6,785.00	2.30	8.53	5,648.72	3,332.84	170.45	3,337.18	1.27	-1.24	-4.69
6,879.00	0.89	59.20	5,742.68	3,335.08	171.36	3,339.46	1.99	-1.50	53.90
6,972.00	0.54	44.98	5,835.67	3,335.76	172.29	3,340.18	0.42	-0.38	-15.29
7,066.00	0.55	142.08	5,929.67	3,335.72	172.88	3,340.17	0.87	0.01	103.30
7,161.00	0.11	144.87	6,024.67	3,335.28	173.21	3,339.75	0.46	-0.46	2.94
7,254.00	0.09	336.01	6,117.67	3,335.27	173.23	3,339.74	0.21	-0.02	-181.57
7,348.00	0.59	335.67	6,211.67	3,335.78	173.01	3,340.24	0.53	0.53	-0.36
7,442.00	0.28	10.07	6,305.66	3,336.45	172.85	3,340.90	0.42	-0.33	36.60
7,535.00	0.65	316.47	6,398.66	3,337.06	172.52	3,341.49	0.57	0.40	-57.63
7,630.00	0.69	291.56	6,493.65	3,337.66	171.62	3,342.05	0.31	0.04	-26.22
7,724.00	0.81	286.28	6,587.65	3,338.05	170.46	3,342.38	0.15	0.13	-5.62
7,818.00	1.23	274.58	6,681.63	3,338.32	168.81	3,342.57	0.50	0.45	-12.45
7,913.00	1.32	291.19	6,776.61	3,338.80	166.78	3,342.95	0.40	0.09	17.48

Company:	WPX Energy Rocky Mountain, LLC	Local Co-ordinate Reference:	Well GM 313-21 - Slot B6
Project:	Garfield County, CO NAD83	TVD Reference:	KELLY BUSHING @ 5626.01ft (Cyclone 17 (22' RKB) kjs)
Site:	GM 11-28 Pad	MD Reference:	KELLY BUSHING @ 5626.01ft (Cyclone 17 (22' RKB) kjs)
Well:	GM 313-21	North Reference:	True
Wellbore:	Wellbore #1	Survey Calculation Method:	Minimum Curvature
Design:	Wellbore #1	Database:	Grand Junction District

Survey									
Measured Depth (ft)	Inclination (°)	Azimuth (°)	Vertical Depth (ft)	+N/-S (ft)	+E/-W (ft)	Vertical Section (ft)	Dogleg Rate (°/100ft)	Build Rate (°/100ft)	Turn Rate (°/100ft)
8,007.00	1.59	262.40	6,870.58	3,339.01	164.47	3,343.06	0.82	0.29	-30.63
8,102.00	1.52	278.02	6,965.54	3,339.02	161.92	3,342.94	0.45	-0.07	16.44
Last SDI Production MWD Survey									
8,167.00	1.52	278.02	7,030.52	3,339.26	160.21	3,343.10	0.00	0.00	0.00
Projection to Bit									

Design Annotations					
Measured Depth (ft)	Vertical Depth (ft)	Local Coordinates			
		+N/-S (ft)	+E/-W (ft)	Comment	
75.00	75.00	0.00	-0.17	First SDI Gyro MWD Survey	
800.00	776.36	152.70	5.89	Last SDI Gyro MWD Survey	
871.00	839.23	185.59	8.15	First SDI Surface MWD Survey	
1,305.00	1,182.71	448.30	20.78	Last SDI Surface MWD Survey	
1,398.00	1,248.06	514.43	22.69	First SDI Production MWD Survey	
8,102.00	6,965.54	3,339.02	161.92	Last SDI Production MWD Survey	
8,167.00	7,030.52	3,339.26	160.21	Projection to Bit	

Checked By: _____ Approved By: _____ Date: _____