Schlumberger
Platform Express
Three Detector Lithology Density
Compensated Neutron
Array Induction Imager Tool
Gamma Ray
Caliper
Bit Size
Density Correction
Photoelectric Factor
Neutron Porosity
Bulk Density
Delta Rho
Deep Resistivity
Medium Resistivity
Shallow Resistivity
Spherically Focused Resistivity
Rt
Rxo
Rm
Rmf
Rmc
Mud Type
Mud Density
Mud Resistivity
Mud Filtrate Resistivity
Mud Cake Resistivity
Source
Maximum Recorded Temperature
Circulation Stopped
Logger on Bottom
Time Since Circulation
Max. Rec. Temp.
Equipment Number
Location
Recorded By
Witnessed By
Run Number
Depth Driller
Depth Logger
Bottom Logged Interval
Top Logged Interval
Casing Driller
Casing Logger
Bit Size
Type Fluid in Hole
Density
Viscosity
pH
Fluid Loss
Source of Sample
Rm @ Measured Temp
Rmf @ Measured Temp
Rmc @ Measured Temp
Source of Rmf and Rmc
Rm @ BHT
Rmf @ BHT
Rmc @ BHT
Time Since Circulation
Max Rec Temp




10920
10940
10960
10980
11000
11020
11040
11060
11080
11100
11120
11140
11160
11180
11200
11220
11240
11260
11280
11300
11320
11340
11360
11380
11400
11420
11440
11460
11480
11500
11520
11540
11560
11580
11600
11620
11640
11660
11680
11700
11720
11740
11760
11780
11800
11820
11840
11860
11880
11900
11920
11940
11960
11980
12000
12020
12040
12060
12080
12100
12120
12140
12160
12180
12200
Gamma Raw
0.0
200.0
200.0
400.0
RCDP
Fdhi
0.0
500.0
500.0
1000.0