

**FORM  
INSP**Rev  
05/11**State of Colorado  
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109

DE	ET	OE	ES
----	----	----	----

Inspection Date:

11/13/2015

Document Number:

680600347

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	436010	436008	ROY, CATHERINE	<input type="checkbox"/>	

**Operator Information:**OGCC Operator Number: 10464Name of Operator: CATAMOUNT ENERGY PARTNERS LLCAddress: 1801 BROADWAY #1000City: DENVER State: CO Zip: 80202

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

**Contact Information:**

Contact Name	Phone	Email	Comment
Redmond, Nolan	720-484-2347	nredmond@catamountep.com	SW Inspections

**Compliance Summary:**QtrQtr: SWSW Sec: 3 Twp: 33N Range: 7W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
06/25/2014	674600561	DG	WO	SATISFACTORY	P		No

**Inspector Comment:**

This is an interim reclamation and stormwater inspection. Any corrective actions from previous inspections that have not been addressed are still applicable.

**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
436010	WELL	PR	09/22/2014	GW	067-09902	Campbell 33-7-4 1H	PR	<input checked="" type="checkbox"/>
443485	TANK BATTERY	AC	10/02/2015		-	Campbell Tank Battery	AC	<input type="checkbox"/>

**Equipment:****Location Inventory**

Special Purpose Pits: _____	Drilling Pits: _____	Wells: _____	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>6</u>	Separators: _____	Electric Motors: _____
Gas or Diesel Motors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: _____	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

**Location**

Emergency Contact Number (S/A/V): \_\_\_\_\_

Corrective Date: \_\_\_\_\_

Comment: \_\_\_\_\_

Corrective Action: \_\_\_\_\_

<b>Spills:</b>				
Type	Area	Volume	Corrective action	CA Date
<input type="checkbox"/> Multiple Spills and Releases?				

<b>Venting:</b>	
Yes/No	Comment

<b>Flaring:</b>				
Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

**Predrill**

Location ID: 436010

**Site Preparation:**

Lease Road Adeq.: \_\_\_\_\_ Pads: \_\_\_\_\_ Soil Stockpile: \_\_\_\_\_

**S/A/V:** \_\_\_\_\_

Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_ CDP Num.: \_\_\_\_\_

**Form 2A COAs:**

Group	User	Comment	Date
OGLA	kubeczkd	<p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines.</p> <p>The existing access road will be maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p> <p>The location is in an area of moderate run-on/run-off potential; therefore standard stormwater BMPs must be implemented at this location to insure compliance with CDPHE and COGCC requirements and to prevent any stormwater run-on and /or stormwater run-off.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (preferably corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p> <p>All tanks and aboveground vessels containing fluids or chemicals used in the storage and transmission processes and operations must have secondary containment structures (which may include, but is not limited to, double-walled tanks). All secondary containment structures/areas must be lined. Operator must ensure 110 percent secondary containment for the largest structure containing fluids within each bermed area of the facility during operations. The construction and lining of the secondary containment structures/areas shall be supervised by a professional engineer or their agent.</p> <p>Additional containment shall be required where temporary or permanent pumps and other necessary equipment or chemicals are located.</p> <p>Operator will use adequately sized containment devices for all chemicals and/or hazardous materials stored or used on location and the facility shall comply with the operators SPCC Plan.</p>	01/07/2014

OGLA	kubeczkd	Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network. Operator shall notify the COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Field Inspection Supervisor for Southwest Colorado (Steve Labowskie; email steve.labowskie@state.co.us) 48 hours prior to testing surface poly/steel or buried poly/steel pipelines.  Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.	01/07/2014
OGLA	kubeczkd	Notify the COGCC 48 hours prior to start of tank battery pad construction and start of operations using Form 42 (the appropriate COGCC individuals will automatically be email notified).	01/07/2014

**S/A/V:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Wildlife BMPs:**

BMP Type	Comment
Final Reclamation	Equipment will be painted with dull, none reflective paint darker than the adjacent landscape. Noxious weeds will be controlled onsite by herbicide application based upon recommendations from the La Plata County weed control technical. Spraying will be applied by a professional.
Construction	The following BMPs may be employed during the construction phase: Erosion Control: Seeding, mulching, berms, checks dams, grading techniques Sediment Control: Erosion bales, sediment traps, gravel barriers, sediment basins

**S/A/V:** \_\_\_\_\_ **Comment:** \_\_\_\_\_

**CA:** \_\_\_\_\_ **Date:** \_\_\_\_\_

**Stormwater:**

**Comment:** \_\_\_\_\_

**Staking:****On Site Inspection (305):**Surface Owner Contact Information:

Name: \_\_\_\_\_ Address: \_\_\_\_\_  
Phone Number: \_\_\_\_\_ Cell Phone: \_\_\_\_\_

Operator Rep. Contact Information:

Landman Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_  
Date Onsite Request Received: \_\_\_\_\_ Date of Rule 306 Consultation: \_\_\_\_\_

Request LGD Attendance: \_\_\_\_\_

LGD Contact Information:

Name: \_\_\_\_\_ Phone Number: \_\_\_\_\_ Agreed to Attend: \_\_\_\_\_

Summary of Landowner Issues:Summary of Operator Response to Landowner Issues:Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

**Facility**

Facility ID: 436010 Type: WELL API Number: 067-09902 Status: PR Insp. Status: PR

**Environmental****Spills/Releases:**

Type of Spill: \_\_\_\_\_ Description: \_\_\_\_\_ Estimated Spill Volume: \_\_\_\_\_  
 Comment:   
 Corrective Action: \_\_\_\_\_ Date: \_\_\_\_\_  
 Reportable: \_\_\_\_\_ GPS: Lat \_\_\_\_\_ Long \_\_\_\_\_  
 Proximity to Surface Water: \_\_\_\_\_ Depth to Ground Water: \_\_\_\_\_

**Water Well:**

Lat \_\_\_\_\_ Long \_\_\_\_\_  
 DWR Receipt Num: \_\_\_\_\_ Owner Name: \_\_\_\_\_ GPS : \_\_\_\_\_

**Field Parameters:**

Sample Location:

Emission Control Burner (ECB): \_\_\_\_\_

Comment: \_\_\_\_\_

Pilot: \_\_\_\_\_ Wildlife Protection Devices (fired vessels): \_\_\_\_\_

**Reclamation - Storm Water - Pit****Interim Reclamation:**

Date Interim Reclamation Started: \_\_\_\_\_ Date Interim Reclamation Completed: \_\_\_\_\_

Land Use: RANGELAND

Comment: Interim reclamation was recently commenced on the well pad. Revegetation is progressing and straw mulch was applied. Weeds will need to be carefully monitored here as weed infestations were observed nearby. Surrounding habitat is pinion juniper woodland. See attached photos.

1003a. Debris removed? Pass CM \_\_\_\_\_  
 CA \_\_\_\_\_ CA Date \_\_\_\_\_  
 Waste Material Onsite? Pass CM \_\_\_\_\_  
 CA \_\_\_\_\_ CA Date \_\_\_\_\_  
 Unused or unneeded equipment onsite? Pass CM \_\_\_\_\_  
 CA \_\_\_\_\_ CA Date \_\_\_\_\_  
 Pit, cellars, rat holes and other bores closed? \_\_\_\_\_ CM \_\_\_\_\_  
 CA \_\_\_\_\_ CA Date \_\_\_\_\_  
 Guy line anchors removed? \_\_\_\_\_ CM \_\_\_\_\_  
 CA \_\_\_\_\_ CA Date \_\_\_\_\_  
 Guy line anchors marked? \_\_\_\_\_ CM \_\_\_\_\_  
 CA \_\_\_\_\_ CA Date \_\_\_\_\_

Inspector Name: ROY, CATHERINE

- 1003b. Area no longer in use? ☐ In ☐ Production areas stabilized ? ☐ In ☐
- 1003c. Compacted areas have been cross ripped? ☐
- 1003d. Drilling pit closed? ☐ Subsidence over on drill pit? ☐
- Cuttings management:
- 1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? ☐ In ☐
- Production areas have been stabilized? ☐ Segregated soils have been replaced? ☐

RESTORATION AND REVEGETATION

Cropland

Top soil replaced ☐ Recontoured ☐ Perennial forage re-established ☐

Non-Cropland

Top soil replaced ☐ Recontoured ☐ 80% Revegetation ☐ In ☐

1003 f. Weeds Noxious weeds? ☐ I ☐

Comment:

Overall Interim Reclamation

**Final Reclamation/ Abandoned Location:**

Date Final Reclamation Started:  Date Final Reclamation Completed:

Final Land Use: RANGELAND

Reminder:

Comment:

Well plugged ☐ Pit mouse/rat holes, cellars backfilled ☐

Debris removed ☐ No disturbance /Location never built ☐

Access Roads Regraded ☐ Contoured ☐ Culverts removed ☐

Gravel removed ☐

Location and associated production facilities reclaimed ☐ Locations, facilities, roads, recontoured ☐

Compaction alleviation ☐ Dust and erosion control ☐

Non cropland: Revegetated 80% ☐ Cropland: perennial forage ☐

Weeds present ☐ Subsidence ☐

Comment:

Corrective Action:  Date

Overall Final Reclamation ☐ Well Release on Active Location ☐ Multi-Well Location ☐

**Storm Water:**

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

S/A/V: SATISFACTOR Corrective Date:

Y

Comment: Stormwater BMPs are in place and appear to be functioning and in good condition. Stormwater erosion is controlled on the location at this time.

CA:

Pits: ☒ NO SURFACE INDICATION OF PIT

**Attached Documents**

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
680600348	Inspection Photos	<a href="http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3731914">http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3731914</a>