

FORM

21

Rev  
08/14

# State of Colorado

## Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203  
Phone: (303) 894-2100 Fax: (303) 894-2109



Document Number:

400959087

Date Received:

12/23/2015

### MECHANICAL INTEGRITY TEST

1. Duration of the pressure test must be a minimum of 15 minutes.
2. An original pressure chart must accompany this report if this test was not witnessed by an OGCC representative.
3. For production wells, test pressures must be at a minimum of 300 psig.
4. New injection wells must be tested to maximum requested injection pressure.
5. For injection wells, test pressures must be at least 300 psig or average injection pressure, whichever is greater.
6. A minimum 300 psi differential pressure must be maintained between the tubing and tubing/casing annulus pressure.
7. Do not use this form if submitting under provisions of Rule 326.a(1)B. or C.
8. Written OGCC notification must be provided 10 days prior to the test via Form 42, Field Operations Notice
9. Packers or bridge plugs, etc., must be set within 100 feet of the perforated interval to be considered a valid test.

Complete the Attachment

Checklist

OP OGCC

OGCC Operator Number: 96735	Contact Name: Linda Callahan	Pressure Chart		
Name of Operator: WILLIFORD RESOURCES, L.L.C.	Phone: (918) 7128828	Cement Bond Log		
Address: 6506 S LEWIS AVE STE 102		Tracer Survey		
City: TULSA State: OK Zip: 74136 Email: lcallahan3@swbell.net		Temperature Survey		
API Number: 05- 067-06834 OGCC Facility ID Number: 215229		Inspection Number		
Well/Facility Name: DYE HARD Well/Facility Number: 4				
Location QtrQtr: SWNW Section: 13 Township: 33N Range: 12W Meridian: N				

☒ SHUT-IN PRODUCTION WELL ☐ INJECTION WELL Last MIT Date: 1/20/2011 12:00:00 AM

#### Test Type:

- ☒ Test to Maintain SI/TA status ☐ 5-Year UIC ☐ Reset Packer  
☐ Verification of Repairs ☐ Annual UIC TEST  
☐ Describe Repairs or Other Well Activities:

Wellbore Data at Time of Test				Casing Test	
Injection Producing Zone(s)	Perforated Interval	Open Hole Interval	Use when perforations or open hole is isolated by bridge plug or cement plug; use if cased-hole only with plug back total depth.		
DKTA		3478-3549	Bridge Plug or Cement Plug Depth		
Tubing Casing/Annulus Test			3360		
Tubing Size:	Tubing Depth:	Top Packer Depth:	Multiple Packers?		
			<input type="checkbox"/>		

#### Test Data (Use -1 for a vacuum)

Test Date	Well Status During Test	Casing Pressure Before Test	Initial Tubing Pressure	Final Tubing Pressure
12-21-2015	TEMPORARILY ABANDONED	0		
Casing Pressure Start Test	Casing Pressure - 5 Min.	Casing Pressure - 10 Min.	Casing Pressure Final Test	Pressure Loss or Gain
345	345	345	345	0

Test Witnessed by State Representative? ☒ OGCC Field Representative Labowskie, Steve

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: \_\_\_\_\_ Print Name: Linda Callahan  
 Title: Office Manager Email: lcallahan3@swbell.net Date: 12/23/2015

Based on the information provided herein, this Notice (Form 21) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: George, Travis Date: 1/5/2016

### CONDITIONS OF APPROVAL, IF ANY:

## General Comments

<u>User Group</u>	<u>Comment</u>	<u>Comment Date</u>
Agency	questioned the plug placement >100', asked for form 21	12/28/2015 3:50:58 PM
Total: 1 comment(s)		