

# Mercury

## VARIABLE INTENSITY CEMENT BOND LOG


COMPANY	WELL	FIELD	County	State
COMPANY <u>Mull Drilling Co.</u>				
WELL <u>Mull UPRC-Hiss #2</u>				
FIELD <u>Smoky Creek</u>				
COUNTY <u>Cheyenne</u> STATE <u>Co.</u>				
Location			Other Services:	
<u>1941 FNL : 626 FEL</u>				
Sec. <u>29</u> Twp. <u>13S</u> Rge. <u>44W</u>				
Permanent Datum <u>G.L.</u>		Elev. <u>4259</u>		Elev.: K.B. <u>4271</u>
Log Measured From <u>K.B.</u>		<u>12</u> Ft. Above Perm. Datum		D.F. <u>4269</u>
Drilling Measured From <u>K.B.</u>				G.L. <u>4259</u>

Run No.	<u>ONE</u>	
Date & Time Survey	<u>6-22-94</u>	
Date & Time Cementing	<u>6-18-94</u>	
Type Cementing Operation	<u>PRODUCTION</u>	
Depth Driller		
Depth Mercury	<u>5453</u>	
Logged Interval	<u>5450</u>	to <u>4560</u>
Casing Driller	<u>5 1/2</u>	@
Float Collar—D.V. Tool		
Squeeze Depth		
Amount & Type Cement	<u>100 SX</u>	
Amount & Type Admix		
Type Fluid in Hole	<u>WATER</u>	
Fluid Level	<u>FULL</u>	
Salinity PPM Cl		
Weight lb/gal—Vis.		
Approx. Logged Cem. Top	<u>4660</u>	
Calculated Cement Top		
Max. Hole Temperature	<u>142°</u>	°F.
Tool No.	<u>51E</u>	
Spacing Recorded	<u>5</u>	
Equipment—Location	<u>TR-2 CW</u>	
Recorded by	<u>M. HENDERSON</u>	
Witnessed by	<u>CARL SMALLEY</u>	



Fold Here

BORE HOLE RECORD					CASING RECORD				
Bit Size	From	To	Csg. Size	Wt.	From	To	Centralized Interval	Scratched Interval	Open Perforations
12 1/4	00	1574	8 7/8	24	00	1574			
7 7/8	1574	5505	5 1/2	15.5*	00				

Service Ticket No. \_\_\_\_\_ Remarks \_\_\_\_\_










4700

4800

4900










4900

5000

5100










5200

5300

5400







5400

