





# MICRO-SEISMOGRAM<sup>®</sup> LOG-CASED HOLE

COMPANY	WELL	FIELD	County	State	COMPANY <u>GEOCHEMICAL SURVEYS, INC.</u>	
					WELL <u>#1 WILDCAT RANCH</u>	
					FIELD <u>WILDCAT</u>	
					COUNTY <u>MORGAN</u>	STATE <u>COLORADO</u>
Location					Other Services:	
<u>660 FWL x 660 FNL</u> <u>NW</u>						
Sec. <u>12</u> Twp. <u>6N</u> Rge. <u>S9W</u>						
Permanent Datum <u>G.L.</u> Elev. <u>4809</u>					Elev.: K.B. <u>4815</u>	
Log Measured From <u>K.B.</u> <u>6</u> Ft. Above Perm. Datum					D.F. <u>-</u>	
Drilling Measured From <u>K.B.</u>					G.L. <u>4809</u>	
Run No.		<u>ONE</u>				
Date & Time Survey		<u>2-12-81</u> <u>12:00 Noon</u>				
Date & Time Cementing		<u>NA</u> <u>NA</u>				
Type Cementing Operation		<u>PRIMARY</u>				
Depth Driller		<u>6550</u>				
Depth Welex		<u>6629</u>				
Logged Interval		<u>6624</u> to <u>5450</u> to				
Casing Driller		<u>858</u> @ <u>124</u> @				
Float Collar—D.V. Tool		<u>NA</u> <u>NA</u>				
Squeeze Depth		<u>NA</u>				
Amount & Type Cement		<u>NA</u>				
Amount & Type Admix		<u>NA</u>				
Type Fluid in Hole		<u>WATER</u>				
Fluid Level		<u>FULL</u>				
Salinity PPM Cl		<u>NA</u>				
Weight lb/gal—Vis.		<u>NA</u> <u>NA</u>				
Approx. Logged Cem. Top		<u>5640</u>				
Calculated Cement Top		<u>5640</u>				
Max. Hole Temperature		<u>NA</u> °F. °F.				
Tool No.		<u>304</u>				
Spacing Recorded		<u>4'</u>				
Equipment—Location		<u>8766</u> <u>BRIGHTON</u>				
Recorded by		<u>P. TRUSILLO</u>				
Witnessed by		<u>MR. DALE SAINÉ</u>				





5600

5700

PROBABLE CEMENT TOP

