



April 1, 2016

Matt Lepore
Director, Colorado Oil and Gas Conservation Commission
Department of Natural Resources
The Chancery Building
1120 Lincoln Street, Suite 801
Denver, CO 80203

Re: Request for Exception to Rule 317.p

Fagerberg 33-12 Location

- | | |
|--------------------------|------------------------|
| 1. Fagerberg 28N-18B-M | (COGCC DOC# 400821642) |
| 2. Fagerberg 36C-7-M | (COGCC DOC# 400821643) |
| 3. Fagerberg 36N-7B-M | (COGCC DOC# 400821640) |
| 4. Fagerberg 23N-7C-M | (COGCC DOC# 400821641) |
| 5. Fagerberg 11N-7B-M | (COGCC DOC# 400821634) |
| 6. Fagerberg 11C-7-M | (COGCC DOC# 400821636) |
| 7. Fagerberg 25N(S)-7B-M | (COGCC DOC# 400821638) |
| 8. Fagerberg 25N-7C-M | (COGCC DOC# 400821639) |
| 9. Fagerberg 25N-7B-M | (COGCC DOC# 400821633) |
| 10. Fagerberg 3C-18-M | (COGCC DOC# 401001369) |
| 11. Fagerberg 15N-7A-M | (COGCC DOC# 401001368) |
| 12. Fagerberg 11N-7A-M | (COGCC DOC# 401001367) |
| 13. Fagerberg 6C-7-M | (COGCC DOC# 401001366) |
| 14. Fagerberg 6N-7C-M | (COGCC DOC# 401001365) |

SWSW Section 12, Township 6 North, Range 66 West
Weld County, Colorado

Dear Director Lepore:

Synergy Resources Corporation (SRC) respectfully requests approval for an Open Hole Logging Exception to Rule 317.p. The above-named wells are requested to be exempt from this requirement due to the proximity of existing well(s) with acceptable petrophysical logs that adequately describes the stratigraphy of the wellbore, adequately verifies surface casing setting depth, and adequately verifies any aquifer coverage. The existing wells listed in the table below have log(s) which meet the offsetting well surface-hole distance and bearing requirements.

Well Name	Well Number	API Number	Distance From Well(s)	Azimuth (Degrees)	Log Type	Log Type Document Number
Ottoson	I 12-12	123-29234	860'	30	Density Gamma / DIL Gamma	2546015 / 2546016
Ottoson	3	123-12390	640'	128.7	Dual Induction with SP	959239

One of the first wells drilled on this multi-well location will be logged with a cased-hole pulsed neutron, gamma ray, and cement bond log from kick-off point into the surface casing. The other wells on this multi-well location will be logged with only a cement bond and cased-hole gamma ray log from the kick-off point into the surface casing. The Drilling Completion Report (Form 5) submitted for each well will indicate that no open-hole logs were run.

Should you have any question, please feel to contact me at (720) 616-4319.

Sincerely,

Synergy Resources Corporation



Erin Ekblad | Manager of Regulatory Affairs

Synergy Resources Corporation

1625 Broadway; Suite 500

Denver, CO 80202

Direct: 720.616.4319

Cell: 303.550.2375