

State of Colorado

Oil and Gas Conservation Commission

1120 Lincoln Street, Suite 801, Denver, Colorado 80203

Phone: (303) 894-2100 Fax: (303) 894-2109



| | | | |
|--|----|----|----|
| DE | ET | OE | ES |
| Document Number: <div>401027922</div> | | | |
| Date Received: <div>04/14/2016</div> | | | |

SUNDRY NOTICE

Submit a signed original. This form is to be used for general, technical and environmental sundry information. For proposed or completed operations, describe in full in Comments or provide as an attachment. Identify Well by API Number; identify Oil and Gas Location by Location ID Number; identify other Facility by Facility ID Number.

| | | | | |
|-----------------------|--------------------------------|--------------|------------------|---|
| OGCC Operator Number: | 69175 | Contact Name | Randall Ferguson | |
| Name of Operator: | PDC ENERGY INC | | Phone: | (303) 860-5800 |
| Address: | 1775 SHERMAN STREET - STE 3000 | | Fax: | (303) 831-3988 |
| City: | DENVER | State: | CO | Zip: 80203 Email: randall.ferguson@pdce.com |

| | | | | | | |
|--|-----------|------|-------------|-----------------------|--------------------------|---------------------------|
| API Number : | 05- | 123 | 39751 | 00 | OGCC Facility ID Number: | 437886 |
| Well/Facility Name: | Churchill | | | Well/Facility Number: | 28E-203 | |
| Location | QtrQtr: | NWNW | Section: | 28 | Township: | 5N Range: 64W Meridian: 6 |
| County: | WELD | | Field Name: | WATTENBERG | | |
| Federal, Indian or State Lease Number: | | | | | | |

Complete the Attachment
Checklist

OP OGCC

| | | |
|---------------------|--|--|
| Survey Plat | | |
| Directional Survey | | |
| Srhc Eqpmt Diagram | | |
| Technical Info Page | | |
| Other | | |

GROUND WATER SAMPLING

Uses of Ground Water Sampling Section

Request an Exception to Ground Water Sampling Requirements in Greater Wattenberg Area Rule 318A.e(4) or in Statewide Rule 609.c. Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d. (3).
NOTE: If this Sundry Notice is being submitted to request a Ground Water Sampling Exception it cannot be used for any other purpose except requesting the use of a Previously Sampled Water Source in the COGIS database.

- ☒ Request an Exception to Ground Water Sampling Requirements per Greater Wattenberg Area Rule 318A.e(4):There are no Available Water Sources located within the governmental quarter section or within a previously unsampled governmental quarter section within a ½-mile radius of this proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.
- ☐ Request an Exception to Ground Water Sampling Requirements per Statewide Rule 609.c.

Number of Water Sources located within one-half (1/2) mile of a proposed Oil and Gas Well, Multi-Well Site, or Dedicated Injection Well.

Number of Water Source Exceptions requested per Rule 609.c.

Number of Water Sources determined to be unsuitable. **The condition of these Water Sources MUST be documented in the comments below or in an attachment.**

Number of Water Sources suitable for testing whose owners refused to grant access despite an operator's reasonable good faith efforts to obtain consent to conduct sampling.
The reasonable good faith efforts used to obtain access from the owners of these Water Sources MUST be documented in the comments below or in an attachment.
- ☐ Request a Previously Sampled Water Source in the COGIS database be used to meet sampling requirements as described in Rule 609.d(3)

Type of Sample Substitution Request

Enter Sample ID Number from COGIS Maps for each Previous Water Sample:

| Sample ID | Facility ID | Sample Date | Sample Purpose |
|-----------|-------------|-------------|----------------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |

| COMMENTS |
|---|
| <p>Requesting an extension for post-completion sampling timeframe. For all wells on Location 438507. API #'s: 123-39751, 123-39869, 123-39753, 123-39752, 123-39750</p> <p>Environmental facility ID: 75360</p> <p>Water Well Permit: 50721, Receipt: 9062802</p> <p>Unable to sample facility at this time. Landowner states that pump went out in the fall and will replace the pump once he needs to irrigate. Sample will be collected and reported to the COGCC as soon as possible.</p> |

Requesting an extension for post-completion sampling timeframe. For all wells on Location 438507. API #'s: 123-39751, 123-39869, 123-39753, 123-39752, 123-39750
Environmental facility ID: 75360
Water Well Permit: 50721, Receipt: 9062802
Unable to sample facility at this time. Landowner states that pump went out in the fall and will replace the pump once he needs to irrigate. Sample will be collected and reported to the COGCC as soon as possible.

Operator Comments:

I hereby certify all statements made in this form are, to the best of my knowledge, true, correct, and complete.

Signed: _____ Print Name: Nikki Graber

Title: Geologist Email: ngrab@olssonassociates.com Date: 4/14/2016

Based on the information provided herein, this Sundry Notice (Form 4) complies with COGCC Rules and applicable orders and is hereby approved.

COGCC Approved: KOESELL, ARTHUR Date: 4/14/2016

CONDITIONS OF APPROVAL, IF ANY:

| <u>COA Type</u> | <u>Description</u> |
|-----------------|--------------------|
|-----------------|--------------------|

| <u>Description</u> |
|--------------------|
|--------------------|

General Comments

| <u>User Group</u> | <u>Comment</u> | <u>Comment Date</u> |
|-------------------|----------------|---------------------|
|-------------------|----------------|---------------------|

| <u>Comment</u> | <u>Comment Date</u> |
|----------------|---------------------|
|----------------|---------------------|

Comment Date

Total: 0 comment(s)

Attachment Check List

| <u>Att Doc Num</u> | <u>Name</u> |
|--------------------|-------------|
|--------------------|-------------|

Name

| | |
|-----------|------------------|
| 401027922 | FORM 4 SUBMITTED |
|-----------|------------------|

Total Attach: 1 Files