



Continental Industries Field Services, LLC  
2411 N. Oil Drive  
P.O. Box 656  
Casper, WY 82602

307-473-1581 Phone  
307-234-1035 Fax

[www.wellplugging.com](http://www.wellplugging.com)

### DAILY WORK TICKET

Company: Merit Energy Corp.

Date: 1/16/2015

Rig: 6

Address:

Lease: Sandwash

Well: Evans Federal 12-21

Contract #

County: Moffat

#### PLUGGING / WORK DETAIL:

Conduct safety meeting, RU cementers, topped off casings as follows, 20sxs cement in annulus, and 15sxs cement in production casing, 35sxs cement total, via 100'x 1" poly, weld on dry hole plate with legals, backfill cellar remove rig anchors. BLM not present

ITEM	HOURS OR UNITS	PRICE PER HOUR	TOTAL
------	----------------------	----------------------	-------

BID PRICE		\$	-
-----------	--	----	---

ADDT'L TIME & MATR'L ITEMS:			
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
SUB TOTAL:		\$	-
SALES TAX:		\$	-
TOTAL:		\$	-

EMPLOYEE'S NAME	JOB	HOURS
-----------------	-----	-------

LeMay	Supervisor	
Devoe	Operator	
Cook	Derrick	
McComsey	Floor	
LeMay	CMTR	
VanCoillie	BULK	
J.Sevenski	Co.Rep	
	BLM rep	

#### CEMENT DETAIL

Cement pumped was class G Neat with slurry weight of 15.8 ppg, 1.15 cu-ft/sk yield. Mix water was 4.96 gal/sk. Compressive strength 24 hrs/4000 psi

PREPARED BY: RL



Continental Industries Field Services, LLC  
2411 N. Oil Drive  
P.O. Box 656  
Casper, WY 82602

307-473-1581 Phone  
307-234-1035 Fax

[www.wellplugging.com](http://www.wellplugging.com)

### DAILY WORK TICKET

Company: Merit Energy Corp.

Date: 12/29/2014

Rig: 6

Address:

Lease: Sandwash

Well: Evans Federal 12-21

Contract #

County: Moffat

#### PLUGGING / WORK DETAIL:

Conduct safety meeting, check well, no pressure, POOH with 48 stands, 2 3/8" tubing. Move in and set flowback tank. SIW,SDFN.

ITEM	HOURS OR UNITS	PRICE PER HOUR	TOTAL
------	----------------------	----------------------	-------

BID PRICE			\$ -
-----------	--	--	------

ADDT'L TIME & MATR'L ITEMS:			
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
SUB TOTAL:		\$	-
SALES TAX:		\$	-
TOTAL:		\$	-

EMPLOYEE'S NAME	JOB	HOURS
-----------------	-----	-------

LeMay	Supervisor	
Devoe	Operator	
Cook	Derrick	
McComsey	Floor	
LeMay	CMTR	
VanCoillie	BULK	
J.Sevenski	Co.Rep	
	BLM rep	

#### CEMENT DETAIL

PREPARED BY: RL



Continental Industries Field Services, LLC  
2411 N. Oil Drive  
P.O. Box 656  
Casper, WY 82602

307-473-1581 Phone  
307-234-1035 Fax

[www.wellplugging.com](http://www.wellplugging.com)

### DAILY WORK TICKET

Company: Merit Energy Corp.

Date: 12/30/2014

Rig: 6

Address: \_\_\_\_\_

Lease: Sandwash

Well: Evans Federal 12-21

Contract # \_\_\_\_\_

County: Moffat

#### PLUGGING / WORK DETAIL:

Conduct safety meeting, check well, no pressure, stood back 83 stands, lay down 1 joint, XN nipple, 1 joint, X nipple, and notched collar, SIW. RU flowline to flow back tank, receive and unload Continental backhoe. SDFN.

ITEM	HOURS OR UNITS	PRICE PER HOUR	TOTAL
------	----------------------	----------------------	-------

BID PRICE			\$ -
-----------	--	--	------

ADDT'L TIME & MATR'L ITEMS:			
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
SUB TOTAL:		\$	-
SALES TAX:		\$	-
TOTAL:		\$	-

EMPLOYEE'S NAME	JOB	HOURS
-----------------	-----	-------

LeMay	Supervisor	
Devoe	Operator	
Cook	Derrick	
McComsey	Floor	
LeMay	CMTR	
VanCoillie	BULK	
J.Sevenski	Co.Rep	
	BLM rep	

#### CEMENT DETAIL

PREPARED BY: RL



Continental Industries Field Services, LLC  
2411 N. Oil Drive  
P.O. Box 656  
Casper, WY 82602

307-473-1581 Phone  
307-234-1035 Fax

[www.wellplugging.com](http://www.wellplugging.com)

### DAILY WORK TICKET

Company: Merit Energy Corp.

Address: \_\_\_\_\_

Contract # \_\_\_\_\_

Date: 1/5/2015

Rig: 6

Lease: Sandwash

Well: Evans Federal 12-21

County: Moffat

#### PLUGGING / WORK DETAIL:

Due to road closures, did not make it to location.

ITEM	HOURS OR UNITS	PRICE PER HOUR	TOTAL
------	----------------------	----------------------	-------

BID PRICE			\$ -
-----------	--	--	------

ADDT'L TIME & MATR'L ITEMS:			
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
SUB TOTAL:		\$	-
SALES TAX:		\$	-
TOTAL:		\$	-

EMPLOYEE'S NAME	JOB	HOURS
-----------------	-----	-------

LeMay	Supervisor	
Devoe	Operator	
Cook	Derrick	
McComsey	Floor	
LeMay	CMTR	
VanCoillie	BULK	
J.Sevenski	Co.Rep	
	BLM rep	

#### CEMENT DETAIL

PREPARED BY: RL

**PREPARED BY:** RL



Continental Industries Field Services, LLC  
2411 N. Oil Drive  
P.O. Box 656  
Casper, WY 82602

307-473-1581 Phone  
307-234-1035 Fax

[www.wellplugging.com](http://www.wellplugging.com)

### DAILY WORK TICKET

Company: Merit Energy Corp.

Date: 1/7/2015

Rig: 6

Address:

Lease: Sandwash

Well: Evans Federal 12-21

Contract #

County: Moffat

#### PLUGGING / WORK DETAIL:

Conduct safety meeting, TIH and set CIBP @ 5160', RU cementers, pressure tested tubing to 1000', tubing good. Sting out, load hole with fresh water, SIW, pressure tested casing to 500psi for 15min, casing held, open well, spotted 15sxs cement on top of CIBP, L/D tubing to 3850', mixed and pumped 20sxs cement stabilizer plug. L/D tubing to 1800', stood back remaining tubing in derrick. SIW, SDFN. Mobilize pump truck to the Brady Field.

ITEM	HOURS OR UNITS	PRICE PER HOUR	TOTAL
------	----------------------	----------------------	-------

BID PRICE		\$	-
-----------	--	----	---

ADDT'L TIME & MATR'L ITEMS:			
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
		\$	-
SUB TOTAL:		\$	-
SALES TAX:		\$	-
TOTAL:		\$	-

EMPLOYEE'S NAME	JOB	HOURS
-----------------	-----	-------

LeMay	Supervisor	
Devoe	Operator	
Cook	Derrick	
McComsey	Floor	
LeMay	CMTR	
VanCoillie	BULK	
J.Sevenski	Co.Rep	
R.Wallis	BLM rep	

#### CEMENT DETAIL

Cement pumped was class G Neat with slurry weight of 15.8 ppg, 1.15 cu-ft/sk yield. Mix water was 4.96 gal/sk. Compressive strength 24 hrs/4000 psi

PREPARED BY: RL



Continental Industries Field Services, LLC  
 2411 N. Oil Drive  
 P.O. Box 656  
 Casper, WY 82602

307-473-1581 Phone  
 307-234-1035 Fax

[www.wellplugging.com](http://www.wellplugging.com)

### DAILY WORK TICKET

Company: Merit Energy Corp.

Address:

Contract #

Date: 1/8/2015

Rig:

Lease: Brady South Unit

Well: Brady Deep 1W

County: Sweetwater WY.

### PLUGGING / WORK DETAIL:

Standby

ITEM	HOURS OR UNITS	PRICE PER HOUR	TOTAL
------	----------------------	----------------------	-------

BID PRICE			\$ -
-----------	--	--	------

ADDT'L TIME & MATR'L ITEMS:			
Pump Truck			\$ -
Cement			\$ -
Travel CMT Truck			\$ -
Travel CMT PU			\$ -
RIG Standby			\$ -
Subsistence			\$ -
			\$ -
			\$ -
SUB TOTAL:			\$ -
SALES TAX:			\$ -
TOTAL:			\$ -

EMPLOYEE'S NAME	JOB	HOURS
-----------------	-----	-------

LeMay	Supervisor	
Devoe	Operator	
Cook	Derrick	
McComsey	Floor	
LeMay	CMTR	
VanCoillie	BULK	
J.Sevenski	Co.Rep	
R.Canterbury	State Rep	

### CEMENT DETAIL

Cement pumped was class G Neat with slurry weight of 15.8 ppg, 1.15 cu-ft/sk yield. Mix water was 4.96 gal/sk. Compressive strength 24 hrs/4000 psi

PREPARED BY: RL



Continental Industries Field Services, LLC  
 2411 N. Oil Drive  
 P.O. Box 656  
 Casper, WY 82602

307-473-1581 Phone  
 307-234-1035 Fax

[www.wellplugging.com](http://www.wellplugging.com)

### DAILY WORK TICKET

**Company:** Merit Energy Corp. **Date:** 1/9/2015 **Rig:** 6  
**Address:** **Lease:** Sandwash  
**Contract #** **Well:** Evans Federal 12-21  
**County:** Moffat

#### PLUGGING / WORK DETAIL:

Conduct safety meeting, RU wireline truck, dig out and open surface valve, RIH in hole and tagged TOC @ 3652', as per BLM, pull up hole and perforated squeeze holes @ 1800'. RD wireline truck, RU cementers, RU to backside valve, RU flow line to surface casing, fill hole with fresh water, shut blind rams, attempted to establish circulation up annulus with 60bbls water, established injection rate 3bpm @ 800psi, but no circulation, open well, well flowed back 10bbls. Attempted to establish circulation down the annulus and up the production casing, pumped 40bbls, no circulation, 4bpm @ 300psi. Open well, well flowed back 3bbls, TIH open ended to 1800', shut in well, mixed and pumped 100sxs cement, squeezed 66sxs in, and balanced 35sxs out, well pressured up to 700psi, open backside valve to tank, well flowed back a estimated 10bbls, TOOH, stood back tubing, RU pump truck to backside valve, load hole with 1.5bbls, pumped 13bbls (calculated volume for 66sxs) making sure 66sxs went into perfs, 1bpm @ 1400psi, SIW, SDFN.

ITEM	HOURS OR UNITS	PRICE PER HOUR	TOTAL
------	----------------------	----------------------	-------

BID PRICE			\$ -
-----------	--	--	------

ADDT'L TIME & MATR'L ITEMS:			
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
			\$ -
SUB TOTAL:			\$ -
SALES TAX:			\$ -
TOTAL:			\$ -

EMPLOYEE'S NAME	JOB	HOURS
-----------------	-----	-------

LeMay	Supervisor	
Devoe	Operator	
Cook	Derrick	
McComsey	Floor	
LeMay	CMTR	
VanCoillie	BULK	
J.Sevenski	Co.Rep	
R.Wallis	BLM rep	

#### CEMENT DETAIL

Cement pumped was class G Neat with slurry weight of 15.8 ppg, 1.15 cu-ft/sk yield. Mix water was 4.96 gal/sk. Compressive strength 24 hrs/4000 psi

PREPARED BY: RL



PREPARED BY: RL

PREPARED BY: RL

**PREPARED BY:** RL

**PREPARED BY:** RL