

T1N, R67W

WELL BORE CONTINUES INTO SECTION 15

MATCH LINE SEE SHEET 2

NW COR.
SEC. 22, T1N, R67W
FOUND 3 1/4" ALUM. CAP
L.S. NO. 13155

N. 1/4 COR.
SEC. 22, T1N, R67W
FOUND 2 1/2" ALUM. CAP
L.S. NO. 28656

NE COR.
SEC. 22, T1N, R67W
FOUND 2 1/2" ALUM. CAP
ILLEGIBLE

N 01°05'14" W 2638.62' (M)

S 89°24'09" W 2662.70' (M)

S 89°24'00" W 2662.76' (M)

N 00°26'14" W 2636.81' (M)

N 00°45'14" W 2628.97' (M)

S 89°22'57" W 2643.88' (C)

S 89°22'57" W 2651.65' (C)

N 00°26'40" W 2637.08' (M)

SW COR.
SEC. 22, T1N, R67W
FOUND 3 1/4" ALUM. CAP
L.S. NO. 13155

S 89°28'08" W 2640.44' (M)

S 89°28'19" W 2640.86' (M)

SE COR.
SEC. 22, T1N, R67W
FOUND 3 1/4" ALUM. CAP
L.S. NO. 13155

S. 1/4 COR.
SEC. 22, T1N, R67W
FOUND 3 1/4" ALUM. CAP
L.S. NO. 13258


MARRS 29N-10HZ
SURFACE LOCATION

22


SURFACE LOCATION: NAD 83
GROUND ELEVATION= 4978.9'
LATITUDE= 40.037987°
LONGITUDE= -104.879029°
LATITUDE= 40°02'16.755"
LONGITUDE= -104°52'44.505"
HEEL LOCATION: NAD 83
LATITUDE= 40.038999°
LONGITUDE= -104.880640°
LATITUDE= 40°02'20.395"
LONGITUDE= -104°52'50.304"
BOTTOM HOLE LOCATION: NAD 83
LATITUDE= 40.060470°
LONGITUDE= -104.880690°
LATITUDE= 40°03'37.692"
LONGITUDE= -104°52'50.484"

NOTES:

- ▲ INDICATES SECTION CORNER
- INDICATES CALCULATED CORNER
- ELEVATION BASED ON NAVD88 (GEOID12B)
- BASIS OF BEARING DERIVED FROM COLORADO COORDINATE SYSTEM OF 1983 NORTH ZONE.
- ALL MEASURED DISTANCES ARE GRID.
COMBINED SCALE FACTOR: .99972813 CALCULATED AT THE W. 1/4 COR. OF SECTION 22
- OPERATOR: ROB WILSON / PDOP = 1.3
- SEE ADDENDUM TO WELL LOCATION CERTIFICATE FOR EXISTING IMPROVEMENTS WITHIN 500' OF THE WELL PAD.
- WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.
- THE BOTTOM OF HOLE BEARS N00°30'10"W, 7822' FROM THE HEEL LOCATION.



NOTE:
MAGNETIC NORTH IS CURRENT AS OF 3/3/2016.
MAGNETIC NORTH CHANGES WEST 0°06' PER YEAR.



SCALE: 1" = 1000'

CERTIFICATE OF SURVEYOR:

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. THIS CERTIFICATE DOES NOT REPRESENT A LAND SURVEY PLAT OR IMPROVEMENT SURVEY PLAT AS DEFINED BY C.S. 38-51-302 AND CANNOT BE RELIED UPON TO DETERMINE OWNERSHIP.

John R. Slaugh
JOHN R. SLAUGH
PROFESSIONAL LAND SURVEYOR
COLORADO REGISTRATION NUMBER 38230

NOTICE:
ACCORDING TO COLORADO STATE LAW YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE ON THE CERTIFICATION SHOWN HEREON.

WELL PAD - MARRS 28C-10HZ

MARRS 29N-10HZ
WELL LOCATION CERTIFICATE
2120' FNL & 2011' FWL SENW (SURFACE)
1750' FNL & 1564' FWL SENW (HEEL)
LOCATED IN SECTION 22
800' FSL & 1575' FWL SESW (BOTTOM)
LOCATED IN SECTION 10
T1N, R67W, 6TH P.M.
WELD COUNTY, COLORADO

**Kerr-McGee Oil &
Gas Onshore L.P.**
1099 18th Street
Denver, Colorado 80202




CONSULTING, LLC

SHERIDAN OFFICE
1095 Saberton Avenue
Sheridan, Wyoming 82801
Phone 307-674-0609

LOVELAND OFFICE
1635 Foxtrail Drive, Suite 204
Loveland, Colorado 80538
Phone 970-776-4331

DRAFTED BY: LMO	CHECKED BY: JRS	SHEET NO: 1 1 OF 3
DATE DRAFTED: 3/21/16	DATE SURVEYED: 1/19/16	
REVISED:	FILE NAME: 15-73	


T1N, R67W



SURFACE LOCATION: NAD 83
 GROUND ELEVATION= 4978.9'
 LATITUDE= 40.037987°
 LONGITUDE= -104.879029°
 LATITUDE= 40°02'16.755"
 LONGITUDE= -104°52'44.505"
HEEL LOCATION: NAD 83
 LATITUDE= 40.038999°
 LONGITUDE= -104.880640°
 LATITUDE= 40°02'20.395"
 LONGITUDE= -104°52'50.304"
BOTTOM HOLE LOCATION: NAD 83
 LATITUDE= 40.060470°
 LONGITUDE= -104.880690°
 LATITUDE= 40°03'37.692"
 LONGITUDE= -104°52'50.484"

NOTES:


- ▲ INDICATES SECTION CORNER
- INDICATES CALCULATED CORNER
- ELEVATION BASED ON NAVD88 (GEOID12B)
- BASIS OF BEARING DERIVED FROM COLORADO COORDINATE SYSTEM OF 1983 NORTH ZONE.
- ALL MEASURED DISTANCES ARE GRID.
COMBINED SCALE FACTOR: .99972813 CALCULATED AT THE W. 1/4 COR. OF SECTION 22
- OPERATOR: ROB WILSON / PDOP = 1.3
- SEE ADDENDUM TO WELL LOCATION CERTIFICATE FOR EXISTING IMPROVEMENTS WITHIN 500' OF THE WELL PAD.
- WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.
- THE BOTTOM OF HOLE BEARS N00°30'10"W, 7822' FROM THE HEEL LOCATION.



CERTIFICATE OF SURVEYOR:

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. THIS CERTIFICATE DOES NOT REPRESENT A LAND SURVEY PLAT OR IMPROVEMENT SURVEY PLAT AS DEFINED BY C.R.S. 38-51-302 AND CANNOT BE RELIED UPON TO DETERMINE OWNERSHIP.

John R. Slauch
 JOHN R. SLAUGH
 PROFESSIONAL LAND SURVEYOR
 COLORADO REGISTRATION NUMBER 38230



NOTE:
 MAGNETIC NORTH IS CURRENT AS OF 3/3/2016.
 MAGNETIC NORTH CHANGES WEST 0°06' PER YEAR.

NOTICE:
 ACCORDING TO COLORADO STATE LAW YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE ON THE CERTIFICATION SHOWN HEREON.

WELL PAD - MARRS 28C-10HZ

MARRS 29N-10HZ
 WELL LOCATION CERTIFICATE
 2120' FNL & 2011' FWL SENW (SURFACE)
 1750' FNL & 1564' FWL SENW (HEEL)
 LOCATED IN SECTION 22
 800' FSL & 1575' FWL SESW (BOTTOM)
 LOCATED IN SECTION 10
 T1N, R67W, 6TH P.M.
 WELD COUNTY, COLORADO

Kerr-McGee Oil & Gas Onshore L.P.
 1099 18th Street
 Denver, Colorado 80202



CONSULTING, LLC


SHERIDAN OFFICE
 1095 Saberton Avenue
 Sheridan, Wyoming 82801
 Phone 307-674-0609

LOVELAND OFFICE
 1635 Foxtrail Drive, Suite 204
 Loveland, Colorado 80538
 Phone 970-776-4331

DRAFTED BY: LMO	CHECKED BY: JRS	SHEET NO: 2 2 OF 3
DATE DRAFTED: 3/21/16	DATE SURVEYED: 1/19/16	
REVISED:	FILE NAME: 15-73	

K:\MARRS\2015\73_MARRS_T1N_R67W_231PLAT\MARRS_28C-10HZ_PLAT.dwg, 3/24/2016 1:48:49 PM, steven

T1N, R67W




SURFACE LOCATION: NAD 83
 GROUND ELEVATION= 4978.9'
 LATITUDE= 40.037987°
 LONGITUDE= -104.879029°
 LATITUDE= 40°02'16.755"
 LONGITUDE= -104°52'44.505"
HEEL LOCATION: NAD 83
 LATITUDE= 40.038999°
 LONGITUDE= -104.880640°
 LATITUDE= 40°02'20.395"
 LONGITUDE= -104°52'50.304"
BOTTOM HOLE LOCATION: NAD 83
 LATITUDE= 40.060470°
 LONGITUDE= -104.880690°
 LATITUDE= 40°03'37.692"
 LONGITUDE= -104°52'50.484"

CERTIFICATE OF SURVEYOR:

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEY MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF. THIS CERTIFICATE DOES NOT REPRESENT A LAND SURVEY PLAT OR IMPROVEMENT SURVEY PLAT AS DEFINED BY S.C.S. 38-51-302 AND CANNOT BE RELIED UPON TO DETERMINE OWNERSHIP.

John R. Slaugh
 JOHN R. SLAUGH
 PROFESSIONAL LAND SURVEYOR
 COLORADO REGISTRATION NUMBER 38230


NOTICE:
 ACCORDING TO COLORADO STATE LAW YOU MUST COMMENCE ANY LEGAL ACTION BASED UPON ANY DEFECT IN THIS SURVEY WITHIN THREE YEARS AFTER YOU FIRST DISCOVER SUCH DEFECT. IN NO EVENT MAY ANY ACTION BASED UPON ANY DEFECT IN THIS SURVEY BE COMMENCED MORE THAN TEN YEARS FROM THE DATE ON THE CERTIFICATION SHOWN HEREON.



NOTE:
 MAGNETIC NORTH IS CURRENT AS OF 3/3/2016.
 MAGNETIC NORTH CHANGES WEST 0°06' PER YEAR.

NOTES:

- ▲ INDICATES SECTION CORNER
- INDICATES CALCULATED CORNER
- ELEVATION BASED ON NAVD88 (GEOID12B)
- BASIS OF BEARING DERIVED FROM COLORADO COORDINATE SYSTEM OF 1983 NORTH ZONE.
- ALL MEASURED DISTANCES ARE GRID.
 COMBINED SCALE FACTOR: .99972813 CALCULATED AT THE W. 1/4 COR. OF SECTION 22
- OPERATOR: ROB WILSON / PDOP = 1.3
- SEE ADDENDUM TO WELL LOCATION CERTIFICATE FOR EXISTING IMPROVEMENTS WITHIN 500' OF THE WELL PAD.
- WELL FOOTAGES ARE MEASURED AT RIGHT ANGLES TO THE SECTION LINES.
- THE BOTTOM OF HOLE BEARS N00°30'10"W, 7822' FROM THE HEEL LOCATION.



SCALE: 1" = 1000'

WELL PAD - MARRS 28C-10HZ

MARRS 29N-10HZ
 WELL LOCATION CERTIFICATE
 2120' FNL & 2011' FWL SENW (SURFACE)
 1750' FNL & 1564' FWL SENW (HEEL)
 LOCATED IN SECTION 22
 800' FSL & 1575' FWL SESW (BOTTOM)
 LOCATED IN SECTION 10
 T1N, R67W, 6TH P.M.
 WELD COUNTY, COLORADO

Kerr-McGee Oil & Gas Onshore L.P.
 1099 18th Street
 Denver, Colorado 80202



CONSULTING, LLC

SHERIDAN OFFICE
 1095 Saberton Avenue
 Sheridan, Wyoming 82801
 Phone 307-674-0609

LOVELAND OFFICE
 1635 Foxtrail Drive, Suite 204
 Loveland, Colorado 80538
 Phone 970-776-4331

DRAFTED BY:	LMO	CHECKED BY:	JRS	SHEET NO: 3 3 OF 3
DATE DRAFTED:	3/21/16	DATE SURVEYED:	1/19/16	
REVISED:		FILE NAME:	15-73	