

**FORM
INSP**Rev
05/11**State of Colorado
Oil and Gas Conservation Commission**1120 Lincoln Street, Suite 801, Denver, Colorado 80203
Phone: (303) 894-2100 Fax: (303) 894-2109

Inspection Date:

05/20/2016

Document Number:

680400586

Overall Inspection:

SATISFACTORY**FIELD INSPECTION FORM**

Location Identifier	Facility ID	Loc ID	Inspector Name:	On-Site Inspection	2A Doc Num:
	434764	335244	BROWNING, CHUCK	<input type="checkbox"/>	

Operator Information:OGCC Operator Number: 96850Name of Operator: WPX ENERGY ROCKY MOUNTAIN LLCAddress: PO BOX 370City: PARACHUTE State: CO Zip: 81635

- ☐ THIS IS A FOLLOW UP INSPECTION
- ☐ FOLLOW UP INSPECTION REQUIRED
- ☒ NO FOLLOW UP INSPECTION REQUIRED
- ☐ INSPECTOR REQUESTS FORM 42 WHEN CORRECTIVE ACTIONS ARE COMPLETED

Contact Information:

Contact Name	Phone	Email	Comment
		COGCCInspectionReports@wpxenergy.com	All Inspections
Browning, Chuck	970-433-4139	chuck.browning@state.co.us	Field Inspector

Compliance Summary:QtrQtr: SESW Sec: 21 Twp: 6S Range: 94W

Insp. Date	Doc Num	Insp. Type	Insp Status	Satisfactory /Action Required	PA P/F/I	Pas/Fail (P/F)	Violation (Y/N)
06/08/2015	668403087	IJ	AC	SATISFACTORY			No
03/11/2015	668402674	IJ	AC	SATISFACTORY	I		No
04/16/2014	668402009	WO	SI	SATISFACTORY	P		No
03/04/2014	668401919	WO	SI	SATISFACTORY			No
01/17/2014	670201163	DG	PD	SATISFACTORY			No
01/07/2014	670201117	DG	WK	SATISFACTORY			No

Inspector Comment:Routine UIC Inspection.**Related Facilities:**

Facility ID	Type	Status	Status Date	Well Class	API Num	Facility Name	Insp Status	
159447	UIC DISPOSAL	AC	01/24/2014		-	RWF 911-28D INJECTION WELL	AC	<input type="checkbox"/>
211242	WELL	PR	12/19/1995	GW	045-07001	CLOUGH 2A	PR	<input checked="" type="checkbox"/>
270346	WELL	PR	05/18/2004	GW	045-09536	CLOUGH RWF 524-21	PR	<input checked="" type="checkbox"/>
270354	WELL	PR	06/01/2004	GW	045-09531	CLOUGH RWF 424-21	PR	<input checked="" type="checkbox"/>
270357	WELL	PR	05/30/2004	GW	045-09535	CLOUG RMV 219-21	PR	<input checked="" type="checkbox"/>
434764	WELL	IJ	03/31/2015	DSPW	045-22176	Clough RWF 911-28D	AC	<input checked="" type="checkbox"/>

Inspector Name: BROWNING, CHUCK

437201	SPILL OR RELEASE	AC	05/21/2014		-	SPILL/RELEASE POINT	AC	
442481	SPILL OR RELEASE	CL	07/13/2015		-	SPILL/RELEASE POINT	CL	

Equipment:Location Inventory

Special Purpose Pits: _____	Drilling Pits: _____	Wells: <u>5</u>	Production Pits: _____
Condensate Tanks: _____	Water Tanks: <u>2</u>	Separators: <u>4</u>	Electric Motors: _____
Gas or Diesel Motors: _____	Cavity Pumps: _____	LACT Unit: _____	Pump Jacks: _____
Electric Generators: _____	Gas Pipeline: _____	Oil Pipeline: _____	Water Pipeline: _____
Gas Compressors: _____	VOC Combustor: _____	Oil Tanks: <u>2</u>	Dehydrator Units: _____
Multi-Well Pits: _____	Pigging Station: _____	Flare: _____	Fuel Tanks: _____

Location**Lease Road:**

Type	Satisfactory/Action Required	comment	Corrective Action	Date
Main	SATISFACTORY			
Access	SATISFACTORY			

Signs/Marker:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY			

Emergency Contact Number (S/AR): SATISFACTORY

Corrective Date: _____

Comment: _____

Corrective Action: _____

Good Housekeeping:

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date

Spills:

Type	Area	Volume	Corrective action	CA Date
------	------	--------	-------------------	---------

☐ Multiple Spills and Releases?**Fencing:**

Type	Satisfactory/Action Required	Comment	Corrective Action	CA Date
WELLHEAD	SATISFACTORY			

Equipment:

Type:	#	Satisfactory/Action Required:
Comment		
Corrective Action		Date: _____

Venting:

Yes/No	NO
Comment	

Flaring:

Type	Satisfactory/Action Required	
Comment:		
Corrective Action:		Correct Action Date:

Predrill

Location ID: 434764

Lease Road Adeq.: _____

Pads: _____

Soil Stockpile: _____

S/AR: _____

Corrective Action: _____

Date: _____

CDP Num.: _____

Form 2A COAs:

Group	User	Comment	Date
OGLA	kubeczkd	<p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface pipelines or buried permanent pipelines.</p> <p>Operator must ensure secondary containment for any volume of fluids contained at well site during drilling and completion operations; including, but not limited to, construction of a berm or diversion dike, diversion/collection trenches within and/or outside of berms/dikes, site grading, or other comparable measures (i.e., best management practices (BMPs) associated with stormwater management) sufficiently protective of nearby surface water. Any berm constructed at the well pad location will be stabilized, inspected at regular intervals (at least every 14 days), and maintained in good condition.</p> <p>The access road will be maintained as to not allow any sediment to migrate from the access road to nearby surface water or any drainages leading to surface water.</p> <p>Strategically apply fugitive dust control measures, including enforcing established speed limits on private roads, to reduce fugitive dust and coating of vegetation and deposition in water sources.</p> <p>Berms or other containment devices shall be constructed to be sufficiently impervious (preferably corrugated steel with poly liner) to contain any spilled or released material around crude oil, condensate, and produced water storage tanks.</p>	09/23/2013
OGLA	kubeczkd	<p>Notify the COGCC 48 hours prior to start of pad construction, rig mobilization, spud, and start of hydraulic stimulation operations using Form 42 (the appropriate COGCC individuals will automatically be email notified, including the LGD for hydraulic stimulation operations).</p> <p>As required for Groundwater Baseline Sampling; Operator shall comply with Rule 609. STATEWIDE GROUNDWATER BASELINE SAMPLING AND MONITORING.</p>	09/23/2013
OGLA	kubeczkd	<p>The moisture content of any cuttings in a cuttings pit, trench, or pile shall be as low as practicable to prevent accumulation of liquids greater than de minimis amounts. At the time of closure, if the drill cuttings are to be left onsite, they must also meet the applicable standards of table 910-1.</p> <p>Operator must submit an as-built drawing (plan view and cross-sections) of the injection well pad and associated equipment within 30 calendar days of construction.</p> <p>Operator must implement best management practices to contain any unintentional release of fluids, including any fluids conveyed via temporary surface or buried pipelines.</p> <p>Operator must implement best management practices to contain any unintentional</p>	09/23/2013

release of fluids, including
If the well is to be hydraulically stimulated, flowback and stimulation fluids must be sent to tanks, separators, or other containment/filtering equipment before the fluids can be placed into any pipeline, storage vessel, or lined pit (only if an amended Form 2A has been submitted/approved and a Form 15 Earthen Pit Permitted has been submitted/approved) located on the well pad; or into tanker trucks for offsite disposal. The flowback and stimulation fluid tanks, separators, or other containment/filtering equipment must be placed on the well pad in an area with additional downgradient perimeter berming. The area where flowback fluids will be stored/reused must be constructed to be sufficiently impervious to contain any spilled or released material.

Operator will use qualified containment devices for all appropriate chemicals/hazardous materials used onsite during the operation of the injection well.

All tanks and aboveground vessels containing fluids must have secondary containment structures. All secondary containment structures/areas must be lined. Operator must ensure a minimum of 110 percent secondary containment for the largest structure containing fluids within each bermed area the facility during operations. The construction and lining of the secondary containment structures/areas shall be supervised by a professional engineer or their agent.

Operator shall equip and maintain on all tanks an electronic level monitoring device.

Operator shall install a steel containment ring around tank batteries to provide secondary containment and install a synthetic liner that underlies the entire battery and is keyed into the top of the containment ring.

Approval of this Form 2A does not authorize operator the right to inject. Authorization to inject into the selected Formation(s) requires approval of both the Form 31 and the Form 33.

Before hydraulic stimulation of the each well, operator shall collect a groundwater sample from the Iles Formation and analyze for total dissolved solids (TDS); submit laboratory analytical results to denise.onyskiw@state.co.us and arthur.koelspell@state.co.us.

Operator shall pressure test pipelines in accordance with Rule 1101.e.(1) prior to putting into initial service any temporary surface or permanent buried pipelines and following any reconfiguration of the pipeline network. Operator shall notify the COGCC Oil and Gas Location Assessment (OGLA) Specialist for Western Colorado (Dave Kubeczko; email dave.kubeczko@state.co.us) and the COGCC Field Inspection Supervisor for Northwest Colorado (Shaun Kellerby; email shaun.kellerby@state.co.us) 48 hours prior to testing surface poly/steel or buried poly/steel pipelines.

Operator must implement best management practices to contain any unintentional release of fluids along all portions of the surface pipeline route where temporary pumps and other necessary equipment are located.

Operator must routinely inspect the entire length of the surface pipeline to ensure integrity. Operator shall conduct daily inspections of surface poly pipeline routes for leaks during active transfer of fluids. Inspections shall be conducted by viewing the length of the pipeline; operator will endeavor to minimize surface disturbance during pipeline monitoring. The operator shall maintain records of inspections, findings and repairs, if necessary, for the life of the pipelines.

Operator must ensure appropriate secondary containment for volume of fluids that may be released before pump shut down from the surface pipeline at all stream, intermittent stream, ditch, and drainage crossings. Catchment basins, if needed, should be sized to contain the volume between pump stations or between the nearest pump station and the injection well pad being used for this well pad location. Pump stations along the surface poly or steel pipeline route will be

Inspector Name: BROWNING, CHUCK

continuously monitored when operating in order to swiftly respond to such a failure.

Operator will utilize, to the extent practical, all existing access and other public roads, and/or existing pipeline right-of-ways, when placing/routing the surface pipelines. This will reduce surface disturbance and fragmentation of wildlife habitat in the area.

S/AR: _____ **Comment:** _____

CA: _____ **Date:** _____

Wildlife BMPs:

BMP Type	Comment
Interim Reclamation	PRODUCTION/RECLAMATION BMP's * Remove well pad and road surface materials that are incompatible with post-production land use and re-vegetation requirements * Use only certified weed-free native seed in seed mixes, except for non-native plants that benefit wildlife * WPX Energy will use certified, weed free grass hay, straw, hay or other mulch materials used for the reseeding and reclamation of disturbed areas. * Install exclusionary devices to prevent bird and other wildlife access to equipment stacks, vents and openings. * Reduce visits to well-sites through remote monitoring (i.e. SCADA) and the use of multi-function contractors.
Planning	PLANNING BMP's * Use existing roads where possible * Maximize use of remote telemetry for well monitoring to minimize traffic

S/AR: _____ **Comment:** _____

CA: _____ **Date:** _____

Comment: _____

Staking:

On Site Inspection (305):

Surface Owner Contact Information:

Name: _____ Address: _____

Phone Number: _____ Cell Phone: _____

Operator Rep. Contact Information:

Landman Name: _____ Phone Number: _____

Date Onsite Request Received: _____ Date of Rule 306 Consultation: _____

Request LGD Attendance: _____

LGD Contact Information:

Name: _____ Phone Number: _____ Agreed to Attend: _____

Summary of Landowner Issues:

Summary of Operator Response to Landowner Issues:

Onsite Inspection Memorandum Summarizing Discussions at Inspection as Attachment:

Facility

Facility ID: 211242 Type: WELL API Number: 045-07001 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 270346 Type: WELL API Number: 045-09536 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 270354 Type: WELL API Number: 045-09531 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 270357 Type: WELL API Number: 045-09535 Status: PR Insp. Status: PR

Producing Well

Comment: Plunger lift

Facility ID: 434764 Type: WELL API Number: 045-22176 Status: IJ Insp. Status: AC

Underground Injection Control

UIC Violation: _____

Maximum Injection Pressure: _____

UIC RoutineInj./Tube: Pressure or inches of Hg 0 Previous Test Pressure _____ MPP _____
(e.g. 30 psig or -30" Hg) Inj Zone: N-COM

TC: Pressure or inches of Hg 880 Previous Test Pressure _____ Last MIT: 04/16/2014

Brhd: Pressure or inches of Hg 580 Previous Test Pressure _____ AnnMTReq: _____

Comment: Routine UIC Inspection. Well shut in. No active injection at time of inspection.

Method of Injection: PUMP FEED

Test Type: _____ Tbg psi: _____ Csg psi: _____ BH psi: _____

Insp. Status: _____

Comment: _____

Environmental**Spills/Releases:**

Type of Spill: _____ Description: _____ Estimated Spill Volume: _____

Comment: _____

Corrective Action: _____ Date: _____

Reportable: _____ GPS: Lat _____ Long _____

Proximity to Surface Water: _____ Depth to Ground Water: _____

Water Well:

Lat _____ Long _____

DWR Receipt Num: _____ Owner Name: _____ GPS : _____

Field Parameters:

Inspector Name: BROWNING, CHUCK

Sample Location: _____

Emission Control Burner (ECB): _____

Comment: _____

Pilot: _____ Wildlife Protection Devices (fired vessels): _____

Reclamation - Storm Water - Pit

Interim Reclamation:

Date Interim Reclamation Started: _____ Date Interim Reclamation Completed: _____

Land Use: RANGELAND

Comment: _____

1003a. Waste and Debris removed? Pass

CM _____

CA _____ CA Date _____

Unused or unneeded equipment onsite? Pass

CM _____

CA _____ CA Date _____

Pit, cellars, rat holes and other bores closed? Pass

CM _____

CA _____ CA Date _____

Guy line anchors marked? Pass

CM _____

CA _____ CA Date _____

1003b. Area no longer in use? _____ Production areas stabilized? Pass

1003c. Compacted areas have been cross ripped? _____

1003d. Drilling pit closed? _____ Subsidence over on drill pit? _____

Cuttings management: _____

1003e. Areas no longer needed for drilling or subsequent operations for have been re-vegetated to 80% of pre-existing? _____

Production areas have been stabilized? Pass Segregated soils have been replaced? _____

RESTORATION AND REVEGETATION

Cropland

Top soil replaced _____ Recontoured _____ Perennial forage re-established _____

Non-Cropland

Top soil replaced _____ Recontoured _____ 80% Revegetation _____

1003 f. Weeds Noxious weeds? P

Comment: _____

Overall Interim Reclamation _____

Final Reclamation/ Abandoned Location:

Date Final Reclamation Started: _____ Date Final Reclamation Completed: _____

Final Land Use: RANGELAND

Inspector Name: BROWNING, CHUCK

Reminder:

Comment:

Well plugged

Pit mouse/rat holes, cellars backfilled

Debris removed

No disturbance /Location never built

Access Roads

Regraded

Contoured

Culverts removed

Gravel removed

Location and associated production facilities reclaimed

Locations, facilities, roads, recontoured

Compaction alleviation

Dust and erosion control

Non cropland: Revegetated 80%

Cropland: perennial forage

Weeds present

Subsidence

Comment:

Corrective Action:

Date

Overall Final Reclamation

Well Release on Active Location

Multi-Well Location

Storm Water:

Loc Erosion BMPs	BMP Maintenance	Lease Road Erosion BMPs	Lease BMP Maintenance	Chemical BMPs	Chemical BMP Maintenance	Comment
Berms	Pass	Gravel	Pass	MHSP	Pass	

S/A/V: SATISFACTOR

Corrective Date:

Y

Comment:

CA:

Pits: ☐ NO SURFACE INDICATION OF PIT

Attached Documents

You can go to COGCC Images (<https://cogcc.state.co.us/weblink/>) and search by document number:

Document Num	Description	URL
680400586	INSPECTION APPROVED	http://ogccweblink.state.co.us/DownloadDocumentPDF.aspx?DocumentId=3861870